

# Bernd LÃ¶we

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9201918/publications.pdf>

Version: 2024-02-01

230  
papers

47,409  
citations

22132

59  
h-index

2076

204  
g-index

271  
all docs

271  
docs citations

271  
times ranked

40267  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Brief Measure for Assessing Generalized Anxiety Disorder. Archives of Internal Medicine, 2006, 166, 1092.	4.3	18,596
2	Anxiety Disorders in Primary Care: Prevalence, Impairment, Comorbidity, and Detection. Annals of Internal Medicine, 2007, 146, 317.	2.0	3,084
3	Validation and Standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the General Population. Medical Care, 2008, 46, 266-274.	1.1	2,912
4	The Patient Health Questionnaire Somatic, Anxiety, and Depressive Symptom Scales: a systematic review. General Hospital Psychiatry, 2010, 32, 345-359.	1.2	2,879
5	An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. Psychosomatics, 2009, 50, 613-621.	2.5	2,151
6	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. Journal of Affective Disorders, 2010, 122, 86-95.	2.0	1,581
7	Measuring depression outcome with a brief self-report instrument: sensitivity to change of the Patient Health Questionnaire (PHQ-9). Journal of Affective Disorders, 2004, 81, 61-66.	2.0	1,223
8	Detecting and monitoring depression with a two-item questionnaire (PHQ-2). Journal of Psychosomatic Research, 2005, 58, 163-171.	1.2	1,078
9	Monitoring Depression Treatment Outcomes With the Patient Health Questionnaire-9. Medical Care, 2004, 42, 1194-1201.	1.1	1,017
10	Comparative validity of three screening questionnaires for DSM-IV depressive disorders and physicians' diagnoses. Journal of Affective Disorders, 2004, 78, 131-140.	2.0	874
11	Depression, anxiety and somatization in primary care: syndrome overlap and functional impairment. General Hospital Psychiatry, 2008, 30, 191-199.	1.2	549
12	Long-term prognosis in anorexia nervosa: lessons from a 21-year follow-up study. Lancet, The, 2000, 355, 721-722.	6.3	472
13	The Somatic Symptom Scale-8 (SSS-8). JAMA Internal Medicine, 2014, 174, 399.	2.6	408
14	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. Statistical Methods in Medical Research, 2020, 29, 2520-2537.	0.7	366
15	Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in outpatients with anorexia nervosa (ANTOP study): randomised controlled trial. Lancet, The, 2014, 383, 127-137.	6.3	363
16	An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. Psychosomatics, 2009, 50, 613-621.	2.5	327
17	Diagnosing ICD-10 Depressive Episodes: Superior Criterion Validity of the Patient Health Questionnaire. Psychotherapy and Psychosomatics, 2004, 73, 386-390.	4.0	269
18	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). Journal of Affective Disorders, 2020, 265, 395-401.	2.0	253

#	ARTICLE	IF	CITATIONS
19	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	3.8	242
20	Detecting panic disorder in medical and psychosomatic outpatients. <i>Journal of Psychosomatic Research</i> , 2003, 55, 515-519.	1.2	232
21	Assessing Generalized Anxiety Disorder in Elderly People Using the GAD-7 and GAD-2 Scales: Results of a Validation Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1029-1038.	0.6	207
22	Depression, anxiety, and somatoform disorders: Vague or distinct categories in primary care? Results from a large cross-sectional study. <i>Journal of Psychosomatic Research</i> , 2009, 67, 189-197.	1.2	202
23	Anxiety and Depression in Patients With Pulmonary Hypertension. <i>Psychosomatic Medicine</i> , 2004, 66, 831-836.	1.3	196
24	How to assess common somatic symptoms in large-scale studies: A systematic review of questionnaires. <i>Journal of Psychosomatic Research</i> , 2013, 74, 459-468.	1.2	181
25	Persistent Physical Symptoms as Perceptual Dysregulation: A Neuropsychobehavioral Model and Its Clinical Implications. <i>Psychosomatic Medicine</i> , 2018, 80, 422-431.	1.3	180
26	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	2.7	175
27	Osteoporosis in Eating Disorders: A Follow-Up Study of Patients with Anorexia and Bulimia Nervosa. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5227-5233.	1.8	167
28	Development and Validation of the Somatic Symptom Disorderâ€”B Criteria Scale (SSD-12). <i>Psychosomatic Medicine</i> , 2016, 78, 5-12.	1.3	150
29	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. <i>Internet Interventions</i> , 2015, 2, 48-59.	1.4	149
30	Costâ€”ofâ€”illness studies and costâ€”effectiveness analyses in eating disorders: A systematic review. <i>International Journal of Eating Disorders</i> , 2012, 45, 476-491.	2.1	141
31	Standardization of depression measurement: a common metric was developed for 11 self-report depression measures. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 73-86.	2.4	138
32	Gastrointestinal symptoms in primary care: Prevalence and association with depression and anxiety. <i>Journal of Psychosomatic Research</i> , 2008, 64, 605-612.	1.2	133
33	The challenge of diagnosing non-specific, functional, and somatoform disorders: A systematic review of barriers to diagnosis in primary care. <i>Journal of Psychosomatic Research</i> , 2016, 80, 1-10.	1.2	126
34	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 218-228.	4.0	124
35	Functional somatic disorders: discussion paper for a new common classification for research and clinical use. <i>BMC Medicine</i> , 2020, 18, 34.	2.3	122
36	Psychometric analysis of the Generalized Anxiety Disorder scale (GAD-7) in primary care using modern item response theory. <i>PLoS ONE</i> , 2017, 12, e0182162.	1.1	119

#	ARTICLE	IF	CITATIONS
37	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 115-128.e1.	2.4	113
38	Responsiveness of the PHQ-9 to Psychopharmacological Depression Treatment. <i>Psychosomatics</i> , 2006, 47, 62-67.	2.5	110
39	Weight Bias Internalization Scale: Psychometric Properties and Population Norms. <i>PLoS ONE</i> , 2014, 9, e86303.	1.1	110
40	The Impact of Self-Reported Childhood Trauma on Emotion Regulation in Borderline Personality Disorder and Major Depression. <i>Journal of Trauma and Dissociation</i> , 2014, 15, 384-401.	1.0	108
41	Assessing psychological factors, social aspects and psychiatric co-morbidity associated with Chronic Prostatitis/Chronic Pelvic Pain Syndrome (CP/CPPS) in men – A systematic review. <i>Journal of Psychosomatic Research</i> , 2014, 77, 333-350.	1.2	103
42	Towards positive diagnostic criteria: A systematic review of somatoform disorder diagnoses and suggestions for future classification. <i>Journal of Psychosomatic Research</i> , 2010, 68, 403-414.	1.2	96
43	Ebola and Psychological Stress of Health Care Professionals. <i>Emerging Infectious Diseases</i> , 2015, 21, 913-914.	2.0	95
44	Rationale and Design of the Hamburg City Health Study. <i>European Journal of Epidemiology</i> , 2020, 35, 169-181.	2.5	85
45	Health-related quality of life, depression, and anxiety in patients with autoimmune hepatitis. <i>Journal of Hepatology</i> , 2014, 60, 618-624.	1.8	84
46	Core Outcome Domains for Clinical Trials on Somatic Symptom Disorder, Bodily Distress Disorder, and Functional Somatic Syndromes: European Network on Somatic Symptom Disorders Recommendations. <i>Psychosomatic Medicine</i> , 2017, 79, 1008-1015.	1.3	82
47	General Population Norms for the Functional Assessment of Chronic Illness Therapy (FACIT)-Fatigue Scale. <i>Value in Health</i> , 2018, 21, 1313-1321.	0.1	81
48	Detecting DSM-5 somatic symptom disorder: criterion validity of the Patient Health Questionnaire-15 (PHQ-15) and the Somatic Symptom Scale-8 (SSS-8) in combination with the Somatic Symptom Disorder – B Criteria Scale (SSD-12). <i>Psychological Medicine</i> , 2020, 50, 324-333.	2.7	74
49	Physicians' attitudes, diagnostic process and barriers regarding depression diagnosis in primary care: a systematic review of qualitative studies. <i>Family Practice</i> , 2012, 29, 255-263.	0.8	71
50	Predictive validity and clinical utility of DSM-5 Somatic Symptom Disorder – Comparison with DSM-IV somatoform disorders and additional criteria for consideration. <i>Journal of Psychosomatic Research</i> , 2012, 73, 345-350.	1.2	71
51	Validity of Current Somatoform Disorder Diagnoses: Perspectives for Classification in DSM-V and ICD-11. <i>Psychopathology</i> , 2008, 41, 4-9.	1.1	70
52	Depression comorbidity in spinocerebellar ataxia. <i>Movement Disorders</i> , 2011, 26, 870-876.	2.2	69
53	Association of hypertension with depression and generalized anxiety symptoms in a large population-based sample of older adults. <i>Journal of Hypertension</i> , 2016, 34, 1711-1720.	0.3	68
54	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	4.0	67

#	ARTICLE	IF	CITATIONS
55	Medical patients' attitudes toward emotional problems and their treatment. <i>Journal of General Internal Medicine</i> , 2006, 21, 39-45.	1.3	65
56	Assessing somatic symptom burden: A psychometric comparison of the Patient Health Questionnaire-15 (PHQ-15) and the Somatic Symptom Scale-8 (SSS-8). <i>Journal of Psychosomatic Research</i> , 2015, 78, 352-355.	1.2	65
57	Rationale and content of psychenet: the Hamburg Network for Mental Health. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 57-63.	1.8	64
58	Self-care and depression in patients with chronic heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2009, 38, 392-397.	0.8	63
59	Specialized inpatient treatment of adult anorexia nervosa: effectiveness and clinical significance of changes. <i>BMC Psychiatry</i> , 2014, 14, 258.	1.1	61
60	The Somatic Symptom Disorder - B Criteria Scale (SSD-12): Factorial structure, validity and population-based norms. <i>Journal of Psychosomatic Research</i> , 2017, 97, 9-17.	1.2	60
61	The overlap of somatic, anxious and depressive syndromes: A population-based analysis. <i>Journal of Psychosomatic Research</i> , 2016, 90, 51-56.	1.2	59
62	Psychiatric comorbidity and work disability in patients with inflammatory rheumatic diseases. <i>Psychosomatic Medicine</i> , 2004, 66, 395-402.	1.3	58
63	Self-Compassion as a Resource in the Self-Stigma Process of Overweight and Obese Individuals. <i>Obesity Facts</i> , 2015, 8, 293-301.	1.6	57
64	Depression, pain, and somatoform disorders. <i>Current Opinion in Psychiatry</i> , 2006, 19, 19-24.	3.1	55
65	Predictors of outcomes in outpatients with anorexia nervosa – Results from the ANTOP study. <i>Psychiatry Research</i> , 2016, 244, 45-50.	1.7	55
66	Depression and anxiety in patients with different rare chronic diseases: A cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0211343.	1.1	55
67	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	1.7	53
68	Anxiety and self-care behaviour in patients with chronic systolic heart failure: A multivariate model. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 170-177.	0.4	52
69	Effectiveness of a 1-Year Resident Training Program in Clinical Research: A Controlled Before-and-After Study. <i>Journal of General Internal Medicine</i> , 2008, 23, 122-128.	1.3	51
70	Depression and panic disorder as predictors of health outcomes for patients with asthma in primary care. <i>Respiratory Medicine</i> , 2008, 102, 359-366.	1.3	51
71	Predictors of Psychiatric Comorbidity in Medical Outpatients. <i>Psychosomatic Medicine</i> , 2003, 65, 764-770.	1.3	48
72	Depression, anxiety and disease-related distress in couples affected by advanced lung cancer. <i>Lung Cancer</i> , 2014, 86, 274-280.	0.9	47

#	ARTICLE	IF	CITATIONS
73	Perceived burden in dealing with different rare diseases: a qualitative focus group study. <i>BMJ Open</i> , 2019, 9, e033353.	0.8	46
74	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. <i>American Journal of Epidemiology</i> , 2017, 185, 954-964.	1.6	45
75	Somatic symptom disorder: a scoping review on the empirical evidence of a new diagnosis. <i>Psychological Medicine</i> , 2022, 52, 632-648.	2.7	44
76	Depression profile in patients with and without chronic heart failure. <i>Journal of Affective Disorders</i> , 2008, 105, 53-62.	2.0	43
77	Routine Screening for Depression and Quality of Life in Outpatients With Congestive Heart Failure. <i>Psychosomatics</i> , 2007, 48, 112-116.	2.5	41
78	Somatic Symptoms in Patients With Coronary Heart Disease: Prevalence, Risk Factors, and Quality of Life. <i>JAMA Internal Medicine</i> , 2013, 173, 1469.	2.6	41
79	The relationship of body image with symptoms of depression and anxiety in patients with anorexia nervosa during outpatient psychotherapy: Results of the ANTOP study.. <i>Psychotherapy</i> , 2016, 53, 141-151.	0.7	41
80	Construct validity and descriptive validity of somatoform disorders in light of proposed changes for the DSM-5. <i>Journal of Psychosomatic Research</i> , 2013, 74, 18-24.	1.2	40
81	Panic disorder in patients with chronic heart failure. <i>Journal of Psychosomatic Research</i> , 2008, 64, 299-303.	1.2	39
82	Acute Ebola virus disease patient treatment and health-related quality of life in health care professionals: A controlled study. <i>Journal of Psychosomatic Research</i> , 2016, 83, 69-74.	1.2	39
83	Risk factors of symptom underestimation by physicians. <i>Journal of Psychosomatic Research</i> , 2008, 64, 543-551.	1.2	38
84	Exploring potential associations of suicidal ideation and ideas of self-harm in patients with congestive heart failure. <i>Depression and Anxiety</i> , 2009, 26, 764-768.	2.0	38
85	Paths to First Treatment and Duration of Untreated Illness in Anorexia Nervosa: Are There Differences According to Age of Onset?. <i>European Eating Disorders Review</i> , 2014, 22, 292-298.	2.3	38
86	Duration of untreated illness in patients with somatoform disorders. <i>Journal of Psychosomatic Research</i> , 2018, 107, 1-6.	1.2	38
87	Development of a Japanese version of the Somatic Symptom Scale-8: Psychometric validity and internal consistency. <i>General Hospital Psychiatry</i> , 2017, 45, 7-11.	1.2	37
88	Predictive validity and clinical utility of DSM-5 Somatic Symptom Disorder: Prospective 1-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2013, 75, 358-361.	1.2	35
89	Comparing the diagnostic concepts of ICD-10 somatoform disorders and DSM-5 somatic symptom disorders in patients from a psychosomatic outpatient clinic. <i>Journal of Psychosomatic Research</i> , 2018, 113, 74-80.	1.2	35
90	Cognitive Behaviour Therapy Complemented with Emotion Regulation Training for Patients with Persistent Physical Symptoms: A Randomised Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 287-299.	4.0	35

#	ARTICLE	IF	CITATIONS
91	Mental disorders in patients with chronic pelvic pain syndrome (CPPS). <i>Journal of Psychosomatic Research</i> , 2017, 98, 19-26.	1.2	35
92	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 151.	1.3	34
93	Development of the generic, multidimensional Treatment Expectation Questionnaire (TEX-Q) through systematic literature review, expert surveys and qualitative interviews. <i>BMJ Open</i> , 2020, 10, e036169.	0.8	34
94	Psychiatric comorbidity in cardiovascular inpatients: Costs, net gain, and length of hospitalization. <i>Journal of Psychosomatic Research</i> , 2011, 70, 135-139.	1.2	33
95	Suicidality in Primary Care Patients With Somatoform Disorders. <i>Psychosomatic Medicine</i> , 2013, 75, 800-806.	1.3	33
96	Cost-Utility Analyses of Cognitive-Behavioural Therapy of Depression: A Systematic Review. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 6-21.	4.0	33
97	Postinfectious irritable bowel syndrome (PI-IBS) after infection with Shiga toxin-producing <i>Escherichia coli</i> (STEC) O104:H4: A cohort study with prospective follow-up. <i>United European Gastroenterology Journal</i> , 2016, 4, 121-131.	1.6	33
98	The importance of body image disturbances for the outcome of outpatient psychotherapy in patients with anorexia nervosa: Results of the ANTOP study. <i>European Eating Disorders Review</i> , 2019, 27, 49-58.	2.3	33
99	Somatic symptom disorder in the general population: Associations with medical status and health care utilization using the SSD-12. <i>General Hospital Psychiatry</i> , 2019, 56, 36-41.	1.2	33
100	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale "Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892.	1.2	33
101	Persistent SOMatic symptoms ACROSS diseases " from risk factors to modification: scientific framework and overarching protocol of the interdisciplinary SOMACROSS research unit (RU 5211). <i>BMJ Open</i> , 2022, 12, e057596.	0.8	33
102	Pruritus is associated with severely impaired quality of life in patients with primary sclerosing cholangitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 1374-1379.	0.8	32
103	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. <i>Journal of Medical Internet Research</i> , 2017, 19, e206.	2.1	31
104	The Development of Irritable Bowel Syndrome: A Prospective Community-Based Cohort Study. <i>American Journal of Gastroenterology</i> , 2016, 111, 1320-1329.	0.2	30
105	Physiotherapy management of patients with chronic pelvic pain (CPP): A systematic review. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 516-532.	0.6	30
106	Anxiety Disorders in Patients with Implantable Cardioverter Defibrillators: Frequency, Course, Predictors, and Patients' Requests for Treatment. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 35-47.	0.5	29
107	Impact of childhood trauma, alexithymia, dissociation, and emotion suppression on emotional Stroop task. <i>Journal of Psychosomatic Research</i> , 2011, 70, 53-58.	1.2	28
108	Somatic and psychosocial determinants of symptom severity and quality of life in male and female patients with chronic pelvic pain syndrome. <i>Journal of Psychosomatic Research</i> , 2019, 120, 1-7.	1.2	28

#	ARTICLE	IF	CITATIONS
109	Open-label placebos for menopausal hot flushes: a randomized controlled trial. <i>Scientific Reports</i> , 2020, 10, 20090.	1.6	28
110	Supportive care needs of patients with rare chronic diseases: multi-method, cross-sectional study. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 44.	1.2	28
111	Update of the standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. <i>Journal of Affective Disorders</i> , 2022, 312, 310-314.	2.0	28
112	Efficacy, predictors of therapy response, and safety of sertraline in routine clinical practice: Prospective, open-label, non-interventional postmarketing surveillance study in 1878 patients. <i>Journal of Affective Disorders</i> , 2005, 87, 271-279.	2.0	27
113	Duration of untreated illness and predictors of late treatment initiation in anorexia nervosa. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014, 22, 519-527.	0.8	27
114	Depression screening with patient-targeted feedback in cardiology: DEPSCREEN-INFO randomised clinical trial. <i>British Journal of Psychiatry</i> , 2017, 210, 132-139.	1.7	27
115	Validity of the Somatic Symptom Disorderâ€”B Criteria Scale (SSD-12) in primary care. <i>Family Practice</i> , 2018, 35, 342-347.	0.8	27
116	Correlates of health related quality of life in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2016, 49, 630-634.	2.1	26
117	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 154-164.	4.0	26
118	Effects of acute cortisol administration on response inhibition in patients with major depression and healthy controls. <i>Psychiatry Research</i> , 2013, 209, 439-446.	1.7	25
119	Psychological Outcome, Fatigue, and Quality of Life After Infection With Shiga Toxinâ€”Producing <i>Escherichia coli</i> O104. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1848-1855.	2.4	25
120	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. <i>Psychosomatic Medicine</i> , 2017, 79, 1016-1024.	1.3	25
121	Predictors of pain, urinary symptoms and quality of life in patients with chronic pelvic pain syndrome (CPPS): A prospective 12-month follow-up study. <i>Journal of Psychosomatic Research</i> , 2018, 112, 99-106.	1.2	24
122	The role of selfâ€”esteem in the treatment of patients with anorexia nervosa â€” A systematic review and metaâ€”analysis. <i>International Journal of Eating Disorders</i> , 2019, 52, 101-116.	2.1	24
123	Effects of noradrenergic stimulation on memory in patients with major depressive disorder. <i>Stress</i> , 2013, 16, 191-201.	0.8	23
124	Predicting suicidal ideation in primary care: An approach to identify easily assessable key variables. <i>General Hospital Psychiatry</i> , 2018, 51, 106-111.	1.2	23
125	Spontaneous pneumomediastinum in anorexia nervosa: A case report and review of the literature on pneumomediastinum and pneumothorax. <i>European Eating Disorders Review</i> , 2010, 18, 107-115.	2.3	22
126	A European research network to improve diagnosis, treatment and care for patients with persistent somatic symptoms: Work report of the EURONET-SOMA conference series. <i>Journal of Psychosomatic Research</i> , 2017, 97, 136-138.	1.2	22



#	ARTICLE	IF	CITATIONS
127	Decreasing the duration of untreated illness for individuals with anorexia nervosa: study protocol of the evaluation of a systemic public health intervention at community level. BMC Psychiatry, 2014, 14, 300.	1.1	21
128	Suicide and suicidality in somatic symptom and related disorders: A systematic review. Journal of Psychosomatic Research, 2021, 140, 110290.	1.2	21
129	Noradrenergic blockade and memory in patients with major depression and healthy participants. Psychoneuroendocrinology, 2014, 40, 86-90.	1.3	20
130	Functional Somatic Symptoms Across Cultures: Perceptual and Health Care Issues. Psychosomatic Medicine, 2018, 80, 412-415.	1.3	20
131	Acute glucocorticoid effects on response inhibition in borderline personality disorder. Psychoneuroendocrinology, 2013, 38, 2780-2788.	1.3	19
132	Coding of medically unexplained symptoms and somatoform disorders by general practitioners – an exploratory focus group study. BMC Family Practice, 2018, 19, 129.	2.9	19
133	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. Journal of Psychosomatic Research, 2020, 139, 110256.	1.2	19
134	The psychenet public health intervention for anorexia nervosa: a pre- and post-evaluation study in a female patient sample. Primary Health Care Research and Development, 2018, 19, 42-52.	0.5	18
135	Health Care for Persistent Somatic Symptoms Across Europe: A Qualitative Evaluation of the EURONET-SOMA Expert Discussion. Frontiers in Psychiatry, 2018, 9, 646.	1.3	18
136	Barriers to the diagnosis of somatoform disorders in primary care: protocol for a systematic review of the current status. Systematic Reviews, 2013, 2, 99.	2.5	17
137	Patient involvement in developing a patient-targeted feedback intervention after depression screening in primary care within the randomized controlled trial GET.FEEDBACK.GP. Health Expectations, 2021, 24, 95-112.	1.1	17
138	Sex differences in attitudes towards females with eating disorders. Eating Behaviors, 2015, 16, 78-83.	1.1	16
139	Efficacy of a prevention program for eating disorders in schools: a cluster-randomized controlled trial. BMC Psychiatry, 2017, 17, 293.	1.1	16
140	Suicidal ideation in patients with coronary heart disease and hypertension: Baseline results from the DEPSCREEN-INFO clinical trial. Clinical Psychology and Psychotherapy, 2018, 25, 754-764.	1.4	16
141	Facilitators and barriers in anorexia nervosa treatment initiation: a qualitative study on the perspectives of patients, carers and professionals. Journal of Eating Disorders, 2021, 9, 28.	1.3	16
142	Suicidal ideation in German primary care. General Hospital Psychiatry, 2013, 35, 366-369.	1.2	15
143	Emotional Expression Predicts Treatment Outcome in Focal Psychodynamic and Cognitive Behavioural Therapy for Anorexia Nervosa: Findings from the ANTOP Study. Psychotherapy and Psychosomatics, 2017, 86, 108-110.	4.0	15
144	Somatoform disorder in primary care: The influence of comorbidity with anxiety and depression on health care utilization. Journal of Evaluation in Clinical Practice, 2018, 24, 892-900.	0.9	15

#	ARTICLE	IF	CITATIONS
145	Combined Cognitive-Behavioural and Physiotherapeutic Therapy for Patients with Chronic Pelvic Pain Syndrome (COMBI-CPPS): study protocol for a controlled feasibility trial. <i>Trials</i> , 2018, 19, 20.	0.7	15
146	Validity and sensitivity to change of the Somatic Symptom Disorderâ€”B Criteria Scale (SSD-12) in a clinical population. <i>General Hospital Psychiatry</i> , 2018, 55, 20-26.	1.2	15
147	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). <i>BMJ Open</i> , 2020, 10, e036021.	0.8	15
148	The European Training Network ETUDE (Encompassing Training in fUnctional Disorders across) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 researchers. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110345.	1.2	15
149	Internistische Psychosomatik. <i>Psychotherapeut</i> , 2003, 48, 348-356.	0.1	14
150	Psychological Change Mechanisms in Anorexia Nervosa Treatments: How Much Do We Know?. <i>Journal of Clinical Psychology</i> , 2013, 69, 762-773.	1.0	14
151	Languageâ€”related differential item functioning between English and German PROMIS Depression items is negligible. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	14
152	Diagnosis of somatoform disorders in primary care: diagnostic agreement, predictors, and comaprison with depression and anxiety. <i>BMC Psychiatry</i> , 2018, 18, 361.	1.1	14
153	Severity of somatic symptoms in outpatients with anorexia and bulimia nervosa. <i>European Eating Disorders Review</i> , 2019, 27, 195-204.	2.3	14
154	Persistence rate of DSM-5 somatic symptom disorder: 4-year follow-up in patients from a psychosomatic outpatient clinic. <i>Comprehensive Psychiatry</i> , 2021, 110, 152265.	1.5	14
155	The Intersession Process in Psychotherapy for Anorexia Nervosa: Characteristics and Relation to Outcome. <i>Journal of Clinical Psychology</i> , 2016, 72, 861-879.	1.0	13
156	Monitoring somatic symptoms in patients with mental disorders: Sensitivity to change and minimal clinically important difference of the Somatic Symptom Scale â€” 8 (SSS-8). <i>General Hospital Psychiatry</i> , 2017, 48, 51-55.	1.2	13
157	Excessiveness in Symptom-Related Thoughts, Feelings, and Behaviors: An Investigation of Somatic Symptom Disorders in the General Population. <i>Psychosomatic Medicine</i> , 2021, 83, 164-170.	1.3	13
158	Assessment of perceived mental health-related stigma: The Stigma-9 Questionnaire (STIG-9). <i>Psychiatry Research</i> , 2018, 270, 822-830.	1.7	12
159	Myofascial Findings and Psychopathological Factors in Patients with Chronic Pelvic Pain Syndrome. <i>Pain Medicine</i> , 2020, 21, e34-e44.	0.9	12
160	Psychological and interactional characteristics of patients with somatoform disorders: Validation of the Somatic Symptoms Experiences Questionnaire (SSEQ) in a clinical psychosomatic population. <i>Journal of Psychosomatic Research</i> , 2015, 78, 553-562.	1.2	11
161	Base Rates of Depressive Symptoms in Patients with Coronary Heart Disease: An Individual Symptom Analysis. <i>PLoS ONE</i> , 2016, 11, e0156167.	1.1	11
162	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. <i>BMJ Open</i> , 2019, 9, e032408.	0.8	11

#	ARTICLE	IF	CITATIONS
163	Early Psychological Interventions for Somatic Symptom Disorder and Functional Somatic Syndromes: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2022, 84, 325-338.	1.3	11
164	Cognitive biases in patients with chronic obstructive pulmonary disease and depression – a pilot study. <i>British Journal of Health Psychology</i> , 2013, 18, 827-843.	1.9	10
165	Predictors of Outcome in Inpatients with Anorexia Nervosa: A Prospective Multi-Center Study. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 255-257.	4.0	10
166	Diagnostic barriers for somatic symptom disorders in primary care: study protocol for a mixed methods study in Germany. <i>BMJ Open</i> , 2017, 7, e014157.	0.8	10
167	Public stigma towards individuals with somatic symptom disorders – Survey results from Germany. <i>Journal of Psychosomatic Research</i> , 2018, 115, 71-75.	1.2	10
168	General practitioners' views on the diagnostic innovations in DSM-5 somatic symptom disorder - A focus group study. <i>Journal of Psychosomatic Research</i> , 2019, 123, 109734.	1.2	10
169	Universal prevention in eating disorders: A systematic narrative review of recent studies. <i>Mental Health and Prevention</i> , 2019, 14, 200162.	0.7	10
170	Management of comorbid mental and somatic disorders in stepped care approaches in primary care: a systematic review. <i>Family Practice</i> , 2019, 36, 38-52.	0.8	10
171	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035973.	0.8	10
172	Reviving the Clinician Scientist: A Best Practice Model. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 114-115.	4.0	9
173	Depression Partially Mediates the Association of Adverse Childhood Experiences with Pain Intensity in Patients with Chronic Pelvic Pain Syndrome: Results from a Cross-Sectional Patient Survey. <i>Pain Medicine</i> , 2021, 22, 1174-1184.	0.9	9
174	Diagnostic and treatment barriers to persistent somatic symptoms in primary care – representative survey with physicians. <i>BMC Family Practice</i> , 2021, 22, 60.	2.9	9
175	C-reactive protein, pre- and postdexamethasone cortisol levels in post-traumatic stress disorder. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 296-299.	0.7	8
176	Preventing eating disorders with an interactive gender-adapted intervention program in schools: Study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 21.	1.1	8
177	Psychotherapists' perspective on the treatment of patients with somatic symptom disorders. <i>Journal of Psychosomatic Research</i> , 2020, 138, 110228.	1.2	8
178	Psychotherapists'™ perspectives on collaboration and stepped care in outpatient psychotherapy – A qualitative study. <i>PLoS ONE</i> , 2020, 15, e0228748.	1.1	8
179	Efficacy of a Brief, Peer-Delivered Self-management Intervention for Patients With Rare Chronic Diseases. <i>JAMA Psychiatry</i> , 2021, 78, 607.	6.0	8
180	A bottom-up approach to assess verbal therapeutic techniques. Development of the Psychodynamic Interventions List (PIL). <i>PLoS ONE</i> , 2017, 12, e0182949.	1.1	8

#	ARTICLE	IF	CITATIONS
181	The Implications of Psychological Symptoms for Length of Sick Leave. Deutsches A&#x0308;rzteblatt International, 2017, 114, 291-297.	0.6	8
182	Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in female outpatients with anorexia nervosa (ANTOP study): 5-year follow-up of a randomised controlled trial in Germany. Lancet Psychiatry, 2022, 9, 280-290.	3.7	8
183	Characteristics of oligosymptomatic versus polysymptomatic presentations of somatoform disorders in patients with suspected allergies. Journal of Psychosomatic Research, 2010, 69, 259-266.	1.2	7
184	Depression screening with patient-targeted feedback in cardiology: The cost-effectiveness of DEPSCREEN-INFO. PLoS ONE, 2017, 12, e0181021.	1.1	7
185	Illness beliefs about depression among patients seeking depression care and patients seeking cardiac care: an exploratory analysis using a mixed method design. BMC Psychiatry, 2018, 18, 366.	1.1	7
186	Public Beliefs About Somatic Symptom Disorders. Frontiers in Psychiatry, 2018, 9, 616.	1.3	7
187	Interdisciplinary and cross-sectoral perioperative care model in cardiac surgery: implementation in the setting of minimally invasive heart valve surgery (INCREASE)â€”study protocol for a randomized controlled trial. Trials, 2022, 23, .	0.7	7
188	Medical Complications. , 2005, , 169-190.		6
189	Potentially Modifiable Correlates of Functional Status in Patients with Chronic Heart Failure. International Journal of Behavioral Medicine, 2014, 21, 956-960.	0.8	6
190	Non-concealed placebo treatment for menopausal hot flashes: Study protocol of a randomized-controlled trial. Trials, 2019, 20, 508.	0.7	6
191	Facilitators and barriers in anorexia nervosa treatment initiation (FABIANA): study protocol for a mixed-methods and multicentre study. BJPsych Open, 2019, 5, e92.	0.3	6
192	100 kg more or less, still the same person (and disorder): From overweight to underweightâ€”exacerbation of an eating disorder after bariatric surgery. International Journal of Eating Disorders, 2013, 46, 280-283.	2.1	5
193	Illness perceptions in patients with somatoform disorders: Examining the role of comorbidity. Journal of Health Psychology, 2015, 20, 1166-1174.	1.3	5
194	Sudden Gains in Cognitive Behavioural Therapy and Focal Psychodynamic Therapy for Anorexia Nervosa: Findings from the ANTOP Study. Psychotherapy and Psychosomatics, 2019, 88, 241-243.	4.0	5
195	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. Behavioral Medicine, 2019, 45, 231-239.	1.0	5
196	Causal attributions for somatic symptom disorder. Journal of Psychosomatic Research, 2020, 129, 109910.	1.2	5
197	GPsâ€™ views on the use of depression screening and GP-targeted feedback: a qualitative study. Quality of Life Research, 2021, 30, 3279-3286.	1.5	5
198	The longitudinal association of symptom-related and psychological factors with health-related quality of life in patients with chronic pelvic pain syndrome. Journal of Psychosomatic Research, 2022, 153, 110707.	1.2	5

#	ARTICLE	IF	CITATIONS
199	The efficacy of automated feedback after internet-based depression screening: Study protocol of the German, three-armed, randomised controlled trial DISCOVER. <i>Internet Interventions</i> , 2021, 25, 100435.	1.4	4
200	A comparison of bivariate, multivariate random-effects, and Poisson correlated gamma frailty models to meta-analyze individual patient data of ordinal scale diagnostic tests. <i>Biometrical Journal</i> , 2017, 59, 1317-1338.	0.6	4
201	"Belly Only Pregnancy" content on social media and in internet blogs: a qualitative analysis on its definition and potential risks and benefits. <i>Eating and Weight Disorders</i> , 2022, 27, 2435-2445.	1.2	4
202	Physiotherapy and combined cognitive-behavioural therapy for patients with chronic pelvic pain syndrome: results of a non-randomised controlled feasibility trial. <i>BMJ Open</i> , 2021, 11, e053421.	0.8	4
203	Predictors of somatic symptom burden in healthcare professionals during the COVID-19 pandemic: an 8-week follow-up study. <i>Journal of Mental Health</i> , 2023, 32, 1111-1121.	1.0	4
204	In-Session-Reflective-Functioning in Anorexia Nervosa: An Analysis of Psychotherapeutic Sessions of the ANTOP Study. <i>Frontiers in Psychiatry</i> , 2022, 13, .	1.3	4
205	Psychiatric Comorbidity and Work Disability in Patients With Inflammatory Rheumatic Diseases. <i>Psychosomatic Medicine</i> , 2004, 66, 395-402.	1.3	3
206	Aggregating factors of the change process in the treatment of anorexia nervosa. <i>Eating Behaviors</i> , 2015, 19, 81-85.	1.1	3
207	Helpful explanatory models for somatoform symptoms (HERMES): study protocol of a randomised mixed-methods pilot trial. <i>BMJ Open</i> , 2021, 11, e044244.	0.8	3
208	Application and validation of the bodily distress syndrome checklist in a psychosomatic outpatient sample. <i>General Hospital Psychiatry</i> , 2021, 69, 104-110.	1.2	3
209	How do care providers evaluate collaboration? - qualitative process evaluation of a cluster-randomized controlled trial of collaborative and stepped care for patients with mental disorders. <i>BMC Psychiatry</i> , 2021, 21, 296.	1.1	3
210	Acceptance and commitment therapy meets peer-support. Development of a supportive self-care intervention for patients with rare diseases: a multistage development process. <i>BMJ Open</i> , 2021, 11, e042856.	0.8	3
211	Stepped, Collaborative, Coordinated Care for Somatic Symptom and Related Disorders (Sofu-Net). <i>Zeitschrift Fur Psychologie / Journal of Psychology</i> , 2020, 228, 119-129.	0.7	3
212	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. <i>Methods</i> , 2022, 204, 300-311.	1.9	3
213	Editorial: Outbreak Investigation: Mental Health in the Times of Coronavirus (COVID-19). <i>Frontiers in Psychiatry</i> , 2022, 13, 854388.	1.3	3
214	Primary biliary "cirrhosis": Time to replace a misnomer. <i>Hepatology</i> , 2015, 61, 1091-1091.	3.6	2
215	The change process in adult anorexia nervosa inpatient treatment: a path model. <i>Eating and Weight Disorders</i> , 2018, 23, 313-320.	1.2	2
216	Contingency Contracts for Weight Gain of Patients with Anorexia Nervosa in Inpatient Therapy: Practice Styles of Specialized Centers. <i>Journal of Clinical Medicine</i> , 2018, 7, 215.	1.0	2

#	ARTICLE	IF	CITATIONS
217	Development of the Metabolic Syndrome: Study Design and Baseline Data of the Lufthansa Prevention Study (LUPS), A Prospective Observational Cohort Survey. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 777-787.	0.6	2
218	Investigating patients' views on screening for depression in cardiac practice: A qualitative interview study. <i>Journal of Psychosomatic Research</i> , 2021, 144, 110419.	1.2	2
219	Verlauf und Prognose der Anorexia nervosa. , 2008, , 44-47.		2
220	Public Familiarity With the Terms Somatoform Disorder and Functional Disorder in Germany. primary care companion for CNS disorders, <i>The</i> , 2012, 14, .	0.2	2
221	Verlauf und Prognose der Anorexia nervosa. , 2015, , 57-61.		2
222	The development and psychometric evaluation of FABIANA-checklist: a scale to assess factors influencing treatment initiation in anorexia nervosa. <i>Journal of Eating Disorders</i> , 2021, 9, 144.	1.3	2
223	Persistence of gastrointestinal symptoms in irritable bowel syndrome and ulcerative colitis: study protocol for a three-arm randomised controlled trial (SOMA.GUT-RCT). <i>BMJ Open</i> , 2022, 12, e059529.	0.8	2
224	Clinical effectiveness of patient-oriented depression feedback in primary care: The empirical method of the GET.FEEDBACK.GP multicenter randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2021, 110, 106562.	0.8	1
225	Cost-effectiveness Analysis of a Stepped, Collaborative and Coordinated Health Care Network for Patients with Somatoform Disorders (Sofu-Net). <i>Journal of Mental Health Policy and Economics</i> , 2018, 21, 59-69.	0.6	1
226	The sentence completion test for depression can distinguish between people with and without major depressive disorder. <i>Evidence-Based Mental Health</i> , 2005, 8, 99-99.	2.2	0
227	Adding a question that asks whether help is wanted improves sensitivity of a depression screening tool. <i>Evidence-Based Mental Health</i> , 2006, 9, 39-39.	2.2	0
228	Authors' reply. <i>British Journal of Psychiatry</i> , 2017, 210, 437-438.	1.7	0
229	Complementing Conceptual Models of Persistent Somatic Symptoms With Mathematical Formalization. <i>Psychosomatic Medicine</i> , 2020, 82, 527-528.	1.3	0
230	ICD-10-Coding of Medically Unexplained Physical Symptoms and Somatoform Disorders – A Survey With German GPs. <i>Frontiers in Medicine</i> , 2021, 8, 598810.	1.2	0