

Yongdoo Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9207452/publications.pdf>

Version: 2024-02-01

86
papers

4,555
citations

101496

36
h-index

102432

66
g-index

91
all docs

91
docs citations

91
times ranked

7399
citing authors

#	ARTICLE	IF	CITATIONS
1	Quenched cetuximab conjugate for fast fluorescence imaging of EGFR-positive lung cancers. <i>Biomaterials Science</i> , 2021, 9, 456-462.	2.6	5
2	Ubiquinone-BODIPY nanoparticles for tumor redox-responsive fluorescence imaging and photodynamic activity. <i>Journal of Materials Chemistry B</i> , 2021, 9, 824-831.	2.9	9
3	Mini-Platform for Off-Targeted Near-Infrared Fluorescence Imaging Using Peptide-Targeting Ligands. <i>Bioconjugate Chemistry</i> , 2020, 31, 721-728.	1.8	9
4	A Quenched Annexin V-Fluorophore for the Real-Time Fluorescence Imaging of Apoptotic Processes In Vitro and In Vivo. <i>Advanced Science</i> , 2020, 7, 2002988.	5.6	13
5	Real-Time Apoptosis Imaging: A Quenched Annexin V-Fluorophore for the Real-Time Fluorescence Imaging of Apoptotic Processes In Vitro and In Vivo (Adv. Sci. 24/2020). <i>Advanced Science</i> , 2020, 7, 2070137.	5.6	0
6	Fucoidan-Based Theranostic Nanogel for Enhancing Imaging and Photodynamic Therapy of Cancer. <i>Nano-Micro Letters</i> , 2020, 12, 47.	14.4	53
7	Hydroxychloroquine-loaded hollow mesoporous silica nanoparticles for enhanced autophagy inhibition and radiation therapy. <i>Journal of Controlled Release</i> , 2020, 325, 100-110.	4.8	43
8	Indocyanine green-loaded injectable alginate hydrogel as a marker for precision cancer surgery. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 779-788.	1.1	15
9	Targeted, Stimuli-Responsive, and Theranostic ¹⁹ F Magnetic Resonance Imaging Probes. <i>Bioconjugate Chemistry</i> , 2019, 30, 2502-2518.	1.8	46
10	Photoactivatable BODIPY Platform: Light-Triggered Anticancer Drug Release and Fluorescence Monitoring. <i>ACS Applied Bio Materials</i> , 2019, 2, 2567-2572.	2.3	19
11	Rapid histologic diagnosis using quick fluorescence staining and tissue confocal microscopy. <i>Microscopy Research and Technique</i> , 2019, 82, 892-897.	1.2	2
12	Zwitterionic near-infrared fluorophore-conjugated epidermal growth factor for fast, real-time, and target-cell-specific cancer imaging. <i>Theranostics</i> , 2019, 9, 1085-1095.	4.6	10
13	Porous platinum nanoparticles as a high-Z and oxygen generating nanozyme for enhanced radiotherapy in vivo. <i>Biomaterials</i> , 2019, 197, 12-19.	5.7	152
14	Multivalent mannose-decorated NIR nanoprobes for targeting pan lymph nodes. <i>Chemical Engineering Journal</i> , 2018, 340, 51-57.	6.6	22
15	A redox-responsive folate-fluorophore conjugate as a new target-cell-specific imaging probe. <i>Journal of Materials Chemistry B</i> , 2018, 6, 2524-2527.	2.9	10
16	Mesoporous silica-based nanoplatfoms for the delivery of photodynamic therapy agents. <i>Journal of Pharmaceutical Investigation</i> , 2018, 48, 3-17.	2.7	54
17	Rapid tissue histology using multichannel confocal fluorescence microscopy with focus tracking. <i>Quantitative Imaging in Medicine and Surgery</i> , 2018, 8, 884-893.	1.1	14
18	Recent advances in nanoparticle carriers for photodynamic therapy. <i>Quantitative Imaging in Medicine and Surgery</i> , 2018, 8, 433-443.	1.1	85

#	ARTICLE	IF	CITATIONS
19	Theranostic nanosystems for targeted cancer therapy. <i>Nano Today</i> , 2018, 23, 59-72.	6.2	86
20	Responsive alginate-cisplatin nanogels for selective imaging and combined chemo/radio therapy of proliferating macrophages. <i>Quantitative Imaging in Medicine and Surgery</i> , 2018, 8, 733-742.	1.1	23
21	Gold and Hairpin DNA Functionalization of Upconversion Nanocrystals for Imaging and In Vivo Drug Delivery. <i>Advanced Materials</i> , 2017, 29, 1700244.	11.1	186
22	Indocyanine green-loaded hollow mesoporous silica nanoparticles as an activatable theranostic agent. <i>Nanotechnology</i> , 2017, 28, 185102.	1.3	38
23	meso-ester BODIPYs for the imaging of hypoxia in tumor cells. <i>Sensors and Actuators B: Chemical</i> , 2017, 249, 229-234.	4.0	20
24	Enhanced Fluorescence Imaging and Photodynamic Cancer Therapy Using Hollow Mesoporous Nanocontainers. <i>Chemistry - an Asian Journal</i> , 2017, 12, 1700-1703.	1.7	11
25	CD44v8-10 as a potential theranostic biomarker for targeting disseminated cancer cells in advanced gastric cancer. <i>Scientific Reports</i> , 2017, 7, 4930.	1.6	16
26	Fluorescence imaging of spatial location of lipids and proteins during digestion of protein-stabilized oil-in-water emulsions: A simulated gastrointestinal tract study. <i>Food Chemistry</i> , 2017, 219, 297-303.	4.2	23
27	Redox-Responsive Manganese Dioxide Nanoparticles for Enhanced MR Imaging and Radiotherapy of Lung Cancer. <i>Frontiers in Chemistry</i> , 2017, 5, 109.	1.8	53
28	Antigen-responsive molecular sensor enables real-time tumor-specific imaging. <i>Theranostics</i> , 2017, 7, 952-961.	4.6	14
29	Methods of Hematoxylin and Eosin Image Information Acquisition and Optimization in Confocal Microscopy. <i>Healthcare Informatics Research</i> , 2016, 22, 238.	1.0	2
30	Photosensitizer-conjugated tryptophan-containing peptide ligands as new dual-targeted theranostics for cancers. <i>International Journal of Pharmaceutics</i> , 2016, 513, 584-590.	2.6	8
31	A redox-responsive theranostic agent for target-specific fluorescence imaging and photodynamic therapy of EGFR-overexpressing triple-negative breast cancers. <i>Journal of Materials Chemistry B</i> , 2016, 4, 6787-6790.	2.9	16
32	Photosensitizer-complexed polypyrrole nanoparticles for activatable fluorescence imaging and photodynamic therapy. <i>Journal of Materials Chemistry B</i> , 2016, 4, 7545-7548.	2.9	12
33	Polypyrrole-based nanotheranostics for activatable fluorescence imaging and chemo/photothermal dual therapy of triple-negative breast cancer. <i>Nanotechnology</i> , 2016, 27, 185102.	1.3	23
34	A novel endoscopic fluorescent band ligation method for tumor localization. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4659-4663.	1.3	9
35	Lipase digestibility of the oil phase in a water-in-oil-in-water emulsion. <i>Food Science and Biotechnology</i> , 2015, 24, 513-520.	1.2	13
36	Electroactive Polypyrrole Nanowire Arrays: Synergistic Effect of Cancer Treatment by On-Demand Drug Release and Photothermal Therapy. <i>Langmuir</i> , 2015, 31, 4264-4269.	1.6	41

#	ARTICLE	IF	CITATIONS
37	A New Strategy for Fluorogenic Esterase Probes Displaying Low Levels of Non-specific Hydrolysis. Chemistry - A European Journal, 2015, 21, 9645-9649.	1.7	52
38	Theranostic nanoparticles for enzyme-activatable fluorescence imaging and photodynamic/chemo dual therapy of triple-negative breast cancer. Quantitative Imaging in Medicine and Surgery, 2015, 5, 656-64.	1.1	31
39	Molecular Imaging: From Bench to Clinic. BioMed Research International, 2014, 2014, 1-3.	0.9	16
40	Hyaluronic acid-polypyrrole nanoparticles as pH-responsive theranostics. Chemical Communications, 2014, 50, 15014-15017.	2.2	63
41	ROS-Responsive Activatable Photosensitizing Agent for Imaging and Photodynamic Therapy of Activated Macrophages. Theranostics, 2014, 4, 1-11.	4.6	112
42	Release properties of gel-type W/O/W encapsulation system prepared using enzymatically-modified starch. Food Chemistry, 2014, 157, 77-83.	4.2	14
43	A folate receptor-specific activatable probe for near-infrared fluorescence imaging of ovarian cancer. Chemical Communications, 2014, 50, 7507-7510.	2.2	45
44	A boronate-based fluorescent probe for the selective detection of cellular peroxynitrite. Chemical Communications, 2014, 50, 9353-9356.	2.2	113
45	Smart dual-functional warhead for folate receptor-specific activatable imaging and photodynamic therapy. Chemical Communications, 2014, 50, 10600-10603.	2.2	41
46	Implications of Web of Science journal impact factor for scientific output evaluation in 16 institutions and investigators' opinion. Quantitative Imaging in Medicine and Surgery, 2014, 4, 453-61.	1.1	23
47	Fluorometric sensing of intracellular thiols in living cells using a AuNPs/1-PR3+ adsorbate. Sensors and Actuators B: Chemical, 2013, 177, 467-471.	4.0	9
48	A ratiometric fluorescent probe based on a BODIPY-DCDHF conjugate for the detection of hypochlorous acid in living cells. Analyst, The, 2013, 138, 3368.	1.7	103
49	A graphene oxide-photosensitizer complex as an enzyme-activatable theranostic agent. Chemical Communications, 2013, 49, 1202.	2.2	72
50	Photosensitizer-conjugated polymeric nanoparticles for redox-responsive fluorescence imaging and photodynamic therapy. Journal of Materials Chemistry B, 2013, 1, 429-431.	2.9	54
51	Influence of environmental stresses on the stability of W/O/W emulsions containing enzymatically modified starch. Carbohydrate Polymers, 2013, 92, 1503-1511.	5.1	17
52	Photodynamic Therapy Using a Protease-Mediated Theranostic Agent Reduces Cathepsin-B Activity in Mouse Atheromata In Vivo. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 1360-1365.	1.1	48
53	Indocyanine green-loaded perfluorocarbon nanoemulsions for bimodal (19)F-magnetic resonance/nearinfrared fluorescence imaging and subsequent phototherapy. Quantitative Imaging in Medicine and Surgery, 2013, 3, 132-40.	1.1	35
54	Photosensitizer-Conjugated Gold Nanorods for Enzyme-Activatable Fluorescence Imaging and Photodynamic Therapy. Theranostics, 2012, 2, 190-197.	4.6	90

#	ARTICLE	IF	CITATIONS
55	Graphene oxideâ€™ photosensitizer conjugate as a redox-responsive theranostic agent. <i>Chemical Communications</i> , 2012, 48, 9912.	2.2	88
56	Gold nanorods for target selective SPECT/CT imaging and photothermal therapy in vivo. <i>Quantitative Imaging in Medicine and Surgery</i> , 2012, 2, 1-11.	1.1	65
57	Atorvastatin and clopidogrel interfere with photosensitization in vitro. <i>Photochemical and Photobiological Sciences</i> , 2011, 10, 1587.	1.6	9
58	Visualization of tyrosinase activity in melanoma cells by a BODIPY-based fluorescent probe. <i>Chemical Communications</i> , 2011, 47, 12640.	2.2	90
59	Gold Nanorodâ€™ Photosensitizer Complex for Near-Infrared Fluorescence Imaging and Photodynamic/Photothermal Therapy <i>In Vivo</i> . <i>ACS Nano</i> , 2011, 5, 1086-1094.	7.3	710
60	A BODIPYâ€™Based Probe for the Selective Detection of Hypochlorous Acid in Living Cells. <i>Chemistry - an Asian Journal</i> , 2011, 6, 1358-1361.	1.7	107
61	A highly sensitive magnetite nanoparticle as a simple and rapid stem cell labelling agent for MRI tracking. <i>Journal of Materials Chemistry</i> , 2011, 21, 7742.	6.7	19
62	A novel endoscopic fluorescent clip for the localization of gastrointestinal tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 2372-2377.	1.3	25
63	Heparin-based self-assembled nanoparticles for photodynamic therapy. <i>Macromolecular Research</i> , 2011, 19, 487-494.	1.0	25
64	Effects of Gold Nanorod Concentration on the Depthâ€™Related Temperature Increase During Hyperthermic Ablation. <i>Small</i> , 2011, 7, 265-270.	5.2	56
65	Effects of enzymatically modified starch on the encapsulation efficiency and stability of water-in-oil-in-water emulsions. <i>Food Chemistry</i> , 2011, 128, 266-275.	4.2	28
66	A fluorescent turn-on probe for the detection of alkaline phosphatase activity in living cells. <i>Chemical Communications</i> , 2011, 47, 9825.	2.2	146
67	Preparation and Characterization of Water/Oil/Water Emulsions Stabilized by Polyglycerol Polyricinoleate and Whey Protein Isolate. <i>Journal of Food Science</i> , 2010, 75, E116-25.	1.5	54
68	Sensing Phosphatase Activity by Using Gold Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 707-709.	7.2	241
69	Membrane permeable esterase-activated fluorescent imaging probe. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 5054-5057.	1.0	30
70	Chemopreventive efficacy of all-trans-retinoic acid in biodegradable microspheres against epithelial cancers: Results in a 4-nitroquinoline 1-oxide-induced oral carcinogenesis model. <i>International Journal of Pharmaceutics</i> , 2006, 320, 45-52.	2.6	5
71	A mitochondrial targeted fusion peptide exhibits remarkable cytotoxicity. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 1944-1949.	1.9	108
72	Conjugation of a Photosensitizer to an Oligoarginine-Based Cell-Penetrating Peptide Increases the Efficacy of Photodynamic Therapy. <i>ChemMedChem</i> , 2006, 1, 458-463.	1.6	65

#	ARTICLE	IF	CITATIONS
73	Protease-Mediated Phototoxicity of a Polylysine- ϵ -Chlorine6 Conjugate. <i>ChemMedChem</i> , 2006, 1, 698-701.	1.6	32
74	Selective Antitumor Effect of Novel Protease-Mediated Photodynamic Agent. <i>Cancer Research</i> , 2006, 66, 7225-7229.	0.4	161
75	Chemoprevention of 4-NQO-induced oral carcinogenesis by co-administration of all-trans retinoic acid loaded microspheres and celecoxib. <i>Journal of Controlled Release</i> , 2005, 104, 167-179.	4.8	16
76	Polyethylene Glycol (PEG) Modified ^{99m}Tc -HMPAOLiposome for Improving Blood Circulation and Biodistribution: The Effect of the Extent of PEGylation. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2005, 20, 620-628.	0.7	49
77	Augmentation of all-trans-retinoic acid concentration in plasma by preventing inflammation responses induced by atRA-loaded microspheres with concurrent treatment of dexamethasone. <i>Drug Development Research</i> , 2004, 61, 197-206.	1.4	0
78	Developing a Peptide-Based Near-Infrared Molecular Probe for Protease Sensing. <i>Bioconjugate Chemistry</i> , 2004, 15, 1403-1407.	1.8	145
79	Inhibition of tumor growth by biodegradable microspheres containing all-trans-retinoic acid in a human head-and-neck cancer xenograft. <i>International Journal of Cancer</i> , 2003, 107, 145-148.	2.3	31
80	Subacute toxicity of all-trans-retinoic acid loaded biodegradable microspheres in rats. <i>Drug Development Research</i> , 2003, 59, 326-332.	1.4	5
81	In vivo biocompatibility studies of poly(D,L-lactide)/poly(ethylene glycol)-poly(L-lactide) microspheres containing all-trans-retinoic acid. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2002, 13, 301-322.	1.9	11
82	Acute toxicity of all-trans-retinoic acid loaded poly(L-lactide)/poly(ethylene glycol)-poly(L-lactide) microspheres in mice. <i>Drug Development Research</i> , 2002, 57, 134-139.	1.4	0
83	Poly(ethylene glycol)- ϵ -poly(L-lactide) diblock copolymer prevents aggregation of poly(L-lactide) microspheres during ethylene oxide gas sterilization. <i>Biomaterials</i> , 2001, 22, 995-1004.	5.7	23
84	Inhibition effect of new farnesol derivatives on all-trans-retinoic acid metabolism. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 1356-1360.	1.5	4
85	Long-term delivery of all-trans-retinoic acid using biodegradable PLLA/PEG-PLLA blended microspheres. <i>International Journal of Pharmaceutics</i> , 2001, 215, 67-81.	2.6	52
86	Effects of ethylene oxide gas sterilization on physical properties of poly(L-lactide)- ϵ -poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 783-799.	1.9	4