

David Cruz-Robles

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9208964/publications.pdf>

Version: 2024-02-01

42
papers

1,299
citations

430874

18
h-index

345221

36
g-index

45
all docs

45
docs citations

45
times ranked

2192
citing authors

#	ARTICLE	IF	CITATIONS
1	Familial erythrocytosis 2 and von Hippel-Lindau disease in the same pediatric patient. Boletín Médico Del Hospital Infantil De México, 2021, 78, 341-345.	0.3	1
2	<p>Bone Morphogenetic Protein-2 and Osteopontin Gene Expression in Epicardial Adipose Tissue from Patients with Coronary Artery Disease Is Associated with the Presence of Calcified Atherosclerotic Plaques<p>. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 1943-1951.	2.4	12
3	Differential expression of osteopontin, and osteoprotegerin mRNA in epicardial adipose tissue between patients with severe coronary artery disease and aortic valvular stenosis: association with HDL subclasses. Lipids in Health and Disease, 2017, 16, 156.	3.0	12
4	Serum cytokines and activation ex vivo of CD4+ and CD8+ T cells in chagasic chronic Mexican patients. Annals of Parasitology, 2017, 63, 299-308.	0.1	1
5	Novel description of aldosterone synthase <i>CYP11B2</i> -344 T>C gene polymorphism related to hypertension in Mexican Amerindians: Teenek, Mixtec and Mayans. International Journal of Modern Anthropology, 2016, 1, 52.	0.1	0
6	Association between Stable Coronary Artery Disease and In Vivo Thrombin Generation. Cardiology Research and Practice, 2016, 2016, 1-5.	1.1	11
7	Effect of <i>Serenoa Repens</i> on Oxidative Stress, Inflammatory and Growth Factors in Obese Wistar Rats with Benign Prostatic Hyperplasia. Phytotherapy Research, 2015, 29, 1525-1531.	5.8	25
8	The C4280A (rs5705) gene polymorphism of the renin (REN) gene is associated with risk of developing coronary artery disease, but not with restenosis after coronary stenting. Experimental and Molecular Pathology, 2015, 99, 128-132.	2.1	11
9	The ACE I/D polymorphism is associated with nitric oxide metabolite and blood pressure levels in healthy Mexican men. Archivos De Cardiologia De Mexico, 2015, 85, 105-110.	0.2	12
10	Analytical Validation of Quantitative Real-Time PCR Methods for Quantification of Trypanosoma cruzi DNA in Blood Samples from Chagas Disease Patients. Journal of Molecular Diagnostics, 2015, 17, 605-615.	2.8	153
11	Next generation sequencing for molecular confirmation of hereditary sudden cardiac death syndromes. Archivos De Cardiologia De Mexico, 2015, 85, 68-72.	0.2	1
12	Early endothelial nitrosylation and increased abdominal adiposity in Wistar rats after long-term consumption of food fried in canola oil. Nutrition, 2014, 30, 1055-1060.	2.4	11
13	Uric Acid-Induced Endothelial Dysfunction Is Associated with Mitochondrial Alterations and Decreased Intracellular ATP Concentrations. Nephron Experimental Nephrology, 2013, 121, e71-e78.	2.2	244
14	Synergistic effect of uricase blockade plus physiological amounts of fructose-glucose on glomerular hypertension and oxidative stress in rats. American Journal of Physiology - Renal Physiology, 2013, 304, F727-F736.	2.7	57
15	Low Fructose and Low Salt Diets Increase Mitochondrial DNA in White Blood Cells of Overweight Subjects. Experimental and Clinical Endocrinology and Diabetes, 2013, 121, 535-538.	1.2	14
16	The Interleukin-1 Gene Cluster Polymorphisms Are Associated with Takayasu's Arteritis in Mexican Patients. Journal of Interferon and Cytokine Research, 2013, 33, 369-375.	1.2	14
17	Polymerized-Type I Collagen Induces Upregulation of Foxp3-Expressing CD4 Regulatory T Cells and Downregulation of IL-17-Producing CD4T Cells (Th17) Cells in Collagen-Induced Arthritis. Clinical and Developmental Immunology, 2012, 2012, 1-11.	1.1	14
18	Lipid plasma concentrations of HDL subclasses determined by enzymatic staining on polyacrylamide electrophoresis gels in children with metabolic syndrome. Clinica Chimica Acta, 2011, 412, 292-298.	1.1	27

#	ARTICLE	IF	CITATIONS
19	Octylguanidine ameliorates the damaging effect of mercury on renal functions. <i>Journal of Biochemistry</i> , 2011, 149, 211-217.	1.7	1
20	Depressive symptoms and APOE polymorphisms in an elderly population-based sample. <i>Psychiatric Genetics</i> , 2010, 20, 215-220.	1.1	6
21	The antithrombotic effect of the aminoestrogen prolame (N-(3-hydroxy-1,3,5(10)-estratrien-17 β -YL)-3-hydroxypropylamine) is linked to an increase in nitric oxide production by platelets and endothelial cells. <i>Atherosclerosis</i> , 2010, 208, 62-68.	0.8	18
22	Association of adrenergic receptor gene polymorphisms with different fibromyalgia syndrome domains. <i>Arthritis and Rheumatism</i> , 2009, 60, 2169-2173.	6.7	70
23	Tumor Necrosis Factor Alpha and Interleukin 10 Promoter Polymorphisms in Mexican Patients with Restenosis After Coronary Stenting. <i>Biochemical Genetics</i> , 2009, 47, 707-716.	1.7	8
24	Rosiglitazone modifies HDL structure and increases HDL-apo AI synthesis and catabolic rates. <i>Clinica Chimica Acta</i> , 2009, 401, 37-41.	1.1	25
25	Association Between <i>IL-1B</i> and <i>IL-1RN</i> Gene Polymorphisms and Chagas' Disease Development Susceptibility. <i>Immunological Investigations</i> , 2009, 38, 231-239.	2.0	23
26	Expression of Cytokine mRNA in Lymphocytes of Malnourished Children. <i>Journal of Clinical Immunology</i> , 2008, 28, 593-599.	3.8	39
27	Sa.47. Copolymerized-Type I Collagen Increase Tregs and Decrease Th17 Subset in CIA. <i>Clinical Immunology</i> , 2008, 127, S95-S96.	3.2	0
28	HLA class I and class II haplotypes in admixed families from several regions of Mexico. <i>Molecular Immunology</i> , 2008, 45, 1171-1178.	2.2	72
29	Apolipoprotein E polymorphisms in Mexican patients with coronary artery disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 481-5.	2.3	5
30	A Deletion in the PRKARIA Gene is Associated with Carney Complex. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2008, 21, 705-9.	0.9	4
31	Expression and activation of myocardial AMPK α are altered in sucrose-fed rats with metabolic syndrome. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, S58.	1.9	0
32	Palmitic acid in HDL is associated to low apo A-I fractional catabolic rates in vivo. <i>Clinica Chimica Acta</i> , 2007, 378, 53-58.	1.1	10
33	Catechol-O-methyltransferase gene haplotypes in Mexican and Spanish patients with fibromyalgia. <i>Arthritis Research and Therapy</i> , 2007, 9, R110.	3.5	145
34	Macrophage Migration Inhibitory Factor Contributes to Host Defense against Acute <i>Trypanosoma cruzi</i> Infection. <i>Infection and Immunity</i> , 2006, 74, 3170-3179.	2.2	75
35	Tumor necrosis factor-alpha promoter polymorphism in Mexican patients with Chagas's disease. <i>Immunology Letters</i> , 2005, 98, 97-102.	2.5	41
36	Myocardial protective effect of octylguanidine against the damage induced by ischemia reperfusion in rat heart. <i>Molecular and Cellular Biochemistry</i> , 2005, 269, 19-26.	3.1	18

#	ARTICLE	IF	CITATIONS
37	MHC class I and class II genes in mexican patients with Chagas disease. Human Immunology, 2004, 65, 60-65.	2.4	38
38	Hypothyroidism provides resistance to reperfusion injury following myocardium ischemia. International Journal of Biochemistry and Cell Biology, 2001, 33, 499-506.	2.8	15
39	DNA sequencing of HLA-B alleles in Mexican patients with Takayasu arteritis. International Journal of Cardiology, 2000, 75, S117-S122.	1.7	30
40	Three novel mutations in the COL4A5 gene in Mexican Alport syndrome patients. Clinical Genetics, 1999, 56, 242-243.	2.0	4
41	Effect of perezone on arrhythmias and markers of cell injury during reperfusion in the anesthetized rat. Life Sciences, 1999, 65, 1615-1623.	4.3	20
42	On the protection by ketorolac of reperfusion-induced heart damage. Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology, 1996, 115, 95-100.	0.5	5