

# Emmanuel Chartier-kastler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9212314/publications.pdf>

Version: 2024-02-01

74  
papers

2,078  
citations

331670

21  
h-index

254184

43  
g-index

81  
all docs

81  
docs citations

81  
times ranked

1399  
citing authors

#	ARTICLE	IF	CITATIONS
1	BOTULINUM TOXIN TYPE A IS A SAFE AND EFFECTIVE TREATMENT FOR NEUROGENIC URINARY INCONTINENCE: RESULTS OF A SINGLE TREATMENT, RANDOMIZED, PLACEBO CONTROLLED 6-MONTH STUDY. <i>Journal of Urology</i> , 2005, 174, 196-200.	0.4	532
2	Sacral Neuromodulation: Standardized Electrode Placement Technique. <i>Neuromodulation</i> , 2017, 20, 816-824.	0.8	127
3	International Continence Society best practice statement for use of sacral neuromodulation. <i>Neurourology and Urodynamics</i> , 2018, 37, 1823-1848.	1.5	113
4	Management of neurogenic bladder in patients with multiple sclerosis. <i>Nature Reviews Urology</i> , 2016, 13, 275-288.	3.8	107
5	Intermittent catheterization with hydrophilic catheters as a treatment of chronic neurogenic urinary retention. <i>Neurourology and Urodynamics</i> , 2011, 30, 21-31.	1.5	68
6	Laparoscopic Approach for Artificial Urinary Sphincter Implantation in Women with Intrinsic Sphincter Deficiency Incontinence: A Single-Centre Preliminary Experience. <i>European Urology</i> , 2010, 57, 499-505.	1.9	66
7	Artificial urinary sphincter (AMS 800) implantation for women with intrinsic sphincter deficiency: a technique for insiders?. <i>BJU International</i> , 2011, 107, 1618-1626.	2.5	66
8	Risk of malignancy after augmentation cystoplasty: A systematic review. <i>Neurourology and Urodynamics</i> , 2016, 35, 675-682.	1.5	62
9	Preliminary assessment of patient and physician satisfaction with the use of teleconsultation in urology during the COVID-19 pandemic. <i>World Journal of Urology</i> , 2021, 39, 1991-1996.	2.2	51
10	Prevalence, management, and prognosis of bladder cancer in patients with neurogenic bladder: A systematic review. <i>Neurourology and Urodynamics</i> , 2018, 37, 1386-1395.	1.5	50
11	Does Management of Erectile Dysfunction after Radical Prostatectomy Meet Patients' Expectations? Results of a National Survey (REPAIR) by the French Urological Association. <i>Journal of Sexual Medicine</i> , 2008, 5, 693-704.	0.6	42
12	Functional Outcomes After Management of End-stage Neurological Bladder Dysfunction With Ileal Conduit in a Multiple Sclerosis Population: A Monocentric Experience. <i>Urology</i> , 2011, 78, 937-941.	1.0	36
13	Treatment of Neurogenic Stress Urinary Incontinence Using an Adjustable Continence Device: 4-Year Followup. <i>Journal of Urology</i> , 2012, 188, 2274-2280.	0.4	35
14	Sacral neuromodulation for treating the symptoms of overactive bladder syndrome and non-obstructive urinary retention: >10 years of clinical experience. <i>BJU International</i> , 2008, 101, 417-423.	2.5	34
15	Pregnancy in spinal cord-injured women, a cohort study of 37 pregnancies in 25 women. <i>Spinal Cord</i> , 2017, 55, 167-171.	1.9	33
16	A novel technique to achieve cutaneous continent urinary diversion in spinal cord-injured patients unable to catheterize through native urethra. <i>Spinal Cord</i> , 2008, 46, 305-310.	1.9	31
17	Stress urinary incontinence in female neurological patients: long-term functional outcomes after artificial urinary sphincter (AMS 800 <sup>TM</sup> ) implantation. <i>Neurourology and Urodynamics</i> , 2017, 36, 764-769.	1.5	31
18	Cannabinoids for treating neurogenic lower urinary tract dysfunction in patients with multiple sclerosis: a systematic review and meta-analysis. <i>BJU International</i> , 2017, 119, 515-521.	2.5	26

#	ARTICLE	IF	CITATIONS
19	Management of Female and Functional Urology Patients During the COVID Pandemic. <i>European Urology Focus</i> , 2020, 6, 1049-1057.	3.1	25
20	Long-term complications of continent cutaneous urinary diversion in adult spinal cord injured patients. <i>Neurourology and Urodynamics</i> , 2016, 35, 1046-1050.	1.5	23
21	Long-Term Functional Outcomes of S3 Sacral Neuromodulation for the Treatment of Idiopathic Overactive Bladder. <i>Neuromodulation</i> , 2017, 20, 825-829.	0.8	23
22	Surgical management of the neurogenic bladder after spinal cord injury. <i>World Journal of Urology</i> , 2018, 36, 1569-1576.	2.2	22
23	Multicriteria Decision Analysis Applied to the Clinical Use of Pharmacotherapy for Overactive Bladder Symptom Complex. <i>European Urology Focus</i> , 2020, 6, 522-530.	3.1	19
24	Robot-assisted laparoscopic artificial urinary sphincter insertion in women with stress urinary incontinence: a pilot single-centre study. <i>BJU International</i> , 2020, 126, 722-730.	2.5	19
25	Intradetrusor Injections of Botulinum Toxin A in Adults with Spinal Dysraphism. <i>Journal of Urology</i> , 2018, 200, 875-880.	0.4	18
26	Long-term functional outcomes of augmentation cystoplasty in adult spina bifida patients: A single-center experience in a multidisciplinary team. <i>Neurourology and Urodynamics</i> , 2019, 38, 330-337.	1.5	17
27	Complications of non-continent cutaneous urinary diversion in adults with spinal cord injury: a retrospective study. <i>Spinal Cord</i> , 2018, 56, 856-862.	1.9	16
28	Intravesical vanilloids for treating neurogenic lower urinary tract dysfunction in patients with multiple sclerosis: A systematic review and meta-analysis. A report from the Neuro-Urology Promotion Committee of the International Continence Society (ICS). <i>Neurourology and Urodynamics</i> , 2018, 37, 67-82.	1.5	15
29	Functional outcomes of synthetic tape and mesh revision surgeries: a monocentric experience. <i>International Urogynecology Journal</i> , 2019, 30, 805-813.	1.4	15
30	Low-dose onabotulinumtoxinA improves urinary symptoms in noncatheterizing patients with MS. <i>Neurology</i> , 2018, 91, e657-e665.	1.1	14
31	LUTS/BPH in clinical practice: the importance of nocturia and quality of sleep. <i>BJU International</i> , 2006, 98, 3-8.	2.5	13
32	Safety of a new compact catheter for men with neurogenic bladder dysfunction: a randomised, crossover and open-labelled study. <i>Spinal Cord</i> , 2011, 49, 844-850.	1.9	13
33	Comparison of functional outcomes with purely laparoscopic sacrocolpopexy and robot-assisted sacrocolpopexy in obese women. <i>Progres En Urologie</i> , 2014, 24, 1106-1113.	0.8	13
34	Urology surgical activity and COVID-19: risk assessment at the epidemic peak: a Parisian multicentre experience. <i>BJU International</i> , 2020, 126, 436-440.	2.5	13
35	Robot-assisted Supratrigonal Cystectomy and Augmentation Cystoplasty with Totally Intracorporeal Reconstruction in Neurourological Patients: Technique Description and Preliminary Results. <i>European Urology</i> , 2021, 79, 858-865.	1.9	13
36	Botulinum neurotoxin A for male lower urinary tract symptoms. <i>Current Opinion in Urology</i> , 2011, 21, 13-21.	1.8	12

#	ARTICLE	IF	CITATIONS
37	Botulinum Toxin Type A Injection After Failure of Augmentation Enterocystoplasty Performed for Neurogenic Detrusor Overactivity: Preliminary Results of a Salvage Strategy. The ENTEROTOX Study. <i>Urology</i> , 2019, 129, 43-47.	1.0	12
38	Neurogenic stress urinary incontinence: is there a place for Adjustable Continence Therapy (ACTâ„¢) and Tj ETQq0 0 0 rgBT /Overlock 10 388-395.	1.9	12
39	Sacral Neuromodulation with the InterStimâ„¢ System for Intractable Lower Urinary Tract Dysfunctions (SOUNDS): Results of Clinical Effectiveness, Quality of Life, Patient-Reported Outcomes and Safety in a French Multicenter Observational Study. <i>European Urology Focus</i> , 2021, 7, 1430-1437.	3.1	12
40	Sacral neuromodulation and pregnancy: Results of a national survey carried out for the neuroâ„¢urology committee of the French Association of Urology (AFU). <i>Neurourology and Urodynamics</i> , 2018, 37, 792-798.	1.5	11
41	Alphaâ„¢blockers for treating neurogenic lower urinary tract dysfunction in patients with multiple sclerosis: A systematic review and metaâ„¢analysis. A report from the Neuroâ„¢urology Promotion Committee of the International Continence Society (ICS). <i>Neurourology and Urodynamics</i> , 2019, 38, 1482-1491.	1.5	11
42	Control Cross-sectional Study Evaluating an Antibiotic Prevention Strategy in 30 Pregnancies Under Clean Intermittent Self-catheterization and Review of Literature. <i>Urology</i> , 2016, 91, 58-63.	1.0	9
43	Functional outcomes of adjustable continence therapy (ACTâ„¢) balloons in women aged >80Âˆyears and suffering from stress urinary incontinence caused by intrinsic sphincter deficiency. <i>World Journal of Urology</i> , 2015, 33, 1897-1903.	2.2	8
44	Neuroâ„¢urology during the COVIDâ„¢19 pandemic: Triage and priority of treatments. <i>Neurourology and Urodynamics</i> , 2020, 39, 2011-2015.	1.5	8
45	Pharmacokinetic profile of tamsulosin OCAS. <i>BJU International</i> , 2006, 98, 9-12.	2.5	7
46	Artificial Urinary Sphincter AMS 800â„¢ in Malesâ„¢”Can We Explain Residual Leaks When Sitting?. <i>Journal of Urology</i> , 2014, 192, 483-487.	0.4	7
47	The Management of Urine Storage Dysfunction in the Neurological Patient. <i>SN Comprehensive Clinical Medicine</i> , 2019, 1, 160-182.	0.6	7
48	Outcomes of ileal conduit urinary diversion in patients with multiple sclerosis. <i>Neurourology and Urodynamics</i> , 2020, 39, 771-777.	1.5	7
49	Long-term outcomes after penile prosthesis placement for the Management of Erectile Dysfunction: a single-Centre experience. <i>Basic and Clinical Andrology</i> , 2021, 31, 4.	1.9	7
50	Desmopressin for treating nocturia in patients with multiple sclerosis: A systematic review: A report from the Neuroâ„¢urology Promotion Committee of the International Continence Society (ICS). <i>Neurourology and Urodynamics</i> , 2019, 38, 563-571.	1.5	6
51	Postoperative assessment of nosocomial transmission of COVID-19 after robotic surgical procedures during the pandemic. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 298.e7-298.e11.	1.6	6
52	Reprogramming Sacral Neuromodulation for Sub-Optimal Outcomes: Evidence and Recommendations for Clinical Practice. <i>Neuromodulation</i> , 2021, 24, 1247-1257.	0.8	6
53	Dealing with complex overactive bladder syndrome patient profiles with focus on fesoterodine: in or out of the EAU guidelines?. <i>Research and Reports in Urology</i> , 2017, Volume 9, 209-218.	1.0	5
54	How to treat neurogenic bladder and sexual dysfunction after spinal cord lesion. <i>Revue Neurologique</i> , 2021, 177, 589-593.	1.5	5

#	ARTICLE	IF	CITATIONS
55	Outcomes of robot-assisted urinary sphincter implantation for male neurogenic urinary incontinence. <i>BJU International</i> , 2022, 129, 243-248.	2.5	5
56	Hyaluronic Acid and Chondroitin Sulphate Treatment for Recurrent Severe Urinary Tract Infections due to Multidrug-Resistant Gram-Negative Bacilli in a Patient With Multiple Sclerosis: Case Report and Literature Review. <i>Open Forum Infectious Diseases</i> , 2022, 9, .	0.9	5
57	Management of urethrocutaneous fistulae complicating sacral and perineal pressure ulcer in neurological patients: A national multicenter study from the French-speaking Neurourology Study Group and the Neurourology committee of the French Association of Urology. <i>Neurourology and Urodynamics</i> . 2019, 38, 1713-1720.	1.5	4
58	Sacral Neuromodulation with the InterStim System for Overactive Bladder: 3-Year Results from the French Prospective, Multicenter, Observational SOUNDS Study. <i>European Urology Focus</i> , 2022, 8, 1399-1407.	3.1	4
59	Dynamic evaluation of MRI-targeted, systematic and combined biopsy for prostate cancer diagnosis through 10 years of practice in a single institution. <i>World Journal of Urology</i> , 2022, 40, 1661-1668.	2.2	4
60	Ceftolozane/tazobactam for febrile UTI due to multidrug-resistant <i>Pseudomonas aeruginosa</i> in a patient with neurogenic bladder. <i>Spinal Cord Series and Cases</i> , 2017, 3, 17019.	0.6	3
61	Intradetrusor injection of botulinum toxin A and sacral neuromodulation for neurogenic detrusor overactivity. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 991-997.	2.2	2
62	Long-term functional outcomes of artificial urinary sphincter (AMS 800, $\Phi$ ) implantation in women aged over 75 years and suffering from stress urinary incontinence caused by intrinsic sphincter deficiency. <i>World Journal of Urology</i> , 2021, 39, 3897-3902.	2.2	2
63	Efficacy and safety of intradetrusor botulinum toxin injections for idiopathic overactive bladder syndrome in patients with an artificial urinary sphincter. <i>World Journal of Urology</i> , 2022, 40, 489-495.	2.2	2
64	The Virtue quadratic male sling for postradical prostatectomy urinary incontinence: 3-Year outcome measurements and a predictive model of surgical outcome from a European prospective observational study. <i>Neurourology and Urodynamics</i> , 2022, 41, 456-467.	1.5	2
65	Non-continent Urinary Diversion (Ileal Conduit) as Salvage Therapy in Patients With Refractory Lower Urinary Tract Dysfunctions due to Multiple Sclerosis: Results of a National Cohort From the French Association of Urology (AFU) Neurourology Committee and the French-speaking Neurourology Study Group (GENULF). <i>Urology</i> , 2022, 168, 216-221.	1.0	2
66	Re: Xavier Biardeau, J�r�me Rizk, Fran�ois Marcelli, Vincent Flamand. Robot-assisted Laparoscopic Approach for Artificial Urinary Sphincter Implantation in 11 Women with Urinary Stress Incontinence: Surgical Technique and Initial Experience. <i>Eur Urol</i> 2015;67:937-42. <i>European Urology</i> , 2016, 69, e45-e46.	1.9	1
67	Are Slings Still the Gold Standard for Female Stress Urinary Incontinence?. <i>European Urology Focus</i> , 2019, 5, 315-316.	3.1	1
68	A Real-world Data Analysis of Intermittent Catheterization, Showing the Impact of Prelubricated Versus Hydrophilic Catheter Use on the Occurrence of Symptoms Suggestive of Urinary Tract Infections. <i>European Urology Open Science</i> , 2022, 38, 79-87.	0.4	1
69	Re: Completely Intracorporeal Robotic-assisted Laparoscopic Augmentation Enterocystoplasty With Continent Catheterizable Channel ( <i>Urology</i> 2014;84:1314-1318). <i>Urology</i> , 2015, 86, 205.	1.0	0
70	ES1 Management of male LUTS : how concepts are evolving!. <i>Japanese Journal of Urology</i> , 2011, 102, 73.	0.1	0
71	Positive environmental impact of remote teleconsultation in urology during the COVID-19 pandemic in a highly populated area. <i>Progres En Urologie</i> , 2021, 31, 1133-1138.	0.8	0
72	Mid-term functional outcomes of extraperitoneal robot-assisted simple prostatectomy: a single centre experience. <i>Journal of Robotic Surgery</i> , 2022, , 1.	1.8	0

#	ARTICLE	IF	CITATIONS
73	Exploratory safety study of an umbilical cord derived urethral sling in bilateral pudendal nerves injury-induced urinary incontinence in female rats. <i>Neurourology and Urodynamics</i> , 2022, 41, 777-786.	1.5	0
74	Neurogenic stress urinary incontinence management. From past to recent techniques: What have we learnt?. <i>Progres En Urologie</i> , 2022, , .	0.8	0