
Simon Eskildsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9212860/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Capillary function progressively deteriorates in prodromal Alzheimer's disease: A longitudinal MRI perfusion study. Aging Brain, 2022, 2, 100035.	1.3	4
2	Investigating the potential disease-modifying and neuroprotective efficacy of exercise therapy early in the disease course of multiple sclerosis: The Early Multiple Sclerosis Exercise Study (EMSES). Multiple Sclerosis Journal, 2022, 28, 1620-1629.	3.0	15
3	Altered Cerebral Microstructure in Adults With Atrial Septal Defect and Ventricular Septal Defect Repaired in Childhood. Journal of the American Heart Association, 2022, 11, .	3.7	1
4	Efficacy of High-Intensity Aerobic Exercise on Brain MRI Measures in Multiple Sclerosis. Neurology, 2021, 96, e203-e213.	1.1	35
5	Microstructural changes in the brain after longâ€ŧerm postâ€concussion symptoms: A randomized trial. Journal of Neuroscience Research, 2021, 99, 872-886.	2.9	3
6	Dairy-Derived Emulsifiers in Infant Formula Show Marginal Effects on the Plasma Lipid Profile and Brain Structure in Preterm Piglets Relative to Soy Lecithin. Nutrients, 2021, 13, 718.	4.1	7
7	Infants with congenital heart defects have reduced brain volumes. Scientific Reports, 2021, 11, 4191.	3.3	7
8	Abnormal Leftâ€Hemispheric Sulcal Patterns in Adults With Simple Congenital Heart Defects Repaired in Childhood. Journal of the American Heart Association, 2021, 10, e018580.	3.7	8
9	A Critical Systematic Review of Current Evidence on the Effects of Physical Exercise on Whole/Regional Grey Matter Brain Volume in Populations at Risk of Neurodegeneration. Sports Medicine, 2021, 51, 1651-1671.	6.5	24
10	Cortical diffusion kurtosis imaging and thalamic volume are associated with cognitive and walking performance in relapsing–remitting multiple sclerosis. Journal of Neurology, 2021, 268, 3861-3870.	3.6	5
11	Impaired cerebral microcirculation in isolated REM sleep behaviour disorder. Brain, 2021, 144, 1498-1508.	7.6	6
12	Cerebral hemodynamics and capillary dysfunction in late-onset major depressive disorder. Psychiatry Research - Neuroimaging, 2021, 317, 111383.	1.8	8
13	Study protocol: randomised controlled trial evaluating exercise therapy as a supplemental treatment strategy in early multiple sclerosis: the Early Multiple Sclerosis Exercise Study (EMSES). BMJ Open, 2021, 11, e043699.	1.9	11
14	Clinical, Neurophysiological, and MRI Markers of Fampridine Responsiveness in Multiple Sclerosis—An Explorative Study. Frontiers in Neurology, 2021, 12, 758710.	2.4	1
15	Validation of structural brain connectivity networks: The impact of scanning parameters. NeuroImage, 2020, 204, 116207.	4.2	31
16	Low plasma neurofilament light levels associated with raised cortical microglial activation suggest inflammation acts to protect prodromal Alzheimer's disease. Alzheimer's Research and Therapy, 2020, 12, 3.	6.2	22
17	A multidimensional cohort study of late toxicity after intensity modulated radiotherapy for sinonasal cancer. Radiotherapy and Oncology, 2020, 151, 58-65.	0.6	12
18	Late toxicity in the brain after radiotherapy for sinonasal cancer: Neurocognitive functioning, MRI of the brain and quality of life. Clinical and Translational Radiation Oncology, 2020, 25, 52-60	1.7	12

SIMON ESKILDSEN

#	Article	IF	CITATIONS
19	A cross-sectional comparison of performance, neurophysiological and MRI outcomes of responders and non-responders to fampridine treatment in multiple sclerosis – An explorative study. Journal of Clinical Neuroscience, 2020, 82, 179-185.	1.5	6
20	On the cortical connectivity in the macaque brain: A comparison of diffusion tractography and histological tracing data. NeuroImage, 2020, 221, 117201.	4.2	52
21	Neuropsychological Status and Structural Brain Imaging in Adults With Simple Congenital Heart Defects Closed in Childhood. Journal of the American Heart Association, 2020, 9, e015843.	3.7	35
22	The relationships between neuroinflammation, beta-amyloid and tau deposition in Alzheimer's disease: a longitudinal PET study. Journal of Neuroinflammation, 2020, 17, 151.	7.2	122
23	Impaired perfusion and capillary dysfunction in prodromal Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12032.	2.4	18
24	Bovine Milk Oligosaccharides with Sialyllactose Improves Cognition in Preterm Pigs. Nutrients, 2019, 11, 1335.	4.1	60
25	Abnormal Amyloid Load in Mild Cognitive Impairment: The Effect of Reducing the PiBâ€PET Threshold. Journal of Neuroimaging, 2019, 29, 499-505.	2.0	13
26	Oxygenation differs among white matter hyperintensities, intersected fiber tracts and unaffected white matterâ€. Brain Communications, 2019, 1, fcz033.	3.3	21
27	Short echo-time Magnetic Resonance Spectroscopy in ALS, simultaneous quantification of glutamate and GABA at 3 T. Scientific Reports, 2019, 9, 17593.	3.3	7
28	Diffusion MRI findings in patients with extensive and minimal post-concussion symptoms after mTBI and healthy controls: a cross sectional study. Brain Injury, 2018, 32, 91-98.	1.2	9
29	Transit time homogenization in ischemic stroke – A novel biomarker of penumbral microvascular failure?. Journal of Cerebral Blood Flow and Metabolism, 2018, 38, 2006-2020.	4.3	29
30	Brain volumetric alterations accompanied with loss of striatal medium-sized spiny neurons and cortical parvalbumin expressing interneurons in Brd1+/â^² mice. Scientific Reports, 2018, 8, 16486.	3.3	14
31	Improving the SIENA performance using BEaST brain extraction. PLoS ONE, 2018, 13, e0196945.	2.5	6
32	Does inflammation precede tau aggregation in early Alzheimer's disease? A PET study. Neurobiology of Disease, 2018, 117, 211-216.	4.4	46
33	Microstructural changes in the thalamus after mild traumatic brain injury: A longitudinal diffusion and mean kurtosis tensor MRI study. Brain Injury, 2017, 31, 230-236.	1.2	33
34	The effect of crack cocaine addiction and age on the microstructure and morphology of the human striatum and thalamus using shape analysis and fast diffusion kurtosis imaging. Translational Psychiatry, 2017, 7, e1122-e1122.	4.8	52
35	Brain inflammation accompanies amyloid in the majority of mild cognitive impairment cases due to Alzheimer's disease. Brain, 2017, 140, 2002-2011.	7.6	147
36	White matter biomarkers from fast protocols using axially symmetric diffusion kurtosis imaging. NMR in Biomedicine, 2017, 30, e3741.	2.8	37

SIMON ESKILDSEN

#	Article	IF	CITATIONS
37	Capillary dysfunction is associated with symptom severity and neurodegeneration in Alzheimer's disease. Alzheimer's and Dementia, 2017, 13, 1143-1153.	0.8	86
38	Increased cortical capillary transit time heterogeneity in Alzheimer's disease: a DSC-MRI perfusion study. Neurobiology of Aging, 2017, 50, 107-118.	3.1	61
39	Automatic thalamus and hippocampus segmentation from MP2RACE: comparison of publicly available methods and implications for DTI quantification. International Journal of Computer Assisted Radiology and Surgery, 2016, 11, 1979-1991.	2.8	40
40	Reduced cerebral cortical thickness in Non-cirrhotic patients with hepatitis C. Metabolic Brain Disease, 2016, 31, 311-319.	2.9	18
41	IC-04-01: Cortical capillary dysfunction in patients suspected of Alzheimer's disease. , 2015, 11, P9-P10.		1
42	P4-062: Cortical capillary dysfunction in patients suspected of Alzheimer's disease. , 2015, 11, P790-P791.		0
43	Detection of Alzheimer's disease signature in MR images seven years before conversion to dementia: Toward an early individual prognosis. Human Brain Mapping, 2015, 36, 4758-4770.	3.6	52
44	Standardized evaluation of algorithms for computer-aided diagnosis of dementia based on structural MRI: The CADDementia challenge. NeuroImage, 2015, 111, 562-579.	4.2	266
45	Structural imaging biomarkers of Alzheimer's disease: predicting disease progression. Neurobiology of Aging, 2015, 36, S23-S31.	3.1	101
46	Capillary Dysfunction: Its Detection and Causative Role in Dementias and Stroke. Current Neurology and Neuroscience Reports, 2015, 15, 37.	4.2	68
47	Patch-Based Segmentation from MP2RAGE Images: Comparison to Conventional Techniques. Lecture Notes in Computer Science, 2015, , 180-187.	1.3	2
48	Nonlocal Intracranial Cavity Extraction. International Journal of Biomedical Imaging, 2014, 2014, 1-11.	3.9	49
49	A new method for structural volume analysis of longitudinal brain MRI data and its application in studying the growth trajectories of anatomical brain structures in childhood. NeuroImage, 2013, 82, 393-402.	4.2	145
50	Cortical thickness alterations in social anxiety disorder. Neuroscience Letters, 2013, 536, 52-55.	2.1	64
51	Prediction of Alzheimer's disease in subjects with mild cognitive impairment from the ADNI cohort using patterns of cortical thinning. NeuroImage, 2013, 65, 511-521.	4.2	224
52	White Matter Abnormalities and Structural Hippocampal Disconnections in Amnestic Mild Cognitive Impairment and Alzheimer's Disease. PLoS ONE, 2013, 8, e74776.	2.5	28
53	Quantitative Magnetic Resonance Imaging of Cortical Multiple Sclerosis Pathology. Multiple Sclerosis International, 2012, 2012, 1-13.	0.8	35
54	Thinner cortex in the frontal lobes in mentally disordered offenders. Psychiatry Research - Neuroimaging, 2012, 203, 126-131.	1.8	26

SIMON ESKILDSEN

#	Article	IF	CITATIONS
55	Scoring by nonlocal image patch estimator for early detection of Alzheimer's disease. NeuroImage: Clinical, 2012, 1, 141-152.	2.7	104
56	Reduced Cortical Thickness of Brain Areas Involved in Pain Processing in Patients With Chronic Pancreatitis. Clinical Gastroenterology and Hepatology, 2012, 10, 434-438.e1.	4.4	73
57	BEaST: Brain extraction based on nonlocal segmentation technique. NeuroImage, 2012, 59, 2362-2373.	4.2	507
58	Simultaneous segmentation and grading of anatomical structures for patient's classification: Application to Alzheimer's disease. NeuroImage, 2012, 59, 3736-3747.	4.2	129
59	A New Framework for Analyzing Structural Volume Changes of Longitudinal Brain MRI Data. Lecture Notes in Computer Science, 2012, , 50-62.	1.3	0
60	Spatio-temporal Regularization for Longitudinal Registration to an Unbiased 3D Individual Template. Lecture Notes in Computer Science, 2012, , 1-12.	1.3	1
61	Longitudinal MRI study of cortical thickness, perfusion, and metabolite levels in major depressive disorder. Acta Psychiatrica Scandinavica, 2011, 124, 435-446.	4.5	121
62	Simultaneous Segmentation and Grading of Hippocampus for Patient Classification with Alzheimer's Disease. Lecture Notes in Computer Science, 2011, 14, 149-157.	1.3	9
63	Partial volume correction using cortical surfaces. , 2010, , .		0
64	Segmentation of Cortical MS Lesions on MRI Using Automated Laminar Profile Shape Analysis. Lecture Notes in Computer Science, 2010, 13, 181-188.	1.3	5
65	Cortical volumes and atrophy rates in FTD-3 CHMP2B mutation carriers and related non-carriers. NeuroImage, 2009, 45, 713-721.	4.2	28
66	Evaluation of Five Algorithms for Mapping Brain Cortical Surfaces. , 2008, , .		8
67	Early detection of AD using cortical thickness measurements. , 2007, , .		4
68	Quantitative Comparison of Two Cortical Surface Extraction Methods Using MRI Phantoms. , 2007, , 409-416.		7
69	Quantitative comparison of two cortical surface extraction methods using MRI phantoms. , 2007, 10, 409-16.		7
70	Active Surface Approach for Extraction of the Human Cerebral Cortex from MRI. Lecture Notes in Computer Science, 2006, , 823-830.	1.3	25
71	Active surface approach for extraction of the human cerebral cortex from MRI. , 2006, 9, 823-30.		19
72	Extraction of the cerebral cortical boundaries from MRI for measurement of cortical thickness. , 2005, , .		9