
Christina Van der Feltz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/921583/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. Statistical Methods in Medical Research, 2020, 29, 2520-2537.	1.5	366
2	Feasibility, reliability and validity of a questionnaire on healthcare consumption and productivity loss in patients with a psychiatric disorder (TiC-P). BMC Health Services Research, 2013, 13, 217.	2.2	294
3	Effect of interventions for major depressive disorder and significant depressive symptoms in patients with diabetes mellitus: a systematic review and meta-analysis. General Hospital Psychiatry, 2010, 32, 380-395.	2.4	290
4	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. JAMA - Journal of the American Medical Association, 2020, 323, 2290.	7.4	242
5	The Association of Depression and Anxiety with Pain: A Study from NESDA. PLoS ONE, 2014, 9, e106907.	2.5	237
6	Best Practice Elements of Multilevel Suicide Prevention Strategies. Crisis, 2011, 32, 319-333.	1.2	214
7	Persistent Physical Symptoms as Perceptual Dysregulation: A Neuropsychobehavioral Model and Its Clinical Implications. Psychosomatic Medicine, 2018, 80, 422-431.	2.0	180
8	Interventions to improve return to work in depressed people. The Cochrane Library, 2014, , CD006237.	2.8	166
9	A patient-doctor relationship questionnaire (PDRQ-9) in primary care: development and psychometric evaluation. General Hospital Psychiatry, 2004, 26, 115-120.	2.4	164
10	Mental health research priorities for Europe. Lancet Psychiatry, the, 2015, 2, 1036-1042.	7.4	158
11	Validation of the PHQ-9 as a screening instrument for depression in diabetes patients in specialized outpatient clinics. BMC Health Services Research, 2010, 10, 235.	2.2	146
12	The effect of exercise on cancer-related fatigue in cancer survivors: a systematic review and meta-analysis. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 479-494.	2.2	126
13	Randomised Controlled Trial of a Collaborative Care Model with Psychiatric Consultation for Persistent Medically Unexplained Symptoms in General Practice. Psychotherapy and Psychosomatics, 2006, 75, 282-289.	8.8	118
14	Research priorities for public mental health in Europe: recommendations of the ROAMER project. European Journal of Public Health, 2015, 25, 249-254.	0.3	113
15	ROAMER: roadmap for mental health research in Europe. International Journal of Methods in Psychiatric Research, 2014, 23, 1-14.	2.1	109
16	Workplace Stress, Presenteeism, Absenteeism, and Resilience Amongst University Staff and Students in the COVID-19 Lockdown. Frontiers in Psychiatry, 2020, 11, 588803.	2.6	88
17	Core Outcome Domains for Clinical Trials on Somatic Symptom Disorder, Bodily Distress Disorder, and Functional Somatic Syndromes: European Network on Somatic Symptom Disorders Recommendations. Psychosomatic Medicine, 2017, 79, 1008-1015.	2.0	82
18	Effect of psychiatric consultation models in primary care. A systematic review and meta-analysis of randomized clinical trials. Journal of Psychosomatic Research, 2010, 68, 521-533.	2.6	80

Christina Van der Feltz

#	Article	IF	CITATIONS
19	Effectiveness of suicide prevention interventions: A systematic review and meta-analysis. General Hospital Psychiatry, 2020, 63, 127-140.	2.4	80
20	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression. JAMA Psychiatry, 2016, 73, 978.	11.0	76
21	Effectiveness of a Blended Web-Based Intervention on Return to Work for Sick-Listed Employees With Common Mental Disorders: Results of a Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e116.	4.3	75
22	Presentation of the Multidisciplinary Guideline Medically Unexplained Physical Symptoms (MUPS) and Somatoform Disorder in the Netherlands: Disease management according to risk profiles. Journal of Psychosomatic Research, 2012, 72, 168-169.	2.6	70
23	Schema therapy for personality disorders in older adults: a multiple-baseline study. Aging and Mental Health, 2018, 22, 738-747.	2.8	70
24	Collaborative care for sick-listed workers with major depressive disorder: a randomised controlled trial from the Netherlands Depression Initiative aimed at return to work and depressive symptoms. Occupational and Environmental Medicine, 2013, 70, 223-230.	2.8	69
25	Faster return to work after psychiatric consultation for sicklisted employees with common mental disorders compared to care as usual. A randomized clinical trial. Neuropsychiatric Disease and Treatment, 2010, 6, 375.	2.2	66
26	A target-driven collaborative care model for Major Depressive Disorder is effective in primary care in the Netherlands. A randomized clinical trial from the depression initiative. Journal of Affective Disorders, 2013, 146, 328-337.	4.1	64
27	Cost-effectiveness of collaborative care for the treatment of major depressive disorder in primary care. A systematic review. BMC Health Services Research, 2010, 10, 19.	2.2	63
28	Treatment for comorbid depressive disorder or subthreshold depression in diabetes mellitus: Systematic review and metaâ€analysis. Brain and Behavior, 2021, 11, e01981.	2.2	57
29	Pain as a risk factor for common mental disorders. Results from the Netherlands Mental Health Survey and Incidence Study-2: a longitudinal, population-based study. Pain, 2018, 159, 712-718.	4.2	56
30	Adverse Childhood Experiences (ACE) in outpatients with anxiety and depressive disorders and their association with psychiatric and somatic comorbidity and revictimization. Cross-sectional observational study. Journal of Affective Disorders, 2019, 246, 458-464.	4.1	56
31	Suicide registration in eight European countries: A qualitative analysis of procedures and practices. Forensic Science International, 2010, 202, 86-92.	2.2	54
32	Collaborative care for anxiety disorders in primary care: a systematic review and meta-analysis. BMC Family Practice, 2016, 17, 62.	2.9	54
33	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	2.8	53
34	Effectiveness of Collaborative Stepped Care for Anxiety Disorders in Primary Care: A Pragmatic Cluster Randomised Controlled Trial. Psychotherapy and Psychosomatics, 2014, 83, 37-44.	8.8	52
35	Validation of the PHQ-15 for Somatoform Disorder in the Occupational Health Care Setting. Journal of Occupational Rehabilitation, 2012, 22, 51-58.	2.2	46
36	Medically Unexplained and Explained Physical Symptoms in the General Population: Association with Prevalent and Incident Mental Disorders. PLoS ONE, 2015, 10, e0123274.	2.5	45

#	Article	IF	CITATIONS
37	Cost-effectiveness of collaborative care including PST and an antidepressant treatment algorithm for the treatment of major depressive disorder in primary care; a randomised clinical trial. BMC Health Services Research, 2007, 7, 34.	2.2	38
38	Illness burden and physical outcomes associated with collaborative care in patients with comorbid depressive disorder in chronic medical conditions: A systematic review and meta-analysis. General Hospital Psychiatry, 2018, 50, 1-14.	2.4	38
39	Consultation letters for medically unexplained physical symptoms in primary care. The Cochrane Library, 2010, , CD006524.	2.8	37
40	Celebrity suicide on the railway network: Can one case trigger international effects?. Journal of Affective Disorders, 2015, 185, 38-46.	4.1	36
41	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. Frontiers in Psychiatry, 2018, 9, 151.	2.6	34
42	Validation of the Patient-Doctor-Relationship Questionnaire (PDRQ-9) in a Representative Cross-Sectional German Population Survey. PLoS ONE, 2014, 9, e91964.	2.5	34
43	Negative association of concomitant physical symptoms with the course of major depressive disorder: A systematic review. Journal of Psychosomatic Research, 2010, 68, 511-519.	2.6	33
44	Cost utility analysis of a collaborative stepped care intervention for panic and generalized anxiety disorders in primary care. Journal of Psychosomatic Research, 2014, 77, 57-63.	2.6	33
45	The enigma of persistent symptoms in hypothyroid patients treated with levothyroxine: A narrative review. Clinical Endocrinology, 2023, 98, 461-468.	2.4	33
46	Multidisciplinary Collaborative Care for Depressive Disorder in the Occupational Health Setting: design of a randomised controlled trial and cost-effectiveness study. BMC Health Services Research, 2008, 8, 99.	2.2	31
47	The guideline "consultation psychiatry―of the Netherlands Psychiatric Association. Journal of Psychosomatic Research, 2009, 66, 531-535.	2.6	31
48	Comparison of the Factor Structure of the Patient Health Questionnaire for Somatic Symptoms (PHQ-15) in Germany, the Netherlands, and China. A Transcultural Structural Equation Modeling (SEM) Study. Frontiers in Psychiatry, 2018, 9, 240.	2.6	29
49	The associations between loneliness, social exclusion and pain in the general population: A N=502,528 cross-sectional UK Biobank study. Journal of Psychiatric Research, 2020, 130, 68-74.	3.1	29
50	The Depression Initiative. Description of a collaborative care model for depression and of the factors influencing its implementation in the primary care setting in the Netherlands. International Journal of Integrated Care, 2009, 9, e81.	0.2	29
51	The Notion of Somatization: An Artefact of the Conceptualization of Body and Mind. Psychotherapy and Psychosomatics, 1997, 66, 117-127.	8.8	27
52	Cost-effectiveness of collaborative care for chronically ill patients with comorbid depressive disorder in the general hospital setting, a randomised controlled trial. BMC Health Services Research, 2007, 7, 28.	2.2	27
53	Shared decision-making in mental health care using routine outcome monitoring: results of a cluster randomised-controlled trial. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 209-219.	3.1	27
54	Understanding the link between leadership style, employee satisfaction, and absenteeism: a mixed methods design study in a mental health care institution. Neuropsychiatric Disease and Treatment, 2013, 9, 823.	2.2	26

#	Article	IF	CITATIONS
55	Utility scores for different health states related to depression: individual participant data analysis. Quality of Life Research, 2017, 26, 1649-1658.	3.1	26
56	Complexity Assessed by the INTERMED in Patients With Somatic Symptom Disorder Visiting a Specialized Outpatient Mental Health Care Setting: A Cross-sectional Study. Psychosomatics, 2017, 58, 427-436.	2.5	25
57	A stepped care programme for depression management: an uncontrolled pre-post study in primary and secondary care in The Netherlands. International Journal of Integrated Care, 2008, 8, e05.	0.2	25
58	Can we increase adherence to treatment recommendations of the consultation psychiatrist working in a general hospital? A systematic review. Journal of Psychosomatic Research, 2010, 68, 303-309.	2.6	23
59	Shared Decision Making in mental health care using Routine Outcome Monitoring as a source of information: a cluster randomised controlled trial. BMC Psychiatry, 2015, 15, 313.	2.6	23
60	Neurocognitive dysfunctioning and the impact of comorbid depression and anxiety in patients with somatic symptom and related disorders: a cross-sectional clinical study. Psychological Medicine, 2018, 48, 1803-1813.	4.5	23
61	Springtime Peaks and Christmas Troughs: A National Longitudinal Population-Based Study into Suicide Incidence Time Trends in the Netherlands. Frontiers in Psychiatry, 2018, 9, 45.	2.6	21
62	Suicide and suicidality in somatic symptom and related disorders: A systematic review. Journal of Psychosomatic Research, 2021, 140, 110290.	2.6	21
63	Frailty and depression predict instrumental activities of daily living in older adults: A population-based longitudinal study using the CARE75+ cohort. PLoS ONE, 2020, 15, e0243972.	2.5	21
64	The concept of comorbidity in somatoform disorder—a DSM-V alternative for the DSM-IV classification of Somatoform disorder. Journal of Psychosomatic Research, 2010, 68, 97-99.	2.6	20
65	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. International Journal of Environmental Research and Public Health, 2014, 11, 10915-10939.	2.6	20
66	Towards Horizon 2020: challenges and advances for clinical mental health research – outcome of an expert survey. Neuropsychiatric Disease and Treatment, 2014, 10, 1057.	2.2	20
67	Cost-Utility Analysis of a Collaborative Care Intervention for Major Depressive Disorder in an Occupational Healthcare Setting. Journal of Occupational Rehabilitation, 2014, 24, 555-562.	2.2	20
68	Health Services Research on Mental Health in Primary Care. International Journal of Psychiatry in Medicine, 1997, 27, 1-21.	1.8	19
69	Randomised controlled trial of a psychiatric consultation model for treatment of common mental disorder in the occupational health setting. BMC Health Services Research, 2007, 7, 29.	2.2	19
70	Key concepts in screening for depression in people with diabetes. Journal of Affective Disorders, 2012, 142, S72-S79.	4.1	19
71	A high physical symptom count reduces the effectiveness of treatment for depression, independently of chronic medical conditions. Journal of Psychosomatic Research, 2013, 74, 179-185.	2.6	19
72	Poor Illness Perceptions Are a Risk Factor for Depressive and Anxious Symptomatology in Fibromyalgia Syndrome: A Longitudinal Cohort Study. Frontiers in Psychiatry, 2017, 8, 217.	2.6	19

#	Article	IF	CITATIONS
73	Measures of Motivation for Psychiatric Treatment Based on Self-Determination Theory. Assessment, 2014, 21, 494-510.	3.1	18
74	Psychotherapeutic Treatment Levels for Personality Disorders in Older Adults. Clinical Gerontologist, 2015, 38, 325-341.	2.2	18
75	Evaluating the Responsiveness to Therapeutic Change with Routine Outcome Monitoring: A Comparison of the Symptom Questionnaireâ€48 (SQâ€48) with the Brief Symptom Inventory (BSI) and the Outcome Questionnaireâ€45 (OQâ€45). Clinical Psychology and Psychotherapy, 2017, 24, 61-71.	2.7	18
76	Childhood sexual abuse predicts treatment outcome in conversion disorder/functional neurological disorder. An observational longitudinal study. Brain and Behavior, 2020, 10, e01558.	2.2	18
77	Psychiatric Consultation for Somatizing Patients in the Family Practice Setting: A Feasibility Study. International Journal of Psychiatry in Medicine, 1996, 26, 223-239.	1.8	17
78	Psychometric Properties of the Bermond–Vorst Alexithymia Questionnaire (BVAQ) in the General Population and a Clinical Population. Frontiers in Psychiatry, 2018, 9, 111.	2.6	17
79	Neurocognitive functioning in patients with conversion disorder/functional neurological disorder. Journal of Neuropsychology, 2021, 15, 69-87.	1.4	17
80	Motivation, treatment engagement and psychosocial outcomes in outpatients with severe mental illness: a test of Selfâ€Determination Theory. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	16
81	Predictors of Persistent Medically Unexplained Physical Symptoms: Findings From a General Population Study. Frontiers in Psychiatry, 2018, 9, 613.	2.6	16
82	Effectiveness of a multi-facetted blended eHealth intervention during intake supporting patients and clinicians in Shared Decision Making: A cluster randomised controlled trial in a specialist mental health outpatient setting. PLoS ONE, 2018, 13, e0199795.	2.5	16
83	Testing for response shift in treatment evaluation of change in selfâ€reported psychopathology amongst secondary psychiatric care outpatients. International Journal of Methods in Psychiatric Research, 2019, 28, e1785.	2.1	16
84	Depression and diabetes: The role and impact of models of health care systems. Journal of Affective Disorders, 2012, 142, S80-S88.	4.1	15
85	Cost-utility of collaborative care for major depressive disorder in primary care in the Netherlands. Journal of Psychosomatic Research, 2015, 79, 316-323.	2.6	15
86	Process Evaluation of a Blended Web-Based Intervention on Return to Work for Sick-Listed Employees with Common Mental Health Problems in the Occupational Health Setting. Journal of Occupational Rehabilitation, 2017, 27, 186-194.	2.2	15
87	Type D Personality, Concomitant Depressive and Anxiety Disorders, and Treatment Outcomes in Somatic Symptom and Related Disorders: An Observational Longitudinal Cohort Study. Frontiers in Psychiatry, 2019, 10, 417.	2.6	15
88	Chest pain, depression and anxiety in coronary heart disease: Consequence or cause? A prospective clinical study in primary care. Journal of Psychosomatic Research, 2020, 129, 109891.	2.6	15
89	The role of relapse prevention for depression in collaborative care: A systematic review. Journal of Affective Disorders, 2020, 265, 618-644.	4.1	15
90	Comorbid diabetes and depression: do E-health treatments achieve better diabetes control?. Diabetes Management, 2013, 3, 379-388.	0.5	14

#	Article	IF	CITATIONS
91	Adapting Schema Therapy for Personality Disorders in Older Adults. International Journal of Cognitive Therapy, 2017, 10, 62-78.	2.2	14
92	Enhanced care for depression. Current Opinion in Psychiatry, 2013, 26, 7-12.	6.3	13
93	Decisional conflict in mental health care: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 161-169.	3.1	13
94	Alexithymia Has No Clinically Relevant Association With Outcome of Multimodal Treatment Tailored to Needs of Patients Suffering From Somatic Symptom and Related Disorders. A Clinical Prospective Study. Frontiers in Psychiatry, 2018, 9, 292.	2.6	13
95	The Dutch Recovering Quality of Life questionnaire (ReQoL) and its psychometric qualities. European Journal of Psychiatry, 2020, 34, 99-107.	1.3	13
96	Blended E-health module on return to work embedded in collaborative occupational health care for common mental disorders: design of a cluster randomized controlled trial. Neuropsychiatric Disease and Treatment, 2013, 9, 529.	2.2	12
97	Pain as a risk factor for suicidal ideation. A population-based longitudinal cohort study. General Hospital Psychiatry, 2020, 63, 54-61.	2.4	12
98	Treatment of mental disorder in the primary care setting in the Netherlands in the light of the new reimbursement system: a challenge?. International Journal of Integrated Care, 2008, 8, e56.	0.2	12
99	Ten years integrated care for mental disorders in the Netherlands. International Journal of Integrated Care, 2011, 11, e015.	0.2	12
100	Presence of Comorbid Somatic Disorders Among Patients Referred to Mental Health Care in the Netherlands. Psychiatric Services, 2010, 61, 1119-1125.	2.0	11
101	How Can We Link General Medical and Behavioral Health Care? International Models for Practice and Policy. Psychiatric Services, 2015, 66, 775-777.	2.0	11
102	Mental health care use in medically unexplained and explained physical symptoms: findings from a general population study. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 2063-2072.	2.2	11
103	Effectiveness of a self-management training for patients with chronic and treatment resistant anxiety or depressive disorders on quality of life, symptoms, and empowerment: results of a randomized controlled trial. BMC Psychiatry, 2019, 19, 46.	2.6	11
104	Return-to-work intervention versus usual care for sick-listed employees: health-economic investment appraisal alongside a cluster randomised trial. BMJ Open, 2017, 7, e016348.	1.9	11
105	Towards integrated primary health care for depressive disorder in the Netherlands. The depression initiative. International Journal of Integrated Care, 2009, 9, e83.	0.2	11
106	La belle indifférence revisited: a case report on progressive supranuclear palsy misdiagnosed as conversion disorder. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 2057-2067.	2.2	10
107	IL-6 and hsCRP in Somatic Symptom Disorders and related disorders. Brain, Behavior, & Immunity - Health, 2020, 9, 100176.	2.5	10
108	Assessment of cytokines, microRNA and patient related outcome measures in conversion disorder/functional neurological disorder (CD/FND): The CANDO clinical feasibility study. Brain, Behavior, & Immunity - Health, 2021, 13, 100228.	2.5	10

#	Article	IF	CITATIONS
109	Intractable Obsessive-Compulsive Disorder: Comorbidity with Unrecognized Adult Attention-Deficit Hyperactivity Disorder?. Journal of Nervous and Mental Disease, 1999, 187, 243-245.	1.0	10
110	Effectiveness and cost-effectiveness of transmural collaborative care with consultation letter (TCCCL) and duloxetine for major depressive disorder (MDD) and (sub)chronic pain in collaboration with primary care: design of a randomized placebo-controlled multi-Centre trial: TCC:PAINDIP. BMC Psychiatry, 2013, 13, 147.	2.6	9
111	A National Quality Improvement Collaborative for the clinical use of outcome measurement in specialised mental healthcare: Results from a parallel group design and a nested cluster randomised controlled trial. BJPsych Open, 2017, 3, 106-112.	0.7	9
112	Cross-cultural adaptation of the PatientDoctor Relationship Questionnaire (PDRQ-9) in Brazil. Revista De Saude Publica, 2018, 52, 71.	1.7	9
113	European mental health research resources: Picture and recommendations of the ROAMER project. European Neuropsychopharmacology, 2019, 29, 179-194.	0.7	9
114	Depression in diabetes mellitus: to screen or not to screen? A patient-centred approach. British Journal of Diabetes and Vascular Disease, 2011, 11, 276-281.	0.6	8
115	Cognitive behavioral therapy for somatic symptom disorders in later life: a prospective comparative explorative pilot study in two clinical populations. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 2331-2339.	2.2	8
116	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis General Hospital Psychiatry, 2021, 71, 27-35.	2.4	8
117	Cost-utility of collaborative care for the treatment of comorbid major depressive disorder in outpatients with chronic physical conditions. A randomized controlled trial in the general hospital setting (CC-DIM). Neuropsychiatric Disease and Treatment, 2017, Volume 13, 1881-1893.	2.2	7
118	Comparative Effect of Collaborative Care, Pain Medication, and Duloxetine in the Treatment of Major Depressive Disorder and Comorbid (Sub)Chronic Pain: Results of an Exploratory Randomized, Placebo-Controlled, Multicenter Trial (CC:PAINDIP). Frontiers in Psychiatry, 2018, 9, 118.	2.6	7
119	Dos and Don'ts in Designing School-Based Awareness Programs for Suicide Prevention. Crisis, 2022, 43, 270-277.	1.2	7
120	Misdiagnosis of an underlying medical condition as Conversion Disorder/Functional Neurological Disorder (CD/FND) still occurs. General Hospital Psychiatry, 2020, 65, 43-46.	2.4	6
121	Screening high-risk patients and assisting in diagnosing anxiety in primary care: the Patient Health Questionnaire evaluated. BMC Psychiatry, 2013, 13, 192.	2.6	5
122	Cognitive rehabilitation treatment for mental slowness in conversion disorder: A case report. Cogent Psychology, 2017, 4, 1348328.	1.3	5
123	Testing the Integral Model of treatment motivation in outpatients with severe mental illness. Motivation and Emotion, 2018, 42, 816-830.	1.3	5
124	Strategies for Implementing Occupational eMental Health Interventions: Scoping Review. Journal of Medical Internet Research, 2022, 24, e34479.	4.3	5
125	A digital intake approach in specialized mental health care: study protocol of a cluster randomised controlled trial. BMC Psychiatry, 2017, 17, 86.	2.6	4
126	A regional systems intervention for suicide prevention in the NetherlandsÂ(SUPREMOCOL):Âstudy protocol with a stepped wedge trial design. BMC Psychiatry, 2019, 19, 364.	2.6	4

CHRISTINA VAN DER FELTZ

#	Article	IF	CITATIONS
127	Diagnostic profiling in clinical translational research — a European perspective. European Journal of Psychiatry, 2020, 34, 57-62.	1.3	4
128	UP'S: A Cohort Study on Recovery in Psychotic Disorder Patients: Design Protocol. Frontiers in Psychiatry, 2020, 11, 609530.	2.6	4
129	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. Public Health Research, 2018, 6, 1-76.	1.3	4
130	Identifying the top research priorities in medically not yet explained symptoms (MNYES): a James Lind Alliance priority setting partnership. BMJ Open, 2022, 12, e061263.	1.9	4
131	Identification, assessment and treatment of individual patients. , 0, , 175-216.		3
132	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. Methods, 2022, 204, 300-311.	3.8	3
133	Editorial: Outbreak Investigation: Mental Health in the Times of Coronavirus (COVID-19). Frontiers in Psychiatry, 2022, 13, 854388.	2.6	3
134	Validation of the work stress screener (WOSS-13) and resilience at work scale (ReWoS-24). Journal of Psychosomatic Research, 2022, 160, 110989.	2.6	3
135	The Need to Distinguish between Bodily Distress Disorder and Somatic Symptom Disorder. Psychotherapy and Psychosomatics, 2018, 87, 234-235.	8.8	2
136	Conversion and neuro-inflammation disorder observational study (CANDO). Protocol of a feasibility study. European Journal of Psychiatry, 2020, 34, 164-172.	1.3	2
137	Collaborative Care for Anxiety Disorders in Primary Care: a Systematic Review and Meta-Analysis. Focus (American Psychiatric Publishing), 2017, 15, 333-346.	0.8	2
138	Increased risk for mental disorders and suicide during the COVID-19 pandemic: the position statement of the Section on Suicidology and Suicide Prevention of the European Psychiatric Association , 2021, 4, 4-19.		2
139	Four clinical profiles of adult outpatients with somatic Symptom Disorders and Related Disorders (SSRD). A latent class analysis. Journal of Psychosomatic Research, 2022, 156, 110775.	2.6	2
140	The Association Between Suicide-Related Media Coverage and Suicide: A Cross-Sectional Observational Study. Archives of Suicide Research, 2020, , 1-14.	2.3	1
141	Pain as a risk factor for common mental disorders. Results from the Netherlands Mental Health Survey and Incidence Study-2: a longitudinal, populationbased study - PAIN 159 (2018) 712–718. Ból, 2018, 19, 11-20.	0.1	1
142	Key Concepts in Screening for Depression in People with Diabetes. , 2013, , 47-65.		0
143	Cover Image, Volume 23, Issue 5. Clinical Psychology and Psychotherapy, 2016, 23, i.	2.7	0
144	The Shared Heritage of European Psychiatry: Perspectives from psychosomatic psychiatry. European Journal of Psychiatry, 2020, 34, 55-56.	1.3	0

#	Article	IF	CITATIONS
145	Development and psychometric evaluation of the Transdiagnostic Decision Tool: matched care for patients with a mental disorder in need of highly specialised care. BJPsych Open, 2020, 6, .	0.7	0
146	Economical Framework of Psychiatric Care. International Library of Ethics, Law, and the New Medicine, 2010, , 33-54.	0.5	0
147	Je hoeft mij niks te vertellen. , 2017, , 35-42.		0
148	Mag ik even een teiltje?. , 2017, , 59-66.		0
149	Mag ik toch een keer naar de cardioloog?. , 2017, , 43-50.		0
150	Buik ziek, hoofd niet ziek. , 2017, , 67-76.		0
151	Wat nu weer?. , 2017, , 19-26.		0
152	Collaborative care models for the management of mental disorders in primary care. , 2017, , .		0
153	8.6 Somatisch symptoomsyndroom. , 2018, , 352-364.		0
154	Title is missing!. , 2020, 15, e0243972.		0
155	Title is missing!. , 2020, 15, e0243972.		0
156	Title is missing!. , 2020, 15, e0243972.		0
157	Title is missing!. , 2020, 15, e0243972.		0
158	Title is missing!. , 2020, 15, e0243972.		0
159	Title is missing!. , 2020, 15, e0243972.		0