

# Christina Van der Feltz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/921583/publications.pdf>

Version: 2024-02-01

159  
papers

5,957  
citations

94433

37  
h-index

91884

69  
g-index

186  
all docs

186  
docs citations

186  
times ranked

7660  
citing authors

#	ARTICLE	IF	CITATIONS
1	The enigma of persistent symptoms in hypothyroid patients treated with levothyroxine: A narrative review. <i>Clinical Endocrinology</i> , 2023, 98, 461-468.	2.4	33
2	Dos and Don'ts in Designing School-Based Awareness Programs for Suicide Prevention. <i>Crisis</i> , 2022, 43, 270-277.	1.2	7
3	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. <i>Methods</i> , 2022, 204, 300-311.	3.8	3
4	Editorial: Outbreak Investigation: Mental Health in the Times of Coronavirus (COVID-19). <i>Frontiers in Psychiatry</i> , 2022, 13, 854388.	2.6	3
5	Four clinical profiles of adult outpatients with somatic Symptom Disorders and Related Disorders (SSRD). A latent class analysis. <i>Journal of Psychosomatic Research</i> , 2022, 156, 110775.	2.6	2
6	Strategies for Implementing Occupational eMental Health Interventions: Scoping Review. <i>Journal of Medical Internet Research</i> , 2022, 24, e34479.	4.3	5
7	Identifying the top research priorities in medically not yet explained symptoms (MNYES): a James Lind Alliance priority setting partnership. <i>BMJ Open</i> , 2022, 12, e061263.	1.9	4
8	Validation of the work stress screener (WOSS-13) and resilience at work scale (ReWoS-24). <i>Journal of Psychosomatic Research</i> , 2022, 160, 110989.	2.6	3
9	Neurocognitive functioning in patients with conversion disorder/functional neurological disorder. <i>Journal of Neuropsychology</i> , 2021, 15, 69-87.	1.4	17
10	Suicide and suicidality in somatic symptom and related disorders: A systematic review. <i>Journal of Psychosomatic Research</i> , 2021, 140, 110290.	2.6	21
11	Treatment for comorbid depressive disorder or subthreshold depression in diabetes mellitus: Systematic review and meta-analysis. <i>Brain and Behavior</i> , 2021, 11, e01981.	2.2	57
12	Assessment of cytokines, microRNA and patient related outcome measures in conversion disorder/functional neurological disorder (CD/FND): The CANDO clinical feasibility study. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2021, 13, 100228.	2.5	10
13	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis. <i>General Hospital Psychiatry</i> , 2021, 71, 27-35.	2.4	8
14	Increased risk for mental disorders and suicide during the COVID-19 pandemic: the position statement of the Section on Suicidology and Suicide Prevention of the European Psychiatric Association. <i>Journal of Affective Disorders</i> , 2021, 4, 4-19.		2
15	Pain as a risk factor for suicidal ideation. A population-based longitudinal cohort study. <i>General Hospital Psychiatry</i> , 2020, 63, 54-61.	2.4	12
16	Effectiveness of suicide prevention interventions: A systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2020, 63, 127-140.	2.4	80
17	Chest pain, depression and anxiety in coronary heart disease: Consequence or cause? A prospective clinical study in primary care. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109891.	2.6	15
18	The role of relapse prevention for depression in collaborative care: A systematic review. <i>Journal of Affective Disorders</i> , 2020, 265, 618-644.	4.1	15

#	ARTICLE	IF	CITATIONS
19	The Shared Heritage of European Psychiatry: Perspectives from psychosomatic psychiatry. <i>European Journal of Psychiatry</i> , 2020, 34, 55-56.	1.3	0
20	The Dutch Recovering Quality of Life questionnaire (ReQoL) and its psychometric qualities. <i>European Journal of Psychiatry</i> , 2020, 34, 99-107.	1.3	13
21	IL-6 and hsCRP in Somatic Symptom Disorders and related disorders. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2020, 9, 100176.	2.5	10
22	Development and psychometric evaluation of the Transdiagnostic Decision Tool: matched care for patients with a mental disorder in need of highly specialised care. <i>BJPsych Open</i> , 2020, 6, .	0.7	0
23	Workplace Stress, Presenteeism, Absenteeism, and Resilience Amongst University Staff and Students in the COVID-19 Lockdown. <i>Frontiers in Psychiatry</i> , 2020, 11, 588803.	2.6	88
24	The Association Between Suicide-Related Media Coverage and Suicide: A Cross-Sectional Observational Study. <i>Archives of Suicide Research</i> , 2020, , 1-14.	2.3	1
25	The associations between loneliness, social exclusion and pain in the general population: A N=502,528 cross-sectional UK Biobank study. <i>Journal of Psychiatric Research</i> , 2020, 130, 68-74.	3.1	29
26	Conversion and neuro-inflammation disorder observational study (CANDO). Protocol of a feasibility study. <i>European Journal of Psychiatry</i> , 2020, 34, 164-172.	1.3	2
27	Diagnostic profiling in clinical translational research – a European perspective. <i>European Journal of Psychiatry</i> , 2020, 34, 57-62.	1.3	4
28	Misdiagnosis of an underlying medical condition as Conversion Disorder/Functional Neurological Disorder (CD/FND) still occurs. <i>General Hospital Psychiatry</i> , 2020, 65, 43-46.	2.4	6
29	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	7.4	242
30	Childhood sexual abuse predicts treatment outcome in conversion disorder/functional neurological disorder. An observational longitudinal study. <i>Brain and Behavior</i> , 2020, 10, e01558.	2.2	18
31	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020, 29, 2520-2537.	1.5	366
32	UP'S: A Cohort Study on Recovery in Psychotic Disorder Patients: Design Protocol. <i>Frontiers in Psychiatry</i> , 2020, 11, 609530.	2.6	4
33	Frailty and depression predict instrumental activities of daily living in older adults: A population-based longitudinal study using the CARE75+ cohort. <i>PLoS ONE</i> , 2020, 15, e0243972.	2.5	21
34	Title is missing!. , 2020, 15, e0243972.		0
35	Title is missing!. , 2020, 15, e0243972.		0
36	Title is missing!. , 2020, 15, e0243972.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0243972.		0
38	Title is missing!. , 2020, 15, e0243972.		0
39	Title is missing!. , 2020, 15, e0243972.		0
40	Testing for response shift in treatment evaluation of change in self-reported psychopathology amongst secondary psychiatric care outpatients. International Journal of Methods in Psychiatric Research, 2019, 28, e1785.	2.1	16
41	Type D Personality, Concomitant Depressive and Anxiety Disorders, and Treatment Outcomes in Somatic Symptom and Related Disorders: An Observational Longitudinal Cohort Study. Frontiers in Psychiatry, 2019, 10, 417.	2.6	15
42	Effectiveness of a self-management training for patients with chronic and treatment resistant anxiety or depressive disorders on quality of life, symptoms, and empowerment: results of a randomized controlled trial. BMC Psychiatry, 2019, 19, 46.	2.6	11
43	A regional systems intervention for suicide prevention in the Netherlands (SUPREMOCOL): study protocol with a stepped wedge trial design. BMC Psychiatry, 2019, 19, 364.	2.6	4
44	European mental health research resources: Picture and recommendations of the ROAMER project. European Neuropsychopharmacology, 2019, 29, 179-194.	0.7	9
45	Adverse Childhood Experiences (ACE) in outpatients with anxiety and depressive disorders and their association with psychiatric and somatic comorbidity and revictimization. Cross-sectional observational study. Journal of Affective Disorders, 2019, 246, 458-464.	4.1	56
46	Shared decision-making in mental health care using routine outcome monitoring: results of a cluster randomised-controlled trial. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 209-219.	3.1	27
47	Persistent Physical Symptoms as Perceptual Dysregulation: A Neuropsychobehavioral Model and Its Clinical Implications. Psychosomatic Medicine, 2018, 80, 422-431.	2.0	180
48	Pain as a risk factor for common mental disorders. Results from the Netherlands Mental Health Survey and Incidence Study-2: a longitudinal, population-based study. Pain, 2018, 159, 712-718.	4.2	56
49	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	2.8	53
50	Schema therapy for personality disorders in older adults: a multiple-baseline study. Aging and Mental Health, 2018, 22, 738-747.	2.8	70
51	Illness burden and physical outcomes associated with collaborative care in patients with comorbid depressive disorder in chronic medical conditions: A systematic review and meta-analysis. General Hospital Psychiatry, 2018, 50, 1-14.	2.4	38
52	Decisional conflict in mental health care: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 161-169.	3.1	13
53	Neurocognitive dysfunctioning and the impact of comorbid depression and anxiety in patients with somatic symptom and related disorders: a cross-sectional clinical study. Psychological Medicine, 2018, 48, 1803-1813.	4.5	23
54	Cross-cultural adaptation of the PatientDoctor Relationship Questionnaire (PDRQ-9) in Brazil. Revista De Saude Publica, 2018, 52, 71.	1.7	9

#	ARTICLE	IF	CITATIONS
55	Predictors of Persistent Medically Unexplained Physical Symptoms: Findings From a General Population Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 613.	2.6	16
56	Testing the Integral Model of treatment motivation in outpatients with severe mental illness. <i>Motivation and Emotion</i> , 2018, 42, 816-830.	1.3	5
57	Effectiveness of a multi-faceted blended eHealth intervention during intake supporting patients and clinicians in Shared Decision Making: A cluster randomised controlled trial in a specialist mental health outpatient setting. <i>PLoS ONE</i> , 2018, 13, e0199795.	2.5	16
58	Springtime Peaks and Christmas Troughs: A National Longitudinal Population-Based Study into Suicide Incidence Time Trends in the Netherlands. <i>Frontiers in Psychiatry</i> , 2018, 9, 45.	2.6	21
59	Psychometric Properties of the Bermond-Vorst Alexithymia Questionnaire (BVAQ) in the General Population and a Clinical Population. <i>Frontiers in Psychiatry</i> , 2018, 9, 111.	2.6	17
60	Comparative Effect of Collaborative Care, Pain Medication, and Duloxetine in the Treatment of Major Depressive Disorder and Comorbid (Sub)Chronic Pain: Results of an Exploratory Randomized, Placebo-Controlled, Multicenter Trial (CC:PAINDIP). <i>Frontiers in Psychiatry</i> , 2018, 9, 118.	2.6	7
61	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 151.	2.6	34
62	Comparison of the Factor Structure of the Patient Health Questionnaire for Somatic Symptoms (PHQ-15) in Germany, the Netherlands, and China. A Transcultural Structural Equation Modeling (SEM) Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 240.	2.6	29
63	The effect of exercise on cancer-related fatigue in cancer survivors: a systematic review and meta-analysis. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 479-494.	2.2	126
64	The Need to Distinguish between Bodily Distress Disorder and Somatic Symptom Disorder. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 234-235.	8.8	2
65	Alexithymia Has No Clinically Relevant Association With Outcome of Multimodal Treatment Tailored to Needs of Patients Suffering From Somatic Symptom and Related Disorders. A Clinical Prospective Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 292.	2.6	13
66	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. <i>Public Health Research</i> , 2018, 6, 1-76.	1.3	4
67	Pain as a risk factor for common mental disorders. Results from the Netherlands Mental Health Survey and Incidence Study-2: a longitudinal, populationbased study - PAIN 159 (2018) 712-718. <i>BMC Psychiatry</i> , 2018, 19, 11-20.	0.1	1
68	8.6 Somatisch symptomsyndroom. , 2018, , 352-364.		0
69	Process Evaluation of a Blended Web-Based Intervention on Return to Work for Sick-Listed Employees with Common Mental Health Problems in the Occupational Health Setting. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 186-194.	2.2	15
70	Evaluating the Responsiveness to Therapeutic Change with Routine Outcome Monitoring: A Comparison of the Symptom Questionnaire-48 (SQ-48) with the Brief Symptom Inventory (BSI) and the Outcome Questionnaire-45 (OQ-45). <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 61-71.	2.7	18
71	Complexity Assessed by the INTERMED in Patients With Somatic Symptom Disorder Visiting a Specialized Outpatient Mental Health Care Setting: A Cross-sectional Study. <i>Psychosomatics</i> , 2017, 58, 427-436.	2.5	25
72	Utility scores for different health states related to depression: individual participant data analysis. <i>Quality of Life Research</i> , 2017, 26, 1649-1658.	3.1	26

#	ARTICLE	IF	CITATIONS
73	Adapting Schema Therapy for Personality Disorders in Older Adults. <i>International Journal of Cognitive Therapy</i> , 2017, 10, 62-78.	2.2	14
74	A digital intake approach in specialized mental health care: study protocol of a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 86.	2.6	4
75	Cognitive rehabilitation treatment for mental slowness in conversion disorder: A case report. <i>Cogent Psychology</i> , 2017, 4, 1348328.	1.3	5
76	Core Outcome Domains for Clinical Trials on Somatic Symptom Disorder, Bodily Distress Disorder, and Functional Somatic Syndromes: European Network on Somatic Symptom Disorders Recommendations. <i>Psychosomatic Medicine</i> , 2017, 79, 1008-1015.	2.0	82
77	Motivation, treatment engagement and psychosocial outcomes in outpatients with severe mental illness: a test of Self-Determination Theory. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	16
78	Poor Illness Perceptions Are a Risk Factor for Depressive and Anxious Symptomatology in Fibromyalgia Syndrome: A Longitudinal Cohort Study. <i>Frontiers in Psychiatry</i> , 2017, 8, 217.	2.6	19
79	Cognitive behavioral therapy for somatic symptom disorders in later life: a prospective comparative explorative pilot study in two clinical populations. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2331-2339.	2.2	8
80	Cost-utility of collaborative care for the treatment of comorbid major depressive disorder in outpatients with chronic physical conditions. A randomized controlled trial in the general hospital setting (CC-DIM). <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1881-1893.	2.2	7
81	A National Quality Improvement Collaborative for the clinical use of outcome measurement in specialised mental healthcare: Results from a parallel group design and a nested cluster randomised controlled trial. <i>BJPsych Open</i> , 2017, 3, 106-112.	0.7	9
82	La belle indiff&eacute;rence revisited: a case report on progressive supranuclear palsy misdiagnosed as conversion disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2057-2067.	2.2	10
83	Return-to-work intervention versus usual care for sick-listed employees: health-economic investment appraisal alongside a cluster randomised trial. <i>BMJ Open</i> , 2017, 7, e016348.	1.9	11
84	Collaborative Care for Anxiety Disorders in Primary Care: a Systematic Review and Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2017, 15, 333-346.	0.8	2
85	Je hoeft mij niks te vertellen. , 2017, , 35-42.		0
86	Mag ik even een teiltje?. , 2017, , 59-66.		0
87	Mag ik toch een keer naar de cardioloog?. , 2017, , 43-50.		0
88	Buik ziek, hoofd niet ziek. , 2017, , 67-76.		0
89	Wat nu weer?. , 2017, , 19-26.		0
90	Collaborative care models for the management of mental disorders in primary care. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
91	Mental health care use in medically unexplained and explained physical symptoms: findings from a general population study. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 2063-2072.	2.2	11
92	Collaborative care for anxiety disorders in primary care: a systematic review and meta-analysis. <i>BMC Family Practice</i> , 2016, 17, 62.	2.9	54
93	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression. <i>JAMA Psychiatry</i> , 2016, 73, 978.	11.0	76
94	Cover Image, Volume 23, Issue 5. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, i.	2.7	0
95	Psychotherapeutic Treatment Levels for Personality Disorders in Older Adults. <i>Clinical Gerontologist</i> , 2015, 38, 325-341.	2.2	18
96	Shared Decision Making in mental health care using Routine Outcome Monitoring as a source of information: a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 313.	2.6	23
97	Medically Unexplained and Explained Physical Symptoms in the General Population: Association with Prevalent and Incident Mental Disorders. <i>PLoS ONE</i> , 2015, 10, e0123274.	2.5	45
98	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015, 25, 249-254.	0.3	113
99	Celebrity suicide on the railway network: Can one case trigger international effects?. <i>Journal of Affective Disorders</i> , 2015, 185, 38-46.	4.1	36
100	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015, 2, 1036-1042.	7.4	158
101	Cost-utility of collaborative care for major depressive disorder in primary care in the Netherlands. <i>Journal of Psychosomatic Research</i> , 2015, 79, 316-323.	2.6	15
102	How Can We Link General Medical and Behavioral Health Care? International Models for Practice and Policy. <i>Psychiatric Services</i> , 2015, 66, 775-777.	2.0	11
103	Effectiveness of a Blended Web-Based Intervention on Return to Work for Sick-Listed Employees With Common Mental Disorders: Results of a Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e116.	4.3	75
104	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 10915-10939.	2.6	20
105	Towards Horizon 2020: challenges and advances for clinical mental health research &ndash; outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1057.	2.2	20
106	Effectiveness of Collaborative Stepped Care for Anxiety Disorders in Primary Care: A Pragmatic Cluster Randomised Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 37-44.	8.8	52
107	Interventions to improve return to work in depressed people. <i>The Cochrane Library</i> , 2014, , CD006237.	2.8	166
108	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	2.1	109



#	ARTICLE	IF	CITATIONS
109	Measures of Motivation for Psychiatric Treatment Based on Self-Determination Theory. <i>Assessment</i> , 2014, 21, 494-510.	3.1	18
110	Cost-Utility Analysis of a Collaborative Care Intervention for Major Depressive Disorder in an Occupational Healthcare Setting. <i>Journal of Occupational Rehabilitation</i> , 2014, 24, 555-562.	2.2	20
111	Cost utility analysis of a collaborative stepped care intervention for panic and generalized anxiety disorders in primary care. <i>Journal of Psychosomatic Research</i> , 2014, 77, 57-63.	2.6	33
112	Validation of the Patient-Doctor-Relationship Questionnaire (PDRQ-9) in a Representative Cross-Sectional German Population Survey. <i>PLoS ONE</i> , 2014, 9, e91964.	2.5	34
113	The Association of Depression and Anxiety with Pain: A Study from NESDA. <i>PLoS ONE</i> , 2014, 9, e106907.	2.5	237
114	Key Concepts in Screening for Depression in People with Diabetes. , 2013, , 47-65.		0
115	Screening high-risk patients and assisting in diagnosing anxiety in primary care: the Patient Health Questionnaire evaluated. <i>BMC Psychiatry</i> , 2013, 13, 192.	2.6	5
116	Effectiveness and cost-effectiveness of transmurial collaborative care with consultation letter (TCCCL) and duloxetine for major depressive disorder (MDD) and (sub)chronic pain in collaboration with primary care: design of a randomized placebo-controlled multi-Centre trial: TCC:PAINDIP. <i>BMC Psychiatry</i> , 2013, 13, 147.	2.6	9
117	Feasibility, reliability and validity of a questionnaire on healthcare consumption and productivity loss in patients with a psychiatric disorder (TIC-P). <i>BMC Health Services Research</i> , 2013, 13, 217.	2.2	294
118	A high physical symptom count reduces the effectiveness of treatment for depression, independently of chronic medical conditions. <i>Journal of Psychosomatic Research</i> , 2013, 74, 179-185.	2.6	19
119	A target-driven collaborative care model for Major Depressive Disorder is effective in primary care in the Netherlands. A randomized clinical trial from the depression initiative. <i>Journal of Affective Disorders</i> , 2013, 146, 328-337.	4.1	64
120	Enhanced care for depression. <i>Current Opinion in Psychiatry</i> , 2013, 26, 7-12.	6.3	13
121	Collaborative care for sick-listed workers with major depressive disorder: a randomised controlled trial from the Netherlands Depression Initiative aimed at return to work and depressive symptoms. <i>Occupational and Environmental Medicine</i> , 2013, 70, 223-230.	2.8	69
122	Comorbid diabetes and depression: do E-health treatments achieve better diabetes control?. <i>Diabetes Management</i> , 2013, 3, 379-388.	0.5	14
123	Blended E-health module on return to work embedded in collaborative occupational health care for common mental disorders: design of a cluster randomized controlled trial. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 529.	2.2	12
124	Understanding the link between leadership style, employee satisfaction, and absenteeism: a mixed methods design study in a mental health care institution. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 823.	2.2	26
125	Key concepts in screening for depression in people with diabetes. <i>Journal of Affective Disorders</i> , 2012, 142, S72-S79.	4.1	19
126	Presentation of the Multidisciplinary Guideline Medically Unexplained Physical Symptoms (MUPS) and Somatoform Disorder in the Netherlands: Disease management according to risk profiles. <i>Journal of Psychosomatic Research</i> , 2012, 72, 168-169.	2.6	70



#	ARTICLE	IF	CITATIONS
127	Depression and diabetes: The role and impact of models of health care systems. <i>Journal of Affective Disorders</i> , 2012, 142, S80-S88.	4.1	15
128	Validation of the PHQ-15 for Somatoform Disorder in the Occupational Health Care Setting. <i>Journal of Occupational Rehabilitation</i> , 2012, 22, 51-58.	2.2	46
129	Depression in diabetes mellitus: to screen or not to screen? A patient-centred approach. <i>British Journal of Diabetes and Vascular Disease</i> , 2011, 11, 276-281.	0.6	8
130	Best Practice Elements of Multilevel Suicide Prevention Strategies. <i>Crisis</i> , 2011, 32, 319-333.	1.2	214
131	Ten years integrated care for mental disorders in the Netherlands. <i>International Journal of Integrated Care</i> , 2011, 11, e015.	0.2	12
132	Presence of Comorbid Somatic Disorders Among Patients Referred to Mental Health Care in the Netherlands. <i>Psychiatric Services</i> , 2010, 61, 1119-1125.	2.0	11
133	Cost-effectiveness of collaborative care for the treatment of major depressive disorder in primary care. A systematic review. <i>BMC Health Services Research</i> , 2010, 10, 19.	2.2	63
134	Validation of the PHQ-9 as a screening instrument for depression in diabetes patients in specialized outpatient clinics. <i>BMC Health Services Research</i> , 2010, 10, 235.	2.2	146
135	Effect of interventions for major depressive disorder and significant depressive symptoms in patients with diabetes mellitus: a systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2010, 32, 380-395.	2.4	290
136	Suicide registration in eight European countries: A qualitative analysis of procedures and practices. <i>Forensic Science International</i> , 2010, 202, 86-92.	2.2	54
137	Faster return to work after psychiatric consultation for sicklisted employees with common mental disorders compared to care as usual. A randomized clinical trial. <i>Neuropsychiatric Disease and Treatment</i> , 2010, 6, 375.	2.2	66
138	Consultation letters for medically unexplained physical symptoms in primary care. <i>The Cochrane Library</i> , 2010, , CD006524.	2.8	37
139	Can we increase adherence to treatment recommendations of the consultation psychiatrist working in a general hospital? A systematic review. <i>Journal of Psychosomatic Research</i> , 2010, 68, 303-309.	2.6	23
140	The concept of comorbidity in somatoform disorder—a DSM-V alternative for the DSM-IV classification of Somatoform disorder. <i>Journal of Psychosomatic Research</i> , 2010, 68, 97-99.	2.6	20
141	Effect of psychiatric consultation models in primary care. A systematic review and meta-analysis of randomized clinical trials. <i>Journal of Psychosomatic Research</i> , 2010, 68, 521-533.	2.6	80
142	Negative association of concomitant physical symptoms with the course of major depressive disorder: A systematic review. <i>Journal of Psychosomatic Research</i> , 2010, 68, 511-519.	2.6	33
143	Economical Framework of Psychiatric Care. <i>International Library of Ethics, Law, and the New Medicine</i> , 2010, , 33-54.	0.5	0
144	The guideline "consultation psychiatry" of the Netherlands Psychiatric Association. <i>Journal of Psychosomatic Research</i> , 2009, 66, 531-535.	2.6	31

#	ARTICLE	IF	CITATIONS
145	Towards integrated primary health care for depressive disorder in the Netherlands. The depression initiative. <i>International Journal of Integrated Care</i> , 2009, 9, e83.	0.2	11
146	The Depression Initiative. Description of a collaborative care model for depression and of the factors influencing its implementation in the primary care setting in the Netherlands. <i>International Journal of Integrated Care</i> , 2009, 9, e81.	0.2	29
147	Multidisciplinary Collaborative Care for Depressive Disorder in the Occupational Health Setting: design of a randomised controlled trial and cost-effectiveness study. <i>BMC Health Services Research</i> , 2008, 8, 99.	2.2	31
148	A stepped care programme for depression management: an uncontrolled pre-post study in primary and secondary care in The Netherlands. <i>International Journal of Integrated Care</i> , 2008, 8, e05.	0.2	25
149	Treatment of mental disorder in the primary care setting in the Netherlands in the light of the new reimbursement system: a challenge?. <i>International Journal of Integrated Care</i> , 2008, 8, e56.	0.2	12
150	Cost-effectiveness of collaborative care for chronically ill patients with comorbid depressive disorder in the general hospital setting, a randomised controlled trial. <i>BMC Health Services Research</i> , 2007, 7, 28.	2.2	27
151	Randomised controlled trial of a psychiatric consultation model for treatment of common mental disorder in the occupational health setting. <i>BMC Health Services Research</i> , 2007, 7, 29.	2.2	19
152	Cost-effectiveness of collaborative care including PST and an antidepressant treatment algorithm for the treatment of major depressive disorder in primary care; a randomised clinical trial. <i>BMC Health Services Research</i> , 2007, 7, 34.	2.2	38
153	Randomised Controlled Trial of a Collaborative Care Model with Psychiatric Consultation for Persistent Medically Unexplained Symptoms in General Practice. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 282-289.	8.8	118
154	A patient-doctor relationship questionnaire (PDRQ-9) in primary care: development and psychometric evaluation. <i>General Hospital Psychiatry</i> , 2004, 26, 115-120.	2.4	164
155	Intractable Obsessive-Compulsive Disorder: Comorbidity with Unrecognized Adult Attention-Deficit Hyperactivity Disorder?. <i>Journal of Nervous and Mental Disease</i> , 1999, 187, 243-245.	1.0	10
156	The Notion of Somatization: An Artefact of the Conceptualization of Body and Mind. <i>Psychotherapy and Psychosomatics</i> , 1997, 66, 117-127.	8.8	27
157	Health Services Research on Mental Health in Primary Care. <i>International Journal of Psychiatry in Medicine</i> , 1997, 27, 1-21.	1.8	19
158	Psychiatric Consultation for Somatizing Patients in the Family Practice Setting: A Feasibility Study. <i>International Journal of Psychiatry in Medicine</i> , 1996, 26, 223-239.	1.8	17
159	Identification, assessment and treatment of individual patients. , 0, , 175-216.		3