

Tomás García

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9218944/publications.pdf>

Version: 2024-02-01

152
papers

8,158
citations

34105

52
h-index

54911

84
g-index

154
all docs

154
docs citations

154
times ranked

7218
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of temperature profile during the pyrolysis of end-of-life-tyres in an industrially relevant conditions auger plant. <i>Journal of Environmental Management</i> , 2022, 317, 115323.	7.8	13
2	The promoter effect of Nb species on the catalytic performance of Ir-based catalysts for VOCs total oxidation. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108261.	6.7	2
3	Supported iridium catalysts for the total oxidation of short chain alkanes and their mixtures: Influence of the support. <i>Chemical Engineering Journal</i> , 2021, 417, 127999.	12.7	11
4	A pyrolysis process coupled to a catalytic cracking stage: A potential waste-to-energy solution for mattress foam waste. <i>Waste Management</i> , 2021, 120, 415-423.	7.4	9
5	̂ ³ -valerolactone from levulinic acid and its esters: Substrate and reaction media determine the optimal catalyst. <i>Applied Catalysis A: General</i> , 2021, 623, 118276.	4.3	8
6	From laboratory scale to pilot plant: Evaluation of the catalytic co-pyrolysis of grape seeds and polystyrene wastes with CaO. <i>Catalysis Today</i> , 2021, 379, 87-95.	4.4	22
7	Highly Active Co ₃ O ₄ -Based Catalysts for Total Oxidation of Light C ₁ –C ₃ Alkanes Prepared by a Simple Soft Chemistry Method: Effect of the Heat-Treatment Temperature and Mixture of Alkanes. <i>Materials</i> , 2021, 14, 7120.	2.9	7
8	A combined two-stage process of pyrolysis and catalytic cracking of municipal solid waste for the production of syngas and solid refuse-derived fuels. <i>Waste Management</i> , 2020, 101, 171-179.	7.4	59
9	Glycerol Selective Oxidation to Lactic Acid over AuPt Nanoparticles; Enhancing Reaction Selectivity and Understanding by Support Modification. <i>ChemCatChem</i> , 2020, 12, 3097-3107.	3.7	23
10	Application of Upgraded Drop-In Fuel Obtained from Biomass Pyrolysis in a Spark Ignition Engine. <i>Energies</i> , 2020, 13, 2089.	3.1	11
11	Low temperature conversion of levulinic acid into ̂ ³ -valerolactone using Zn to generate hydrogen from water and nickel catalysts supported on sepiolite. <i>RSC Advances</i> , 2020, 10, 20395-20404.	3.6	7
12	Insights into the production of upgraded biofuels using Mg-loaded mesoporous ZSM-5 zeolites. <i>ChemCatChem</i> , 2020, 12, 5236-5249.	3.7	9
13	Properties and Combustion Characteristics of Bio-Oils from Catalytic Co-Pyrolysis of Grape Seeds, Polystyrene, and Waste Tires. <i>Energy & Fuels</i> , 2020, 34, 14190-14203.	5.1	13
14	Easy Method for the Transformation of Levulinic Acid into Gamma-Valerolactone Using a Nickel Catalyst Derived from Nanocasted Nickel Oxide. <i>Materials</i> , 2019, 12, 2918.	2.9	6
15	Carbon black recovery from waste tire pyrolysis by demineralization: Production and application in rubber compounding. <i>Waste Management</i> , 2019, 85, 574-584.	7.4	128
16	Green synthesis of cavity-containing manganese oxides with superior catalytic performance in toluene oxidation. <i>Applied Catalysis A: General</i> , 2019, 582, 117107.	4.3	8
17	The Key Role of Nanocasting in Gold-based Fe ₂ O ₃ Nanocasted Catalysts for Oxygen Activation at the Metal-support Interface. <i>ChemCatChem</i> , 2019, 11, 1915-1927.	3.7	13
18	Analysis of Soot from the Use of Butanol Blends in a Euro 6 Diesel Engine. <i>Energy & Fuels</i> , 2019, 33, 2265-2277.	5.1	21

#	ARTICLE	IF	CITATIONS
19	Size-activity relationship of iridium particles supported on silica for the total oxidation of volatile organic compounds (VOCs). <i>Chemical Engineering Journal</i> , 2019, 366, 100-111.	12.7	56
20	Ca-based Catalysts for the Production of High-Quality Bio-Oils from the Catalytic Co-Pyrolysis of Grape Seeds and Waste Tyres. <i>Catalysts</i> , 2019, 9, 992.	3.5	23
21	Drop-in biofuels from the co-pyrolysis of grape seeds and polystyrene. <i>Chemical Engineering Journal</i> , 2019, 377, 120246.	12.7	57
22	Photocatalytic Activity of Mesoporous γ -Fe ₂ O ₃ Synthesized via Soft Chemistry and Hard Template Methods for Degradation of Azo Dye Orange II. <i>Catalysis Letters</i> , 2018, 148, 1289-1295.	2.6	7
23	Understanding the role of Ti-rich domains in the stabilization of gold nanoparticles on mesoporous silica-based catalysts. <i>Journal of Catalysis</i> , 2018, 360, 187-200.	6.2	4
24	Prediction of elemental composition, water content and heating value of upgraded biofuel from the catalytic cracking of pyrolysis bio-oil vapors by infrared spectroscopy and partial least square regression models. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 132, 102-110.	5.5	6
25	Kinetic study for the co-pyrolysis of lignocellulosic biomass and plastics using the distributed activation energy model. <i>Energy</i> , 2018, 165, 731-742.	8.8	82
26	Catalytic co-pyrolysis of grape seeds and waste tyres for the production of drop-in biofuels. <i>Energy Conversion and Management</i> , 2018, 171, 1202-1212.	9.2	76
27	Eco-Friendly Cavity-Containing Iron Oxides Prepared by Mild Routes as Very Efficient Catalysts for the Total Oxidation of VOCs. <i>Materials</i> , 2018, 11, 1387.	2.9	15
28	Low temperature total oxidation of toluene by bimetallic Au-Ir catalysts. <i>Catalysis Science and Technology</i> , 2017, 7, 2886-2896.	4.1	39
29	Determining Bio-Oil Composition via Chemometric Tools Based on Infrared Spectroscopy. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 8710-8719.	6.7	10
30	Catalyst evaluation for high-purity H ₂ production by sorption-enhanced steam-methane reforming coupled to a Ca/Cu process. <i>Journal of Power Sources</i> , 2017, 363, 117-125.	7.8	23
31	Total Oxidation of Propane Using CeO ₂ and CuO-CeO ₂ Catalysts Prepared Using Templates of Different Nature. <i>Catalysts</i> , 2017, 7, 96.	3.5	39
32	An integrated process for the production of lignocellulosic biomass pyrolysis oils using calcined limestone as a heat carrier with catalytic properties. <i>Fuel</i> , 2016, 181, 430-437.	6.4	28
33	Promoting Deoxygenation of Bio-Oil by Metal-Loaded Hierarchical ZSM-5 Zeolites. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 1653-1660.	6.7	126
34	Total oxidation of VOCs on mesoporous iron oxide catalysts: Soft chemistry route versus hard template method. <i>Chemical Engineering Journal</i> , 2016, 290, 273-281.	12.7	109
35	Porosity-Acidity Interplay in Hierarchical ZSM-5 Zeolites for Pyrolysis Oil Valorization to Aromatics. <i>ChemSusChem</i> , 2015, 8, 3283-3293.	6.8	105
36	The prevalence of surface oxygen vacancies over the mobility of bulk oxygen in nanostructured ceria for the total toluene oxidation. <i>Applied Catalysis B: Environmental</i> , 2015, 174-175, 403-412.	20.2	333

#	ARTICLE	IF	CITATIONS
37	Catalytic upgrading of biomass derived pyrolysis vapors over metal-loaded ZSM-5 zeolites: Effect of different metal cations on the bio-oil final properties. <i>Microporous and Mesoporous Materials</i> , 2015, 209, 189-196.	4.4	185
38	High-Temperature Stable Gold Nanoparticle Catalysts for Application under Severe Conditions: The Role of TiO ₂ Nanodomains in Structure and Activity. <i>ACS Catalysis</i> , 2015, 5, 1078-1086.	11.2	34
39	Insights into the catalytic production of hydrogen from propane in the presence of oxygen: Cooperative presence of vanadium and gold catalysts. <i>Fuel Processing Technology</i> , 2015, 134, 290-296.	7.2	4
40	Study of a residential boiler under start-transient conditions using a tire pyrolysis liquid (TPL)/diesel fuel blend. <i>Fuel</i> , 2015, 158, 744-752.	6.4	27
41	Total oxidation of propane in vanadia-promoted platinum-alumina catalysts: Influence of the order of impregnation. <i>Catalysis Today</i> , 2015, 254, 12-20.	4.4	32
42	In-situ synthesis of hydrogen peroxide in tandem with selective oxidation reactions: A mini-review. <i>Catalysis Today</i> , 2015, 248, 115-127.	4.4	95
43	Enhanced H ₂ O ₂ production over Au-rich bimetallic Au-Pd nanoparticles on ordered mesoporous carbons. <i>Catalysis Today</i> , 2015, 248, 48-57.	4.4	40
44	Production of upgraded bio-oils by biomass catalytic pyrolysis in an auger reactor using low cost materials. <i>Fuel</i> , 2015, 141, 17-22.	6.4	145
45	The Catalytic Oxidation of Hydrocarbon Volatile Organic Compounds. , 2014, , 51-90.		4
46	Bifunctional Cu/H-ZSM-5 zeolite with hierarchical porosity for hydrocarbon abatement under cold-start conditions. <i>Applied Catalysis B: Environmental</i> , 2014, 154-155, 161-170.	20.2	54
47	Performance and emissions of an automotive diesel engine using a tire pyrolysis liquid blend. <i>Fuel</i> , 2014, 115, 490-499.	6.4	88
48	Thermodynamic analysis for syngas production from volatiles released in waste tire pyrolysis. <i>Energy Conversion and Management</i> , 2014, 81, 338-353.	9.2	36
49	Optimizing the performance of catalytic traps for hydrocarbon abatement during the cold-start of a gasoline engine. <i>Journal of Hazardous Materials</i> , 2014, 279, 527-536.	12.4	23
50	Catalytic pyrolysis of wood biomass in an auger reactor using calcium-based catalysts. <i>Bioresource Technology</i> , 2014, 162, 250-258.	9.6	185
51	Au deposited on CeO ₂ prepared by a nanocasting route: A high activity catalyst for CO oxidation. <i>Journal of Catalysis</i> , 2014, 317, 167-175.	6.2	34
52	Potential for using a tire pyrolysis liquid-diesel fuel blend in a light duty engine under transient operation. <i>Applied Energy</i> , 2014, 130, 437-446.	10.1	37
53	Co-pyrolysis of biomass with waste tyres: Upgrading of liquid bio-fuel. <i>Fuel Processing Technology</i> , 2014, 119, 263-271.	7.2	260
54	Shape-dependency activity of nanostructured CeO ₂ in the total oxidation of polycyclic aromatic hydrocarbons. <i>Applied Catalysis B: Environmental</i> , 2013, 132-133, 116-122.	20.2	158

#	ARTICLE	IF	CITATIONS
55	The different catalytic behaviour in the propane total oxidation of cobalt and manganese oxides prepared by a wet combustion procedure. <i>Chemical Engineering Journal</i> , 2013, 229, 547-558.	12.7	87
56	Abatement of hydrocarbons by acid ZSM-5 and BETA zeolites under cold-start conditions. <i>Adsorption</i> , 2013, 19, 357-365.	3.0	20
57	Demonstration of the waste tire pyrolysis process on pilot scale in a continuous auger reactor. <i>Journal of Hazardous Materials</i> , 2013, 261, 637-645.	12.4	107
58	BETA Zeolite Thin Films Supported on Honeycomb Monoliths with Tunable Properties as Hydrocarbon Traps under Cold-Start Conditions. <i>ChemSusChem</i> , 2013, 6, 1467-1477.	6.8	20
59	Study of nickel catalysts for hydrogen production in sorption enhanced reforming process. <i>Journal of Power Sources</i> , 2013, 242, 371-379.	7.8	14
60	Influence of the preparation method on the activity of ceria zirconia mixed oxides for naphthalene total oxidation. <i>Applied Catalysis B: Environmental</i> , 2013, 132-133, 98-106.	20.2	73
61	Waste tyre pyrolysis – A review. <i>Renewable and Sustainable Energy Reviews</i> , 2013, 23, 179-213.	16.4	623
62	Fuel Properties of Tire Pyrolysis Liquid and Its Blends with Diesel Fuel. <i>Energy & Fuels</i> , 2013, 27, 3296-3305.	5.1	77
63	Total oxidation of naphthalene using bulk manganese oxide catalysts. <i>Applied Catalysis A: General</i> , 2013, 450, 169-177.	4.3	49
64	CuH-ZSM-5 as Hydrocarbon Trap under Cold Start Conditions. <i>Environmental Science & Technology</i> , 2013, 47, 5851-5857.	10.0	29
65	Molecular simulation design of a multisite solid for the abatement of cold start emissions. <i>Chemical Communications</i> , 2012, 48, 6571.	4.1	15
66	Highly dispersed encapsulated AuPd nanoparticles on ordered mesoporous carbons for the direct synthesis of H ₂ O ₂ from molecular oxygen and hydrogen. <i>Chemical Communications</i> , 2012, 48, 5316.	4.1	32
67	Application of a particle model to pyrolysis. Comparison of different feedstock: Plastic, tyre, coal and biomass. <i>Fuel Processing Technology</i> , 2012, 103, 1-8.	7.2	32
68	Oxygen defects: The key parameter controlling the activity and selectivity of mesoporous copper-doped ceria for the total oxidation of naphthalene. <i>Applied Catalysis B: Environmental</i> , 2012, 127, 77-88.	20.2	70
69	High activity mesoporous copper doped cerium oxide catalysts for the total oxidation of polyaromatic hydrocarbon pollutants. <i>Chemical Communications</i> , 2012, 48, 4704.	4.1	52
70	Effect of the aging time of PVP coated palladium nanoparticles colloidal suspensions on their catalytic activity in the preferential oxidation of CO. <i>Catalysis Today</i> , 2012, 187, 2-9.	4.4	33
71	Simulation and optimization of tyre-based steam activated carbons production for gas-phase polycyclic aromatic hydrocarbons abatement. <i>Chemical Engineering Journal</i> , 2012, 187, 123-132.	12.7	16
72	Total oxidation of VOCs on Au nanoparticles anchored on Co doped mesoporous UVM-7 silica. <i>Chemical Engineering Journal</i> , 2012, 187, 391-400.	12.7	44

#	ARTICLE	IF	CITATIONS
73	Synergy between tungsten and palladium supported on titania for the catalytic total oxidation of propane. <i>Journal of Catalysis</i> , 2012, 285, 103-114.	6.2	71
74	Modelling the heat and mass transfers of propane onto a ZSM-5 zeolite. <i>Separation and Purification Technology</i> , 2012, 86, 127-136.	7.9	21
75	The significance of the order of impregnation on the activity of vanadia promoted palladium-alumina catalysts for propane total oxidation. <i>Catalysis Science and Technology</i> , 2011, 1, 1367.	4.1	18
76	Valorisation of forestry waste by pyrolysis in an auger reactor. <i>Waste Management</i> , 2011, 31, 1339-1349.	7.4	96
77	Promoting the activity and selectivity of high surface area Ni ²⁺ /Ce ⁴⁺ /O mixed oxides by gold deposition for VOC catalytic combustion. <i>Chemical Engineering Journal</i> , 2011, 175, 271-278.	12.7	64
78	The Influence of Platinum Addition on Nano-Crystalline Ceria Catalysts for the Total Oxidation of Naphthalene a Model Polycyclic Aromatic Hydrocarbon. <i>Catalysis Letters</i> , 2011, 141, 1732-1738.	2.6	14
79	The effect of gold addition on the catalytic performance of copper manganese oxide catalysts for the total oxidation of propane. <i>Applied Catalysis B: Environmental</i> , 2011, 101, 388-396.	20.2	47
80	Deep oxidation of pollutants using gold deposited on a high surface area cobalt oxide prepared by a nanocasting route. <i>Journal of Hazardous Materials</i> , 2011, 187, 544-552.	12.4	80
81	Recent Solutions for the Abatement of Hydrocarbon Emissions During the Cold Start of Light Vehicles. <i>Recent Patents on Chemical Engineering</i> , 2011, 4, 36-52.	0.5	3
82	Modelling the Breakthrough Curves Obtained from the Adsorption of Propene onto Microporous Inorganic Solids. <i>Adsorption Science and Technology</i> , 2010, 28, 761-775.	3.2	7
83	Screening of different zeolites and silicoaluminophosphates for the retention of propene under cold start conditions. <i>Microporous and Mesoporous Materials</i> , 2010, 130, 239-247.	4.4	53
84	Total Oxidation of Naphthalene Using Mesoporous CeO ₂ Catalysts Synthesized by Nanocasting from Two Dimensional SBA-15 and Three Dimensional KIT-6 and MCM-48 Silica Templates. <i>Catalysis Letters</i> , 2010, 134, 110-117.	2.6	21
85	Deep oxidation of volatile organic compounds using ordered cobalt oxides prepared by a nanocasting route. <i>Applied Catalysis A: General</i> , 2010, 386, 16-27.	4.3	164
86	Valorisation of waste tyre by pyrolysis in a moving bed reactor. <i>Waste Management</i> , 2010, 30, 1220-1224.	7.4	134
87	Waste tyre pyrolysis: Modelling of a moving bed reactor. <i>Waste Management</i> , 2010, 30, 2530-2536.	7.4	23
88	The catalytic performance of mesoporous cerium oxides prepared through a nanocasting route for the total oxidation of naphthalene. <i>Applied Catalysis B: Environmental</i> , 2010, 93, 395-405.	20.2	62
89	Experimental and simulated propene isotherms on porous solids. <i>Applied Surface Science</i> , 2010, 256, 5292-5297.	6.1	14
90	Stable anchoring of dispersed gold nanoparticles on hierarchic porous silica-based materials. <i>Journal of Materials Chemistry</i> , 2010, 20, 6780.	6.7	19

#	ARTICLE	IF	CITATIONS
91	Ceria and Gold/Ceria Catalysts for the Abatement of Polycyclic Aromatic Hydrocarbons: An In-Situ DRIFTS Study. Topics in Catalysis, 2009, 52, 492-500.	2.8	29
92	Total oxidation of naphthalene with high selectivity using a ceria catalyst prepared by a combustion method employing ethylene glycol. Journal of Hazardous Materials, 2009, 171, 393-399.	12.4	24
93	TAP reactor study of the deep oxidation of propane using cobalt oxide and gold-containing cobalt oxide catalysts. Applied Catalysis A: General, 2009, 365, 222-230.	4.3	50
94	Deep oxidation of propane using palladium-titania catalysts modified by niobium. Applied Catalysis A: General, 2008, 350, 63-70.	4.3	35
95	Total oxidation of propane using nanocrystalline cobalt oxide and supported cobalt oxide catalysts. Applied Catalysis B: Environmental, 2008, 84, 176-184.	20.2	221
96	The influence of cerium to urea preparation ratio of nanocrystalline ceria catalysts for the total oxidation of naphthalene. Catalysis Today, 2008, 137, 373-378.	4.4	19
97	Application of the distributed activation energy model to blends devolatilisation. Chemical Engineering Journal, 2008, 142, 87-94.	12.7	17
98	Waste Tire Pyrolysis: Comparison between Fixed Bed Reactor and Moving Bed Reactor. Industrial & Engineering Chemistry Research, 2008, 47, 4029-4033.	3.7	98
99	Temperature Swing Adsorption of Polycyclic Aromatic Hydrocarbons on Activated Carbons. Industrial & Engineering Chemistry Research, 2007, 46, 8193-8198.	3.7	13
100	Influence of preparation conditions of nano-crystalline ceria catalysts on the total oxidation of naphthalene, a model polycyclic aromatic hydrocarbon. Applied Catalysis B: Environmental, 2007, 76, 248-256.	20.2	68
101	Emissions from the combustion of gas-phase products at tyre pyrolysis. Journal of Analytical and Applied Pyrolysis, 2007, 79, 210-214.	5.5	72
102	Complete oxidation of short chain alkanes using a nanocrystalline cobalt oxide catalyst. Catalysis Letters, 2007, 116, 116-121.	2.6	55
103	Steam activation of tyre pyrolytic carbon black: Kinetic study in a thermobalance. Chemical Engineering Journal, 2007, 126, 79-85.	12.7	48
104	Modeling of Activated Carbon Production from Lignite. Energy & Fuels, 2006, 20, 2627-2631.	5.1	13
105	Nanocrystalline cobalt oxide: a catalyst for selective alkane oxidation under ambient conditions. Chemical Communications, 2006, , 3417-3419.	4.1	68
106	Selective oxidation of CO in the presence of H ₂ , H ₂ O and CO ₂ utilising Au/±-Fe ₂ O ₃ catalysts for use in fuel cells. Journal of Materials Chemistry, 2006, 16, 199-208.	6.7	92
107	Activation of Pyrolytic Lignite Char with CO ₂ . Kinetic Study. Energy & Fuels, 2006, 20, 11-16.	5.1	11
108	Supported gold catalysts for the total oxidation of alkanes and carbon monoxide. Applied Catalysis A: General, 2006, 312, 67-76.	4.3	134

#	ARTICLE	IF	CITATIONS
109	Molybdenum-vanadium supported on mesoporous alumina catalysts for the oxidative dehydrogenation of ethane. <i>Catalysis Today</i> , 2006, 117, 228-233.	4.4	78
110	Naphthalene total oxidation over metal oxide catalysts. <i>Applied Catalysis B: Environmental</i> , 2006, 66, 92-99.	20.2	95
111	Naphthalene oxidation over vanadium-modified Pt catalysts supported on γ -Al ₂ O ₃ . <i>Catalysis Letters</i> , 2006, 110, 125-128.	2.6	27
112	Study of the use of paper manufacturing waste in plaster composite mixtures. <i>Building and Environment</i> , 2006, 41, 821-827.	6.9	21
113	Total oxidation of volatile organic compounds by vanadium promoted palladium-titania catalysts: Comparison of aromatic and polyaromatic compounds. <i>Applied Catalysis B: Environmental</i> , 2006, 62, 66-76.	20.2	82
114	Deep oxidation of light alkanes over titania-supported palladium/vanadium catalysts. <i>Journal of Catalysis</i> , 2005, 229, 1-11.	6.2	70
115	Nano-crystalline Ceria Catalysts for the Abatement of Polycyclic Aromatic Hydrocarbons. <i>Catalysis Letters</i> , 2005, 105, 183-189.	2.6	60
116	Production and Application of Activated Carbons Made from Waste Tire. <i>Industrial & Engineering Chemistry Research</i> , 2005, 44, 7228-7233.	3.7	48
117	Selective oxidation of CO in the presence of H ₂ , H ₂ O and CO ₂ via gold for use in fuel cells. <i>Chemical Communications</i> , 2005, , 3385.	4.1	146
118	Levels of selected metals in ambient air PM ₁₀ in an urban site of Zaragoza (Spain). <i>Environmental Research</i> , 2005, 99, 58-67.	7.5	114
119	WHERE ARE THE LIMITS OF THE GAS-PHASE FLUORESCENCE ON THE POLYCYCLIC AROMATIC COMPOUND ANALYSIS?. <i>Polycyclic Aromatic Compounds</i> , 2004, 24, 325-332.	2.6	5
120	The Oxidative Destruction of Hydrocarbon Volatile Organic Compounds Using Palladium-Vanadia-Titania Catalysts. <i>Catalysis Letters</i> , 2004, 97, 99-103.	2.6	31
121	Improvement of the catalytic performance of CuMnOx catalysts for CO oxidation by the addition of Au. <i>New Journal of Chemistry</i> , 2004, 28, 708.	2.8	40
122	Development of Efficient Adsorbent Materials for PAH Cleaning from AFBC Hot Gas. <i>Energy & Fuels</i> , 2004, 18, 202-208.	5.1	17
123	Kinetic Model Comparison for Waste Tire Char Reaction with CO ₂ . <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 7768-7773.	3.7	35
124	Spatial and temporal PAH concentrations in Zaragoza, Spain. <i>Science of the Total Environment</i> , 2003, 307, 111-124.	8.0	99
125	Study of the Adsorption of Polyaromatic Hydrocarbon Binary Mixtures on Carbon Materials by Gas-Phase Fluorescence Detection. <i>Energy & Fuels</i> , 2003, 17, 669-676.	5.1	17
126	Measurements of Polycyclic Aromatic Hydrocarbon Adsorption on Activated Carbons at Very Low Concentrations. <i>Industrial & Engineering Chemistry Research</i> , 2003, 42, 155-161.	3.7	36

#	ARTICLE	IF	CITATIONS
127	PAH Mixture Removal from Hot Gas by Porous Carbons. From Model Compounds to Real Conditions. <i>Industrial & Engineering Chemistry Research</i> , 2003, 42, 5280-5286.	3.7	21
128	Relationship Between Ecotoxicity and PAH Content in Coal Combustion Waste Samples. <i>Polycyclic Aromatic Compounds</i> , 2002, 22, 571-578.	2.6	2
129	Polyaromatic Hydrocarbons in Flue Gases from Waste Tire Combustion. <i>Polycyclic Aromatic Compounds</i> , 2002, 22, 561-570.	2.6	8
130	Limestone Influence on PAH Emissions from Coal AFBC. Catalytic or/and Adsorption Effect?. <i>Studies in Surface Science and Catalysis</i> , 2002, , 403-409.	1.5	0
131	Phenanthrene Adsorption on a Carbonaceous Material: Moisture and CO ₂ Influence. <i>Studies in Surface Science and Catalysis</i> , 2002, 144, 283-290.	1.5	1
132	Moisture Effects on the Phenanthrene Adsorption Capacity by Carbonaceous Materials. <i>Energy & Fuels</i> , 2002, 16, 205-210.	5.1	26
133	Three-Ring PAH Removal from Waste Hot Gas by Sorbents: Influence of the Sorbent Characteristics. <i>Environmental Science & Technology</i> , 2002, 36, 1821-1826.	10.0	32
134	Effects of CO ₂ on the Phenanthrene Adsorption Capacity of Carbonaceous Materials. <i>Energy & Fuels</i> , 2002, 16, 510-516.	5.1	14
135	Removal of Naphthalene, Phenanthrene, and Pyrene by Sorbents from Hot Gas. <i>Environmental Science & Technology</i> , 2001, 35, 2395-2400.	10.0	61
136	Assessment of Schemes for the Processing of Organic Residues from the Interior Car Decoration Industry. <i>Industrial & Engineering Chemistry Research</i> , 2001, 40, 1119-1124.	3.7	2
137	Benzo(a)pyrene, Benzo(a)anthracene, and Dibenzo(a,h)anthracene Emissions from Coal and Waste Tire Energy Generation at Atmospheric Fluidized Bed Combustion (AFBC). <i>Environmental Science & Technology</i> , 2001, 35, 2645-2649.	10.0	34
138	Effects of Limestone on Polycyclic Aromatic Hydrocarbon Emissions during Coal Atmospheric Fluidized Bed Combustion. <i>Energy & Fuels</i> , 2001, 15, 1469-1474.	5.1	23
139	Assessment of Phenanthrene Removal from Hot Gas by Porous Carbons. <i>Energy & Fuels</i> , 2001, 15, 1-7.	5.1	39
140	Atmospheric Environmental Impact from New Energy Systems Generation. <i>Polycyclic Aromatic Compounds</i> , 2000, 18, 1-11.	2.6	5
141	Toxic organic emissions from coal combustion. <i>Fuel Processing Technology</i> , 2000, 67, 1-10.	7.2	65
142	PAH presence in oils and tars from coal-tire coprocessing. <i>Fuel Processing Technology</i> , 2000, 62, 53-63.	7.2	21
143	Optimisation of scrap automotive tyres recycling into valuable liquid fuels. <i>Resources, Conservation and Recycling</i> , 2000, 29, 263-272.	10.8	46
144	Fluidized Bed Combustion (FBC) of Fossil and Nonfossil Fuels. A Comparative Study. <i>Energy & Fuels</i> , 2000, 14, 275-281.	5.1	37

#	ARTICLE	IF	CITATIONS
145	Polyaromatic Environmental Impact in Coal~Tire Blend Atmospheric Fluidized Bed (AFB) Combustion. Energy & Fuels, 2000, 14, 164-168.	5.1	31
146	Influence of Process Variables on Oils from Tire Pyrolysis and Hydrolysis in a Swept Fixed Bed Reactor. Energy & Fuels, 2000, 14, 739-744.	5.1	110
147	Influence on PAH emissions of the air flow in AFB coal combustion. Fuel, 1999, 78, 1553-1557.	6.4	50
148	Combustion of High Calorific Value Waste Material: Organic Atmospheric Pollution. Environmental Science & Technology, 1999, 33, 4155-4158.	10.0	59
149	Polycyclic Aromatic Hydrocarbons and Organic Matter Associated to Particulate Matter Emitted from Atmospheric Fluidized Bed Coal Combustion. Environmental Science & Technology, 1999, 33, 3177-3184.	10.0	70
150	Assessment of PAH emissions as a function of coal combustion variables in fluidised bed. 2. Air excess percentage. Fuel, 1998, 77, 1513-1516.	6.4	47
151	Evaluation of Synergy in Tire Rubber~Coal Coprocessing. Industrial & Engineering Chemistry Research, 1998, 37, 3545-3550.	3.7	13
152	Kinetic Study for the Co-Pyrolysis of Lignocellulosic Biomass and Plastics Using the Distributed Activation Energy Model. , 0, , .		0