

Li-Qiang Mai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9220889/publications.pdf>

Version: 2024-02-01

610
papers

61,923
citations

464

130
h-index

1668

214
g-index

617
all docs

617
docs citations

617
times ranked

34074
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanostructured Metal Oxides and Sulfides for Lithium-Sulfur Batteries. <i>Advanced Materials</i> , 2017, 29, 1601759.	11.1	1,197
2	Water-Lubricated Intercalation in $V_2O_5 \cdot nH_2O$ for High-Capacity and High-Rate Aqueous Rechargeable Zinc Batteries. <i>Advanced Materials</i> , 2018, 30, 1703725.	11.1	1,084
3	Hierarchical $MnMoO_4/CoMoO_4$ heterostructured nanowires with enhanced supercapacitor performance. <i>Nature Communications</i> , 2011, 2, 381.	5.8	1,040
4	Na^+ intercalation pseudocapacitance in graphene-coupled titanium oxide enabling ultra-fast sodium storage and long-term cycling. <i>Nature Communications</i> , 2015, 6, 6929.	5.8	969
5	Layered V_2O_5 Nanosheet-Based Aqueous Zn Ion Battery Cathode. <i>Advanced Energy Materials</i> , 2017, 7, 1601920.	10.2	961
6	General Oriented Formation of Carbon Nanotubes from Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2017, 139, 8212-8221.	6.6	777
7	Silicon oxides: a promising family of anode materials for lithium-ion batteries. <i>Chemical Society Reviews</i> , 2019, 48, 285-309.	18.7	685
8	Manipulating Adsorption-Insertion Mechanisms in Nanostructured Carbon Materials for High-Efficiency Sodium Ion Storage. <i>Advanced Energy Materials</i> , 2017, 7, 1700403.	10.2	662
9	Sodium Ion Stabilized Vanadium Oxide Nanowire Cathode for High-Performance Zinc-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1702463.	10.2	650
10	Synergistic interaction between redox-active electrolyte and binder-free functionalized carbon for ultrahigh supercapacitor performance. <i>Nature Communications</i> , 2013, 4, 2923.	5.8	623
11	Nanowire Electrodes for Electrochemical Energy Storage Devices. <i>Chemical Reviews</i> , 2014, 114, 11828-11862.	23.0	617
12	Porous One-Dimensional Nanomaterials: Design, Fabrication and Applications in Electrochemical Energy Storage. <i>Advanced Materials</i> , 2017, 29, 1602300.	11.1	615
13	Low-crystalline iron oxide hydroxide nanoparticle anode for high-performance supercapacitors. <i>Nature Communications</i> , 2017, 8, 14264.	5.8	588
14	Highly Durable $Na_2V_6O_{16} \cdot 1.63H_2O$ Nanowire Cathode for Aqueous Zinc-Ion Battery. <i>Nano Letters</i> , 2018, 18, 1758-1763.	4.5	568
15	Graphene Scroll-Coated MnO_2 Nanowires as High-Performance Cathode Materials for Aqueous Zn-Ion Battery. <i>Small</i> , 2018, 14, e1703850.	5.2	563
16	Electrospun Ultralong Hierarchical Vanadium Oxide Nanowires with High Performance for Lithium Ion Batteries. <i>Nano Letters</i> , 2010, 10, 4750-4755.	4.5	549
17	Lithiated MoO_3 Nanobelts with Greatly Improved Performance for Lithium Batteries. <i>Advanced Materials</i> , 2007, 19, 3712-3716.	11.1	545
18	Intricate Hollow Structures: Controlled Synthesis and Applications in Energy Storage and Conversion. <i>Advanced Materials</i> , 2017, 29, 1602914.	11.1	523

#	ARTICLE	IF	CITATIONS
19	Ultrathin Surface Coating Enables Stabilized Zinc Metal Anode. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800848.	1.9	476
20	Effect of Carbon Matrix Dimensions on the Electrochemical Properties of Na ₃ V ₂ (PO ₄) ₃ Nanograins for High-Performance Symmetric Sodium-Ion Batteries. <i>Advanced Materials</i> , 2014, 26, 3545-3553.	11.1	473
21	High-Performance Aqueous Zinc-Ion Battery Based on Layered H ₂ V ₃ O ₈ Nanowire Cathode. <i>Small</i> , 2017, 13, 1702551.	5.2	455
22	Diethyl ether as self-healing electrolyte additive enabled long-life rechargeable aqueous zinc ion batteries. <i>Nano Energy</i> , 2019, 62, 275-281.	8.2	455
23	Self-smoothing anode for achieving high-energy lithium metal batteries under realistic conditions. <i>Nature Nanotechnology</i> , 2019, 14, 594-601.	15.6	451
24	Interfaces in Solid-State Lithium Batteries. <i>Joule</i> , 2018, 2, 1991-2015.	11.7	444
25	Recent Developments on and Prospects for Electrode Materials with Hierarchical Structures for Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1701415.	10.2	436
26	Zn/V ₂ O ₅ Aqueous Hybrid-Ion Battery with High Voltage Platform and Long Cycle Life. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 42717-42722.	4.0	401
27	General synthesis of complex nanotubes by gradient electrospinning and controlled pyrolysis. <i>Nature Communications</i> , 2015, 6, 7402.	5.8	370
28	Earth Abundant Fe/Mn-Based Layered Oxide Interconnected Nanowires for Advanced K-Ion Full Batteries. <i>Nano Letters</i> , 2017, 17, 544-550.	4.5	356
29	Manganese Oxide/Carbon Yolk-Shell Nanorod Anodes for High Capacity Lithium Batteries. <i>Nano Letters</i> , 2015, 15, 738-744.	4.5	345
30	SnO ₂ Quantum Dots@Graphene Oxide as a High-Rate and Long-Life Anode Material for Lithium-Ion Batteries. <i>Small</i> , 2016, 12, 588-594.	5.2	338
31	Lithiophilic-lithiophobic gradient interfacial layer for a highly stable lithium metal anode. <i>Nature Communications</i> , 2018, 9, 3729.	5.8	331
32	Advances in metal-organic framework coatings: versatile synthesis and broad applications. <i>Chemical Society Reviews</i> , 2020, 49, 3142-3186.	18.7	327
33	3D self-supported nanopine forest-like Co ₃ O ₄ @CoMoO ₄ core-shell architectures for high-energy solid state supercapacitors. <i>Nano Energy</i> , 2016, 19, 222-233.	8.2	321
34	Hierarchical mesoporous perovskite La _{0.5} Sr _{0.5} Co _{2.91} nanowires with ultrahigh capacity for Li-air batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 19569-19574.	3.3	315
35	A New View of Supercapacitors: Integrated Supercapacitors. <i>Advanced Energy Materials</i> , 2019, 9, 1901081.	10.2	315
36	Novel layer-by-layer stacked VS ₂ nanosheets with intercalation pseudocapacitance for high-rate sodium ion charge storage. <i>Nano Energy</i> , 2017, 35, 396-404.	8.2	313

#	ARTICLE	IF	CITATIONS
37	Multicomponent Hierarchical Cu ²⁺ -Doped NiCo-LDH/CuO Double Arrays for Ultralong-Life Hybrid Fiber Supercapacitor. <i>Advanced Functional Materials</i> , 2019, 29, 1809004.	7.8	313
38	Nanowires for Electrochemical Energy Storage. <i>Chemical Reviews</i> , 2019, 119, 11042-11109.	23.0	309
39	MoB/g-C ₃ N ₄ Interface Materials as a Schottky Catalyst to Boost Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 496-500.	7.2	308
40	The Marriage of the FeN ₄ Moiety and MXene Boosts Oxygen Reduction Catalysis: Fe 3d Electron Delocalization Matters. <i>Advanced Materials</i> , 2018, 30, e1803220.	11.1	289
41	Improving the tribological characteristics of piston ring assembly in automotive engines using Al ₂ O ₃ and TiO ₂ nanomaterials as nano-lubricant additives. <i>Tribology International</i> , 2016, 103, 540-554.	3.0	287
42	Porous Nickel-Iron Selenide Nanosheets as Highly Efficient Electrocatalysts for Oxygen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 19386-19392.	4.0	284
43	Layer-by-Layer Na ₃ V ₂ (PO ₄) ₃ Embedded in Reduced Graphene Oxide as Superior Rate and Ultralong-Life Sodium-Ion Battery Cathode. <i>Advanced Energy Materials</i> , 2016, 6, 1600389.	10.2	282
44	Materials Design for High-Safety Sodium-Ion Battery. <i>Advanced Energy Materials</i> , 2021, 11, 2000974.	10.2	282
45	Interface Engineering for High-Performance Top-Gated MoS ₂ Field-Effect Transistors. <i>Advanced Materials</i> , 2014, 26, 6255-6261.	11.1	272
46	Vanadium-Based Nanomaterials: A Promising Family for Emerging Metal-Ion Batteries. <i>Advanced Functional Materials</i> , 2020, 30, 1904398.	7.8	262
47	Amorphous Vanadium Oxide Matrixes Supporting Hierarchical Porous Fe ₃ O ₄ /Graphene Nanowires as a High-Rate Lithium Storage Anode. <i>Nano Letters</i> , 2014, 14, 6250-6256.	4.5	257
48	Comprehensive understanding of the roles of water molecules in aqueous Zn-ion batteries: from electrolytes to electrode materials. <i>Energy and Environmental Science</i> , 2021, 14, 3796-3839.	15.6	257
49	Low-Crystalline Bimetallic Metal-Organic Framework Electrocatalysts with Rich Active Sites for Oxygen Evolution. <i>ACS Energy Letters</i> , 2019, 4, 285-292.	8.8	255
50	A 3D Nitrogen-Doped Graphene/TiN Nanowires Composite as a Strong Polysulfide Anchor for Lithium-Sulfur Batteries with Enhanced Rate Performance and High Areal Capacity. <i>Advanced Materials</i> , 2018, 30, e1804089.	11.1	251
51	Structural and chemical synergistic effect of CoS nanoparticles and porous carbon nanorods for high-performance sodium storage. <i>Nano Energy</i> , 2017, 35, 281-289.	8.2	247
52	VO ₂ Nanowires Assembled into Hollow Microspheres for High-Rate and Long-Life Lithium Batteries. <i>Nano Letters</i> , 2014, 14, 2873-2878.	4.5	244
53	Construction of Sulfur Vacancies and Heterojunctions in Tungsten Disulfide to Induce Fast Electronic/Ionic Diffusion Kinetics for Sodium-Ion Batteries. <i>Advanced Materials</i> , 2020, 32, e2005802.	11.1	244
54	Copper-Nickel Nitride Nanosheets as Efficient Bifunctional Catalysts for Hydrazine-Assisted Electrolytic Hydrogen Production. <i>Advanced Energy Materials</i> , 2019, 9, 1900390.	10.2	243

#	ARTICLE	IF	CITATIONS
55	NiSe ₂ Nanooctahedra as an Anode Material for High-Rate and Long-Life Sodium-Ion Battery. ACS Applied Materials & Interfaces, 2017, 9, 311-316.	4.0	234
56	Free-standing kinked nanowire transistor probes for targeted intracellular recording in three dimensions. Nature Nanotechnology, 2014, 9, 142-147.	15.6	230
57	One-Pot Synthesized Bicontinuous Hierarchical Li ₃ V ₂ (PO ₄) ₃ /C Mesoporous Nanowires for High-Rate and Ultralong-Life Lithium-ion Batteries. Nano Letters, 2014, 14, 1042-1048.	4.5	230
58	Self-sacrificed synthesis of three-dimensional Na ₃ V ₂ (PO ₄) ₃ nanofiber network for high-rate sodium-ion full batteries. Nano Energy, 2016, 25, 145-153.	8.2	230
59	From MoO ₃ Nanobelts to MoO ₂ Nanorods: Structure Transformation and Electrical Transport. ACS Nano, 2009, 3, 478-482.	7.3	228
60	Anions induced evolution of Co ₃ X ₄ (X = O, S, Se) as sodium-ion anodes: The influences of electronic structure, morphology, electrochemical property. Nano Energy, 2018, 48, 617-629.	8.2	227
61	Ultrastable and High-Performance Zn/VO ₂ Battery Based on a Reversible Single-Phase Reaction. Chemistry of Materials, 2019, 31, 699-706.	3.2	227
62	Activation of Sodium Storage Sites in Prussian Blue Analogues via Surface Etching. Nano Letters, 2017, 17, 4713-4718.	4.5	225
63	Monodisperse and homogeneous SiO ₂ /C microspheres: A promising high-capacity and durable anode material for lithium-ion batteries. Energy Storage Materials, 2018, 13, 112-118.	9.5	222
64	Smart construction of three-dimensional hierarchical tubular transition metal oxide core/shell heterostructures with high-capacity and long-cycle-life lithium storage. Nano Energy, 2015, 12, 437-446.	8.2	220
65	Advances in Structure and Property Optimizations of Battery Electrode Materials. Joule, 2017, 1, 522-547.	11.7	219
66	Finely Crafted 3D Electrodes for Dendrite-Free and High-Performance Flexible Fiber-Shaped Zn-Co Batteries. Advanced Functional Materials, 2018, 28, 1802016.	7.8	216
67	Defect-Rich Soft Carbon Porous Nanosheets for Fast and High-Capacity Sodium-Ion Storage. Advanced Energy Materials, 2019, 9, 1803260.	10.2	214
68	Vanadium Sulfide on Reduced Graphene Oxide Layer as a Promising Anode for Sodium Ion Battery. ACS Applied Materials & Interfaces, 2015, 7, 20902-20908.	4.0	210
69	Nanoscroll Buffered Hybrid Nanostructural VO ₂ (B) Cathodes for High-Rate and Long-Life Lithium Storage. Advanced Materials, 2013, 25, 2969-2973.	11.1	207
70	Cucumber-Like V ₂ O ₅ /poly(3,4-ethylenedioxythiophene)&MnO ₂ Nanowires with Enhanced Electrochemical Cyclability. Nano Letters, 2013, 13, 740-745.	4.5	201
71	Ultrathin MoO ₂ nanosheets for superior lithium storage. Nano Energy, 2015, 11, 129-135.	8.2	199
72	Sodium-based batteries: from critical materials to battery systems. Journal of Materials Chemistry A, 2019, 7, 9406-9431.	5.2	199

#	ARTICLE	IF	CITATIONS
73	Comprehensive Understandings into Complete Reconstruction of Precatalysts: Synthesis, Applications, and Characterizations. <i>Advanced Materials</i> , 2021, 33, e2007344.	11.1	198
74	Double-shell Li-rich layered oxide hollow microspheres with sandwich-like carbon@spinel@layered@spinel@carbon shells as high-rate lithium ion battery cathode. <i>Nano Energy</i> , 2019, 59, 184-196.	8.2	194
75	Ultrafine Nickel@Nanoparticle@Enabled SiO ₂ Hierarchical Hollow Spheres for High-Performance Lithium Storage. <i>Advanced Functional Materials</i> , 2018, 28, 1704561.	7.8	193
76	Bottom-Up Confined Synthesis of Nanorod@Nanotube Structured Sb@N@C for Durable Lithium and Sodium Storage. <i>Advanced Energy Materials</i> , 2018, 8, 1703237.	10.2	192
77	Hydrated vanadium pentoxide with superior sodium storage capacity. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8070-8075.	5.2	190
78	Nanowire Templated Semihollow Bicontinuous Graphene Scrolls: Designed Construction, Mechanism, and Enhanced Energy Storage Performance. <i>Journal of the American Chemical Society</i> , 2013, 135, 18176-18182.	6.6	187
79	Synergistic Effect of Hierarchical Nanostructured MoO ₂ /Co(OH) ₂ with Largely Enhanced Pseudocapacitor Cyclability. <i>Nano Letters</i> , 2013, 13, 5685-5691.	4.5	186
80	Metal-organic framework derived carbon-confined Ni ₂ P nanocrystals supported on graphene for an efficient oxygen evolution reaction. <i>Chemical Communications</i> , 2017, 53, 8372-8375.	2.2	184
81	Three-Dimensional Crumpled Reduced Graphene Oxide/MoS ₂ Nanoflowers: A Stable Anode for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 12625-12630.	4.0	183
82	Magnesium storage performance and mechanism of CuS cathode. <i>Nano Energy</i> , 2018, 47, 210-216.	8.2	183
83	Fast Ionic Diffusion-Enabled Nanoflake Electrode by Spontaneous Electrochemical Pre-Intercalation for High-Performance Supercapacitor. <i>Scientific Reports</i> , 2013, 3, .	1.6	182
84	Vanadium Oxide Pillared by Interlayer Mg ²⁺ Ions and Water as Ultralong-Life Cathodes for Magnesium-Ion Batteries. <i>Chem</i> , 2019, 5, 1194-1209.	5.8	180
85	Reconstruction-Determined Alkaline Water Electrolysis at Industrial Temperatures. <i>Advanced Materials</i> , 2020, 32, e2001136.	11.1	177
86	A Novel Dendrite-Free Mn ²⁺ /Zn ²⁺ Hybrid Battery with 2.3 V Voltage Window and 11000@Cycle Lifespan. <i>Advanced Energy Materials</i> , 2019, 9, 1901469.	10.2	175
87	Interlayer@Spacing@Regulated VOPO ₄ Nanosheets with Fast Kinetics for High-Capacity and Durable Rechargeable Magnesium Batteries. <i>Advanced Materials</i> , 2018, 30, e1801984.	11.1	171
88	Lithium Deficiencies Engineering in Li-Rich Layered Oxide Li _{1.098} Mn _{0.533} Ni _{0.113} Co _{0.138} O ₂ for High-Stability Cathode. <i>Journal of the American Chemical Society</i> , 2019, 141, 10876-10882.	6.6	171
89	Realizing Three-Electron Redox Reactions in NASICON-Structured Na ₃ MnTi(PO ₄) ₃ for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1803436.	10.2	171
90	Engineering Oxygen Vacancies in a Polysulfide-Blocking Layer with Enhanced Catalytic Ability. <i>Advanced Materials</i> , 2020, 32, e1907444.	11.1	171

#	ARTICLE	IF	CITATIONS
91	Graphene decorated vanadium oxide nanowire aerogel for long-cycle-life magnesium battery cathodes. <i>Nano Energy</i> , 2015, 18, 265-272.	8.2	170
92	Nanoflake-Assembled Hierarchical $\text{Na}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ Microflowers: Superior Li Storage Performance and Insertion/Extraction Mechanism. <i>Advanced Energy Materials</i> , 2015, 5, 1401963.	10.2	169
93	Nanowires in Energy Storage Devices: Structures, Synthesis, and Applications. <i>Advanced Energy Materials</i> , 2018, 8, 1802369.	10.2	169
94	Recent Advances and Prospects of Cathode Materials for Rechargeable Aqueous Zinc-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900387.	1.9	169
95	Dielectric spectroscopy studies on (PVP+PVA) polyblend film. <i>Microelectronic Engineering</i> , 2006, 83, 281-285.	1.1	168
96	Mesoporous NiS_2 Nanospheres Anode with Pseudocapacitance for High-Rate and Long-Life Sodium-Ion Battery. <i>Small</i> , 2017, 13, 1701744.	5.2	168
97	Vanadate-Based Materials for Li-Ion Batteries: The Search for Anodes for Practical Applications. <i>Advanced Energy Materials</i> , 2019, 9, 1803324.	10.2	168
98	All-flexible lithium ion battery based on thermally-etched porous carbon cloth anode and cathode. <i>Nano Energy</i> , 2016, 26, 446-455.	8.2	167
99	Novel layered iron vanadate cathode for high-capacity aqueous rechargeable zinc batteries. <i>Chemical Communications</i> , 2018, 54, 4041-4044.	2.2	167
100	Yolk@Shell SiO_2/C microspheres with semi-graphitic carbon coating on the exterior and interior surfaces for durable lithium storage. <i>Energy Storage Materials</i> , 2019, 19, 299-305.	9.5	167
101	Three-dimensional graphene framework with ultra-high sulfur content for a robust lithium-sulfur battery. <i>Nano Research</i> , 2016, 9, 240-248.	5.8	165
102	Upraising the O 2p Orbital by Integrating Ni with MoO_2 for Accelerating Hydrogen Evolution Kinetics. <i>ACS Catalysis</i> , 2019, 9, 2275-2285.	5.5	165
103	Aqueous $\text{Zn}/\text{Zn}(\text{CF}_3\text{SO}_3)_2/\text{Na}_3\text{V}_2(\text{PO}_4)_3$ batteries with simultaneous $\text{Zn}^{2+}/\text{Na}^+$ intercalation/de-intercalation. <i>Nano Energy</i> , 2019, 58, 492-498.	8.2	161
104	Identification of Phase Control of Carbon-Confined Nb_2O_5 Nanoparticles toward High-Performance Lithium Storage. <i>Advanced Energy Materials</i> , 2019, 9, 1802695.	10.2	161
105	Stable Alkali Metal Ion Intercalation Compounds as Optimized Metal Oxide Nanowire Cathodes for Lithium Batteries. <i>Nano Letters</i> , 2015, 15, 2180-2185.	4.5	160
106	The synergetic interaction between LiNO_3 and lithium polysulfides for suppressing shuttle effect of lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2018, 11, 24-29.	9.5	160
107	Hierarchical zigzag $\text{Na}_{1.25}\text{V}_3\text{O}_8$ nanowires with topotactically encoded superior performance for sodium-ion battery cathodes. <i>Energy and Environmental Science</i> , 2015, 8, 1267-1275.	15.6	158
108	Sodium Vanadium Fluorophosphates (NVOPF) Array Cathode Designed for High-Rate Full Sodium Ion Storage Device. <i>Advanced Energy Materials</i> , 2018, 8, 1800058.	10.2	157

#	ARTICLE	IF	CITATIONS
109	Heterostructured Bi ₂ S ₃ â€Bi ₂ O ₃ Nanosheets with a Built-In Electric Field for Improved Sodium Storage. ACS Applied Materials & Interfaces, 2018, 10, 7201-7207.	4.0	153
110	Building better zinc-ion batteries: A materials perspective. EnergyChem, 2019, 1, 100022.	10.1	153
111	Recent Advances in Rational Electrode Designs for High-Performance Alkaline Rechargeable Batteries. Advanced Functional Materials, 2019, 29, 1807847.	7.8	152
112	Novel K ₃ V ₂ (PO ₄) ₃ /C Bundled Nanowires as Superior Sodium-ion Battery Electrode with Ultrahigh Cycling Stability. Advanced Energy Materials, 2015, 5, 1500716.	10.2	150
113	Polycrystalline soft carbon semi-hollow microrods as anode for advanced K-ion full batteries. Nanoscale, 2017, 9, 18216-18222.	2.8	150
114	Built-in oriented electric field facilitating durable Zn MnO ₂ battery. Nano Energy, 2019, 62, 79-84.	8.2	150
115	Field Effect Enhanced Hydrogen Evolution Reaction of MoS ₂ Nanosheets. Advanced Materials, 2017, 29, 1604464.	11.1	148
116	Oxygen Vacancy-Determined Highly Efficient Oxygen Reduction in NiCo ₂ O ₄ /Hollow Carbon Spheres. ACS Applied Materials & Interfaces, 2018, 10, 16410-16417.	4.0	148
117	Rational growth of branched nanowire heterostructures with synthetically encoded properties and function. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 12212-12216.	3.3	144
118	Single Nanowire Electrochemical Devices. Nano Letters, 2010, 10, 4273-4278.	4.5	143
119	Self-Organized 3D Porous Graphene Dual-Doped with Biomass-Sponsored Nitrogen and Sulfur for Oxygen Reduction and Evolution. ACS Applied Materials & Interfaces, 2016, 8, 29408-29418.	4.0	143
120	Graphene nanowires anchored to 3D graphene foam via self-assembly for high performance Li and Na ion storage. Nano Energy, 2017, 37, 108-117.	8.2	143
121	Vanadium-Based Cathode Materials for Rechargeable Multivalent Batteries: Challenges and Opportunities. Electrochemical Energy Reviews, 2018, 1, 169-199.	13.1	142
122	Single Î²-AgVO ₃ Nanowire H ₂ S Sensor. Nano Letters, 2010, 10, 2604-2608.	4.5	141
123	Integrated Intercalation-Based and Interfacial Sodium Storage in Graphene-Wrapped Porous Li ₄ Ti ₅ O ₁₂ Nanofibers Composite Aerogel. Advanced Energy Materials, 2016, 6, 1600322.	10.2	141
124	Heterogeneous branched core-shell SnO ₂ -PANI nanorod arrays with mechanical integrity and three dimensional electron transport for lithium batteries. Nano Energy, 2014, 8, 196-204.	8.2	140
125	Self-adaptive strain-relaxation optimization for high-energy lithium storage material through crumpling of graphene. Nature Communications, 2014, 5, 4565.	5.8	139
126	Ultralong Sb ₂ Se ₃ Nanowire-Based Free-Standing Membrane Anode for Lithium/Sodium Ion Batteries. ACS Applied Materials & Interfaces, 2016, 8, 35219-35226.	4.0	139

#	ARTICLE	IF	CITATIONS
127	Carbon-coated hierarchical NaTi ₂ (PO ₄) ₃ mesoporous microflowers with superior sodium storage performance. <i>Nano Energy</i> , 2016, 28, 224-231.	8.2	139
128	Zn ²⁺ Pre-Intercalation Stabilizes the Tunnel Structure of MnO ₂ Nanowires and Enables Zinc-Ion Hybrid Supercapacitor of Battery-Level Energy Density. <i>Small</i> , 2020, 16, e2000091.	5.2	139
129	Deep Reconstruction of Nickel-Based Precatalysts for Water Oxidation Catalysis. <i>ACS Energy Letters</i> , 2019, 4, 2585-2592.	8.8	137
130	Alkaline earth metal vanadates as sodium-ion battery anodes. <i>Nature Communications</i> , 2017, 8, 460.	5.8	136
131	Interwoven Three-Dimensional Architecture of Cobalt Oxide Nanobrush-Graphene@Ni _x Co _{2-x} (OH) _{6-x} for High-Performance Supercapacitors. <i>Nano Letters</i> , 2015, 15, 2037-2044.	4.5	134
132	Field-Effect Tuned Adsorption Dynamics of VSe ₂ Nanosheets for Enhanced Hydrogen Evolution Reaction. <i>Nano Letters</i> , 2017, 17, 4109-4115.	4.5	134
133	±-MoO ₃ - by plasma etching with improved capacity and stabilized structure for lithium storage. <i>Nano Energy</i> , 2018, 49, 555-563.	8.2	133
134	Carbon-MEMS-Based Alternating Stacked MoS ₂ @rGO-CNT Micro-Supercapacitor with High Capacitance and Energy Density. <i>Small</i> , 2017, 13, 1700639.	5.2	132
135	Air-Stable Porous Fe ₂ N Encapsulated in Carbon Microboxes with High Volumetric Lithium Storage Capacity and a Long Cycle Life. <i>Nano Letters</i> , 2017, 17, 5740-5746.	4.5	132
136	Nanostructured Conversion-Type Negative Electrode Materials for Low-Cost and High-Performance Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1804458.	7.8	132
137	Porous carbonized graphene-embedded fungus film as an interlayer for superior Li-S batteries. <i>Nano Energy</i> , 2015, 17, 224-232.	8.2	130
138	Molybdenum oxide nanowires: synthesis & properties. <i>Materials Today</i> , 2011, 14, 346-353.	8.3	125
139	Li ₃ V(MoO ₄) ₃ as a novel electrode material with good lithium storage properties and improved initial coulombic efficiency. <i>Nano Energy</i> , 2018, 44, 272-278.	8.2	125
140	Reducing frictional power losses and improving the scuffing resistance in automotive engines using hybrid nanomaterials as nano-lubricant additives. <i>Wear</i> , 2016, 364-365, 270-281.	1.5	124
141	Prussian White Hierarchical Nanotubes with Surface-Controlled Charge Storage for Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2019, 29, 1806405.	7.8	124
142	Energy storage through intercalation reactions: electrodes for rechargeable batteries. <i>National Science Review</i> , 2017, 4, 26-53.	4.6	122
143	Introduction: 1D Nanomaterials/Nanowires. <i>Chemical Reviews</i> , 2019, 119, 8955-8957.	23.0	121
144	Bilayered Mg _{0.25} V ₂ O ₅ ·H ₂ O as a Stable Cathode for Rechargeable Ca-Ion Batteries. <i>ACS Energy Letters</i> , 2019, 4, 1328-1335.	8.8	121

#	ARTICLE	IF	CITATIONS
145	Nucleophilic substitution between polysulfides and binders unexpectedly stabilizing lithium sulfur battery. <i>Nano Energy</i> , 2017, 38, 82-90.	8.2	119
146	Greigite Fe ₃ S ₄ as a new anode material for high-performance sodium-ion batteries. <i>Chemical Science</i> , 2017, 8, 160-164.	3.7	119
147	Vanadium dioxide for energy conservation and energy storage applications: Synthesis and performance improvement. <i>Applied Energy</i> , 2018, 211, 200-217.	5.1	118
148	Complete Reconstruction of Hydrate Pre-Catalysts for Ultrastable Water Electrolysis in Industrial-Concentration Alkali Media. <i>Cell Reports Physical Science</i> , 2020, 1, 100241.	2.8	117
149	Electrical Property of Mo-Doped VO ₂ Nanowire Array Film by Melting-Quenching Sol-Gel Method. <i>Journal of Physical Chemistry B</i> , 2006, 110, 19083-19086.	1.2	115
150	Room temperature single-photon emission and lasing for all-inorganic colloidal perovskite quantum dots. <i>Nano Energy</i> , 2016, 28, 462-468.	8.2	115
151	Ultrafine SiO _x /C nanospheres and their pomegranate-like assemblies for high-performance lithium storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 14903-14909.	5.2	115
152	Graphene Oxide Wrapped Amorphous Copper Vanadium Oxide with Enhanced Capacitive Behavior for High-Rate and Long-Life Lithium-Ion Battery Anodes. <i>Advanced Science</i> , 2015, 2, 1500154.	5.6	114
153	Interface-modulated fabrication of hierarchical yolk-shell Co ₃ O ₄ /C dodecahedrons as stable anodes for lithium and sodium storage. <i>Nano Research</i> , 2017, 10, 2364-2376.	5.8	113
154	Self-sacrificed synthesis of carbon-coated SiO _x nanowires for high capacity lithium ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 4183-4189.	5.2	112
155	Multidimensional Synergistic Nanoarchitecture Exhibiting Highly Stable and Ultrafast Sodium-Ion Storage. <i>Advanced Materials</i> , 2018, 30, e1707122.	11.1	112
156	Porous V ₂ O ₅ microspheres: a high-capacity cathode material for aqueous zinc-ion batteries. <i>Chemical Communications</i> , 2019, 55, 8486-8489.	2.2	112
157	Rational Synthesis of Silver Vanadium Oxides/Polyaniline Triaxial Nanowires with Enhanced Electrochemical Property. <i>Nano Letters</i> , 2011, 11, 4992-4996.	4.5	111
158	ZnSe Microsphere/Multiwalled Carbon Nanotube Composites as High-Rate and Long-Life Anodes for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 19626-19632.	4.0	111
159	Quicker and More Zn ²⁺ Storage Predominantly from the Interface. <i>Advanced Materials</i> , 2021, 33, e2100359.	11.1	111
160	Robust three-dimensional graphene skeleton encapsulated Na ₃ V ₂ O ₂ (PO ₄) ₂ F nanoparticles as a high-rate and long-life cathode of sodium-ion batteries. <i>Nano Energy</i> , 2017, 41, 452-459.	8.2	110
161	Electrostatic Assembly of Sandwich-like Ag-C@ZnO-C@Ag-C Hybrid Hollow Microspheres with Excellent High-Rate Lithium Storage Properties. <i>ACS Nano</i> , 2016, 10, 1283-1291.	7.3	109
162	Antimony nanoparticles anchored in three-dimensional carbon network as promising sodium-ion battery anode. <i>Journal of Power Sources</i> , 2016, 304, 340-345.	4.0	109

#	ARTICLE	IF	CITATIONS
163	Three-dimensional carbon network confined antimony nanoparticle anodes for high-capacity K-ion batteries. <i>Nanoscale</i> , 2018, 10, 6820-6826.	2.8	109
164	Ligand Modulation of Active Sites to Promote Electrocatalytic Oxygen Evolution. <i>Advanced Materials</i> , 2022, 34, e2200270.	11.1	108
165	Eutectic Electrolyte with Unique Solvation Structure for High-Performance Zinc-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	108
166	High-rate and long-life VS ₂ cathodes for hybrid magnesium-based battery. <i>Energy Storage Materials</i> , 2018, 12, 61-68.	9.5	106
167	Mg Doped Li-Al Alloy with In Situ Formed Lithiophilic LiB Skeleton for Lithium Metal Batteries. <i>Advanced Science</i> , 2020, 7, 1902643.	5.6	106
168	Ultrasmall cobalt nanoparticles supported on nitrogen-doped porous carbon nanowires for hydrogen evolution from ammonia borane. <i>Materials Horizons</i> , 2017, 4, 268-273.	6.4	105
169	Nickel Chelate Derived NiS ₂ Decorated with Bifunctional Carbon: An Efficient Strategy to Promote Sodium Storage Performance. <i>Advanced Functional Materials</i> , 2018, 28, 1803690.	7.8	104
170	Three dimensional porous frameworks for lithium dendrite suppression. <i>Journal of Energy Chemistry</i> , 2020, 44, 73-89.	7.1	104
171	Surfactant-templating strategy for ultrathin mesoporous TiO ₂ coating on flexible graphitized carbon supports for high-performance lithium-ion battery. <i>Nano Energy</i> , 2016, 25, 80-90.	8.2	103
172	VO ₂ Nanoflakes as the Cathode Material of Hybrid Magnesium-Lithium-Ion Batteries with High Energy Density. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 17060-17066.	4.0	101
173	Tailoring porous carbon spheres for supercapacitors. <i>Nanoscale</i> , 2018, 10, 21604-21616.	2.8	101
174	<i>In situ</i> structural evolution of the multi-site alloy electrocatalyst to manipulate the intermediate for enhanced water oxidation reaction. <i>Energy and Environmental Science</i> , 2020, 13, 2200-2208.	15.6	101
175	Top-Down Strategy to Synthesize Mesoporous Dual Carbon Armored MnO Nanoparticles for Lithium-Ion Battery Anodes. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 12680-12686.	4.0	100
176	Mesoporous Li ₃ VO ₄ /C Submicron-Ellipsoids Supported on Reduced Graphene Oxide as Practical Anode for High-Power Lithium-Ion Batteries. <i>Advanced Science</i> , 2015, 2, 1500284.	5.6	99
177	Two-Dimensional Mesoporous Heterostructure Delivering Superior Pseudocapacitive Sodium Storage via Bottom-Up Monomicelle Assembly. <i>Journal of the American Chemical Society</i> , 2019, 141, 16755-16762.	6.6	99
178	Track batteries degrading in real time. <i>Nature</i> , 2017, 546, 469-470.	13.7	98
179	Highly Crystallized Prussian Blue with Enhanced Kinetics for Highly Efficient Sodium Storage. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 3999-4007.	4.0	98
180	Effect of modification by poly(ethylene oxide) on the reversibility of insertion/extraction of Li ⁺ ion in V ₂ O ₅ xerogel films. <i>Journal of Materials Chemistry</i> , 2002, 12, 1926-1929.	6.7	97

#	ARTICLE	IF	CITATIONS
181	In situ characterization of electrochemical processes in one dimensional nanomaterials for energy storages devices. Nano Energy, 2016, 24, 165-188.	8.2	97
182	Cathodic polarization suppressed sodium-ion full cell with a 3.3 V high-voltage. Nano Energy, 2016, 28, 216-223.	8.2	97
183	Capacitance and voltage matching between MnO ₂ nanoflake cathode and Fe ₂ O ₃ nanoparticle anode for high-performance asymmetric micro-supercapacitors. Nano Research, 2017, 10, 2471-2481.	5.8	97
184	H ₂ V ₃ O ₈ Nanowires as High-Capacity Cathode Materials for Magnesium-Based Battery. ACS Applied Materials & Interfaces, 2017, 9, 28667-28673.	4.0	97
185	A rechargeable aluminum-ion battery based on a VS ₂ nanosheet cathode. Physical Chemistry Chemical Physics, 2018, 20, 22563-22568.	1.3	97
186	A unique hollow Li ₃ VO ₄ /carbon nanotube composite anode for high rate long-life lithium-ion batteries. Nanoscale, 2014, 6, 11072-11077.	2.8	96
187	Emerging Prototype Sodium-Ion Full Cells with Nanostructured Electrode Materials. Small, 2017, 13, 1604181.	5.2	96
188	Active sites enriched hard carbon porous nanobelts for stable and high-capacity potassium-ion storage. Nano Energy, 2020, 77, 105018.	8.2	96
189	<i>In situ</i> nitrogen-doped mesoporous carbon nanofibers as flexible freestanding electrodes for high-performance supercapacitors. Journal of Materials Chemistry A, 2017, 5, 23620-23627.	5.2	95
190	Design and Synthesis of Diverse Functional Kinked Nanowire Structures for Nanoelectronic Bioprobes. Nano Letters, 2013, 13, 746-751.	4.5	94
191	Lattice Breathing Inhibited Layered Vanadium Oxide Ultrathin Nanobelts for Enhanced Sodium Storage. ACS Applied Materials & Interfaces, 2015, 7, 18211-18217.	4.0	94
192	Pseudocapacitive titanium oxynitride mesoporous nanowires with iso-oriented nanocrystals for ultrahigh-rate sodium ion hybrid capacitors. Journal of Materials Chemistry A, 2017, 5, 10827-10835.	5.2	94
193	<i>In situ/operando</i> characterization techniques for rechargeable lithium-sulfur batteries: a review. Nanoscale, 2017, 9, 19001-19016.	2.8	94
194	Silica Restricting the Sulfur Volatilization of Nickel Sulfide for High-Performance Lithium-Ion Batteries. Advanced Energy Materials, 2019, 9, 1901153.	10.2	94
195	All Carbon Dual Ion Batteries. ACS Applied Materials & Interfaces, 2018, 10, 35978-35983.	4.0	93
196	Yolk-shell-structured zinc-cobalt binary metal sulfide @ N-doped carbon for enhanced lithium-ion storage. Nano Energy, 2019, 64, 103899.	8.2	93
197	Intercalation of cations into partially reduced molybdenum oxide for high-rate pseudocapacitors. Energy Storage Materials, 2015, 1, 1-8.	9.5	92
198	K ⁺ modulated K ⁺ /vacancy disordered layered oxide for high-rate and high-capacity potassium-ion batteries. Energy and Environmental Science, 2020, 13, 3129-3137.	15.6	92

#	ARTICLE	IF	CITATIONS
199	Dual carbon decorated Na ₃ MnTi(PO ₄) ₃ : A high-energy-density cathode material for sodium-ion batteries. Nano Energy, 2020, 70, 104548.	8.2	92
200	Topotactically synthesized ultralong LiV ₃ O ₈ nanowire cathode materials for high-rate and long-life rechargeable lithium batteries. NPG Asia Materials, 2012, 4, e20-e20.	3.8	91
201	FeSe ₂ clusters with excellent cyclability and rate capability for sodium-ion batteries. Nano Research, 2017, 10, 3202-3211.	5.8	91
202	Nanoflakes-assembled Three-dimensional Hollow Porous V ₂ O ₅ as Lithium Storage Cathodes with High Rate Capacity. Small, 2014, 10, 3032-3037.	5.2	90
203	Low-strain Ti ₂ O ₇ with three-dimensional ion channels as long-life and high-rate anode material for Mg-ion batteries. , 2022, 1, 140-147.		90
204	Encapsulating segment-like antimony nanorod in hollow carbon tube as long-lifespan, high-rate anodes for rechargeable K-ion batteries. Nano Research, 2019, 12, 1025-1031.	5.8	89
205	Efficient and stable noble-metal-free catalyst for acidic water oxidation. Nature Communications, 2022, 13, 2294.	5.8	89
206	On-chip Ni-Zn Microbattery Based on Hierarchical Ordered Porous Ni@Ni(OH) ₂ Microelectrode with Ultrafast Ion and Electron Transport Kinetics. Advanced Functional Materials, 2019, 29, 1808470.	7.8	88
207	Phosphorus Enhanced Intermolecular Interactions of SnO ₂ and Graphene as an Ultrastable Lithium Battery Anode. Small, 2017, 13, 1603973.	5.2	87
208	One-Dimensional Hetero-Nanostructures for Rechargeable Batteries. Accounts of Chemical Research, 2018, 51, 950-959.	7.6	87
209	Pseudocapacitive layered iron vanadate nanosheets cathode for ultrahigh-rate lithium ion storage. Nano Energy, 2018, 47, 294-300.	8.2	87
210	Realizing Superior Prussian Blue Positive Electrode for Potassium Storage via Ultrathin Nanosheet Assembly. ACS Sustainable Chemistry and Engineering, 2019, 7, 11564-11570.	3.2	87
211	Synthesis and Electrical Transport of Single-Crystal NH ₄ V ₃ O ₈ Nanobelts. Journal of Physical Chemistry B, 2006, 110, 18138-18141.	1.2	86
212	Anchoring Sub-nanometer Pt Clusters on Crumpled Paper-like MXene Enables High Hydrogen Evolution Mass Activity. Advanced Functional Materials, 2022, 32, .	7.8	86
213	Large-scale Integration of a Zinc Metasilicate Interface Layer Guiding Well-regulated Zn Deposition. Advanced Materials, 2022, 34, e2202188.	11.1	86
214	A robust electrospun separator modified with in situ grown metal-organic frameworks for lithium-sulfur batteries. Chemical Engineering Journal, 2020, 395, 124979.	6.6	85
215	Reversible V ³⁺ /V ⁵⁺ double redox in lithium vanadium oxide cathode for zinc storage. Energy Storage Materials, 2020, 29, 113-120.	9.5	85
216	Long-life and high-rate Li ₃ V ₂ (PO ₄) ₃ /C nanosphere cathode materials with three-dimensional continuous electron pathways. Nanoscale, 2013, 5, 4864.	2.8	84

#	ARTICLE	IF	CITATIONS
217	Hierarchical three-dimensional MnO nanorods/carbon anodes for ultralong-life lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 16936-16945.	5.2	84
218	Dual Electrostatic Assembly of Graphene Encapsulated Nanosheet-Assembled ZnO-Mn Hollow Microspheres as a Lithium Ion Battery Anode. <i>Advanced Functional Materials</i> , 2018, 28, 1707433.	7.8	83
219	Nonhierarchical Heterostructured Fe ₂ O ₃ /Mn ₂ O ₃ Porous Hollow Spheres for Enhanced Lithium Storage. <i>Small</i> , 2018, 14, e1800659.	5.2	83
220	Copper Silicate Hydrate Hollow Spheres Constructed by Nanotubes Encapsulated in Reduced Graphene Oxide as Long-Life Lithium-Ion Battery Anode. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 26572-26578.	4.0	82
221	Nickel-iron bimetallic diselenides with enhanced kinetics for high-capacity and long-life magnesium batteries. <i>Nano Energy</i> , 2018, 54, 360-366.	8.2	82
222	Acetylene Black Induced Heterogeneous Growth of Macroporous CoV ₂ O ₆ Nanosheet for High-Rate Pseudocapacitive Lithium-Ion Battery Anode. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 7139-7146.	4.0	81
223	Low-Temperature Molten-Salt Production of Silicon Nanowires by the Electrochemical Reduction of CaSiO ₃ . <i>Angewandte Chemie - International Edition</i> , 2017, 56, 14453-14457.	7.2	81
224	Carbon dioxide directly induced oxygen vacancy in the surface of lithium-rich layered oxides for high-energy lithium storage. <i>Journal of Power Sources</i> , 2019, 432, 8-15.	4.0	81
225	Engineering Mesoporous Structure in Amorphous Carbon Boosts Potassium Storage with High Initial Coulombic Efficiency. <i>Nano-Micro Letters</i> , 2020, 12, 148.	14.4	81
226	Zwitterionic Bifunctional Layer for Reversible Zn Anode. <i>ACS Energy Letters</i> , 2022, 7, 1719-1727.	8.8	81
227	Yolk-shell Nb ₂ O ₅ microspheres as intercalation pseudocapacitive anode materials for high-energy Li-ion capacitors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11234-11240.	5.2	80
228	Rechargeable metal (Li, Na, Mg, Al)-sulfur batteries: Materials and advances. <i>Journal of Energy Chemistry</i> , 2021, 61, 104-134.	7.1	80
229	Flexible additive free H ₂ V ₃ O ₈ nanowire membrane as cathode for sodium ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 12074-12079.	1.3	79
230	Porous and Low-Crystalline Manganese Silicate Hollow Spheres Wired by Graphene Oxide for High-Performance Lithium and Sodium Storage. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 24584-24590.	4.0	79
231	Monodisperse Carbon Sphere-Constructed Pomegranate-Like Structures for High-Volumetric-Capacitance Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 4011-4016.	4.0	79
232	Ultrathin pre-lithiated V ₆ O ₁₃ nanosheet cathodes with enhanced electrical transport and cyclability. <i>Journal of Power Sources</i> , 2014, 255, 235-241.	4.0	78
233	Heterostructure Design in Bimetallic Phthalocyanine Boosts Oxygen Reduction Reaction Activity and Durability. <i>Advanced Functional Materials</i> , 2020, 30, 2005000.	7.8	78
234	Rational Design of Preintercalated Electrodes for Rechargeable Batteries. <i>ACS Energy Letters</i> , 2019, 4, 771-778.	8.8	77

#	ARTICLE	IF	CITATIONS
235	V2O5 quantum dots/graphene hybrid nanocomposite with stable cyclability for advanced lithium batteries. <i>Nano Energy</i> , 2013, 2, 916-922.	8.2	76
236	Top-down fabrication of three-dimensional porous V ₂ O ₅ hierarchical microplates with tunable porosity for improved lithium battery performance. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3297-3302.	5.2	76
237	Hierarchical N-doped carbon spheres anchored with cobalt nanocrystals and single atoms for oxygen reduction reaction. <i>Nano Energy</i> , 2021, 87, 106153.	8.2	76
238	Preparation and characterization of (PVP + NaClO ₄) electrolytes for battery applications. <i>European Physical Journal E</i> , 2006, 19, 471-476.	0.7	75
239	Supercritically exfoliated ultrathin vanadium pentoxide nanosheets with high rate capability for lithium batteries. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 16828.	1.3	74
240	Three-dimensional porous V2O5 hierarchical octahedrons with adjustable pore architectures for long-life lithium batteries. <i>Nano Research</i> , 2015, 8, 481-490.	5.8	74
241	Integrated SnO ₂ nanorod array with polypyrrole coverage for high-rate and long-life lithium batteries. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 7619-7623.	1.3	74
242	Graphene Oxide Templated Growth and Superior Lithium Storage Performance of Novel Hierarchical Co ₂ V ₂ O ₇ Nanosheets. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 2812-2818.	4.0	74
243	Orientated Langmuir-Blodgett Assembly of VO ₂ Nanowires. <i>Nano Letters</i> , 2009, 9, 826-830.	4.5	73
244	Pore-controlled synthesis of Mn ₂ O ₃ microspheres for ultralong-life lithium storage electrode. <i>RSC Advances</i> , 2013, 3, 1947-1952.	1.7	73
245	Improved conductivity and capacitance of interdigital carbon microelectrodes through integration with carbon nanotubes for micro-supercapacitors. <i>Nano Research</i> , 2016, 9, 2510-2519.	5.8	73
246	Thermal Induced Strain Relaxation of 1D Iron Oxide for Solid Electrolyte Interphase Control and Lithium Storage Improvement. <i>Advanced Energy Materials</i> , 2017, 7, 1601582.	10.2	73
247	Self-adaptive mesoporous CoS@alveolus-like carbon yolk-shell microsphere for alkali cations storage. <i>Nano Energy</i> , 2017, 41, 109-116.	8.2	73
248	3.0 V High Energy Density Symmetric Sodium-Ion Battery: Na ₄ V ₂ (PO ₄) ₃ ·nNa ₃ V ₂ (PO ₄) ₃ . <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 10022-10028.	4.0	73
249	Ni foam supported NiO nanosheets as high-performance free-standing electrodes for hybrid supercapacitors and Ni-Zn batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 19488-19494.	5.2	73
250	1D Carbon-Based Nanocomposites for Electrochemical Energy Storage. <i>Small</i> , 2019, 15, e1902348.	5.2	73
251	High-Energy Aqueous Ammonium-Ion Hybrid Supercapacitors. <i>Advanced Materials</i> , 2022, 34, e2107992.	11.1	73
252	Inhibiting effect of Na ⁺ pre-intercalation in MoO ₃ nanobelts with enhanced electrochemical performance. <i>Nano Energy</i> , 2015, 15, 145-152.	8.2	72

#	ARTICLE	IF	CITATIONS
253	Facile synthesis of reduced graphene oxide wrapped nickel silicate hierarchical hollow spheres for long-life lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19427-19432.	5.2	72
254	Single-Nanowire Electrochemical Probe Detection for Internally Optimized Mechanism of Porous Graphene in Electrochemical Devices. <i>Nano Letters</i> , 2016, 16, 1523-1529.	4.5	72
255	The Holy Grail in Platinum-Free Electrocatalytic Hydrogen Evolution: Molybdenum-Based Catalysts and Recent Advances. <i>ChemElectroChem</i> , 2019, 6, 3570-3589.	1.7	72
256	Hierarchical MnCo ₂ O ₄ @NiMoO ₄ as free-standing core-shell nanowire arrays with synergistic effect for enhanced supercapacitor performance. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 857-865.	3.0	72
257	Alkali ions pre-intercalated layered vanadium oxide nanowires for stable magnesium ions storage. <i>Nano Energy</i> , 2019, 58, 347-354.	8.2	72
258	A Covalent Organic Framework for Fast-Charge and Durable Rechargeable Mg Storage. <i>Nano Letters</i> , 2020, 20, 3880-3888.	4.5	72
259	Comprehensive Insights into Electrolytes and Solid Electrolyte Interfaces in Potassium-Ion Batteries. <i>Energy Storage Materials</i> , 2021, 38, 30-49.	9.5	72
260	MoB/g-C ₃ N ₄ Interface Materials as a Schottky Catalyst to Boost Hydrogen Evolution. <i>Angewandte Chemie</i> , 2018, 130, 505-509.	1.6	71
261	Raman spectroscopic study of vanadium oxide nanotubes. <i>Journal of Solid State Chemistry</i> , 2004, 177, 377-379.	1.4	70
262	Hierarchical Carbon Decorated Li ₃ V ₂ (PO ₄) ₃ as a Bicontinuous Cathode with High-Rate Capability and Broad Temperature Adaptability. <i>Advanced Energy Materials</i> , 2014, 4, 1400107.	10.2	70
263	Arbitrary Shape Engineerable Spiral Micropseudocapacitors with Ultrahigh Energy and Power Densities. <i>Advanced Materials</i> , 2015, 27, 7476-7482.	11.1	70
264	Mo doped vanadium oxide nanotubes: microstructure and electrochemistry. <i>Chemical Physics Letters</i> , 2003, 382, 307-312.	1.2	69
265	Wrinkled-graphene enriched MoO ₃ nanobelts with increased conductivity and reduced stress for enhanced electrochemical performance. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 17165.	1.3	69
266	Co-Electrodeposited porous PEDOT-CNT microelectrodes for integrated micro-supercapacitors with high energy density, high rate capability, and long cycling life. <i>Nanoscale</i> , 2019, 11, 7761-7770.	2.8	69
267	Universal Approach to Fabricating Graphene-Supported Single-Atom Catalysts from Doped ZnO Solid Solutions. <i>ACS Central Science</i> , 2020, 6, 1431-1440.	5.3	69
268	Crystal regulation towards rechargeable magnesium battery cathode materials. <i>Materials Horizons</i> , 2020, 7, 1971-1995.	6.4	69
269	Synthesis of vanadium oxide nanotubes from V ₂ O ₅ sols. <i>Materials Letters</i> , 2004, 58, 2275-2278.	1.3	67
270	Copper silicate nanotubes anchored on reduced graphene oxide for long-life lithium-ion battery. <i>Energy Storage Materials</i> , 2017, 7, 152-156.	9.5	67

#	ARTICLE	IF	CITATIONS
271	Novel MOF shell-derived surface modification of Li-rich layered oxide cathode for enhanced lithium storage. <i>Science Bulletin</i> , 2018, 63, 46-53.	4.3	67
272	Revealing the atomistic origin of the disorder-enhanced Na-storage performance in NaFePO ₄ battery cathode. <i>Nano Energy</i> , 2019, 57, 608-615.	8.2	67
273	Insights into the Storage Mechanism of Layered VS ₂ Cathode in Alkali Metal-ion Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 1904118.	10.2	67
274	FTIR study of vanadium oxide nanotubes from lamellar structure. <i>Journal of Materials Science</i> , 2004, 39, 2625-2627.	1.7	66
275	Synthesis and gas sensing properties of Fe ₂ O ₃ nanoparticles activated V ₂ O ₅ nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2010, 145, 211-215.	4.0	66
276	Facile synthesis of a Co ₃ V ₂ O ₈ interconnected hollow microsphere anode with superior high-rate capability for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5075-5080.	5.2	66
277	Macroscopic synthesis of ultrafine N-doped carbon nanofibers for superior capacitive energy storage. <i>Science Bulletin</i> , 2019, 64, 1617-1624.	4.3	66
278	Ultrafast cation insertion-selected zinc hexacyanoferrate for 1.9 Å ² Zn hybrid aqueous batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 6631-6637.	5.2	66
279	Vanadium oxide nanowires for Li-ion batteries. <i>Journal of Materials Research</i> , 2011, 26, 2175-2185.	1.2	65
280	A synergistic effect between layer surface configurations and K ions of potassium vanadate nanowires for enhanced energy storage performance. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4893-4899.	5.2	65
281	Sisyphus effects in hydrogen electrochemistry on metal silicides enabled by silicene subunit edge. <i>Science Bulletin</i> , 2019, 64, 617-624.	4.3	65
282	Enveloping SiO _x in N-doped carbon for durable lithium storage <i>via</i> an eco-friendly solvent-free approach. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13285-13291.	5.2	65
283	Carbon-supported and nanosheet-assembled vanadium oxide microspheres for stable lithium-ion battery anodes. <i>Nano Research</i> , 2016, 9, 128-138.	5.8	64
284	Facile formation of tetragonal-Nb ₂ O ₅ microspheres for high-rate and stable lithium storage with high areal capacity. <i>Science Bulletin</i> , 2020, 65, 1154-1162.	4.3	64
285	Insights into the storage mechanism of VS ₄ nanowire clusters in aluminum-ion battery. <i>Nano Energy</i> , 2021, 79, 105384.	8.2	64
286	A facile synthesis of three dimensional graphene sponge composited with sulfur nanoparticles for flexible Li-S cathodes. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 22146-22153.	1.3	63
287	Sodium Ion Capacitor Using Pseudocapacitive Layered Ferric Vanadate Nanosheets Cathode. <i>IScience</i> , 2018, 6, 212-221.	1.9	63
288	Methyl-functionalized MoS ₂ nanosheets with reduced lattice breathing for enhanced pseudocapacitive sodium storage. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 13696-13702.	1.3	62

#	ARTICLE	IF	CITATIONS
289	Surface Pseudocapacitive Mechanism of Molybdenum Phosphide for High-Energy and High-Power Sodium-Ion Capacitors. <i>Advanced Energy Materials</i> , 2019, 9, 1900967.	10.2	62
290	Manganese ion pre-intercalated hydrated vanadium oxide as a high-performance cathode for magnesium ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 10644-10650.	5.2	62
291	Recent Progress and Challenges in the Optimization of Electrode Materials for Rechargeable Magnesium Batteries. <i>Small</i> , 2021, 17, e2004108.	5.2	62
292	Solvent-Free Synthesis of Uniform MOF Shell-Derived Carbon Confined SnO ₂ /Co Nanocubes for Highly Reversible Lithium Storage. <i>Small</i> , 2017, 13, 1701504.	5.2	62
293	Fast Ionic Storage in Aqueous Rechargeable Batteries: From Fundamentals to Applications. <i>Advanced Materials</i> , 2022, 34, e2105611.	11.1	62
294	In Situ Investigation of Li and Na Ion Transport with Single Nanowire Electrochemical Devices. <i>Nano Letters</i> , 2015, 15, 3879-3884.	4.5	61
295	An electrospun hierarchical LiV ₃ O ₈ nanowire-in-network for high-rate and long-life lithium batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19850-19856.	5.2	61
296	Three dimensional V ₂ O ₅ /NaV ₆ O ₁₅ hierarchical heterostructures: Controlled synthesis and synergistic effect investigated by in situ X-ray diffraction. <i>Nano Energy</i> , 2016, 27, 147-156.	8.2	61
297	Self-assembly synthesis of 3D graphene-encapsulated hierarchical Fe ₃ O ₄ nano-flower architecture with high lithium storage capacity and excellent rate capability. <i>Journal of Power Sources</i> , 2017, 365, 98-108.	4.0	61
298	Dynamic Restructuring of Coordinatively Unsaturated Copper Paddle Wheel Clusters to Boost Electrochemical CO ₂ Reduction to Hydrocarbons**. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	61
299	Eutectic Electrolytes in Advanced Metal-Ion Batteries. <i>ACS Energy Letters</i> , 2022, 7, 247-260.	8.8	61
300	Cost-saving synthesis of vanadium oxide nanotubes. <i>Solid State Communications</i> , 2003, 126, 541-543.	0.9	60
301	Substrate-Assisted Self-Organization of Radial AgVO ₃ Nanowire Clusters for High Rate Rechargeable Lithium Batteries. <i>Nano Letters</i> , 2012, 12, 4668-4673.	4.5	60
302	New-type K _{0.7} Fe _{0.5} Mn _{0.5} O ₂ cathode with an expanded and stabilized interlayer structure for high-capacity sodium-ion batteries. <i>Nano Energy</i> , 2017, 35, 71-78.	8.2	60
303	Three-Dimensional Interconnected Vanadium Pentoxide Nanonetwork Cathode for High-Rate Long-Life Lithium Batteries. <i>Small</i> , 2015, 11, 2654-2660.	5.2	59
304	Antimony-based intermetallic compounds for lithium-ion and sodium-ion batteries: synthesis, construction and application. <i>Rare Metals</i> , 2017, 36, 321-338.	3.6	59
305	Towards enhancing photocatalytic hydrogen generation: Which is more important, alloy synergistic effect or plasmonic effect?. <i>Applied Catalysis B: Environmental</i> , 2018, 221, 77-85.	10.8	59
306	Superior Hydrogen Evolution Reaction Performance in 2H-MoS ₂ to that of 1T Phase. <i>Small</i> , 2019, 15, e1900964.	5.2	59

#	ARTICLE	IF	CITATIONS
307	Interface enhanced well-dispersed Co ₉ S ₈ nanocrystals as an efficient polysulfide host in lithium-sulfur batteries. <i>Journal of Energy Chemistry</i> , 2020, 48, 109-115.	7.1	59
308	Operando X-ray Diffraction Characterization for Understanding the Intrinsic Electrochemical Mechanism in Rechargeable Battery Materials. <i>Small Methods</i> , 2017, 1, 1700083.	4.6	58
309	Metal-organic frameworks enable broad strategies for lithium-sulfur batteries. <i>National Science Review</i> , 2021, 8, nwab055.	4.6	58
310	High-Energy and High-Power Pseudocapacitor-Battery Hybrid Sodium-Ion Capacitor with Na ⁺ Intercalation Pseudocapacitance Anode. <i>Nano-Micro Letters</i> , 2021, 13, 55.	14.4	58
311	Electronic Structure Modulation in MoO ₂ /MoP Heterostructure to Induce Fast Electronic/Ionic Diffusion Kinetics for Lithium Storage. <i>Advanced Science</i> , 2022, 9, e2104504.	5.6	58
312	Self-template synthesis of hollow shell-controlled Li ₃ VO ₄ as a high-performance anode for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 18839-18842.	5.2	57
313	Graphene wrapped NASICON-type Fe ₂ (MoO ₄) ₃ nanoparticles as a ultra-high rate cathode for sodium ion batteries. <i>Nano Energy</i> , 2016, 24, 130-138.	8.2	57
314	Shape-Controlled Deterministic Assembly of Nanowires. <i>Nano Letters</i> , 2016, 16, 2644-2650.	4.5	57
315	Uncovering the Cu-driven electrochemical mechanism of transition metal chalcogenides based electrodes. <i>Energy Storage Materials</i> , 2019, 16, 625-631.	9.5	56
316	A High-Rate V ₂ O ₅ Hollow Microclew Cathode for an All-Vanadium-Based Lithium-Ion Full Cell. <i>Small</i> , 2016, 12, 1082-1090.	5.2	55
317	Electronic Structure Control of Tungsten Oxide Activated by Ni for Ultrahigh-Performance Supercapacitors. <i>Small</i> , 2018, 14, e1800381.	5.2	55
318	Conversion reaction of vanadium sulfide electrode in the lithium-ion cell: Reversible or not reversible?. <i>Nano Energy</i> , 2018, 51, 391-399.	8.2	55
319	Novel Polygonal Vanadium Oxide Nanoscrolls as Stable Cathode for Lithium Storage. <i>Advanced Functional Materials</i> , 2015, 25, 1773-1779.	7.8	54
320	Highly Efficient Non-Nucleophilic Mg(CF ₃ SO ₃) ₂ -Based Electrolyte for High-Power Mg/S Battery. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 17474-17480.	4.0	54
321	A novel cross-linked nanocomposite solid-state electrolyte with super flexibility and performance for lithium metal battery. <i>Nano Energy</i> , 2020, 71, 104600.	8.2	54
322	Spiral self-assembly of lamellar micelles into multi-shelled hollow nanospheres with unique chiral architecture. <i>Science Advances</i> , 2021, 7, eabi7403.	4.7	54
323	General Oriented Synthesis of Precise Carbon-Confined Nanostructures by Low-Pressure Vapor Superassembly and Controlled Pyrolysis. <i>Nano Letters</i> , 2017, 17, 7773-7781.	4.5	53
324	Structural Engineering and Coupling of Two-Dimensional Transition Metal Compounds for Micro-Supercapacitor Electrodes. <i>ACS Central Science</i> , 2020, 6, 1901-1915.	5.3	53

#	ARTICLE	IF	CITATIONS
325	Boosting the electrochemical performance and reliability of conducting polymer microelectrode via intermediate graphene for on-chip asymmetric micro-supercapacitor. <i>Journal of Energy Chemistry</i> , 2020, 49, 224-232.	7.1	53
326	Crystal defect modulation in cathode materials for non-lithium ion batteries: Progress and challenges. <i>Materials Today</i> , 2021, 45, 169-190.	8.3	53
327	Suppressing the Jahn-Teller Effect in Mn-Based Layered Oxide Cathode toward Long-Life Potassium-Ion Batteries. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	52
328	Universal construction of ultrafine metal oxides coupled in N-enriched 3D carbon nanofibers for high-performance lithium/sodium storage. <i>Nano Energy</i> , 2020, 67, 104222.	8.2	51
329	Surface Oxidation Layer-Mediated Conformal Carbon Coating on Si Nanoparticles for Enhanced Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 3991-3998.	4.0	51
330	Regulating the Interlayer Spacings of Hard Carbon Nanofibers Enables Enhanced Pore Filling Sodium Storage. <i>Small</i> , 2022, 18, e2105303.	5.2	51
331	Three-dimensional graphene frameworks wrapped Li ₃ V ₂ (PO ₄) ₃ with reversible topotactic sodium-ion storage. <i>Nano Energy</i> , 2017, 32, 347-352.	8.2	50
332	Multistep Lithiation of Tin Sulfide: An Investigation Using <i>in Situ</i> Electron Microscopy. <i>ACS Nano</i> , 2018, 12, 3638-3645.	7.3	50
333	Water-Soluble Cross-Linking Functional Binder for Low-Cost and High-Performance Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2104858.	7.8	50
334	Coordination engineering of metal single atom on carbon for enhanced and robust potassium storage. <i>Matter</i> , 2021, 4, 4006-4021.	5.0	50
335	Hierarchically Self-Assembled MOF Network Enables Continuous Ion Transport and High Mechanical Strength. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	50
336	The continuous efficient conversion and directional deposition of lithium (poly)sulfides enabled by bimetallic site regulation. <i>Nano Energy</i> , 2022, 98, 107332.	8.2	50
337	Oxygen evolution reaction dynamics monitored by an individual nanosheet-based electronic circuit. <i>Nature Communications</i> , 2017, 8, 645.	5.8	49
338	Na-Mn-O Nanocrystals as a High Capacity and Long Life Anode Material for Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1602092.	10.2	49
339	Salt-controlled dissolution in pigment cathode for high-capacity and long-life magnesium organic batteries. <i>Nano Energy</i> , 2019, 65, 103902.	8.2	49
340	Cobalt-doping in hierarchical Ni ₃ S ₂ nanorod arrays enables high areal capacitance. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13114-13120.	5.2	49
341	Polydopamine sacrificial layer mediated SiO _x /C@C yolk@shell structure for durable lithium storage. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1656-1663.	3.2	49
342	Generating H ⁺ in Catholyte and OH ⁻ in Anolyte: An Approach to Improve the Stability of Aqueous Zinc-Ion Batteries. <i>ACS Energy Letters</i> , 2021, 6, 684-686.	8.8	49

#	ARTICLE	IF	CITATIONS
343	Facile and Scalable Synthesis of $Zn_3V_2O_7(OH)_2 \cdot 2H_2O$ Microflowers as a High-Performance Anode for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 27707-27714.	4.0	48
344	One-dimensional nanomaterials for energy storage. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 113002.	1.3	48
345	Intercalation pseudocapacitance of $FeVO_4 \cdot nH_2O$ nanowires anode for high-energy and high-power sodium-ion capacitor. <i>Nano Energy</i> , 2020, 73, 104838.	8.2	48
346	Mesoporous VO_2 nanowires with excellent cycling stability and enhanced rate capability for lithium batteries. <i>RSC Advances</i> , 2014, 4, 33332-33337.	1.7	47
347	Binding TiO_2 -B nanosheets with N-doped carbon enables highly durable anodes for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 8172-8179.	5.2	47
348	Zinc Pyrovanadate Nanoplates Embedded in Graphene Networks with Enhanced Electrochemical Performance. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 2992-2999.	1.8	47
349	Aerosol synthesis of trivalent titanium doped titania/carbon composite microspheres with superior sodium storage performance. <i>Nano Research</i> , 2017, 10, 4351-4359.	5.8	47
350	Facile template-free synthesis of uniform carbon-confined V_2O_3 hollow spheres for stable and fast lithium storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6220-6224.	5.2	47
351	MoS_2/MnO_2 heterostructured nanodevices for electrochemical energy storage. <i>Nano Research</i> , 2018, 11, 2083-2092.	5.8	47
352	Realizing stable lithium and sodium storage with high areal capacity using novel nanosheet-assembled compact CaV_4O_9 microflowers. <i>Nano Energy</i> , 2018, 50, 606-614.	8.2	47
353	Wearable Textile-Based $Co \sim Zn$ Alkaline Microbattery with High Energy Density and Excellent Reliability. <i>Small</i> , 2020, 16, e2000293.	5.2	47
354	Mass Production of Monodisperse Carbon Microspheres with Size-Dependent Supercapacitor Performance via Aqueous Self-Catalyzed Polymerization. <i>ChemPlusChem</i> , 2017, 82, 872-878.	1.3	46
355	Unprecedented and highly stable lithium storage capacity of (001) faceted nanosheet-constructed hierarchically porous TiO_2/rGO hybrid architecture for high-performance Li-ion batteries. <i>National Science Review</i> , 2020, 7, 1046-1058.	4.6	46
356	Unveiling the role of surface $P=O$ group in P-doped Co_3O_4 for electrocatalytic oxygen evolution by On-chip micro-device. <i>Nano Energy</i> , 2021, 83, 105748.	8.2	46
357	The Young's modulus of high-aspect-ratio carbon/carbon nanotube composite microcantilevers by experimental and modeling validation. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	45
358	Bioinspired 1D Superparamagnetic Magnetite Arrays with Magnetic Field Perception. <i>Advanced Materials</i> , 2016, 28, 6952-6958.	11.1	45
359	Boosting the Deep Discharging/Charging Lithium Storage Performances of Li_3VO_4 through Double-Carbon Decoration. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 23938-23944.	4.0	45
360	Rational Design of Ion Transport Paths at the Interface of Metal-Organic Framework Modified Solid Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 22930-22938.	4.0	45

#	ARTICLE	IF	CITATIONS
361	Nanoribbons and nanoscrolls intertwined three-dimensional vanadium oxide hydrogels for high-rate lithium storage at high mass loading level. <i>Nano Energy</i> , 2017, 40, 73-81.	8.2	44
362	Preparation and characterization of (PVP+V ₂ O ₅) cathode for battery applications. <i>Electrochemistry Communications</i> , 2006, 8, 279-283.	2.3	43
363	Single-crystalline integrated 4H-SiC nanochannel array electrode: toward high-performance capacitive energy storage for robust wide-temperature operation. <i>Materials Horizons</i> , 2018, 5, 883-889.	6.4	43
364	Interchain-Expanded Vanadium Tetrasulfide with Fast Kinetics for Rechargeable Magnesium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 31954-31961.	4.0	43
365	Fast, green microwave-assisted synthesis of single crystalline Sb ₂ Se ₃ nanowires towards promising lithium storage. <i>Journal of Energy Chemistry</i> , 2019, 30, 27-33.	7.1	43
366	Novel Charging-Optimized Cathode for a Fast and High-Capacity Zinc-Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10420-10427.	4.0	43
367	Core-Shell MOF@MOF Nanopore Bifunctional Host of Electrolyte for High-Performance Solid-State Lithium Batteries. <i>Small Methods</i> , 2021, 5, e2100508.	4.6	43
368	Conductivity and discharge characteristics of (PVC+NaClO ₄) polymer electrolyte systems. <i>European Polymer Journal</i> , 2006, 42, 3114-3120.	2.6	42
369	Interconnected Nanorods@Nanoflakes Li ₂ Co ₂ (MoO ₄) ₃ Framework Structure with Enhanced Electrochemical Properties for Supercapacitors. <i>Advanced Energy Materials</i> , 2015, 5, 1500060.	10.2	42
370	Lithium- and Magnesium-Storage Mechanisms of Novel Hexagonal NbSe ₂ . <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 36988-36995.	4.0	42
371	High Energy Density Micro-Supercapacitor Based on a Three-Dimensional Bicontinuous Porous Carbon with Interconnected Hierarchical Pores. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 948-956.	4.0	42
372	Surface Gradient Ti-Doped MnO ₂ Nanowires for High-Rate and Long-Life Lithium Battery. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 44376-44384.	4.0	41
373	Rationally design lithiophilic surfaces toward high-energy Lithium metal battery. <i>Energy Storage Materials</i> , 2021, 37, 40-46.	9.5	41
374	Synthesis and characterization of novel vanadium dioxide nanorods. <i>Solid State Communications</i> , 2004, 132, 513-516.	0.9	40
375	Synthesis and Field Emission Property of V ₂ O ₅ ·nH ₂ O Nanotube Arrays. <i>Journal of Physical Chemistry C</i> , 2007, 111, 8202-8205.	1.5	40
376	Interface-modulated approach toward multilevel metal oxide nanotubes for lithium-ion batteries and oxygen reduction reaction. <i>Nano Research</i> , 2016, 9, 2445-2457.	5.8	40
377	Interwoven Nanowire Based On-Chip Asymmetric Microsupercapacitor with High Integrability, Areal Energy, and Power Density. <i>Advanced Energy Materials</i> , 2020, 10, 2001873.	10.2	40
378	Origin of the extra capacity in nitrogen-doped porous carbon nanofibers for high-performance potassium ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18079-18086.	5.2	40

#	ARTICLE	IF	CITATIONS
379	Confining Ultrafine MoO ₂ in a Carbon Matrix Enables Hybrid Li Ion and Li Metal Storage. ACS Applied Materials & Interfaces, 2020, 12, 40648-40654.	4.0	40
380	FeN _x and ¹³ Fe ₂ O ₃ co-functionalized hollow graphitic carbon nanofibers for efficient oxygen reduction in an alkaline medium. Journal of Materials Chemistry A, 2020, 8, 6076-6082.	5.2	40
381	Achieving better aqueous rechargeable zinc ion batteries with heterostructure electrodes. Nano Research, 2021, 14, 3174-3187.	5.8	40
382	A Strain-Relaxation Red Phosphorus Freestanding Anode for Non-Aqueous Potassium Ion Batteries. Advanced Energy Materials, 2022, 12, .	10.2	40
383	Fabrication of Novel Vanadium Dioxide Nanorods as Cathode Material for Rechargeable Lithium Batteries. Chemistry Letters, 2004, 33, 1366-1367.	0.7	39
384	Ultralong H ₂ V ₃ O ₈ nanowire bundles as a promising cathode for lithium batteries. New Journal of Chemistry, 2014, 38, 2075-2080.	1.4	39
385	Vertically stacked holey graphene/polyaniline heterostructures with enhanced energy storage for on-chip micro-supercapacitors. Nano Research, 2016, 9, 1012-1021.	5.8	39
386	Porous nitrogen-doped carbon/MnO coaxial nanotubes as an efficient sulfur host for lithium sulfur batteries. Nano Research, 2019, 12, 205-210.	5.8	39
387	Revealing the Origin of Highly Efficient Polysulfide Anchoring and Transformation on Anion-Substituted Vanadium Nitride Host. Advanced Functional Materials, 2021, 31, 2008034.	7.8	39
388	Flexible Nanowire Cathode Membrane with Gradient Interfaces and Rapid Electron/Ion Transport Channels for Solid-State Lithium Batteries. Advanced Energy Materials, 2021, 11, 2100026.	10.2	39
389	Achieving rapid Li-ion insertion kinetics in TiO ₂ mesoporous nanotube arrays for bifunctional high-rate energy storage smart windows. Nanoscale, 2018, 10, 3254-3261.	2.8	38
390	Insight into pre-sodiation in Na ₃ V ₂ (PO ₄) ₂ F ₃ /C @ hard carbon full cells for promoting the development of sodium-ion battery. Chemical Engineering Journal, 2021, 413, 127565.	6.6	38
391	Ni/Fe based bimetallic coordination complexes with rich active sites for efficient oxygen evolution reaction. Chemical Engineering Journal, 2021, 405, 126959.	6.6	38
392	Optical, electrical and discharge profiles for (PVC+NaIO ₄) polymer electrolytes. Journal of Applied Electrochemistry, 2006, 36, 1051-1056.	1.5	37
393	Selected-control hydrothermal synthesis and formation mechanism of 1D ammonium vanadate. Journal of Solid State Chemistry, 2008, 181, 652-657.	1.4	37
394	Pyrolyzed carbon with embedded NiO/Ni nanospheres for applications in microelectrodes. RSC Advances, 2016, 6, 43436-43441.	1.7	37
395	Enhancement of Photovoltaic Performance by Utilizing Readily Accessible Hole Transporting Layer of Vanadium(V) Oxide Hydrate in a Polymer-Fullerene Blend Solar Cell. ACS Applied Materials & Interfaces, 2016, 8, 11658-11666.	4.0	37
396	Interconnected Vertically Stacked 2D-MoS ₂ for Ultrastable Cycling of Rechargeable Li-Ion Battery. ACS Applied Materials & Interfaces, 2019, 11, 20762-20769.	4.0	37

#	ARTICLE	IF	CITATIONS
397	Spray-pyrolysis-assisted synthesis of yolk@shell anatase with rich oxygen vacancies for efficient sodium storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 6740-6746.	5.2	37
398	Electrochemical in situ X-ray probing in lithium-ion and sodium-ion batteries. <i>Journal of Materials Science</i> , 2017, 52, 3697-3718.	1.7	36
399	Facet-Selective Deposition of FeO _x on \pm -MoO ₃ Nanobelts for Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 39425-39431.	4.0	36
400	Rational Design of a Redox-Active Nonaqueous Electrolyte for a High-Energy-Density Supercapacitor Based on Carbon Nanotubes. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 7728-7735.	3.2	36
401	Fast and stable Mg ²⁺ intercalation in a high voltage NaV ₂ O ₂ (PO ₄) ₂ /rGO cathode material for magnesium-ion batteries. <i>Science China Materials</i> , 2020, 63, 1651-1662.	3.5	36
402	Three-Dimensional Porous Nitrogen-Doped Carbon Nanosheet with Embedded Ni _x Co ₃ S ₄ Nanocrystals for Advanced Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 9181-9189.	4.0	36
403	Gradient sulfur fixing separator with catalytic ability for stable lithium sulfur battery. <i>Chemical Engineering Journal</i> , 2021, 422, 130107.	6.6	36
404	Amine-Wetting-Enabled Dendrite-Free Potassium Metal Anode. <i>ACS Nano</i> , 2022, 16, 7291-7300.	7.3	36
405	General oriented assembly of uniform carbon-confined metal oxide nanodots on graphene for stable and ultrafast lithium storage. <i>Materials Horizons</i> , 2018, 5, 78-85.	6.4	35
406	Boosting oxygen reduction activity with low-temperature derived high-loading atomic cobalt on nitrogen-doped graphene for efficient Zn-air batteries. <i>Chemical Communications</i> , 2019, 55, 334-337.	2.2	35
407	Strongly Coupled Pyridine ₂ O ₅ -NH ₂ O Nanowires with Intercalation Pseudocapacitance and Stabilized Layer for High Energy Sodium Ion Capacitors. <i>Small</i> , 2019, 15, e1900379.	5.2	35
408	Cobalt decorated nitrogen-doped carbon bowls as efficient electrocatalysts for the oxygen reduction reaction. <i>Chemical Communications</i> , 2020, 56, 4488-4491.	2.2	35
409	Three-dimensional graphene-supported nickel disulfide nanoparticles promise stable and fast potassium storage. <i>Nanoscale</i> , 2020, 12, 8255-8261.	2.8	35
410	Ligand and Anion Co-Leaching Induced Complete Reconstruction of Polyoxomolybdate-Organic Complex Oxygen-Evolving Pre-Catalysts. <i>Advanced Functional Materials</i> , 2021, 31, 2101792.	7.8	35
411	Ultrathin ZrO ₂ coating layer regulates Zn deposition and raises long-life performance of aqueous Zn batteries. <i>Materials Today Energy</i> , 2022, 28, 101056.	2.5	35
412	Nanostructured layered vanadium oxide as cathode for high-performance sodium-ion batteries: a perspective. <i>MRS Communications</i> , 2017, 7, 152-165.	0.8	34
413	Facile electrospinning formation of carbon-confined metal oxide cube-in-tube nanostructures for stable lithium storage. <i>Chemical Communications</i> , 2017, 53, 8284-8287.	2.2	34
414	Recent Advances in Nanowire-Biosystem Interfaces: From Chemical Conversion, Energy Production to Electrophysiology. <i>CheM</i> , 2018, 4, 1538-1559.	5.8	34

#	ARTICLE	IF	CITATIONS
415	Water-pillared Sodium Vanadium Bronze Nanowires for Enhanced Rechargeable Magnesium Ion Storage. <i>Small</i> , 2020, 16, e2000741.	5.2	34
416	One-dimensional nanomaterials of vanadium and molybdenum oxides. <i>Journal of Physics and Chemistry of Solids</i> , 2006, 67, 896-902.	1.9	33
417	A N-self-doped carbon catalyst derived from pig blood for oxygen reduction with high activity and stability. <i>Electrochimica Acta</i> , 2015, 160, 139-144.	2.6	33
418	Porous CaFe_2O_4 as a promising lithium ion battery anode: a trade-off between high capacity and long-term stability. <i>Nanoscale</i> , 2018, 10, 12963-12969.	2.8	33
419	High-Performance Na_2O Batteries Enabled by Oriented NaO_2 Nanowires as Discharge Products. <i>Nano Letters</i> , 2018, 18, 3934-3942.	4.5	33
420	On-chip micro/nano devices for energy conversion and storage. <i>Nano Today</i> , 2019, 28, 100764.	6.2	33
421	Uniform zeolitic imidazolate framework coating via in situ recoordination for efficient polysulfide trapping. <i>Energy Storage Materials</i> , 2019, 23, 55-61.	9.5	33
422	<i>In situ</i> monitoring of the electrochemically induced phase transition of thermodynamically metastable 1T-MoS_2 at nanoscale. <i>Nanoscale</i> , 2020, 12, 9246-9254.	2.8	33
423	Pancake-Like MOF Solid-State Electrolytes with Fast Ion Migration for High-Performance Sodium Battery. <i>Nano-Micro Letters</i> , 2021, 13, 105.	14.4	33
424	Universal multifunctional hydrogen bond network construction strategy for enhanced aqueous Zn^{2+} /proton hybrid batteries. <i>Nano Energy</i> , 2022, 100, 107539.	8.2	33
425	Improved cycling stability of nanostructured electrode materials enabled by prelithiation. <i>Journal of Materials Research</i> , 2010, 25, 1413-1420.	1.2	32
426	Novel $\text{NaTi}_2(\text{PO}_4)_3$ nanowire clusters as high performance cathodes for Mg-Na hybrid-ion batteries. <i>Nano Energy</i> , 2019, 55, 526-533.	8.2	32
427	Integration of VS_2 nanosheets into carbon for high energy density micro-supercapacitor. <i>Journal of Alloys and Compounds</i> , 2020, 823, 151769.	2.8	32
428	Introducing Na_2SO_4 in aqueous ZnSO_4 electrolyte realizes superior electrochemical performance in zinc-ion hybrid capacitor. <i>Materials Today Energy</i> , 2020, 18, 100529.	2.5	32
429	Ultra-fast and high-stable near-pseudocapacitance intercalation cathode for aqueous potassium-ion storage. <i>Nano Energy</i> , 2020, 77, 105069.	8.2	32
430	Novel soft solution synthesis and characterization of submicromic LiCoVO_4 . <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2003, 100, 221-224.	1.7	31
431	Field Emission from V_2O_5 - H_2O Nanorod Arrays. <i>Journal of Physical Chemistry C</i> , 2008, 112, 2262-2265.	1.5	31
432	In operando observation of temperature-dependent phase evolution in lithium-incorporation olivine cathode. <i>Nano Energy</i> , 2016, 22, 406-413.	8.2	31

#	ARTICLE	IF	CITATIONS
433	Hollow spherical LiNi _{0.5} Mn _{1.5} O ₄ built from polyhedra with high-rate performance via carbon nanotube modification. <i>Science China Materials</i> , 2016, 59, 95-103.	3.5	31
434	Micrometer-Sized Porous Fe ₂ N/C Bulk for High-Areal Capacity and Stable Lithium Storage. <i>Small</i> , 2019, 15, e1803572.	5.2	31
435	Activated carbon clothes for wide-voltage high-energy-density aqueous symmetric supercapacitors. <i>Chinese Chemical Letters</i> , 2020, 31, 1620-1624.	4.8	31
436	Stabilizing conversion reaction electrodes by MOF derived N-doped carbon shell for highly reversible lithium storage. <i>Nano Energy</i> , 2020, 73, 104758.	8.2	31
437	Surface pseudocapacitance of mesoporous Mo ₃ N ₂ nanowire anode toward reversible high-rate sodium-ion storage. <i>Journal of Energy Chemistry</i> , 2021, 55, 295-303.	7.1	31
438	Porous Ni _{0.14} Mn _{0.86} O _{1.43} hollow microspheres as high-performing anodes for lithium-ion batteries. <i>Journal of Power Sources</i> , 2015, 291, 156-162.	4.0	30
439	Robust LiTi ₂ (PO ₄) ₃ microflowers as high-rate and long-life cathodes for Mg-based hybrid-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13950-13956.	5.2	30
440	Rapid, all dry microfabrication of three-dimensional Co ₃ O ₄ /Pt nanonetworks for high-performance microsupercapacitors. <i>Nanoscale</i> , 2017, 9, 11765-11772.	2.8	30
441	In situ nitrogen-doped helical mesoporous carbonaceous nanotubes for superior-high lithium anodic performance. <i>Carbon</i> , 2018, 130, 599-606.	5.4	30
442	Polyoxomolybdate-derived carbon-encapsulated multicomponent electrocatalysts for synergistically boosting hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2018, 6, 17874-17881.	5.2	30
443	Fe ₂ VO ₄ Hierarchical Porous Microparticles Prepared via a Facile Surface Solvation Treatment for High-Performance Lithium and Sodium Storage. <i>Small</i> , 2019, 15, e1804706.	5.2	30
444	Multi-electron reactions of vanadium-based nanomaterials for high-capacity lithium batteries: challenges and opportunities. <i>Materials Today Nano</i> , 2020, 10, 100073.	2.3	30
445	A porous nickel cyclotetraphosphate nanosheet as a new acid-stable electrocatalyst for efficient hydrogen evolution. <i>Nanoscale</i> , 2018, 10, 9856-9861.	2.8	29
446	Graphene oxide-wrapped dipotassium terephthalate hollow microrods for enhanced potassium storage. <i>Chemical Communications</i> , 2018, 54, 11029-11032.	2.2	29
447	Recent Advances in Nanowire-Based, Flexible, Freestanding Electrodes for Energy Storage. <i>Chemistry - A European Journal</i> , 2018, 24, 18307-18321.	1.7	29
448	Direct growth of an economic green energy storage material: a monocrystalline jarosite-KFe ₃ (SO ₄) ₂ (OH) ₆ -nanoplates@rGO hybrid as a superior lithium-ion battery cathode. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3735-3742.	5.2	28
449	Advanced Li-Se S battery system: Electrodes and electrolytes. <i>Journal of Materials Science and Technology</i> , 2020, 55, 1-15.	5.6	28
450	A three-dimensional nitrogen-doped graphene framework decorated with an atomic layer deposited ultrathin V ₂ O ₅ layer for lithium sulfur batteries with high sulfur loading. <i>Journal of Materials Chemistry A</i> , 2020, 8, 12106-12113.	5.2	28

#	ARTICLE	IF	CITATIONS
451	In-situ surface self-reconstruction in ternary transition metal dichalcogenide nanorod arrays enables efficient electrocatalytic oxygen evolution. <i>Journal of Energy Chemistry</i> , 2021, 55, 10-16.	7.1	28
452	Ultrathin Metal Silicate Hydroxide Nanosheets with Moderate Metal-Oxygen Covalency Enables Efficient Oxygen Evolution. <i>Energy and Environmental Materials</i> , 2022, 5, 231-237.	7.3	28
453	Open-Structured Nanotubes with Three-Dimensional Ion-Accessible Pathways for Enhanced Li^+ Conductivity in Composite Solid Electrolytes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 13183-13190.	4.0	28
454	MOF derived TiO_2 with reversible magnesium pseudocapacitance for ultralong-life Mg metal batteries. <i>Chemical Engineering Journal</i> , 2021, 418, 128491.	6.6	28
455	A high-capacity polyaniline-intercalated layered vanadium oxide for aqueous ammonium-ion batteries. <i>Chemical Communications</i> , 2022, 58, 791-794.	2.2	28
456	$\text{CaV}_6\text{O}_{16} \cdot 2.8\text{H}_2\text{O}$ with Ca^{2+} Pillar and Water Lubrication as a High-Rate and Long-Life Cathode Material for Ca^{2+} Ion Batteries. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	28
457	Novel layered $\text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{rGO}\&\text{C}$ sheets as high-rate and long-life lithium ion battery cathodes. <i>Chemical Communications</i> , 2016, 52, 8730-8732.	2.2	27
458	Microstructuring of carbon/tin quantum dots via a novel photolithography and pyrolysis-reduction process. <i>Nano Research</i> , 2017, 10, 3743-3753.	5.8	27
459	Low-crystallinity molybdenum sulfide nanosheets assembled on carbon nanotubes for long-life lithium storage: Unusual electrochemical behaviors and ascending capacities. <i>Applied Surface Science</i> , 2017, 392, 297-304.	3.1	27
460	Compact Sn/SnO ₂ microspheres with gradient composition for high volumetric lithium storage. <i>Energy Storage Materials</i> , 2020, 25, 376-381.	9.5	27
461	Building carbon cloth-based dendrite-free potassium metal anodes for potassium metal pouch cells. <i>Journal of Materials Chemistry A</i> , 2021, 9, 23046-23054.	5.2	27
462	Facile Synthesis of $\text{Bi}_2\text{S}_3@\text{SiO}_2$ Core-Shell Microwires as High-Performance Anode Materials for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2017, 164, A6110-A6115.	1.3	26
463	Pseudocapacitive layered birnessite sodium manganese dioxide for high-rate non-aqueous sodium ion capacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 12259-12266.	5.2	26
464	Hierarchical $\text{Mn}_3\text{O}_4/\text{Graphene}$ Microflowers Fabricated via a Selective Dissolution Strategy for Alkali-Metal-Ion Storage. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 14120-14125.	4.0	26
465	Highly Dispersed Mo_2C Nanodots in Carbon Nanocages Derived from Mo-Based Xerogel: Efficient Electrocatalysts for Hydrogen Evolution. <i>Small Methods</i> , 2021, 5, e2100334.	4.6	26
466	Nano-Sized Niobium Tungsten Oxide Anode for Advanced Fast-Charge Lithium-Ion Batteries. <i>Small</i> , 2022, 18, e2107365.	5.2	26
467	Advances and perspectives on one-dimensional nanostructure electrode materials for potassium-ion batteries. <i>Materials Today</i> , 2022, 56, 114-134.	8.3	26
468	Graphene oxide-decorated $\text{Fe}_2(\text{MoO}_4)_3$ microflowers as a promising anode for lithium and sodium storage. <i>Nano Research</i> , 2018, 11, 1285-1293.	5.8	25

#	ARTICLE	IF	CITATIONS
469	Langmuirâ€“Blodgett Nanowire Devices for In Situ Probing of Zincâ€“Ion Batteries. <i>Small</i> , 2019, 15, e1902141.	5.2	25
470	3D Nitrogenâ€“Doped Graphene Encapsulated Metallic Nickelâ€“Iron Alloy Nanoparticles for Efficient Bifunctional Oxygen Electrocatalysis. <i>Chemistry - A European Journal</i> , 2020, 26, 4044-4051.	1.7	25
471	Strain engineering by atomic lattice locking in P2-type layered oxide cathode for high-voltage sodium-ion batteries. <i>Nano Energy</i> , 2020, 76, 105061.	8.2	25
472	Interwoven scaffolded porous titanium oxide nanocubes/carbon nanotubes framework for high-performance sodium-ion battery. <i>Journal of Energy Chemistry</i> , 2021, 59, 38-46.	7.1	25
473	Catalytic redox mediators for non-aqueous Li-O ₂ battery. <i>Energy Storage Materials</i> , 2021, 43, 97-119.	9.5	24
474	Polydopamine-assisted in-situ formation of dense MOF layer on polyolefin separator for synergistic enhancement of lithium-sulfur battery. <i>Nano Research</i> , 2022, 15, 8048-8055.	5.8	24
475	Gradient-temperature hydrothermal fabrication of hierarchical Zn ₂ SnO ₄ hollow boxes stimulated by thermodynamic phase transformation. <i>Journal of Materials Chemistry A</i> , 2016, 4, 14095-14100.	5.2	23
476	Bubble-templated synthesis of Fe ₂ (MoO ₄) ₃ hollow hierarchical microsphere with superior low-temperature behavior and high areal capacity for lithium ion batteries. <i>Electrochimica Acta</i> , 2019, 311, 192-200.	2.6	23
477	Carbon decorated Li ₃ V ₂ (PO ₄) ₃ for high-rate lithium-ion batteries: Electrochemical performance and charge compensation mechanism. <i>Journal of Energy Chemistry</i> , 2021, 53, 124-131.	7.1	23
478	Scalable fabrication and active site identification of MOF shell-derived nitrogen-doped carbon hollow frameworks for oxygen reduction. <i>Journal of Materials Science and Technology</i> , 2021, 66, 186-192.	5.6	23
479	Electrochemically Exfoliating MoS ₂ into Atomically Thin Planarâ€“Stacking Through a Selective Lateral Reaction Pathway. <i>Advanced Functional Materials</i> , 2021, 31, 2007840.	7.8	23
480	Oxalate-assisted formation of uniform carbon-confined SnO ₂ nanotubes with enhanced lithium storage. <i>Chemical Communications</i> , 2017, 53, 9542-9545.	2.2	22
481	Naâ€“Mnâ€“O@C yolkâ€“shell nanorods as an ultrahigh electrochemical performance anode for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18509-18517.	5.2	22
482	Novel hollow Ni _{0.33} Co _{0.67} Se nanoprisms for high capacity lithium storage. <i>Nano Research</i> , 2019, 12, 1371-1374.	5.8	22
483	Phenylenediamine-formaldehyde chemistry derived N-doped hollow carbon spheres for high-energy-density supercapacitors. <i>Chinese Chemical Letters</i> , 2021, 32, 184-189.	4.8	22
484	Gradient trilayer solid-state electrolyte with excellent interface compatibility for high-voltage lithium batteries. <i>Chemical Engineering Journal</i> , 2022, 441, 136077.	6.6	22
485	Metastable amorphous chromium-vanadium oxide nanoparticles with superior performance as a new lithium battery cathode. <i>Nano Research</i> , 2014, 7, 1604-1612.	5.8	21
486	Three-Dimensional LiMnPO ₄ â€“Li ₃ V ₂ (PO ₄) ₃ /C Nanocomposite as a Bicontinuous Cathode for High-Rate and Long-Life Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 17527-17534.	4.0	21

#	ARTICLE	IF	CITATIONS
487	KTi ₂ (PO ₄) ₃ with Large Ion Diffusion Channel for High-Efficiency Sodium Storage. <i>Advanced Energy Materials</i> , 2017, 7, 1700247.	10.2	21
488	A Synergistic Na-Mn-O Composite Cathodes for High-Capacity Na-Ion Storage. <i>Advanced Energy Materials</i> , 2018, 8, 1802180.	10.2	21
489	Phenazine anodes for ultralongcycle-life aqueous rechargeable batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 26013-26022.	5.2	21
490	A MOFs plus ZIFs Strategy toward Ultrafine Co Nanodots Confined into Superficial N-Doped Carbon Nanowires for Efficient Oxygen Reduction. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 54545-54552.	4.0	21
491	Activating Inert Sites in Cobalt Silicate Hydroxides for Oxygen Evolution through Atomically Doping. <i>Energy and Environmental Materials</i> , 2022, 5, 655-661.	7.3	21
492	Hierarchical nanowires for high-performance electrochemical energy storage. <i>Frontiers of Physics</i> , 2014, 9, 303-322.	2.4	20
493	Amorphous CuSnO ₃ nanospheres anchored on interconnected carbon networks for use as novel anode materials for high-performance sodium ion batteries. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2756-2762.	3.0	20
494	Amine-assisted synthesis of FeS@N-C porous nanowires for highly reversible lithium storage. <i>Nano Research</i> , 2018, 11, 6206-6216.	5.8	20
495	Heterogeneous Contraction-Mediated Asymmetric Carbon Colloids. , 2019, 1, 290-296.		20
496	Unveiling the microscopic origin of asymmetric phase transformations in (de)sodiated Sb ₂ Se ₃ with in situ transmission electron microscopy. <i>Nano Energy</i> , 2020, 77, 105299.	8.2	20
497	Hollow SiO ₂ /C Microspheres with Semigraphitic Carbon Coating as the Lithium Host for Dendrite-Free Lithium Metal Anodes. <i>ACS Applied Energy Materials</i> , 2021, 4, 3905-3912.	2.5	20
498	Mo ₂ C Nanoparticles Embedded in Carbon Nanowires with Surface Pseudocapacitance Enables High-Energy and High-Power Sodium Ion Capacitors. <i>Small</i> , 2022, 18, e2200805.	5.2	20
499	Nanowire Electrodes for Advanced Lithium Batteries. <i>Frontiers in Energy Research</i> , 2014, 2, .	1.2	19
500	Facile synthesis of MoO ₂ @C nanoflowers as anode materials for sodium-ion batteries. <i>Materials Research Bulletin</i> , 2017, 94, 122-126.	2.7	19
501	New anatase phase VTi _{2.6} O _{7.2} ultrafine nanocrystals for high-performance rechargeable magnesium-based batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 13901-13907.	5.2	19
502	In Situ Visualization of Structural Evolution and Fissure Breathing in (De)lithiated H ₂ V ₃ O ₈ Nanorods. <i>ACS Energy Letters</i> , 2019, 4, 2081-2090.	8.8	19
503	Self-adaptive FeP@C nanocages for reversible and long-term lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2020, 395, 125124.	6.6	19
504	In-situ selective surface engineering of graphene micro-supercapacitor chips. <i>Nano Research</i> , 2022, 15, 1492-1499.	5.8	19

#	ARTICLE	IF	CITATIONS
505	Effect of modification by poly(ethylene-oxide) on the reversibility of Li insertion/extraction in MoO ₃ nanocomposite films. <i>Microelectronic Engineering</i> , 2003, 66, 199-205.	1.1	18
506	Multiplexed Free-Standing Nanowire Transistor Bioprobe for Intracellular Recording: A General Fabrication Strategy. <i>Nano Letters</i> , 2014, 14, 3602-3607.	4.5	18
507	The Capturing of Ionized Oxygen in Sodium Vanadium Oxide Nanorods Cathodes under Operando Conditions. <i>Advanced Functional Materials</i> , 2016, 26, 6555-6562.	7.8	18
508	In Operando Probing of Sodium-Incorporation in NASICON Nanomaterial: Asymmetric Reaction and Electrochemical Phase Diagram. <i>Chemistry of Materials</i> , 2017, 29, 8057-8064.	3.2	18
509	Micropore-Rich Yolk-Shell N-doped Carbon Spheres: An Ideal Electrode Material for High-Energy Capacitive Energy Storage. <i>ChemSusChem</i> , 2021, 14, 1756-1762.	3.6	18
510	Biomimetic brain-like nanostructures for solid polymer electrolytes with fast ion transport. <i>Science China Materials</i> , 2022, 65, 1476-1484.	3.5	18
511	Novel Li ₂ MnO ₃ nanowire anode with internal Li-enrichment for use in a Li-ion battery. <i>Nanoscale</i> , 2014, 6, 8124-8129.	2.8	17
512	A Bowknot-like RuO ₂ quantum dots@V ₂ O ₅ cathode with largely improved electrochemical performance. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 18680-18685.	1.3	17
513	Electric field and photoelectrical effect bi-enhanced hydrogen evolution reaction. <i>Nano Research</i> , 2018, 11, 3205-3212.	5.8	17
514	Escherichia coli adaptation and response to exposure to heavy atmospheric pollution. <i>Scientific Reports</i> , 2019, 9, 10879.	1.6	17
515	Carboxyl functionalized carbon incorporation of stacked ultrathin NiO nanosheets: topological construction and superior lithium storage. <i>Nanoscale</i> , 2019, 11, 7588-7594.	2.8	17
516	Electrochemical studies on PVC/PVdF blend-based polymer electrolytes. <i>Journal of Solid State Electrochemistry</i> , 2007, 11, 543-548.	1.2	16
517	Fabrication and Properties of VO _x -Based Nanorods. <i>Journal of Physical Chemistry C</i> , 2008, 112, 423-429.	1.5	16
518	A Stable CaV ₄ O ₉ Anode Promises Near-Zero Volume Change and High-Capacity Lithium Storage. <i>Advanced Energy Materials</i> , 2021, 11, 2003612.	10.2	16
519	New Insights into Phase-Mechanism Relationship of Mg _x MnO ₂ Nanowires in Aqueous Zinc-Ion Batteries. <i>Small</i> , 2022, 18, e2107743.	5.2	16
520	Eutectic Electrolyte with Unique Solvation Structure for High-Performance Zinc-Ion Batteries. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	16
521	Interconnected LiCuVO ₄ networks with in situ Cu generation as high-performance lithium-ion battery anode. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 13341-13347.	1.3	15
522	Recent advances in TiO ₂ nanoarrays/graphene for water treatment and energy conversion/storage. <i>Science China Materials</i> , 2019, 62, 325-340.	3.5	15

#	ARTICLE	IF	CITATIONS
523	Hierarchical Bimetallic Selenide Nanosheet-Constructed Nanotubes for Efficient Electrocatalytic Water Oxidation. <i>ChemElectroChem</i> , 2019, 6, 331-335.	1.7	15
524	A fast ionic conductor and stretchable solid electrolyte artificial interphase layer for Li metal protection in lithium batteries. <i>Journal of Alloys and Compounds</i> , 2020, 843, 155839.	2.8	15
525	Novel layered $K_{0.7}Mn_{0.7}Ni_{0.3}O_2$ cathode material with enlarged diffusion channels for high energy density sodium-ion batteries. <i>Science China Materials</i> , 2020, 63, 1163-1170.	3.5	15
526	Ultrathin Cobalt Phthalocyanine@Graphene Oxide Layer-Modified Separator for Stable Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 60046-60053.	4.0	15
527	Reaction-crystallization growth and electrical property of ammonium decavanadate nanorods. <i>Materials Letters</i> , 2008, 62, 1458-1461.	1.3	14
528	Batteries: Effect of Carbon Matrix Dimensions on the Electrochemical Properties of $Na_3V_2(PO_4)_3$ Nanograins for High-Performance Symmetric Sodium-Ion Batteries (<i>Adv. Mater.</i> 21/2014). <i>Advanced Materials</i> , 2014, 26, 3358-3358.	11.1	14
529	Stepwise chelation-etching synthesis of carbon-confined ultrafine SnO_2 nanoparticles for stable sodium storage. <i>Chemical Communications</i> , 2018, 54, 1469-1472.	2.2	14
530	Ultrathin nanobelts-assembled Chinese knot-like 3D TiO_2 for fast and stable lithium storage. <i>Nano Research</i> , 2018, 11, 2116-2128.	5.8	14
531	Understanding the electrochemical reaction mechanism of VS_2 nanosheets in lithium-ion cells by multiple <i>in situ</i> and <i>ex situ</i> x-ray spectroscopy. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 494001.	1.3	14
532	Niobium oxyphosphate nanosheet assembled two-dimensional anode material for enhanced lithium storage. <i>Journal of Energy Chemistry</i> , 2021, 53, 268-275.	7.1	14
533	On the irreversible sodiation of tin disulfide. <i>Nano Energy</i> , 2021, 79, 105458.	8.2	14
534	LOW-COST SYNTHESIS OF NOVEL VANADIUM DIOXIDE NANORODS. <i>International Journal of Nanoscience</i> , 2004, 03, 225-231.	0.4	13
535	Hybrid $NiCo_2O_4$ - $NiCo_2S_4$ Nanoflakes as High-Performance Anode Materials for Lithium-Ion Batteries. <i>ChemistrySelect</i> , 2018, 3, 2315-2320.	0.7	13
536	Ultrastable High-Energy On-Chip Nickel-Bismuth Microbattery Powered by Crystalline Bi Anode and Ni-Co Hydroxide Cathode. <i>Energy Technology</i> , 2019, 7, 1900144.	1.8	13
537	Inward lithium-ion breathing of hollow carbon spheres-encapsulated $Fe_3O_4@C$ nanodisc with superior lithium ion storage performance. <i>Journal of Alloys and Compounds</i> , 2019, 800, 16-22.	2.8	13
538	Scalable microfabrication of three-dimensional porous interconnected graphene scaffolds with carbon spheres for high-performance all carbon-based micro-supercapacitors. <i>Journal of Materiomics</i> , 2019, 5, 303-312.	2.8	13
539	$Co(OH)_2@Co$ electrode for efficient alkaline anode based on Co^{2+}/Co° redox mechanism. <i>Energy Storage Materials</i> , 2019, 21, 372-377.	9.5	13
540	Structural properties and electrochemical performance of different polymorphs of Nb_2O_5 in magnesium-based batteries. <i>Journal of Energy Chemistry</i> , 2021, 58, 586-592.	7.1	13

#	ARTICLE	IF	CITATIONS
541	Active Site Identification and Interfacial Design of a MoP/N-Doped Carbon Catalyst for Efficient Hydrogen Evolution Reaction. <i>ACS Applied Energy Materials</i> , 2021, 4, 5486-5492.	2.5	13
542	A Selenium Disulfide-Impregnated Hollow Carbon Sphere Composite as a Cathode Material for Lithium-Ion Batteries. <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 2016, 32, 1999-2006.	2.2	13
543	Flexible three-dimensional-networked iron vanadate nanosheet arrays/carbon cloths as high-performance cathodes for magnesium ion batteries. <i>Science China Materials</i> , 2022, 65, 2197-2206.	3.5	13
544	Synergistic Effect of Core-Shell Heterogeneous V ₂ O ₅ @MV ₆ O ₁₅ (M = Na, K) Nanoparticles for Enhanced Lithium Storage Performance. <i>Electrochimica Acta</i> , 2017, 254, 262-268.	2.6	12
545	A Crystalline/Amorphous Cobalt(II,III) Oxide Hybrid Electrocatalyst for Lithium-Air Batteries. <i>Energy Technology</i> , 2017, 5, 568-579.	1.8	12
546	Illuminating phase transformation dynamics of vanadium oxide cathode by multimodal techniques under operando conditions. <i>Nano Research</i> , 2019, 12, 905-910.	5.8	12
547	Ternary TiO ₂ /SiO _x @C nanocomposite derived from a novel titanium-silicon MOF for high-capacity and stable lithium storage. <i>Chemical Communications</i> , 2020, 56, 2751-2754.	2.2	12
548	Three-Layer Structured SnO ₂ @TiO ₂ Hollow Spheres for High-Performance Sodium Storage. <i>Energy and Environmental Materials</i> , 2021, 4, 428-433.	7.3	12
549	Regulating Lattice-Water Adsorbed Ions to Optimize Intercalation Potential in 3D Prussian Blue Based Multi-Ion Microbattery. <i>Small</i> , 2021, 17, e2007791.	5.2	12
550	<i>Batteries & Supercaps</i> : Beyond Lithium-Ion Batteries. <i>Batteries and Supercaps</i> , 2021, 4, 1036-1038.	2.4	12
551	ZIF-Mediated Anchoring of Co species on N-doped Carbon Nanorods as an Efficient Cathode Catalyst for Zn-Air Batteries. <i>Energy and Environmental Materials</i> , 2023, 6, .	7.3	12
552	General and precise carbon confinement of functional nanostructures derived from assembled metal-phenolic networks for enhanced lithium storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 18605-18614.	5.2	11
553	Encapsulation of Na ₄ MnV(PO ₄) ₃ in robust dual-carbon framework rendering high-energy, durable sodium storage. <i>JPhys Energy</i> , 2020, 2, 025003.	2.3	11
554	3D-printed interdigital electrodes for electrochemical energy storage devices. <i>Journal of Materials Research</i> , 2021, 36, 4489-4507.	1.2	11
555	A Durable Ni-Zn Microbattery with Ultrahigh-Rate Capability Enabled by In Situ Reconstructed Nanoporous Nickel with Epitaxial Phase. <i>Small</i> , 2021, 17, e2103136.	5.2	11
556	In situ construction of amorphous hierarchical iron oxyhydroxide nanotubes via selective dissolution-regrowth strategy for enhanced lithium storage. <i>Science China Materials</i> , 2020, 63, 1993-2001.	3.5	11
557	Vanadium-based nanowires for sodium-ion batteries. <i>Nanotechnology</i> , 2019, 30, 192001.	1.3	10
558	One-step electrodeposited Mn _x Co _{1-x} (OH) ₂ nanosheet arrays as cathode for asymmetric on-chip micro-supercapacitors. <i>Applied Physics Letters</i> , 2019, 114, 223903.	1.5	10

#	ARTICLE	IF	CITATIONS
559	Co _{0.5} Ni _{0.5} MoO ₄ Double-Shell Hollow Spheres with Enhanced Electrochemical Performance for Supercapacitors and Lithium-Ion Batteries. <i>Energy Technology</i> , 2019, 7, 1801160.	1.8	10
560	Methanol-derived high-performance Na ₃ V ₂ (PO ₄) ₃ /C: from kilogram-scale synthesis to pouch cell safety detection. <i>Nanoscale</i> , 2020, 12, 21165-21171.	2.8	10
561	Bilayered microelectrodes based on electrochemically deposited MnO ₂ /polypyrrole towards fast charge transport kinetics for micro-supercapacitors. <i>RSC Advances</i> , 2020, 10, 18245-18251.	1.7	10
562	Solvent-Free Encapsulation of Ultrafine SnO ₂ Nanoparticles in N-Doped Carbon for High-Capacity and Durable Lithium Storage. <i>ACS Applied Energy Materials</i> , 2021, 4, 6277-6283.	2.5	10
563	Advances in Understanding the Electrocatalytic Reconstruction Chemistry of Coordination Compounds. <i>Small</i> , 2021, 17, e2100629.	5.2	10
564	Influence of surface modification on structure and electrochemical performance of LiNi _{0.5} Co _{0.5} VO ₄ . <i>Solid State Ionics</i> , 2003, 161, 205-208.	1.3	9
565	Electrochemical Nanowire Devices for Energy Storage. <i>IEEE Nanotechnology Magazine</i> , 2014, 13, 10-15.	1.1	9
566	3D nonlinear photolithography of Tin oxide ceramics via femtosecond laser. <i>Science China Materials</i> , 2021, 64, 1477-1484.	3.5	9
567	Sub-Nanometer Confined Ions and Solvent Molecules Intercalation Capacitance in Microslits of 2D Materials. <i>Small</i> , 2021, 17, e2104649.	5.2	9
568	Anchoring ultra-small Mo ₂ C nanocrystals on honeycomb-structured N-doped carbon spheres for efficient hydrogen evolution. <i>Chemical Communications</i> , 2022, 58, 5269-5272.	2.2	9
569	Chemical cross-linking and mechanically reinforced carbon network constructed by graphene boosts potassium ion storage. <i>Nano Research</i> , 2022, 15, 9019-9025.	5.8	9
570	A high energy density hybrid magnesium-lithium ion battery based on LiV ₃ O ₈ @GO cathode. <i>Electrochimica Acta</i> , 2019, 320, 134556.	2.6	8
571	Electron cloud migration effect-induced lithiophobicity/lithiophilicity transformation for dendrite-free lithium metal anodes. <i>Nanoscale</i> , 2021, 13, 3027-3035.	2.8	8
572	Interfacial and Vacancies Engineering of Copper Nickel Sulfide for Enhanced Oxygen Reduction and Alcohols Oxidation Activity. <i>Energy and Environmental Materials</i> , 2023, 6, .	7.3	8
573	Pseudocapacitive Graphene-Wrapped Porous VO ₂ Microspheres for Ultrastable and Ultrahigh-Rate Sodium-Ion Storage. <i>ChemElectroChem</i> , 2019, 6, 1400-1406.	1.7	7
574	Branched Mesoporous TiO ₂ Mesocrystals by Epitaxial Assembly of Micelles for Photocatalysis. <i>Cell Reports Physical Science</i> , 2020, 1, 100081.	2.8	7
575	Constructing Three-Dimensional Macroporous TiO ₂ Microspheres with Enhanced Pseudocapacitive Lithium Storage under Deep Discharging/Charging Conditions. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 16528-16535.	4.0	7
576	Sodium vanadium oxides: From nanostructured design to high-performance energy storage materials. <i>Journal of Materials Science and Technology</i> , 2022, 121, 80-92.	5.6	7

#	ARTICLE	IF	CITATIONS
577	Towards a Stable Layered Vanadium Oxide Cathode for High-Capacity Calcium Batteries. <i>Small</i> , 2022, 18, .	5.2	7
578	Tailoring Iron Oxide Nanostructures for High-Capacity Lithium Storage. <i>General Chemistry</i> , 2017, 3, 172-181.	0.6	6
579	Liquid Phase-Induced Solid Solution Phase Mechanisms for Highly Stable and Ultrafast Energy Storage. <i>Advanced Energy Materials</i> , 2021, 11, 2102342.	10.2	6
580	Voltage plateau variation in a bismuth-potassium battery. <i>Journal of Materials Chemistry A</i> , 2022, 10, 2917-2923.	5.2	6
581	K ⁺ Induced Phase Transformation of Layered Titanium Disulfide Boosts Ultrafast Potassium-Ion Storage. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	6
582	Energy Selects. <i>ACS Energy Letters</i> , 2019, 4, 1455-1457.	8.8	5
583	Single-Atom Lithiophilic Sites Confined within Ordered Porous Carbon for Ultrastable Lithium Metal Anodes. <i>Energy and Environmental Materials</i> , 2023, 6, .	7.3	5
584	Synthesis, structure and electrochemical performance of nano-sized LiNi _{0.5} Co _{0.5} VO ₄ . <i>Journal of Materials Science Letters</i> , 2003, 22, 1035-1037.	0.5	4
585	Self-Assembling Synthesis of Vanadium Oxide Nanotube Incorporating Organic Molecules. <i>Key Engineering Materials</i> , 2003, 249, 145-150.	0.4	4
586	Electrodes: Hierarchical Carbon Decorated Li ₃ V ₂ (PO ₄) ₃ as a Bicontinuous Cathode with High-Rate Capability and Broad Temperature Adaptability (<i>Adv. Energy Mater.</i> 16/2014). <i>Advanced Energy Materials</i> , 2014, 4, .	10.2	4
587	P-doped germanium nanowires with Fano-broadening in Raman spectrum. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2016, 31, 52-57.	0.4	4
588	3D Nitrogen-Doped Graphene Encapsulated Metallic Nickel-Iron Alloy Nanoparticles for Efficient Bifunctional Oxygen Electrocatalysis. <i>Chemistry - A European Journal</i> , 2020, 26, 3896.	1.7	4
589	Sulfide synergistic electrochemical activity for high-performance alkaline rechargeable microbatteries. <i>Journal of Materials Science</i> , 2021, 56, 629-639.	1.7	4
590	Quadrupling the stored charge by extending the accessible density of states. <i>CheM</i> , 2022, 8, 2410-2418.	5.8	4
591	Synthesis and Characterization of Novel Vanadium Dioxide Nanorods. <i>Materials Research Society Symposia Proceedings</i> , 2003, 788, 1271.	0.1	3
592	Hybrid Nanostructures: Nanoscroll Buffered Hybrid Nanostructural VO ₂ (B) Cathodes for High-Rate and Long-Life Lithium Storage (<i>Adv. Mater.</i> 21/2013). <i>Advanced Materials</i> , 2013, 25, 2968-2968.	11.1	3
593	Introduce Tortuosity to Retain Polysulfides and Suppress Li Dendrites. <i>Matter</i> , 2020, 2, 1363-1365.	5.0	3
594	Operando Observation of Structural Evolution and Kinetics of Li[Ni _{0.6} Co _{0.2} Mn _{0.2}]O ₂ at Elevated Temperature. <i>Chemical Research in Chinese Universities</i> , 2020, 36, 690-693.	1.3	3

#	ARTICLE	IF	CITATIONS
595	Submerged-Plant-Inspired Five-Level-Synergetic hierarchical Single-Fe-Atom-Doped Micro-Electrodes for High-Performance multifunctional electrocatalysis. Chemical Engineering Journal, 2022, 446, 136804.	6.6	3
596	Thermoelectric Properties of an Individual Suspended Single-Crystalline Sb ₂ Se ₃ Nanowire. Journal of Thermal Science, 0, , .	0.9	3
597	Materials Research at Wuhan University of Technology. Advanced Materials, 2017, 29, 1701082.	11.1	2
598	Microdevices: Carbon@MEMS-Based Alternating Stacked MoS ₂ @rGO@CNT Micro-Supercapacitor with High Capacitance and Energy Density (Small 26/2017). Small, 2017, 13, .	5.2	2
599	Polyol Solvation Effect on Tuning the Universal Growth of Binary Metal Oxide Nanodots@Graphene Oxide Heterostructures for Electrochemical Applications. Chemistry - A European Journal, 2019, 25, 14604-14612.	1.7	2
600	Nonlinear dynamic characteristics of combustion wave in SHS process. Journal Wuhan University of Technology, Materials Science Edition, 2002, 17, 23-26.	0.4	1
601	Surface Modification of LiNi _{0.5} Co _{0.5} VO ₄ by Overcoating with SiO ₂ . Key Engineering Materials, 2003, 249, 151-154.	0.4	1
602	Electrochemical conversion and storage systems: general discussion. Faraday Discussions, 2014, 176, 153-184.	1.6	1
603	CNTs/LiV ₃ O ₈ /Y ₂ O ₃ Composites with Enhanced Electrochemical Performances as Cathode Materials for Rechargeable Solid-State Lithium Metal Batteries. ACS Applied Materials & Interfaces, 2021, 13, 8219-8228.	4.0	1
604	In Situ Observation and Mechanism Investigation of Lattice Breathing in Vanadium Oxide Cathode. Acta Chimica Sinica, 2016, 74, 582.	0.5	1
605	Femtosecond laser induced in-situ crystallization of Tb-based luminescent metal organic framework. Optics Express, 2021, 29, 39304.	1.7	1
606	Sub-Nanometer Confined Ions and Solvent Molecules Intercalation Capacitance in Microslits of 2D Materials (Small 49/2021). Small, 2021, 17, .	5.2	1
607	Effect of Mo Doping and Heat Treatment on Microstructure and Electrochemical Performance of Vanadium Oxide Nanotubes. Materials Research Society Symposia Proceedings, 2003, 788, 11361.	0.1	0
608	Design and Synthesis of Kinked Nanowire Structures for Nanoelectronic Bioprobes. , 2013, , .		0
609	Electrochemical Nanowire Devices for Energy Storage. , 2015, , .		0
610	One Dimensional Nanomaterials for Emerging Energy Storage. , 2018, , .		0