

Takashi Nakamae

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9223521/publications.pdf>

Version: 2024-02-01

52
papers

2,727
citations

236925

25
h-index

197818

49
g-index

59
all docs

59
docs citations

59
times ranked

4502
citing authors

#	ARTICLE	IF	CITATIONS
1	An overview of the first 5 years of the ENIGMA obsessive-compulsive disorder working group: The power of worldwide collaboration. <i>Human Brain Mapping</i> , 2022, 43, 23-36.	3.6	51
2	The thalamus and its subnuclei—a gateway to obsessive-compulsive disorder. <i>Translational Psychiatry</i> , 2022, 12, 70.	4.8	19
3	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	11.0	136
4	White matter microstructure and its relation to clinical features of obsessive-compulsive disorder: findings from the ENIGMA OCD Working Group. <i>Translational Psychiatry</i> , 2021, 11, 173.	4.8	33
5	Japanese Project for Telepsychiatry Evaluation during COVID-19: Treatment Comparison Trial (J-PROTECT): Rationale, design, and methodology. <i>Contemporary Clinical Trials</i> , 2021, 111, 106596.	1.8	7
6	Duration of untreated illness of patients with obsessive-compulsive disorder in Japan. <i>Microbial Biotechnology</i> , 2021, 15, 1644-1649.	1.7	3
7	Mapping Cortical and Subcortical Asymmetry in Obsessive-Compulsive Disorder: Findings From the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020, 87, 1022-1034.	1.3	73
8	Structural neuroimaging biomarkers for obsessive-compulsive disorder in the ENIGMA-OCD consortium: medication matters. <i>Translational Psychiatry</i> , 2020, 10, 342.	4.8	43
9	Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020, 177, 834-843.	7.2	120
10	OUP accepted manuscript. <i>Brain</i> , 2020, 143, 684-700.	7.6	53
11	Cortical Abnormalities Associated With Pediatric and Adult Obsessive-Compulsive Disorder: Findings From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>American Journal of Psychiatry</i> , 2018, 175, 453-462.	7.2	197
12	Suicidal ideation and burnout among psychiatric trainees in Japan. <i>Microbial Biotechnology</i> , 2018, 12, 935-937.	1.7	21
13	The detection of white matter alterations in obsessive-compulsive disorder revealed by TRActs Constrained by UnderLying Anatomy (TRACULA). <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1635-1643.	2.2	15
14	FREQUENCY SPECIFIC ANALYSIS REVEALED THE IMBALANCED FUNCTIONAL NETWORKS IN OBSESSIVE-COMPULSIVE DISORDER. <i>European Neuropsychopharmacology</i> , 2018, 28, 768-769.	0.7	0
15	Problematic internet use and psychiatric co-morbidity in a population of Japanese adult psychiatric patients. <i>BMC Psychiatry</i> , 2018, 18, 9.	2.6	44
16	Impulsivity and decision-making in obsessive-compulsive disorder after effective deep brain stimulation or treatment as usual. <i>CNS Spectrums</i> , 2018, 23, 333-339.	1.2	19
17	An Empirical Comparison of Meta- and Mega-Analysis With Data From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>Frontiers in Neuroinformatics</i> , 2018, 12, 102.	2.5	59
18	Association and Causation in Brain Imaging in the Case of OCD: Response to McKay et al.. <i>American Journal of Psychiatry</i> , 2017, 174, 597-599.	7.2	10

#	ARTICLE	IF	CITATIONS
19	Cortical thickness in obsessive-compulsive disorder: Multisite mega-analysis of 780 brain scans from six centres. <i>British Journal of Psychiatry</i> , 2017, 210, 67-74.	2.8	88
20	A Neural Marker of Obsessive-Compulsive Disorder from Whole-Brain Functional Connectivity. <i>Scientific Reports</i> , 2017, 7, 7538.	3.3	59
21	Editorial training models for early-career psychiatrists. <i>Lancet Psychiatry</i> , 2017, 4, 515-516.	7.4	2
22	928. Cortical Abnormalities Associated with Pediatric and Adult Obsessive-Compulsive Disorder: Findings from the Enigma Obsessive-Compulsive Disorder Working Group. <i>Biological Psychiatry</i> , 2017, 81, S375-S376.	1.3	0
23	Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. <i>Brain Imaging and Behavior</i> , 2017, 11, 1497-1514.	2.1	144
24	Distinct Subcortical Volume Alterations in Pediatric and Adult OCD: A Worldwide Meta- and Mega-Analysis. <i>American Journal of Psychiatry</i> , 2017, 174, 60-69.	7.2	268
25	Neuromodulation for Obsessive-Compulsive Disorder. <i>Fuansho Kenkyu</i> , 2017, 9, 50-56.	0.1	1
26	Body integrity identity disorder crosses culture: case reports in the Japanese and Chinese literature. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 1419.	2.2	6
27	Structural covariance of neostriatal and limbic regions in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 115-123.	2.4	28
28	Standards of care for obsessive-compulsive disorder centres. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016, 20, 204-208.	2.4	12
29	Brain circuitry of compulsivity. <i>European Neuropsychopharmacology</i> , 2016, 26, 810-827.	0.7	264
30	Associations of early career psychiatrists worldwide. <i>Middle East Current Psychiatry</i> , 2016, 23, 3-9.	1.2	17
31	Hyper-influence of the orbitofrontal cortex over the ventral striatum in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2015, 25, 1898-1905.	0.7	48
32	Altered Fronto-Striatal Fiber Topography and Connectivity in Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2014, 9, e112075.	2.5	22
33	Brain structural abnormalities in behavior therapy-resistant obsessive-compulsive disorder revealed by voxel-based morphometry. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1987.	2.2	12
34	Multicenter Voxel-Based Morphometry Mega-Analysis of Structural Brain Scans in Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2014, 171, 340-349.	7.2	227
35	A tract-based spatial statistics study in anorexia nervosa: Abnormality in the fornix and the cerebellum. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 51, 72-77.	4.8	47
36	Neuroanatomical abnormalities before onset of delusions in patients with Alzheimer's disease: a voxel-based morphometry study. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1.	2.2	20

#	ARTICLE	IF	CITATIONS
37	Case of dementia with Lewy bodies that progressed from schizoaffective disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 281-282.	1.8	4
38	Reduced dorsolateral prefrontal cortical hemodynamic response in adult obsessive-compulsive disorder as measured by near-infrared spectroscopy during the verbal fluency task. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 955.	2.2	18
39	The neural basis of dysfunctional beliefs in non-medicated patients with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 22-25.	4.8	15
40	Reduced cortical thickness in non-medicated patients with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 90-95.	4.8	33
41	Decreased white matter integrity before the onset of delusions in patients with Alzheimer's disease: diffusion tensor imaging. <i>Neuropsychiatric Disease and Treatment</i> , 2012, 9, 25.	2.2	11
42	Relationship between severity of obsessive-compulsive symptoms and schizotypy in obsessive-compulsive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2012, 8, 579.	2.2	8
43	Neural correlates of performance on the different scoring systems of the clock drawing test. <i>Neuroscience Letters</i> , 2011, 487, 421-425.	2.1	32
44	Anterior insular volume is larger in patients with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 997-1001.	4.8	31
45	Corticostriatal functional connectivity in non-medicated patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2011, 26, 463-469.	0.2	153
46	Diffusion tensor imaging and tract-based spatial statistics in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2011, 45, 687-690.	3.1	78
47	Insight and quality of life in long-term hospitalized Japanese patients with chronic schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 372-376.	1.8	8
48	Challenging behavior of patients with frontal dysfunction managed successfully with behavioral intervention. <i>Psychogeriatrics</i> , 2009, 9, 147-150.	1.2	8
49	Relationships among burnout, coping style and personality: Study of Japanese professional caregivers for elderly. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 174-176.	1.8	46
50	Recurrent hyperperfusion in the right orbitofrontal cortex in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1082-1084.	4.8	4
51	Alteration of fractional anisotropy and apparent diffusion coefficient in obsessive-compulsive disorder: A diffusion tensor imaging study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1221-1226.	4.8	67
52	Effect of traditional Japanese herbal medicine toki-shakuyaku-san for mild cognitive impairment: SPECT study. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 447-448.	1.8	25