
## Susan L Whitney

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9226786/publications.pdf Version: 2024-02-01



SUSAN I WHITNEY

#	Article	IF	CITATIONS
1	Validity of balance measures in cerebellar ataxia: A prospective study with 12â€month followâ€up. PM and R, 2023, 15, 742-750.	1.6	2
2	Tai Chi for Dynamic Balance Training Among Individuals with Cerebellar Ataxia: An Assessor-Blinded Randomized-Controlled Trial. , 2022, 28, 146-157.		4
3	Development and Content Validity of the Bilateral Vestibulopathy Questionnaire. Frontiers in Neurology, 2022, 13, 852048.	2.4	5
4	Vestibular Rehabilitation for Peripheral Vestibular Hypofunction: An Updated Clinical Practice Guideline From the Academy of Neurologic Physical Therapy of the American Physical Therapy Association. Journal of Neurologic Physical Therapy, 2022, 46, 118-177.	1.4	101
5	Retention Effects of Long-Term Balance Training with Vibrotactile Sensory Augmentation in Healthy Older Adults. Sensors, 2022, 22, 3014.	3.8	7
6	Predictors of sleep quality among university students: the use of advanced machine learning techniques. Sleep and Breathing, 2021, 25, 1119-1126.	1.7	13
7	Validated argentine version of the visual vertigo analogue scale. Journal of Vestibular Research: Equilibrium and Orientation, 2021, , 1-9.	2.0	1
8	Somatosensory Impairments, Falls History and Fear of Falling in Glaucoma - A Survey Study Approach. Proceedings of the Human Factors and Ergonomics Society, 2021, 65, 11-15.	0.3	0
9	Vestibular Rehabilitation Telehealth During the SAEA-CoV-2 (COVID-19) Pandemic. Frontiers in Neurology, 2021, 12, 781482.	2.4	8
10	VestAid: A Tablet-Based Technology for Objective Exercise Monitoring in Vestibular Rehabilitation. Sensors, 2021, 21, 8388.	3.8	4
11	Effects of long-term vestibular rehabilitation therapy with vibrotactile sensory augmentation for people with unilateral vestibular disorders – A randomized preliminary study. Journal of Vestibular Research: Equilibrium and Orientation, 2020, 29, 323-334.	2.0	19
12	Perception of verticality is altered in people with severe chronic low back pain compared to healthy controls: A cross-sectional study. Musculoskeletal Science and Practice, 2020, 45, 102074.	1.3	3
13	Vestibular Rehabilitation and Factors That Can Affect Outcome. Seminars in Neurology, 2020, 40, 165-172.	1.4	29
14	Predictors of Physical Therapy Referral Among Persons With Peripheral Vestibular Disorders in the United States. Archives of Physical Medicine and Rehabilitation, 2020, 101, 1747-1753.	0.9	6
15	>Development of Military Concussion Readiness Inventory for Dizziness and Balance. Patient Related Outcome Measures, 2019, Volume 10, 67-80.	1.2	4
16	Measures of balance and falls risk prediction in people with Parkinson's disease: a systematic review of psychometric properties. Clinical Rehabilitation, 2019, 33, 1949-1962.	2.2	28
17	A Multidimensional Exercise Program in the Home for Older Adults Designed to Improve Function. Home Health Care Management and Practice, 2019, 31, 147-154.	1.0	2
18	Does integrated cognitive and balance (dual-task) training improve balance and reduce falls risk in individuals with cerebellar ataxia?. Medical Hypotheses, 2019, 126, 149-153.	1.5	5

SUSAN L WHITNEY

#	Article	IF	CITATIONS
19	Stabilization exercises combined with neuromuscular electrical stimulation for patients with chronic low back pain: a randomized controlled trial. Brazilian Journal of Physical Therapy, 2019, 23, 506-515.	2.5	16
20	Potential Mechanisms of Sensory Augmentation Systems on Human Balance Control. Frontiers in Neurology, 2018, 9, 944.	2.4	56
21	Tumarkin-like phenomenon as a sign of therapeutic success in benign paroxysmal positional vertigo. Arquivos De Neuro-Psiquiatria, 2018, 76, 534-538.	0.8	7
22	Effects of long-term balance training with vibrotactile sensory augmentation among community-dwelling healthy older adults: a randomized preliminary study. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 5.	4.6	66
23	Clinical assessment of balance using BBS and SARAbal in cerebellar ataxia: Synthesis of findings of a psychometric property analysis. Hong Kong Physiotherapy Journal, 2018, 38, 53-61.	1.0	11
24	Can pre-screening vestibulocerebellar involvement followed by targeted training improve the outcomes of balance in cerebellar ataxia?. Medical Hypotheses, 2018, 117, 37-41.	1.5	5
25	The usefulness of the video head impulse test in children and adults post-concussion. Journal of Vestibular Research: Equilibrium and Orientation, 2017, 26, 439-446.	2.0	24
26	The impact of diabetes on mobility, balance, and recovery after repositioning maneuvers in individuals with benign paroxysmal positional vertigo. Journal of Diabetes and Its Complications, 2017, 31, 976-982.	2.3	10
27	Postural sway in individuals with type 2 diabetes and concurrent benign paroxysmal positional vertigo. International Journal of Neuroscience, 2017, 127, 1065-1073.	1.6	9
28	Effect of home-based rehabilitation on activities of daily living and gait in older adults with heart failure at risk for falling: A retrospective cohort study. Physiotherapy Theory and Practice, 2017, 33, 943-953.	1.3	9
29	Psychometric Properties of a Core Set of Measures of Balance for People With Cerebellar Ataxia Secondary to Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2017, 98, 270-276.	0.9	27
30	Visually Induced Dizziness in Children and Validation of the Pediatric Visually Induced Dizziness Questionnaire. Frontiers in Neurology, 2017, 8, 656.	2.4	25
31	The activities-specific balance confidence scale and berg balance scale: Reliability and validity in Arabic-speaking vestibular patients. Journal of Vestibular Research: Equilibrium and Orientation, 2016, 25, 253-259.	2.0	17
32	Retrospective data suggests that the higher prevalence of benign paroxysmal positional vertigo in individuals with type 2 diabetes is mediated by hypertension. Journal of Vestibular Research: Equilibrium and Orientation, 2016, 25, 233-239.	2.0	41
33	Recent Evidence About the Effectiveness of Vestibular Rehabilitation. Current Treatment Options in Neurology, 2016, 18, 13.	1.8	55
34	Impact of Diabetic Complications on Balance and Falls: Contribution of the Vestibular System. Physical Therapy, 2016, 96, 400-409.	2.4	69
35	Outcomes of Usual Versus a Specialized Falls and Balance Program in the Home. Home Healthcare Now, 2015, 33, 265-274.	0.2	2
36	Subscales of the Vestibular Activities and Participation questionnaire could be applied across cultures. Journal of Clinical Epidemiology, 2015, 68, 211-219.	5.0	27

SUSAN L WHITNEY

#	Article	IF	CITATIONS
37	The effect of age on postural and cognitive task performance while using vibrotactile feedback. Journal of Neurophysiology, 2015, 113, 2127-2136.	1.8	22
38	A physical therapist classification system for persons with complaints of dizziness and balance dysfunction. Physical Therapy Reviews, 2015, 20, 110-121.	0.8	3
39	Physical therapy for persons with vestibular disorders. Current Opinion in Neurology, 2015, 28, 61-68.	3.6	28
40	Systematic review of the psychometric properties of balance measures for cerebellar ataxia. Clinical Rehabilitation, 2015, 29, 69-79.	2.2	19
41	Predictors of Functional and Gait Outcomes for Persons Poststroke Undergoing Home-based Rehabilitation. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 1856-1864.	1.6	15
42	Estimating Postural Control With the Balance Rehabilitation Unit: Measurement Consistency, Accuracy, Validity, and Comparison With Dynamic Posturography. Archives of Physical Medicine and Rehabilitation, 2014, 95, 65-73.	0.9	47
43	Exercise Prescription Patterns in Patients Treated with Vestibular Rehabilitation After Concussion. Physiotherapy Research International, 2013, 18, 100-108.	1.5	111
44	Relationship between cognition and gait performance in older adults receiving physical therapy interventions in the home. Journal of Rehabilitation Research and Development, 2013, 50, 1089-1098.	1.6	2
45	Improvements in Balance in Older Adults Engaged in a Specialized Home Care Falls Prevention Program. Journal of Geriatric Physical Therapy, 2013, 36, 3-12.	1.1	16
46	The vestibular activities and participation measure and vestibular disorders. Journal of Vestibular Research: Equilibrium and Orientation, 2013, 23, 305-312.	2.0	19
47	Principles of vestibular physical therapy rehabilitation. NeuroRehabilitation, 2011, 29, 157-166.	1.3	56
48	The use of virtual reality for people with balance and vestibular disorders: the Pittsburgh experience. Physical Therapy Reviews, 2009, 14, 299-306.	0.8	15
49	The five times sit to stand test: Responsiveness to change and concurrent validity in adults undergoing vestibular rehabilitation**. Journal of Vestibular Research: Equilibrium and Orientation, 2007, 16, 233-243.	2.0	94
50	Clinical Measurement of Sit-to-Stand Performance in People With Balance Disorders: Validity of Data for the Five-Times-Sit-to-Stand Test. Physical Therapy, 2005, 85, 1034-1045.	2.4	583
51	Is Perception of Handicap Related to Functional Performance in Persons with Vestibular Dysfunction?. Otology and Neurotology, 2004, 25, 139-143.	1.3	282
52	Reliability, Internal Consistency, and Validity of Data Obtained With the Functional Gait Assessment. Physical Therapy, 2004, 84, 906-918.	2.4	473
53	The sensitivity and specificity of the Timed "Up & Go" and the dynamic gait index for self-reported falls in persons with vestibular disorders. Journal of Vestibular Research: Equilibrium and Orientation, 2004, 14, 397-409.	2.0	133
54	The sensitivity and specificity of the Timed "Up & Go" and the Dynamic Gait Index for self-reported falls in persons with vestibular disorders. Journal of Vestibular Research: Equilibrium and Orientation, 2004, 14, 397-409.	2.0	58

SUSAN L WHITNEY

#	Article	IF	CITATIONS
55	Concurrent validity of the Berg Balance Scale and the Dynamic Gait Index in people with vestibular dysfunction. Physiotherapy Research International, 2003, 8, 178-186.	1.5	138
56	The Effect of Age on Vestibular Rehabilitation Outcomes. Laryngoscope, 2002, 112, 1785-1790.	2.0	130
57	Physical Therapy Outcomes for Persons With Bilateral Vestibular Loss. Laryngoscope, 2001, 111, 1812-1817.	2.0	121
58	Physical Therapy for Migraine-Related Vestibulopathy and Vestibular Dysfunction With History of Migraine. Laryngoscope, 2000, 110, 1528-1534.	2.0	127
59	A Review of Balance Instruments for Older Adults. American Journal of Occupational Therapy, 1998, 52, 666-671.	0.3	174
60	Functional Reach and Single Leg Stance in Patients with Peripheral Vestibular Disorders. Journal of Vestibular Research: Equilibrium and Orientation, 1996, 6, 343-353.	2.0	26