

J P Michaud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9229395/publications.pdf>

Version: 2024-02-01

137
papers

3,422
citations

147801
31
h-index

206112
48
g-index

139
all docs

139
docs citations

139
times ranked

2226
citing authors

#	ARTICLE	IF	CITATIONS
1	The transgenerational consequences of maternal parasitism for aphid life history and suitability for subsequent parasitism. <i>Bulletin of Entomological Research</i> , 2022, 112, 51-57.	1.0	4
2	The Ecological Significance of Aphid Cornicles and Their Secretions. <i>Annual Review of Entomology</i> , 2022, 67, 65-81.	11.8	3
3	Curing raisins with sulfur dioxide suppresses population growth of Indian meal moth, <i>Plodia interpunctella</i> (Hubner) (Lepidoptera: Pyralidae). <i>Journal of Asia-Pacific Entomology</i> , 2022, 25, 101877.	0.9	0
4	FoxO-promoted peroxiredoxin1 expression induced by <i>Helicoverpa armigera</i> single nucleopolyhedrovirus infection mediates host development and defensive responses. <i>Ecotoxicology and Environmental Safety</i> , 2022, 234, 113414.	6.0	1
5	Isolation and evaluation of entomopathogenic fungi against the neotropical brown stink bug <i>Euschistus heros</i> (F.) (Hemiptera: Pentatomidae) under laboratory conditions. <i>Biocontrol Science and Technology</i> , 2021, 31, 22-34.	1.3	5
6	Validation of degree-day models for predicting the emergence of two fruit flies (Diptera: Tephritidae) in northeast Egypt. <i>Insect Science</i> , 2021, 28, 153-164.	3.0	2
7	Age and parasitism status of <i>Tuta absoluta</i> eggs alter the foraging responses of the predator <i>Nabis pseudoferus</i> . <i>BioControl</i> , 2021, 66, 395-406.	2.0	2
8	Recruitment of Natural Enemies of the Invasive Sugarcane Aphid Vary Spatially and Temporally in Sorghum Fields in the Southern Great Plains of the USA. <i>Southwestern Entomologist</i> , 2021, 46, .	0.2	6
9	Comparative Transcriptome Analysis Reveals Genetic Mechanisms of Sugarcane Aphid Resistance in Grain Sorghum. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7129.	4.1	10
10	Floral Resources Enhance Fecundity, but Not Flight Activity, in a Specialized Aphid Predator, <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae). <i>Frontiers in Ecology and Evolution</i> , 2021, 9, ..	2.2	7
11	The Benefits of Omnivory for Reproduction and Life History of a Specialized Aphid Predator, <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae). <i>Environmental Entomology</i> , 2021, 50, 69-75.	1.4	8
12	The gregarious parasitoid <i>Cotesia flavipes</i> displays a high level of preadaptation to a novel host, <i>Diatraea indigenella</i> . <i>BioControl</i> , 2020, 65, 37-46.	2.0	2
13	Synergy between parasitoids and pathogens for biological control of <i>Helicoverpa armigera</i> in chickpea. <i>Entomologia Experimentalis Et Applicata</i> , 2020, 168, 70-75.	1.4	8
14	Physiological responses of plants and mites to salicylic acid improve the efficacy of spirodiclofen for controlling <i>Tetranychus urticae</i> (Acari: Tetranychidae) on greenhouse tomatoes. <i>Experimental and Applied Acarology</i> , 2020, 82, 319-333.	1.6	10
15	Dynamic economic thresholds for the management of vegetable leafminer on glasshouse cucumber estimated by simulated defoliation. <i>Journal of Applied Entomology</i> , 2020, 144, 719-731.	1.8	0
16	Intraguild predation between two lady beetle predators is more sensitive to density than species of extraguild prey. <i>BioControl</i> , 2020, 65, 713-725.	2.0	9
17	Micronutrient Fertilization of Greenhouse Cucumbers Mitigates Pirimicarb Resistance in <i>Aphis gossypii</i> (Hemiptera: Aphididae). <i>Journal of Economic Entomology</i> , 2020, 113, 2864-2872.	1.8	10
18	The parental effects of body size on developmental phenotype in <i>Harmonia axyridis</i> . <i>Bulletin of Entomological Research</i> , 2020, 110, 694-699.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Behavioral and Developmental Responses of <i>Habrobracon hebetor</i> (Hymenoptera: Braconidae) to Larvae of <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae) Inoculated With Various Concentrations of <i>Bacillus thuringiensis</i> var. <i>kurstaki</i> (Bacillales: Bacillaceae). <i>Journal of Insect Science</i> , 2020, 20, .	1.5	3
20	Measuring the Costs of Limb Regeneration and Their Transgenerational Consequences in Two Nearctic Lady Beetles (Coleoptera: Coccinellidae). <i>Journal of Economic Entomology</i> , 2020, 113, 1780-1785.	1.8	6
21	Negative Life History Impacts for <i>Habrobracon hebetor</i> (Hymneoptera: Braconidae) that Develop in Bollworm Larvae Inoculated with <i>Helicoverpa armigera</i> Nucleopolyhedrovirus. <i>Journal of Economic Entomology</i> , 2020, 113, 1648-1655.	1.8	3
22	How Efficient Is Fertilization by Traumatic Insemination in <i>Orius insidiosus</i> (Hemiptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50_2 622 Td (Anthonomidae)? <i>Entomophaga</i> , 2020, 65, 1-10.	1.8	2
23	Host resistance to two parasitoids (Diptera: Tachinidae) helps explain a regional outbreak of novel <i>Diatraea</i> spp. stem borers (Lepidoptera: Crambidae) in Colombia sugarcane. <i>Biological Control</i> , 2019, 129, 18-23.	3.0	6
24	Life history responses of <i>Hippodamia variegata</i> (Coleoptera: Coccinellidae) to changes in the nutritional content of its prey, <i>Aphis gossypii</i> (Hemiptera: Aphididae), mediated by nitrogen fertilization. <i>Biological Control</i> , 2019, 130, 27-33.	3.0	12
25	Limb ablation and regeneration in <i>< i>Harmonia axyridis</i></i> : costs for regenerators, but benefits for their progeny. <i>Entomologia Experimentalis Et Applicata</i> , 2018, 166, 124-130.	1.4	12
26	Problems Inherent to Augmentation of Natural Enemies in Open Agriculture. <i>Neotropical Entomology</i> , 2018, 47, 161-170.	1.2	27
27	Non-target impacts of soybean insecticidal seed treatments on the life history and behavior of <i>Podisus nigrispinus</i> , a predator of fall armyworm. <i>Chemosphere</i> , 2018, 191, 342-349.	8.2	22
28	Differential impacts of six insecticides on a mealybug and its coccinellid predator. <i>Ecotoxicology and Environmental Safety</i> , 2018, 147, 963-971.	6.0	44
29	No nutritional benefits of egg cannibalism for <i>< i>Coleomegilla maculata</i></i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50_2 622 Td (Coccinellidae). <i>Entomophaga</i> , 2018, 63, 1-10.	1.0	50
30	Cornicle secretions by <i>Aphis fabae</i> (Hemiptera: Aphididae) result in age-dependent costs and improved host suitability for <i>Lysiphlebus fabarum</i> (Marshall) (Hymenoptera: Braconidae). <i>Bulletin of Entomological Research</i> , 2018, 108, 685-693.	1.0	3
31	Paternal effects associated with melanism in <i>< i>Harmonia axyridis</i></i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50_2 622 Td (Coccinellidae). <i>Ecological Entomology</i> , 2018, 43, 560-566.	2.2	1
32	Challenges to conservation biological control on the High Plains: 150 years of evolutionary rescue. <i>Biological Control</i> , 2018, 125, 65-73.	3.0	18
33	Feeding by <i>Melanaphis sacchari</i> (Hemiptera: Aphididae) Facilitates Use of Sorghum by <i>Rhopalosiphum padi</i> (Hemiptera: Aphididae), but Reciprocal Effects Are Negative. <i>Environmental Entomology</i> , 2017, 46, nvw167.	1.4	10
34	Toxicity of three aphicides to the generalist predators <i>Chrysoperla carnea</i> (Neuroptera: Chrysopidae) and <i>Orius insidiosus</i> (Hemiptera: Anthocoridae). <i>Ecotoxicology</i> , 2017, 26, 589-599.	2.4	27
35	Physiological susceptibility of the predator <i>< i>Macrolophus basicornis</i></i> (Hemiptera: Miridae) to pesticides used to control of <i>< i>Tuta absoluta</i></i> (Lepidoptera: Gelechiidae). <i>Biocontrol Science and Technology</i> , 2017, 27, 1082-1095.	1.3	14
36	Differences in Flight Activity of <i>Coleomegilla maculata</i> and <i>Hippodamia convergens</i> (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50_2 622 Td (Coccinellidae). <i>Entomophaga</i> , 2017, 62, 1359-1364.	1.4	2

#	ARTICLE	IF	CITATIONS
37	High Concentrations of Chlorantraniliprole Reduce Its Compatibility with a Key Predator, <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae). <i>Journal of Economic Entomology</i> , 2017, 110, 2039-2045.	1.8	9
38	IPM case studies: sorghum.. , 2017, , 557-568.		4
39	Relative Toxicity of Two Aphicides to <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae): Implications for Integrated Management of Sugarcane Aphid, <i>Melanaphis sacchari</i> (Hemiptera: Aphididae). <i>Journal of Economic Entomology</i> , 2016, 110, tow265.	1.8	18
40	Extending the â€œEcology of Fearâ€ Beyond Prey: Reciprocal Nonconsumptive Effects Among Competing Aphid Predators. <i>Environmental Entomology</i> , 2016, 45, 1398-1403.	1.4	13
41	Innate and Learned Responses of the Tephritid Parasitoid <i>< i>Psyttalia concolor</i> (Hymenoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock Journal of Economic Entomology, 2016, 109, 2272-2280.	1.8	16
42	Dual resistance to lambda-cyhalothrin and dicrotophos in <i>Hippodamia convergens</i> (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 58.2		
43	Comparative Life Histories of Greenbugs and Sugarcane Aphids (Hemiptera: Aphididae) Coinfesting Susceptible and Resistant Sorghums. <i>Journal of Economic Entomology</i> , 2016, 109, 385-391.	1.8	28
44	Indigenous Aphid Predators Show High Levels of Preadaptation to a Novel Prey, <i>< i>Melanaphis sacchari</i> (Hemiptera: Aphididae). <i>Journal of Economic Entomology</i> , 2015, 108, 2546-2555.	1.8	46
45	Chronic, predator-induced stress alters development and reproductive performance of the cotton bollworm, <i>Helicoverpa armigera</i> . <i>BioControl</i> , 2015, 60, 827-837.	2.0	25
46	Polyandry restores female fertility and paternal effects diminished by inbreeding in <i>Hippodamia convergens</i> . <i>Ecological Entomology</i> , 2015, 40, 596-602.	2.2	8
47	Egg Cannibalism and its Life History Consequences Vary with Life Stage, Sex, and Reproductive Status in <i>< i>Hippodamia convergens</i> (Coleoptera: Coccinellidae). <i>Journal of Economic Entomology</i> , 2015, 108, 1665-1674.	1.8	26
48	Sexual selection drives the evolution of limb regeneration in <i>< i>Harmonia axyridis</i> (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50.29		
49	Nonâ€target effects of two sunflower seed treatments on <i>< i>Orius insidiosus</i> (Hemiptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 3.4		
50	Recruitment of aphidophagous arthropods to sorghum plants infested with <i>Melanaphis sacchari</i> and <i>Schizaphis graminum</i> (Hemiptera: Aphididae). <i>Biological Control</i> , 2015, 90, 16-24.	3.0	49
51	Polyandry and Male Mating History Affect the Reproductive Performance of <i>Eriopis connexa</i> (Coleoptera: Coccinellidae). <i>Annals of the Entomological Society of America</i> , 2015, 108, 736-742.	2.5	20
52	Parasitoid learning: Current knowledge and implications for biological control. <i>Biological Control</i> , 2015, 90, 208-219.	3.0	105
53	Sublethal effects of insecticide seed treatments on two Nearctic lady beetles (Coleoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 2.4		
54	Cannibalism in Two Subtropical Lady Beetles (Coleoptera: Coccinellidae) as a Function of Density, Life Stage, and Food Supply. <i>Journal of Insect Behavior</i> , 2015, 28, 387-402.	0.7	25

#	ARTICLE	IF	CITATIONS
55	Sugarcane Stem Borers of the Colombian Cauca River Valley: Current Pest Status, Biology, and Control. <i>Florida Entomologist</i> , 2015, 98, 728-735.	0.5	44
56	Reproductive performance of <i>Propylea japonica</i> (Coleoptera: Coccinellidae) under various light intensities, wavelengths and photoperiods. <i>European Journal of Entomology</i> , 2014, 111, 341-347.	1.2	12
57	Host Plant Mediates Foraging Behavior and Mutual Interference Among Adult <i>< i>Stethorus gilvifrons</i> (Coleoptera: Coccinellidae) Preying on <i>< i>Tetranychus urticae</i> (Acari: Tetranychidae). <i>Environmental Entomology</i> , 2014, 43, 1309-1318.	1.4	12
58	Body size affects host defensive behavior and progeny fitness in a parasitoid wasp, <i>< i>Lysiphlebus fabarum</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2014, 150, 259-268.	1.4	20
59	Paternal effects correlate with female reproductive stimulation in the polyandrous ladybird <i>< i>Cheilomenes sexmaculata</i> . <i>Bulletin of Entomological Research</i> , 2014, 104, 480-485.	1.0	20
60	Comparative suitability of aphids, thrips and mites as prey for the flower bug <i>Orius sauteri</i> (Hemiptera) <i>Tj ETQq0 0.0rgBT /Overlock 10</i>	1.2	26
61	Female fertility in <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae) is maximized by polyandry, but reduced by continued male presence. <i>European Journal of Entomology</i> , 2014, 111, 513-520.	1.2	12
62	Multiparasitism of stink bug eggs: competitive interactions between <i>Ooencyrtus pityocampae</i> and <i>Trissolcus agriope</i> . <i>BioControl</i> , 2014, 59, 279-286.	2.0	22
63	Age-specific maternal effects interact with larval food supply to modulate life history in <i>< i>Coleomegilla maculata</i> . <i>Ecological Entomology</i> , 2014, 39, 39-46.	2.2	12
64	Biology of <i>< i>Lysiphlebus fabarum</i> following cold storage of larvae and pupae. <i>Entomologia Experimentalis Et Applicata</i> , 2014, 153, 10-19.	1.4	14
65	Sublethal effects of chlorantraniliprole and thiamethoxam seed treatments when <i>Lysiphlebus testaceipes</i> feed on sunflower extrafloral nectar. <i>BioControl</i> , 2014, 59, 503-511.	2.0	30
66	Non-target effects of chlorantraniliprole and thiamethoxam on <i>Chrysoperla carnea</i> when employed as sunflower seed treatments. <i>Journal of Pest Science</i> , 2014, 87, 711-719.	3.7	64
67	Cryptic maternal effects in <i>< i>Hippodamia convergens</i> vary with maternal age and body size. <i>Entomologia Experimentalis Et Applicata</i> , 2013, 146, 302-311.	1.4	24
68	Melanism in a Chinese Population of <i>Harmonia axyridis</i> (Coleoptera: Coccinellidae): A Criterion for Male Investment with Pleiotropic Effects on Behavior and Fertility. <i>Journal of Insect Behavior</i> , 2013, 26, 679-689.	0.7	14
69	Light intensity and wavelength influence development, reproduction and locomotor activity in the predatory flower bug <i>Orius sauteri</i> (Poppius) (Hemiptera: Anthocoridae). <i>BioControl</i> , 2013, 58, 667-674.	2.0	32
70	Trajectories of Reproductive Effort in <i>< i>Coleomegilla maculata</i> and <i>< i>Hippodamia convergens</i> (Coleoptera: Coccinellidae) Respond to Variation in Both Income and Capital. <i>Environmental Entomology</i> , 2013, 42, 341-353.	1.4	16
71	Sexual activity diminishes male virility in two <i>< i>Coccinella</i> species: consequences for female fertility and progeny development. <i>Bulletin of Entomological Research</i> , 2013, 103, 570-577.	1.0	37
72	Morphometric indicators for quality assessment in the aphid parasitoid, <i>Lysiphlebus fabarum</i> (Braconidae: Aphidiinae). <i>European Journal of Entomology</i> , 2013, 110, 519-525.	1.2	19

#	ARTICLE	IF	CITATIONS
73	Seasonal cues mediate host behaviour modification and cocoon polymorphism in <i>Microplitis mediator</i> (Hymenoptera: Braconidae). European Journal of Entomology, 2013, 110, 271-276.	1.2	1
74	Maternal effects shape dynamic trajectories of reproductive allocation in the ladybird <i>Coleomegilla maculata</i> . Bulletin of Entomological Research, 2012, 102, 558-565.	1.0	20
75	Intraguild Predation between Lady Beetles and Lacewings: Outcomes and Consequences Vary with Focal Prey and Arena of Interaction. Annals of the Entomological Society of America, 2012, 105, 562-571.	2.5	18
76	Larval Food Supply Constrains Female Reproductive Schedules in <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae). Annals of the Entomological Society of America, 2012, 105, 832-839.	2.5	23
77	Parasitism interacts with mutual interference to limit foraging efficiency in larvae of <i>Nephus includens</i> (Coleoptera: Coccinellidae). Biological Control, 2012, 62, 120-126.	3.0	22
78	Does <i>Tribolium brevicornis</i> Cuticular Chemistry Deter Cannibalism and Predation of Pupae?. Journal of Insect Science, 2011, 11, 1-11.	1.5	5
79	Toxicity of Three Insecticides to <i>Lysiphlebus fabarum</i> , a Parasitoid of the Black Bean Aphid, <i>Aphis fabae</i> . Journal of Insect Science, 2011, 11, 1-8.	1.5	9
80	Variation in cold hardiness among geographic populations of the ragweed beetle, <i>Ophraella communa</i> LeSage (Coleoptera: Chrysomelidae), a biological control agent of <i>Ambrosia artemisiifolia</i> L. (Asterales: Asteraceae), in China. Biological Invasions, 2011, 13, 659-667.	2.4	26
81	The aggregation behavior of <i>Harmonia axyridis</i> in its native range in Northeast China. BioControl, 2011, 56, 193-206.	2.0	36
82	The Foraging Behavior of <i>Lysiphlebus fabarum</i> (Marshall), a Thelytokous Parasitoid of the Black Bean Aphid in Iran. Journal of Insect Behavior, 2010, 23, 165-179.	0.7	22
83	Relative toxicity of three wheat herbicides to two species of Coccinellidae. Insect Science, 2010, 17, 434-438.	3.0	12
84	Ant Mimicry by an Aphid Parasitoid, <i>Lysiphlebus fabarum</i> . Journal of Insect Science, 2010, 10, 1-14.	1.5	28
85	Variation in Fitness of the Longhorned Beetle, <i>Dectes texanus</i> , as a Function of Host Plant. Journal of Insect Science, 2010, 10, 1-14.	1.5	5
86	Implications of Climate Change for Cereal Aphids on the Great Plains of North America. , 2010, , 69-89.		12
87	Plant Spacing and Weed Control Affect Sunflower Stalk Insects and the Girdling Behavior of <math>\Delta</math> <i>Dectes texanus</i> (Coleoptera: Cerambycidae). Journal of Economic Entomology, 2009, 102, 1044-1053.	1.8	7
88	The nature of resistance to <i>Dectes texanus</i> (Col., Cerambycidae) in wild sunflower, <i>Helianthus annuus</i> . Journal of Applied Entomology, 2009, 133, 518-523.	1.8	19
89	Seasonal cycles of assortative mating and reproductive behaviour in polymorphic populations of <i>Harmonia axyridis</i> in China. Ecological Entomology, 2009, 34, 483-494.	2.2	61
90	Dietary complementation across life stages in the polyphagous lady beetle <i>Coleomegilla maculata</i> . Entomologia Experimentalis Et Applicata, 2008, 126, 40-45.	1.4	23

#	ARTICLE	IF	CITATIONS
91	A comparative study of cannibalism and predation in seven species of flour beetle. <i>Ecological Entomology</i> , 2008, 33, 716-726.	2.2	37
92	Why is <i>Coccinella septempunctata</i> so successful? (A point-of-view). <i>European Journal of Entomology</i> , 2008, 105, 1-12.	1.2	116
93	Chemical cues mediating aphid location by natural enemies. <i>European Journal of Entomology</i> , 2008, 105, 797-806.	1.2	107
94	Impact of the Stem Borer, <i>Dectes texanus</i> , on Yield of the Cultivated Sunflower, <i>Helianthus annuus</i> . <i>Journal of Insect Science</i> , 2007, 7, 1-14.	1.5	14
95	Sunflowers as a trap crop for reducing soybean losses to the stalk borer <i>Dectes texanus</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 3.4 39	1.2	59
96	Plant population and weeds influence stalk insects, soil moisture, and yield in rainfed sunflowers. <i>Insect Science</i> , 2007, 14, 425-435.	3.0	5
97	Repellency of conspecific and heterospecific larval residues to <i>Hippodamia convergens</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 1.2 39	1.2	59
98	Reproductive diapause in <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae) and its life history consequences. <i>Biological Control</i> , 2006, 39, 193-200.	3.0	65
99	Virulence of Two Russian Wheat Aphid Biotypes to Eight Wheat Cultivars at Two Temperatures. <i>Crop Science</i> , 2006, 46, 774-780.	1.8	24
100	Resistance to Biotype 2 Russian Wheat Aphid (Homoptera: Aphididae) in Two Wheat Lines. <i>Journal of Economic Entomology</i> , 2006, 99, 544-550.	1.8	11
101	Positive Correlation of Fitness with Group Size in Two Biotypes of Russian Wheat Aphid (Homoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 1.8 39	1.8	54
102	Positive Correlation of Fitness with Group Size in Two Biotypes of Russian Wheat Aphid (Homoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1.8 9	1.8	5
103	Interactions among three species of cereal aphids simultaneously infesting wheat. <i>Journal of Insect Science</i> , 2005, 5, 13.	1.5	22
104	Differential colonization of wheat cultivars by two biotypes of Russian wheat aphid (Homoptera: Tj ETQq0 0 0 rgBT /Overlock 3.0 9	3.0	2
105	The biology and behavior of the longhorned beetle, <i>Dectes texanus</i> on sunflower and soybean. <i>Journal of Insect Science</i> , 2005, 5, 25.	1.5	19
106	Exotic Pests and Diseasesâ€”Biology and Economics for Biosecurity. <i>Journal of Environmental Quality</i> , 2005, 34, 730-a.	2.0	0
107	Comparative Biology of a Novel Strain of Russian Wheat Aphid (Homoptera: Aphididae) on Three Wheat Cultivars. <i>Journal of Economic Entomology</i> , 2005, 98, 1032-1039.	1.8	21
108	Comparative Biology of Three Cereal Aphids on Tam 107 Wheat. <i>Environmental Entomology</i> , 2005, 34, 27-36.	1.4	22

#	ARTICLE	IF	CITATIONS
109	Suitability of pollen sources for the development and reproduction of <i>Coleomegilla maculata</i> (Coleoptera: Coccinellidae) under simulated drought conditions. <i>Biological Control</i> , 2005, 32, 363-370.	3.0	57
110	On the assessment of prey suitability in aphidophagous Coccinellidae. <i>European Journal of Entomology</i> , 2005, 102, 385-390.	1.2	87
111	Induction of reproductive diapause in <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae) hinges on prey quality and availability. <i>European Journal of Entomology</i> , 2005, 102, 483-487.	1.2	51
112	Suitability of Asian citrus psyllid, <i>Diaphorina citri</i> , as prey for ladybeetles. <i>BioControl</i> , 2004, 49, 417-431.	2.0	53
113	Adaptive Significance of Sibling Egg Cannibalism in Coccinellidae: Comparative Evidence from Three Species. <i>Annals of the Entomological Society of America</i> , 2004, 97, 710-719.	2.5	67
114	Sub-lethal effects of a copper sulfate fungicide on development and reproduction in three coccinellid species.. <i>Journal of Insect Science</i> , 2003, 3, 1-6.	0.9	7
115	A comparative study of larval cannibalism in three species of ladybird. <i>Ecological Entomology</i> , 2003, 28, 92-101.	2.2	83
116	Intraguild predation among ladybeetles and a green lacewing: do the larval spines of <i>Curinus coeruleus</i> (Coleoptera: Coccinellidae) serve a defensive function?. <i>Bulletin of Entomological Research</i> , 2003, 93, 499-505.	1.0	44
117	IPM-compatibility of foliar insecticides for citrus: Indices derived from toxicity to beneficial insects from four orders. <i>Journal of Insect Science</i> , 2003, 3, 18.	1.5	38
118	Sub-lethal effects of a copper sulfate fungicide on development and reproduction in three coccinellid species. <i>Journal of Insect Science</i> , 2003, 3, 16.	1.5	21
119	Toxicity of fruit fly baits to beneficial insects in citrus. <i>Journal of Insect Science</i> , 2003, 3, 8.	1.5	21
120	Classical Biological Control: A Critical Review of Recent Programs Against Citrus Pests in Florida. <i>Annals of the Entomological Society of America</i> , 2002, 95, 531-540.	2.5	47
121	NON-TARGET IMPACTS OF ACARICIDES ON LADYBEETLES IN CITRUS: A LABORATORY STUDY. <i>Florida Entomologist</i> , 2002, 85, 191-196.	0.5	20
122	Invasion of the Florida Citrus Ecosystem by< i>Harmonia axyridis</i>(Coleoptera: Coccinellidae) and Asymmetric Competition with a Native Species,< i>Cycloneda sanguinea</i>. <i>Environmental Entomology</i> , 2002, 31, 827-835.	1.4	215
123	Colony Density and Wing Development in< i>Toxoptera citricida</i>(Homoptera: Aphididae). <i>Environmental Entomology</i> , 2001, 30, 1047-1051.	1.4	15
124	Biology and Behavior of < i>Pseudodorus clavatus</i> (Diptera: Syrphidae), an Important Predator of Citrus Aphids. <i>Annals of the Entomological Society of America</i> , 2001, 94, 91-96.	2.5	35
125	Evaluation of green lacewings, <i>Chrysoperla plorabunda</i> (Fitch) (Neurop., Chrysopidae), for augmentative release against <i>Toxoptera citricida</i> (Hom., Aphididae) in citrus. <i>Journal of Applied Entomology</i> , 2001, 125, 383-388.	1.8	28
126	Comparative residual toxicities of pesticides to the predator <i>Agistemus industani</i> (Acari: Stigmaeidae) on citrus in Florida. <i>Experimental and Applied Acarology</i> , 2001, 25, 461-474.	1.6	29

#	ARTICLE	IF	CITATIONS
127	Responses of two ladybeetles to eight fungicides used in Florida citrus: implications for biological control. <i>Journal of Insect Science</i> , 2001, 1, 6.	1.5	5
128	Consequences of foundress aggregation in the brown citrus aphid <i>Toxoptera citricida</i> . <i>Ecological Entomology</i> , 2000, 25, 307-314.	2.2	16
129	Development and Reproduction of Ladybeetles (Coleoptera: Coccinellidae) on the Citrus Aphids <i>Aphis spiraecola</i> Patch and <i>Toxoptera citricida</i> (Kirkaldy) (Homoptera: Aphididae). <i>Biological Control</i> , 2000, 18, 287-297.	3.0	96
130	Sources of mortality in colonies of brown citrus aphid, <i>Toxoptera citricida</i> . <i>BioControl</i> , 1999, 44, 347-367.	2.0	56
131	Seasonal Abundance of the Brown Citrus Aphid, <i>Toxoptera citricida</i> , (Homoptera: Aphididae) and Its Natural Enemies in Puerto Rico. <i>Florida Entomologist</i> , 1999, 82, 424.	0.5	52
132	The oviposition behavior of <i>Aphidius ervi</i> and <i>Monoctonus paulensis</i> (Hymenoptera: Aphidiidae) encountering different host species (Homoptera: Aphidiidae) in sequential patches. <i>Journal of Insect Behavior</i> , 1996, 9, 683-694.	0.7	12
133	Differences in foraging behaviour between virgin and mated aphid parasitoids (Hymenoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10T	1.0	33
134	The Capacity for Limb Regeneration During Metamorphosis is Broadly Conserved in the Coccinellidae. <i>Annals of the Entomological Society of America</i> , 0, ,.	2.5	1
135	Sublethal concentrations of spinosad synergize the pathogenicity of fungi to larvae of <i>Ephestia kuehniella</i> (Lepidoptera: Pyralidae). <i>European Journal of Entomology</i> , 0, 118, 142-147.	1.2	0
136	A new species of <i>Erythraeus</i> (<i>Erythraeus</i>) (Acari: Prostigmata: Erythraeidae) from central Kansas. <i>Acarologica</i> , 0, 55, 41-48.	0.6	6
137	Inoculation of cucumber plants with <i>Beauveria bassiana</i> enhances resistance to <i>Aphis gossypii</i> (Hemiptera: Aphidiidae) and increases aphid susceptibility to pirimicarb. <i>European Journal of Entomology</i> , 0, 119, 1-11.	1.2	6