Kelsey R Thomas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9229663/publications.pdf

Version: 2024-02-01

57 1,519 23 35 papers citations h-index g-index

58 58 58 2088
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Objective subtle cognitive difficulties predict future amyloid accumulation and neurodegeneration. Neurology, 2020, 94, e397-e406.	1.1	93
2	Early versus late MCI: Improved MCI staging using a neuropsychological approach. Alzheimer's and Dementia, 2019, 15, 699-708.	0.8	84
3	Reduced Regional Cerebral Blood Flow Relates to Poorer Cognition in Older Adults With Type 2 Diabetes. Frontiers in Aging Neuroscience, 2018, 10, 270.	3.4	83
4	CogSMART Compensatory Cognitive Training for Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2015, 30, 391-401.	1.7	81
5	SMART-CPT for veterans with comorbid post-traumatic stress disorder and history of traumatic brain injury: a randomised controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 333-341.	1.9	76
6	Hypoxia Inducible Factor- $1\hat{l}$ ± (HIF- $1\hat{l}$ ±) Is Required for Neural Stem Cell Maintenance and Vascular Stability in the Adult Mouse SVZ. Journal of Neuroscience, 2014, 34, 16713-16719.	3 . 6	68
7	Using Neuropsychological Process Scores to Identify Subtle Cognitive Decline and Predict Progression to Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2018, 64, 195-204.	2.6	67
8	Increasing Inaccuracy of Self-Reported Subjective Cognitive Complaints Over 24 Months in Empirically Derived Subtypes of Mild Cognitive Impairment. Journal of the International Neuropsychological Society, 2018, 24, 842-853.	1.8	58
9	Word-list intrusion errors predict progression to mild cognitive impairment Neuropsychology, 2018, 32, 235-245.	1.3	53
10	Compensatory cognitive training for people with severe mental illnesses in supported employment: A randomized controlled trial. Schizophrenia Research, 2019, 203, 41-48.	2.0	50
11	Cerebral Blood Flow and Amyloid- \hat{l}^2 Interact to Affect Memory Performance in Cognitively Normal Older Adults. Frontiers in Aging Neuroscience, 2017, 9, 181.	3.4	47
12	Cognitive dispersion is a sensitive marker for early neurodegenerative changes and functional decline in nondemented older adults Neuropsychology, 2019, 33, 599-608.	1.3	45
13	Worse baseline executive functioning is associated with dropout and poorer response to trauma-focused treatment for veterans with PTSD and comorbid traumatic brain injury. Behaviour Research and Therapy, 2018, 108, 68-77.	3.1	37
14	MClâ€toâ€normal reversion using neuropsychological criteria in the Alzheimer's Disease Neuroimaging Initiative. Alzheimer's and Dementia, 2019, 15, 1322-1332.	0.8	37
15	Self-perceived Difficulties in Everyday Function Precede Cognitive Decline among Older Adults in the ACTIVE Study. Journal of the International Neuropsychological Society, 2018, 24, 104-112.	1.8	35
16	Regional hyperperfusion in older adults with objectively-defined subtle cognitive decline. Journal of Cerebral Blood Flow and Metabolism, 2021, 41, 1001-1012.	4.3	35
17	Association of anticholinergic medications and AD biomarkers with incidence of MCI among cognitively normal older adults. Neurology, 2020, 95, e2295-e2304.	1.1	32
18	Pattern of regional white matter hyperintensity volume in mild cognitive impairment subtypes and associations with decline in daily functioning. Neurobiology of Aging, 2020, 86, 134-142.	3.1	30

#	Article	IF	CITATIONS
19	Computer and Videogame Interventions for Older Adults' Cognitive and Everyday Functioning. Games for Health Journal, 2019, 8, 129-143.	2.0	29
20	Patterns of longitudinal cortical atrophy over 3 years in empirically derived MCI subtypes. Neurology, 2020, 94, e2532-e2544.	1.1	29
21	Longitudinal Trajectories of Informant-Reported Daily Functioning in Empirically Defined Subtypes of Mild Cognitive Impairment. Journal of the International Neuropsychological Society, 2017, 23, 521-527.	1.8	26
22	Neuropsychological Criteria for Mild Cognitive Impairment in the Framingham Heart Study's Old-Old. Dementia and Geriatric Cognitive Disorders, 2018, 46, 253-265.	1.5	25
23	Artificially low mild cognitive impairment to normal reversion rate in the Alzheimer's Disease Neuroimaging Initiative. Alzheimer's and Dementia, 2019, 15, 561-569.	0.8	25
24	Type 2 Diabetes Interacts With Alzheimer Disease Risk Factors to Predict Functional Decline. Alzheimer Disease and Associated Disorders, 2020, 34, 10-17.	1.3	25
25	Prediabetes Is Associated With Brain Hypometabolism and Cognitive Decline in a Sex-Dependent Manner: A Longitudinal Study of Nondemented Older Adults. Frontiers in Neurology, 2021, 12, 551975.	2.4	22
26	Elevated plasma neurofilament light predicts a faster rate of cognitive decline over 5 years in participants with objectivelyâ€defined subtle cognitive decline and MCI. Alzheimer's and Dementia, 2021, 17, 1756-1762.	0.8	22
27	Race-Related Disparities in 5-Year Cognitive Level and Change in Untrained Active Participants. Journal of Aging and Health, 2013, 25, 103S-127S.	1.7	21
28	Verbal prompting to improve everyday cognition in MCI and unimpaired older adults Neuropsychology, 2014, 28, 123-134.	1.3	20
29	Age as a moderator of change following compensatory cognitive training in individuals with severe mental illnesses Psychiatric Rehabilitation Journal, 2017, 40, 70-78.	1.1	20
30	Incident Instrumental Activities of Daily Living Difficulty in Older Adults: Which Comes First? Findings From the Advanced Cognitive Training for Independent and Vital Elderly Study. Frontiers in Neurology, 2020, 11, 550577.	2.4	20
31	Older Adults' Engagement During an Intervention Involving Off-the-Shelf Videogame. Games for Health Journal, 2016, 5, 151-156.	2.0	17
32	Identification of Mild Cognitive Impairment in ACTIVE: Algorithmic Classification and Stability. Journal of the International Neuropsychological Society, 2013, 19, 73-87.	1.8	15
33	Entorhinal Perfusion Predicts Future Memory Decline, Neurodegeneration, and White Matter Hyperintensity Progression in Older Adults. Journal of Alzheimer's Disease, 2021, 81, 1711-1725.	2.6	15
34	Psychological Symptoms and Rates of Performance Validity Improve Following Trauma-Focused Treatment in Veterans with PTSD and History of Mild-to-Moderate TBI. Journal of the International Neuropsychological Society, 2020, 26, 108-118.	1.8	14
35	Application of neuropsychological criteria to classify mild cognitive impairment in the active study Neuropsychology, 2020, 34, 862-873.	1.3	14
36	Age and Improved Attention Predict Work Attainment in Combined Compensatory Cognitive Training and Supported Employment for People With Severe Mental Illness. Journal of Nervous and Mental Disease, 2016, 204, 869-872.	1.0	12

3

#	Article	IF	Citations
37	Data-Driven vs Consensus Diagnosis of MCI. Neurology, 2021, 97, e1288-e1299.	1.1	12
38	Regional Hypoperfusion Predicts Decline in Everyday Functioning at Three-Year Follow-Up in Older Adults without Dementia. Journal of Alzheimer's Disease, 2020, 77, 1291-1304.	2.6	11
39	Objective subtle cognitive decline and plasma phosphorylated tau181: Early markers of Alzheimer's diseaseâ€related declines. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12238.	2.4	11
40	Evidence for the Utility of Actuarial Neuropsychological Criteria Across the Continuum of Normal Aging, Mild Cognitive Impairment, and Dementia. Journal of Alzheimer's Disease, 2020, 78, 371-386.	2.6	10
41	Beyond PD-MCI: objectively defined subtle cognitive decline predicts future cognitive and functional changes. Journal of Neurology, 2021, 268, 337-345.	3.6	10
42	The ACTIVE conceptual framework as a structural equation model. Experimental Aging Research, 2018, 44, 1-17.	1.2	9
43	Baseline sleep quality moderates symptom improvement in veterans with comorbid PTSD and TBI receiving trauma-focused treatment. Behaviour Research and Therapy, 2021, 143, 103892.	3.1	9
44	Adding cognition to AT(N) models improves prediction of cognitive and functional decline. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12174.	2.4	8
45	Diagnostic accuracy and differential associations between ratings of functioning and neuropsychological performance in non-Hispanic Black and White older adults. Clinical Neuropsychologist, 2022, 36, 287-310.	2.3	8
46	Mild traumatic brain injury characteristics do not negatively influence cognitive processing therapy attendance or outcomes. Journal of Psychiatric Research, 2019, 116, 7-13.	3.1	7
47	Elevated Inflammatory Markers and Arterial Stiffening Exacerbate Tau but Not Amyloid Pathology in Older Adults with Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2021, 80, 1451-1463.	2.6	7
48	Arterial Stiffening Moderates the Relationship Between Type-2 Diabetes Mellitus and White Matter Hyperintensity Burden in Older Adults With Mild Cognitive Impairment. Frontiers in Aging Neuroscience, 2021, 13, 716638.	3.4	7
49	Differential Effect of APOE É>4 Status and Elevated Pulse Pressure on Functional Decline in Cognitively Normal Older Adults. Journal of Alzheimer's Disease, 2018, 62, 1567-1578.	2.6	6
50	Discrepancy-Based Evidence for Loss of Thinking Abilities (DELTA): Development and Validation of a Novel Approach to Identifying Cognitive Changes. Journal of the International Neuropsychological Society, 2020, 26, 464-479.	1.8	5
51	Do Associations Between Vascular Risk and Mild Cognitive Impairment Vary by Race?. Journal of Aging and Health, 2023, 35, 74S-83S.	1.7	5
52	Intrusion errors moderate the relationship between blood glucose and regional cerebral blood flow in cognitively unimpaired older adults. Brain Imaging and Behavior, 2022, 16, 219-227.	2.1	5
53	Age trajectories of everyday cognition in African American and White older adults under prompted and unprompted conditions. Neuropsychological Rehabilitation, 2017, 27, 522-539.	1.6	3
54	Practice Effects in Mild Cognitive Impairment Increase Reversion Rates and Delay Detection of New Impairments. Frontiers in Aging Neuroscience, 2022, 14, 847315.	3.4	3

#	Article	IF	CITATIONS
55	Post-exercise pulse pressure is a better predictor of executive function than pre-exercise pulse pressure in cognitively normal older adults. Aging, Neuropsychology, and Cognition, 2016, 23, 464-476.	1.3	O
56	ACTUARIAL CRITERIA FOR MCI DIAGNOSIS IN ACTIVE: IMPLICATIONS OF ADJUSTMENT FOR RACE. Innovation in Aging, 2019, 3, S432-S432.	0.1	0
57	Advanced Cognitive Training for Independent and Vital Elderly (ACTIVE). , 2021, , 84-89.		O