

Waasila Jassat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9230392/publications.pdf>

Version: 2024-02-01

9
papers

1,575
citations

1307594

7
h-index

1588992

8
g-index

22
all docs

22
docs citations

22
times ranked

2019
citing authors

#	ARTICLE	IF	CITATIONS
1	Early assessment of the clinical severity of the SARS-CoV-2 omicron variant in South Africa: a data linkage study. Lancet, The, 2022, 399, 437-446.	13.7	818
2	The intersecting pandemics of tuberculosis and COVID-19: population-level and patient-level impact, clinical presentation, and corrective interventions. Lancet Respiratory Medicine,the, 2022, 10, 603-622.	10.7	99
3	Seroprevalence of Severe Acute Respiratory Syndrome Coronavirus 2 After the Second Wave in South Africa in Human Immunodeficiency Virusâ€“Infected and Uninfected Persons: A Cross-Sectional Household Survey. Clinical Infectious Diseases, 2022, 75, e57-e68.	5.8	11
4	Assessing the clinical severity of the Omicron variant in the Western Cape Province, South Africa, using the diagnostic PCR proxy marker of RdRp target delay to distinguish between Omicron and Delta infections â€” a survival analysis. International Journal of Infectious Diseases, 2022, 118, 150-154.	3.3	22
5	Estimating disease severity of Omicron and Delta SARS-CoV-2 infections. Nature Reviews Immunology, 2022, 22, 267-269.	22.7	138
6	Difference in mortality among individuals admitted to hospital with COVID-19 during the first and second waves in South Africa: a cohort study. The Lancet Global Health, 2021, 9, e1216-e1225.	6.3	131
7	Risk factors for COVID-19-related in-hospital mortality in a high HIV and tuberculosis prevalence setting in South Africa: a cohort study. Lancet HIV,the, 2021, 8, e554-e567.	4.7	105
8	SARS-CoV-2 Seroprevalence in a Rural and Urban Household Cohort during First and Second Waves of Infections, South Africa, July 2020â€“March 2021. Emerging Infectious Diseases, 2021, 27, 3020-3029.	4.3	78
9	The Importation and Establishment of Community Transmission of SARS-CoV-2 During the First Eight Weeks of the South African COVID-19 Epidemic. SSRN Electronic Journal, 0, , .	0.4	4