

Hugh H Reid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/923283/publications.pdf>

Version: 2024-02-01

53
papers

4,528
citations

126907

33
h-index

189892

50
g-index

53
all docs

53
docs citations

53
times ranked

6499
citing authors

#	ARTICLE	IF	CITATIONS
1	Granulocyte Macrophage Colony-Stimulating Factor. <i>Journal of Experimental Medicine</i> , 2001, 194, 873-882.	8.5	390
2	A molecular basis for the association of the <i>HLA-DRB1</i> locus, citrullination, and rheumatoid arthritis. <i>Journal of Experimental Medicine</i> , 2013, 210, 2569-2582.	8.5	354
3	Structural basis of a unique interferon- β signaling axis mediated via the receptor IFNAR1. <i>Nature Immunology</i> , 2013, 14, 901-907.	14.5	255
4	A T cell receptor flattens a bulged antigenic peptide presented by a major histocompatibility complex class I molecule. <i>Nature Immunology</i> , 2007, 8, 268-276.	14.5	206
5	CD94-NKG2A recognition of human leukocyte antigen (HLA)-E bound to an HLA class I leader sequence. <i>Journal of Experimental Medicine</i> , 2008, 205, 725-735.	8.5	198
6	Differential Recognition of CD1d- α -Galactosyl Ceramide by the V β 28.2 and V β 27 Semi-invariant NKT T Cell Receptors. <i>Immunity</i> , 2009, 31, 47-59.	14.3	198
7	The CDR3 regions of an immunodominant T cell receptor dictate the 'energetic landscape' of peptide-MHC recognition. <i>Nature Immunology</i> , 2005, 6, 171-180.	14.5	187
8	Dominant protection from HLA-linked autoimmunity by antigen-specific regulatory T cells. <i>Nature</i> , 2017, 545, 243-247.	27.8	181
9	T-cell receptor recognition of HLA-DQ2 α -gliadin complexes associated with celiac disease. <i>Nature Structural and Molecular Biology</i> , 2014, 21, 480-488.	8.2	177
10	Killer cell immunoglobulin-like receptor 3DL1-mediated recognition of human leukocyte antigen B. <i>Nature</i> , 2011, 479, 401-405.	27.8	174
11	A Structural and Immunological Basis for the Role of Human Leukocyte Antigen DQ8 in Celiac Disease. <i>Immunity</i> , 2007, 27, 23-34.	14.3	157
12	Chronic Inflammation Permanently Reshapes Tissue-Resident Immunity in Celiac Disease. <i>Cell</i> , 2019, 176, 967-981.e19.	28.9	126
13	The crystal structure of myelin oligodendrocyte glycoprotein, a key autoantigen in multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 11059-11064.	7.1	121
14	Biased T Cell Receptor Usage Directed against Human Leukocyte Antigen DQ8-Restricted Gliadin Peptides Is Associated with Celiac Disease. <i>Immunity</i> , 2012, 37, 611-621.	14.3	121
15	T cell receptor reversed polarity recognition of a self-antigen major histocompatibility complex. <i>Nature Immunology</i> , 2015, 16, 1153-1161.	14.5	115
16	Structural basis for a major histocompatibility complex class Ib α -restricted T cell response. <i>Nature Immunology</i> , 2006, 7, 256-264.	14.5	109
17	A structural basis for selection and cross-species reactivity of the semi-invariant NKT cell receptor in CD1d/glycolipid recognition. <i>Journal of Experimental Medicine</i> , 2006, 203, 661-673.	8.5	105
18	A class of β γ T cell receptors recognize the underside of the antigen-presenting molecule MR1. <i>Science</i> , 2019, 366, 1522-1527.	12.6	98

#	ARTICLE	IF	CITATIONS
19	T cell receptor cross-reactivity between gliadin and bacterial peptides in celiac disease. <i>Nature Structural and Molecular Biology</i> , 2020, 27, 49-61.	8.2	91
20	Subtle Changes in Peptide Conformation Profoundly Affect Recognition of the Non-Classical MHC Class I Molecule HLA-E by the CD94- α -NKG2 Natural Killer Cell Receptors. <i>Journal of Molecular Biology</i> , 2008, 377, 1297-1303.	4.2	88
21	The Heterodimeric Assembly of the CD94-NKG2 Receptor Family and Implications for Human Leukocyte Antigen-E Recognition. <i>Immunity</i> , 2007, 27, 900-911.	14.3	87
22	Bimolecular Interaction of Insulin-Like Growth Factor (IGF) Binding Protein-2 with β 2 Negatively Modulates IGF-I-Mediated Migration and Tumor Growth 1. <i>Cancer Research</i> , 2004, 64, 977-984.	0.9	83
23	A BAFF antagonist suppresses experimental autoimmune encephalomyelitis by targeting cell-mediated and humoral immune responses. <i>International Immunology</i> , 2006, 18, 1473-1485.	4.0	79
24	The interplay between citrullination and HLA-DRB1 polymorphism in shaping peptide binding hierarchies in rheumatoid arthritis. <i>Journal of Biological Chemistry</i> , 2018, 293, 3236-3251.	3.4	73
25	Phosphorylated self-peptides alter human leukocyte antigen class I-restricted antigen presentation and generate tumor-specific epitopes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 2776-2781.	7.1	69
26	Circulating gluten-specific FOXP3 + CD39 + regulatory T cells have impaired suppressive function in patients with celiac disease. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1592-1603.e8.	2.9	63
27	CD4 ⁺ T cell-mediated HLA class II cross-restriction in HIV controllers. <i>Science Immunology</i> , 2018, 3, .	11.9	54
28	PD-L1 and calcitriol-dependent liposomal antigen-specific regulation of systemic inflammatory autoimmune disease. <i>JCI Insight</i> , 2019, 4, .	5.0	51
29	Determinants of Gliadin-Specific T Cell Selection in Celiac Disease. <i>Journal of Immunology</i> , 2015, 194, 6112-6122.	0.8	50
30	Diverse T Cell Receptor Gene Usage in HLA-DQ8-Associated Celiac Disease Converges into a Consensus Binding Solution. <i>Structure</i> , 2016, 24, 1643-1657.	3.3	49
31	A molecular basis for the T cell response in HLA-DQ2.2 mediated celiac disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3063-3073.	7.1	47
32	A plasmid-encoded peptide from <i>Staphylococcus aureus</i> induces anti-myeloperoxidase nephritogenic autoimmunity. <i>Nature Communications</i> , 2019, 10, 3392.	12.8	40
33	The Structure of the Atypical Killer Cell Immunoglobulin-like Receptor, KIR2DL4. <i>Journal of Biological Chemistry</i> , 2015, 290, 10460-10471.	3.4	38
34	Discriminative T-cell receptor recognition of highly homologous HLA-DQ2-bound gluten epitopes. <i>Journal of Biological Chemistry</i> , 2019, 294, 941-952.	3.4	38
35	Molecular basis for increased susceptibility of Indigenous North Americans to seropositive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1915-1923.	0.9	36
36	The myelin oligodendrocyte glycoprotein directly binds nerve growth factor to modulate central axon circuitry. <i>Journal of Cell Biology</i> , 2015, 210, 891-898.	5.2	33

#	ARTICLE	IF	CITATIONS
37	The magnitude and encephalogenic potential of autoimmune response to MOG is enhanced in MOG deficient mice. <i>Journal of Autoimmunity</i> , 2003, 21, 339-351.	6.5	26
38	T cell receptor recognition of hybrid insulin peptides bound to HLA-DQ8. <i>Nature Communications</i> , 2021, 12, 5110.	12.8	22
39	Baculovirus cDNA libraries for expression cloning of genes encoding cell-surface antigens. <i>Journal of Immunological Methods</i> , 1997, 203, 131-139.	1.4	16
40	The production and crystallization of the human leukocyte antigen class II molecules HLA-DQ2 and HLA-DQ8 complexed with deamidated gliadin peptides implicated in coeliac disease. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2007, 63, 1021-1025.	0.7	16
41	<i>Nfkb2</i> variants reveal a p100-degradation threshold that defines autoimmune susceptibility. <i>Journal of Experimental Medicine</i> , 2021, 218, .	8.5	16
42	Purification and biological characterization of soluble, recombinant mouse IFN γ expressed in insect cells. <i>Protein Expression and Purification</i> , 2014, 94, 7-14.	1.3	15
43	The shared susceptibility epitope of HLA-DR4 binds citrullinated self-antigens and the TCR. <i>Science Immunology</i> , 2021, 6, .	11.9	14
44	Identification of Self-antigen-specific T Cells Reflecting Loss of Tolerance in Autoimmune Disease Underpins Preventative Immunotherapeutic Strategies in Rheumatoid Arthritis. <i>Rheumatic Disease Clinics of North America</i> , 2014, 40, 735-752.	1.9	12
45	Flow Cytometric Clinical Immunomonitoring Using Peptide-MHC Class II Tetramers: Optimization of Methods and Protocol Development. <i>Frontiers in Immunology</i> , 2018, 9, 8.	4.8	11
46	A microfluidic-SERS platform for isolation and immuno-phenotyping of antigen specific T-cells. <i>Sensors and Actuators B: Chemical</i> , 2019, 284, 281-288.	7.8	10
47	CD24 on thymic APCs regulates negative selection of myelin antigen-specific T lymphocytes. <i>European Journal of Immunology</i> , 2012, 42, 924-935.	2.9	9
48	Structural basis of T cell receptor specificity and cross-reactivity of two HLA-DQ2.5-restricted gluten epitopes in celiac disease. <i>Journal of Biological Chemistry</i> , 2022, 298, 101619.	3.4	7
49	Structural bases of T cell antigen receptor recognition in celiac disease. <i>Current Opinion in Structural Biology</i> , 2022, 74, 102349.	5.7	6
50	Expression and purification of recombinant mouse CRISP4 using a baculovirus system. <i>Protein Expression and Purification</i> , 2020, 167, 105543.	1.3	4
51	Evaluation of a fit-for-purpose assay to monitor antigen-specific functional CD4+ T-cell subpopulations in rheumatoid arthritis using flow cytometry-based peptide-MHC class-II tetramer staining. <i>Clinical and Experimental Immunology</i> , 2022, 207, 72-83.	2.6	3
52	Inhibitory effect of anoxia on 125I-insulin binding by rat hepatocytes. <i>Diabetes Research and Clinical Practice</i> , 1986, 2, 15-22.	2.8	0
53	Reply to Roudier et al.: HLA-DRB1 polymorphism, anti-citrullinated protein antibodies, and rheumatoid arthritis. <i>Journal of Biological Chemistry</i> , 2018, 293, 7039.	3.4	0