

# Felix Urpä-

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9235312/publications.pdf>

Version: 2024-02-01

113  
papers

3,483  
citations

172457

29  
h-index

161849

54  
g-index

153  
all docs

153  
docs citations

153  
times ranked

2421  
citing authors

#	ARTICLE	IF	CITATIONS
1	Direct and Asymmetric Aldol Reactions of <i>N</i> -Azidoacetyl-3-thiazolidine-2-thione Catalyzed by Chiral Nickel(II) Complexes. A New Approach to the Synthesis of $\beta$ -Hydroxy- $\alpha$ -Amino Acids. Chemistry - A European Journal, 2022, 28, .	3.3	7
2	Direct and Enantioselective Aldol Reactions Catalyzed by Chiral Nickel(II) Complexes. Angewandte Chemie - International Edition, 2021, 60, 15307-15312.	13.8	17
3	Direct and Enantioselective Aldol Reactions Catalyzed by Chiral Nickel(II) Complexes. Angewandte Chemie, 2021, 133, 15435-15440.	2.0	8
4	Stereoselective Alkylation of Chiral Titanium(IV) Enolates with <i>tert</i> -Butyl Peresters. Organic Letters, 2021, 23, 8852-8856.	4.6	2
5	Stereoselective Decarboxylative Alkylation of Titanium(IV) Enolates with Diacyl Peroxides. Organic Letters, 2020, 22, 199-203.	4.6	9
6	Direct, Enantioselective, and Nickel(II) Catalyzed Reactions of <i>N</i> -Azidoacetyl Thioimides with Trimethyl Orthoformate: A New Combined Methodology for the Rapid Synthesis of Lacosamide and Derivatives. Chemistry - A European Journal, 2020, 26, 11540-11548.	3.3	3
7	Direct <i>anti</i> Glycolate Aldol Reaction of Protected Chiral <i>N</i> -Hydroxyacetyl Thiazolidinethiones with Acetals Catalyzed by a Nickel(II) Complex. European Journal of Organic Chemistry, 2019, 2019, 6296-6305.	2.4	3
8	Stereoselective Synthesis of Protected Peptides Containing an <i>anti</i> $\beta$ -Hydroxy Tyrosine. European Journal of Organic Chemistry, 2019, 2019, 2745-2752.	2.4	7
9	Direct and Asymmetric Nickel(II)-Catalyzed Construction of Carbon-Carbon Bonds from <i>N</i> -Acyl Thiazinanethiones. Organic Letters, 2019, 21, 305-309.	4.6	16
10	Stereoselective Oxidation of Titanium(IV) Enolates with Oxygen. Synthesis, 2018, 50, 2721-2726.	2.3	4
11	General and stereoselective aminoxylation of biradical titanium( <i>iv</i> ) enolates with TEMPO: a detailed study on the effect of the chiral auxiliary. Organic and Biomolecular Chemistry, 2018, 16, 4807-4815.	2.8	0
12	Total synthesis of (+)-herboxidiene/GEX 1A. Organic and Biomolecular Chemistry, 2017, 15, 1842-1862.	2.8	7
13	Diastereoselective and Catalytic $\beta$ -Alkylation of Chiral <i>N</i> -Acyl Thiazolidinethiones with Stable Carbocationic Salts. Journal of Organic Chemistry, 2017, 82, 6426-6433.	3.2	7
14	Substrate-Controlled Michael Additions of Titanium Enolates from Chiral $\beta$ -Benzyloxy Ketones to Conjugated Nitroalkenes. European Journal of Organic Chemistry, 2017, 2017, 5776-5784.	2.4	3
15	Experimental and Computational Evidence of the Biradical Structure and Reactivity of Titanium(IV) Enolates. Journal of Organic Chemistry, 2017, 82, 8909-8916.	3.2	10
16	Stereoselective and Catalytic Synthesis of <i>anti</i> - $\beta$ -Alkoxy- $\beta$ -azido Carboxylic Derivatives. Organic Letters, 2017, 19, 6400-6403.	4.6	14
17	Substrate-Controlled Aldol Reactions from Chiral $\beta$ -Hydroxy Ketones. Synthesis, 2017, 49, 484-503.	2.3	6
18	Studies towards the synthesis of tedanolide C. Construction of the C13-epi C1-C15 fragment. Organic and Biomolecular Chemistry, 2016, 14, 5219-5223.	2.8	6

#	ARTICLE	IF	CITATIONS
19	Stereoselective Synthesis of the C9â€C19 Fragment of Peloruside A. <i>Organic Letters</i> , 2016, 18, 3018-3021.	4.6	9
20	Stereoselective acetate aldol reactions of Î±-silyloxy ketones. <i>Tetrahedron</i> , 2015, 71, 1023-1035.	1.9	8
21	Stereoselective Alkylation of (<i>S</i>)-<i>N</i>-Acyl-4-isopropyl-1,3-thiazolidine-2-thiones Catalyzed by (Me<sub>3</sub>P)<sub>2</sub>NiCl<sub>2</sub>. <i>Organic Letters</i> , 2015, 17, 3540-3543.	4.6	16
22	Kinetic resolution of esters from secondary and tertiary benzylic propargylic alcohols by an improved esterase-variant from <i>Bacillus</i> sp. BP-7. <i>Catalysis Today</i> , 2015, 255, 16-20.	4.4	8
23	Substrate-Controlled Michael Additions of Chiral Ketones to Enones. <i>Organic Letters</i> , 2014, 16, 6220-6223.	4.6	11
24	Improving enantioselectivity towards tertiary alcohols using mutants of <i>Bacillus</i> sp. BP-7 esterase EstBP7 holding a rare GGG(X)-oxyanion hole. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 4479-4490.	3.6	13
25	Stereoselective Titanium-Mediated Aldol Reactions of a Chiral Lactate-Derived Ethyl Ketone with Ketones. <i>Organic Letters</i> , 2014, 16, 584-587.	4.6	9
26	Synthesis of amphinolide Y precursors. <i>Tetrahedron Letters</i> , 2014, 55, 900-902.	1.4	7
27	Stereoselective Aminoylation of Biradical Titanium Enolates with TEMPO. <i>Chemistry - A European Journal</i> , 2014, 20, 10153-10159.	3.3	22
28	Diastereoselective Methyl Orthoformate Alkylations of Chiral <i>N</i>-Acylthiazolidinethiones Catalyzed by Nickel(II) Complexes. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 2781-2786.	4.3	17
29	Stereoselective synthesis of C-glycosides by addition of titanium enolates from a chiral N-glycolyl thiazolidinethione to glycals. <i>Tetrahedron Letters</i> , 2013, 54, 1467-1470.	1.4	12
30	Stereoselective titanium-mediated aldol reactions of a chiral isopropyl ketone. <i>Chemical Communications</i> , 2013, 49, 4507.	4.1	11
31	Stereoselective synthesis of protected 3-amino-3,6-dideoxyaminosugars. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 6395.	2.8	8
32	Diastereoselective Additions of Titanium Enolates from <i>N</i>-Glycolyl Thiazolidinethiones to Acetals. <i>Journal of Organic Chemistry</i> , 2012, 77, 8809-8814.	3.2	13
33	Stereoselective titanium-mediated aldol reactions of Î±-benzyloxy methyl ketones. <i>Tetrahedron</i> , 2012, 68, 10338-10350.	1.9	12
34	Total Synthesis of (+)-Herboxidiene from Two Chiral Lactate-Derived Ketones. <i>Organic Letters</i> , 2011, 13, 5350-5353.	4.6	37
35	Highly Stereoselective Titanium-Mediated Aldol Reaction from (<i>S</i>)-4-Benzyloxy-3-methyl-2-butanone. <i>Journal of Organic Chemistry</i> , 2011, 76, 8575-8587.	3.2	18
36	Highly stereoselective titanium-mediated aldol reactions from chiral Î±-silyloxy ketones. A reliable tool for the synthesis of natural products. <i>Tetrahedron</i> , 2011, 67, 6045-6056.	1.9	22

#	ARTICLE	IF	CITATIONS
37	Synthesis and Biological Evaluation of 1-Deoxy-5-hydroxysphingosine Derivatives. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 960-967.	2.4	8
38	Mechanism of Action of the Cytotoxic Macrolides Amphidinolide X and J. <i>ChemBioChem</i> , 2011, 12, 1027-1030.	2.6	14
39	Stereoselective Acetate Aldol Reactions from Metal Enolates. <i>Synthesis</i> , 2011, 2011, 2175-2191.	2.3	6
40	Highly Stereoselective Synthesis of <i>syn</i> -1,3-Diols through a Sequential Titanium-Mediated Aldol Reaction and LiBH <sub>4</sub> Reduction. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3146-3151.	2.4	12
41	1,4- <i>syn</i> -Asymmetric induction in the titanium-mediated aldol reactions of chiral methyl $\beta$ -silyloxy ketones. <i>Tetrahedron Letters</i> , 2010, 51, 942-945.	1.4	13
42	Stereoselective Synthesis of $\beta$ - and $\gamma$ -C-Glycosides by Addition of Titanium Enolates to Glycals. <i>Synlett</i> , 2009, 2009, 2982-2986.	1.8	2
43	Stereoselective Synthesis of Highly Functionalized Structures from Lactate-Derived Halo Ketones. <i>Journal of Organic Chemistry</i> , 2009, 74, 7518-7521.	3.2	23
44	New Approach to the Stereoselective Synthesis of Tertiary Methyl Ethers. <i>Organic Letters</i> , 2009, 11, 2193-2196.	4.6	21
45	Catalytic Staudinger-Vilarrasa Reaction for the Direct Ligation of Carboxylic Acids and Azides. <i>Journal of Organic Chemistry</i> , 2009, 74, 2203-2206.	3.2	68
46	Efficient Approach to Fluvirucins B2~B5, Sch 38518, and Sch 39185. First Synthesis of their Aglycon, via CM and RCM Reactions. <i>Organic Letters</i> , 2009, 11, 3198-3201.	4.6	24
47	1,4-Asymmetric induction in the titanium-mediated aldol reactions of $\beta$ -benzyloxy methyl ketones. <i>Tetrahedron Letters</i> , 2008, 49, 5265-5267.	1.4	20
48	Synthesis of six-membered oxygenated heterocycles through carbon-oxygen bond-forming reactions. <i>Tetrahedron</i> , 2008, 64, 2683-2723.	1.9	232
49	On the influence of chiral auxiliaries in the stereoselective cross-coupling reactions of titanium enolates and acetals. <i>Tetrahedron</i> , 2008, 64, 5637-5644.	1.9	40
50	Michael Reactions of Titanium Enolates of Glycolic Acid Derivatives with the Weinreb and Morpholine Amides of Acrylic Acid. <i>Journal of Organic Chemistry</i> , 2008, 73, 1578-1581.	3.2	22
51	Unconventional Biradical Character of Titanium Enolates. <i>Journal of the American Chemical Society</i> , 2008, 130, 3242-3243.	13.7	46
52	Stereocontrolled Total Synthesis of Amphidinolide X via a Silicon-Tethered Metathesis Reaction. <i>Organic Letters</i> , 2008, 10, 5191-5194.	4.6	43
53	Stereoselective Addition of Titanium Enolates to Functionalized Acetals: A Novel Approach to the $\beta$ -Amino Acid of Bistramides and FR252921. <i>Synlett</i> , 2008, 2008, 2951-2954.	1.8	4
54	Highly Stereoselective TiCl <sub>4</sub> -Mediated Aldol Reactions from ( <i>S</i> )-2-Benzyloxy-3-pentanone. <i>Journal of Organic Chemistry</i> , 2007, 72, 6631-6633.	3.2	20

#	ARTICLE	IF	CITATIONS
55	Toward a Total Synthesis of Amphidinolide X and Y. The Tetrahydrofuran-Containing Fragment C12â€”C21. <i>Organic Letters</i> , 2007, 9, 989-992.	4.6	38
56	Stereoselective Synthesis of the Western Hemisphere of Salinomycin. <i>Organic Letters</i> , 2006, 8, 527-530.	4.6	30
57	Letters in Organic Chemistry Hydroiodination of Terminal Double Bonds Via Hydroboration or Hydrozirconation in Connection with the Total Synthesis of Fluvirucins. <i>Letters in Organic Chemistry</i> , 2006, 3, 183-186.	0.5	2
58	Stereoselective titanium-mediated aldol reactions of (S)-2-tert-butyltrimethylsilyloxy-3-pentanone. <i>Tetrahedron</i> , 2006, 62, 11090-11099.	1.9	26
59	Studies on the hydrogenolysis of benzyl ethers. <i>Tetrahedron Letters</i> , 2006, 47, 5815-5818.	1.4	24
60	Synthesis of the C9â€”C21 fragment of debromoaplysiatoxin and oscillatoxins A and D. <i>Tetrahedron Letters</i> , 2006, 47, 5819-5823.	1.4	20
61	Highly Stereoselective Aldol Reaction Based on Titanium Enolates from (S)-1-Benzyl-2-methyl-3-pentanone.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
62	A Stereoselective Aldol-Reduction Approach to Polyoxygenated Natural Products. Synthesis of C1-C6 Fragment of Erythronolides. <i>Letters in Organic Chemistry</i> , 2005, 2, 312-315.	0.5	2
63	Highly Stereoselective Aldol Reaction Based on Titanium Enolates from (S)-1-Benzyl-2-methyl-3-pentanone. <i>Journal of Organic Chemistry</i> , 2005, 70, 6533-6536.	3.2	40
64	Double Stereodifferentiating Aldol Reactions Based on Chiral Ketones Derived from Lactic Acid: Synthesis of C1-C6 Fragment of Erythronolides. <i>Synlett</i> , 2004, 2004, 2127-2130.	1.8	0
65	Stereoselective titanium-mediated syn -aldol reaction from a lactate-derived chiral ethyl ketone. <i>Tetrahedron Letters</i> , 2004, 45, 5379-5382.	1.4	24
66	Conversion of ketoximes to ketones with trimethylphosphine and 2,2â€”dipyridyl diselenide. <i>Tetrahedron Letters</i> , 2004, 45, 5559-5561.	1.4	19
67	From ( E )- and ( Z )-ketoximes to N -sulfonylimines, ketimines or ketones at will. Application to erythromycin derivatives. <i>Tetrahedron Letters</i> , 2004, 45, 5563-5567.	1.4	13
68	Highly Stereoselective Aldol Reactions of Titanium Enolates from Lactate-Derived Chiral Ketones.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
69	Studies on the Intramolecular Câ€”Hâ€”X (X = O, S) Interactions in (S)-N-Acyl-4-isopropyl-1,3-thiazolidine-2-thiones and Related 1,3-Oxazolidin-2-ones. <i>Organic Letters</i> , 2003, 5, 2809-2812.	4.6	14
70	Highly Stereoselective Aldol Reactions of Titanium Enolates from Lactate-Derived Chiral Ketones. <i>Organic Letters</i> , 2003, 5, 519-522.	4.6	46
71	Studies Directed toward the Construction of the Polypropionate Fragment of Superstolide A. <i>Organic Letters</i> , 2003, 5, 4681-4684.	4.6	17
72	Synthesis of O-Benzyl Protected anti Aldols through the Cross-Coupling Reaction of Dibenzyl Acetals with a Chiral Titanium Enolate. <i>Synlett</i> , 2003, 2003, 1109-1112.	1.8	0

#	ARTICLE	IF	CITATIONS
73	Unprecedented Highly Stereoselective $\hat{1}\pm$ - and $\hat{2}$ -C-Glycosidation with Chiral Titanium Enolates. <i>Organic Letters</i> , 2002, 4, 4651-4654.	4.6	34
74	Stereoselective synthesis of syn,syn-2-methyl-1,3-diols through one-pot aldol reduction sequence. <i>Tetrahedron Letters</i> , 2002, 43, 6145-6148.	1.4	8
75	Enantioselective Addition of a Chiral Thiazolidinethione-Derived Titanium Enolate to Acetals. <i>Organic Letters</i> , 2001, 3, 615-617.	4.6	60
76	$\hat{2}$ -Amino acids by nucleophilic ring-opening of N-nosyl aziridines. <i>Tetrahedron</i> , 2001, 57, 7665-7674.	1.9	41
77	Enantiopure $\hat{2}$ -methoxy carboxyl derivatives from a chiral titanium enolate and dimethyl acetals. <i>Tetrahedron Letters</i> , 2001, 42, 4629-4631.	1.4	29
78	From vicinal azido alcohols to Boc-amino alcohols or oxazolidinones, with trimethylphosphine and Boc 2 O or CO 2. <i>Tetrahedron Letters</i> , 2001, 42, 4995-4999.	1.4	42
79	Pseudoaxially Disubstituted Cyclo- $\hat{2}$ -tetrapeptide Scaffolds. <i>Tetrahedron</i> , 2000, 56, 7947-7958.	1.9	29
80	Simple and Efficient Preparation of Enantiopure Alkyl $\hat{1}\pm$ -Hydroxyalkyl Ketones. <i>Synthesis</i> , 2000, 2000, 1608-1614.	2.3	26
81	Reduction of Azides to Amines Mediated by Tin Bis(1,2-benzenedithiolate). <i>Organic Letters</i> , 2000, 2, 397-399.	4.6	38
82	Enolization of Chiral $\hat{1}\pm$ -Silyloxy Ketones with Dicyclohexylchloroborane. Application to Stereoselective Aldol Reactions. <i>Organic Letters</i> , 2000, 2, 2599-2602.	4.6	22
83	Design and synthesis of a novel cyclo- $\hat{2}$ -tetrapeptide. <i>Tetrahedron Letters</i> , 1999, 40, 2629-2632.	1.4	14
84	Reaction of achiral titanium Z-enolates with chiral $\hat{1}\pm$ -silyloxy aldehydes. <i>Tetrahedron Letters</i> , 1999, 40, 5079-5082.	1.4	12
85	Reaction of chiral titanium Z-enolates with chiral $\hat{1}\pm$ -silyloxy aldehydes. Syntheses of NFX-2 and Antimycinone. <i>Tetrahedron Letters</i> , 1999, 40, 5083-5086.	1.4	14
86	A practical procedure for the preparation of carbamates from azides. <i>Tetrahedron Letters</i> , 1999, 40, 7515-7517.	1.4	52
87	High-Yielding Enantioselective Synthesis of the Macrolactam Aglycon of Sch 38516 from Two Units of (2R)-2-Ethyl-4-penten-1-ol. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 3086-3089.	13.8	21
88	One-pot conversion of azides to Boc-protected amines with trimethylphosphine and Boc-ON. <i>Tetrahedron Letters</i> , 1998, 39, 9101-9102.	1.4	63
89	Syntheses of the C-1 alkyl side chains of Zaragozic acids A and C. <i>Tetrahedron Letters</i> , 1998, 39, 6765-6768.	1.4	11
90	Simple and Efficient Preparation of Ketones from Morpholine Amides. <i>Synlett</i> , 1997, 12, 1414-1416.	1.8	76

#	ARTICLE	IF	CITATIONS
91	A simple procedure for the preparation of enantiopure ethyl $\hat{\pm}$ -hydroxyalkyl ketones. Tetrahedron Letters, 1997, 38, 1633-1636.	1.4	18
92	Highly stereoselective aldol reactions of titanium enolates from ethyl $\hat{\pm}$ -silyloxyalkyl ketones. Tetrahedron Letters, 1997, 38, 1637-1640.	1.4	35
93	On the Reaction of Acyl Chlorides and Carboxylic Anhydrides with Phosphazenes. Journal of Organic Chemistry, 1996, 61, 5638-5643.	3.2	33
94	Asymmetric acetate aldol reactions in connection with an enantioselective total synthesis of macrolactin A. Tetrahedron Letters, 1996, 37, 8949-8952.	1.4	92
95	Oxidized and reduced poly(2,5-di-(2-thienyl)-pyrrole): solubilities, electrodisolution and molar mass. Journal of Electroanalytical Chemistry, 1995, 392, 55-61.	3.8	24
96	Epimerisation-free peptide formation from carboxylic acid anhydrides and azido derivatives. Journal of the Chemical Society Chemical Communications, 1995, , 91-92.	2.0	20
97	Alternative procedures for the macrolactamisation of $\hat{\%}$ -Azido Acids. Tetrahedron Letters, 1993, 34, 4671-4674.	1.4	51
98	An unexpected reaction in the lactamisation of 13-azido-13-deoxy-(9S)-9-dihydroerythronolide a seco-acid derivatives. Tetrahedron Letters, 1992, 33, 3669-3672.	1.4	11
99	Stereoselective aldol reactions of chlorotitanium enolates. An efficient method for the assemblage of polypropionate-related synthons. Journal of the American Chemical Society, 1991, 113, 1047-1049.	13.7	311
100	New synthetic $\hat{\epsilon}$ -tricks $\hat{\epsilon}$ <sup>TM</sup> . Direct conversion of nitro compounds to nitriles. Tetrahedron Letters, 1990, 31, 7497-7498.	1.4	22
101	New synthetic $\hat{\epsilon}$ -tricks $\hat{\epsilon}$ <sup>TM</sup> . A novel one-pot procedure for the conversion of primary nitro groups into aldehydes. Tetrahedron Letters, 1990, 31, 7499-7500.	1.4	18
102	A fast procedure for the reduction of azides and nitro compounds based on the reducing ability of Sn(SR) <sub>3</sub> -species. Tetrahedron, 1990, 46, 587-594.	1.9	191
103	New procedure for the direct generation of titanium enolates. Diastereoselective bond constructions with representative electrophiles. Journal of the American Chemical Society, 1990, 112, 8215-8216.	13.7	338
104	N-nitrosation and N-nitration of lactams. From macrolactams to macrolactones. Tetrahedron, 1989, 45, 863-868.	1.9	28
105	Nitrosation of hindered amides. Journal of Organic Chemistry, 1989, 54, 3209-3211.	3.2	22
106	From azido acids to macrolactams and macrolactones. Journal of the Chemical Society Chemical Communications, 1988, , 270.	2.0	24
107	New Synthetic $\hat{\epsilon}$ -tricks $\hat{\epsilon}$ . [Et <sub>3</sub> NH][Sn(SPh <sub>3</sub> )] and Bu <sub>2</sub> SnH <sub>2</sub> , two useful reagents for the reduction of azides to amines. Tetrahedron Letters, 1987, 28, 5941-5944.	1.4	54
108	New synthetic $\hat{\epsilon}$ -tricks $\hat{\epsilon}$ <sup>TM</sup> . Advantages of using triethylphosphine in some phosphorus-based reactions. Tetrahedron Letters, 1986, 27, 4623-4624.	1.4	48

#	ARTICLE	IF	CITATIONS
109	Evaluation of MNDO calculated proton affinities. <i>Journal of Computational Chemistry</i> , 1984, 5, 230-236.	3.3	60
110	New synthetic tricks, Triphenylphosphine-mediated amide formation from carboxylic acids and azides. <i>Tetrahedron Letters</i> , 1984, 25, 4841-4844.	1.4	105
111	Reaction of N-nitroso- and N-nitro-N-alkylamides with amines. <i>Journal of Organic Chemistry</i> , 1984, 49, 3322-3327.	3.2	43
112	Synthesis and Acylation of 1,3-Thiazinane-2-thione. <i>Organic Syntheses</i> , 0, 98, 374-390.	1.0	5
113	Synthesis of [(R)-DTBM-SEGPHOS]NiCl <sub>2</sub> for the Enantioselective Acetal Formation from N-Propanoyl-1,3-Thiazinane-2-thione and Trimethyl Orthoformate. <i>Organic Syntheses</i> , 0, 99, 1-14.	1.0	1