Paul French

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9240497/publications.pdf

Version: 2024-02-01

623734 454955 36 968 14 30 citations h-index g-index papers 38 38 38 1348 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Early detection and intervention evaluation for people at risk of psychosis: multisite randomised controlled trial. BMJ, The, 2012, 344, e2233-e2233.	6.0	266
2	Structured lifestyle education for people with schizophrenia, schizoaffective disorder and first-episode psychosis (STEPWISE): randomised controlled trial. British Journal of Psychiatry, 2019, 214, 63-73.	2.8	77
3	Comparing time use in individuals at different stages of psychosis and a non-clinical comparison group. Schizophrenia Research, 2015, 161, 188-193.	2.0	72
4	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 633-643.	7.4	71
5	Social recovery therapy in combination with early intervention services for enhancement of social recovery in patients with first-episode psychosis (SUPEREDEN3): a single-blind, randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 41-50.	7.4	67
6	Early detection and intervention evaluation for people at high-risk of psychosis-2 (EDIE-2): trial rationale, design and baseline characteristics. Microbial Biotechnology, 2011, 5, 24-32.	1.7	58
7	Structured lifestyle education to support weight loss for people with schizophrenia, schizoaffective disorder and first episode psychosis: the STEPWISE RCT. Health Technology Assessment, 2018, 22, 1-160.	2.8	39
8	Expressed emotion (EE) in families of individuals at-risk of developing psychosis: A systematic review. Psychiatry Research, 2018, 270, 661-672.	3.3	25
9	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. JMIR Research Protocols, 2020, 9, e15058.	1.0	24
10	Participant views on involvement in a trial of social recovery cognitive–behavioural therapy. British Journal of Psychiatry, 2015, 206, 122-127.	2.8	21
11	Metacognitive beliefs as psychological predictors of social functioning: An investigation with young people at risk of psychosis. Psychiatry Research, 2018, 262, 520-526.	3.3	21
12	Psychological screening of adults and young people following the Manchester Arena incident. BJPsych Open, 2019, 5, e85.	0.7	20
13	People's experiences of distress and psychosocial care following a terrorist attack: interviews with survivors of the Manchester Arena bombing in 2017. BJPsych Open, 2022, 8, e41.	0.7	19
14	Using epidemiological evidence to forecast population need for early treatment programmes in mental health: a generalisable Bayesian prediction methodology applied to and validated for first-episode psychosis in England. British Journal of Psychiatry, 2021, 219, 383-391.	2.8	16
15	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. Health Technology Assessment, 2022, 26, 1-174.	2.8	16
16	Components of therapy as mechanisms of change in cognitive therapy for people at risk of psychosis: Analysis of the EDIE-2 trial. British Journal of Psychiatry, 2015, 207, 123-129.	2.8	15
17	Prevention and treatment of long-term social disability amongst young people with emerging severe mental illness with social recovery therapy (The PRODIGY Trial): study protocol for a randomised controlled trial. Trials, 2017, 18, 315.	1.6	14
18	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. Lancet Psychiatry, the, 2022, 9, 477-486.	7.4	13

#	Article	IF	Citations
19	STEPWISE $\hat{a}\in$ STructured lifestyle Education for People WIth SchizophrEnia: a study protocol for a randomised controlled trial. Trials, 2016, 17, 475.	1.6	12
20	Young people's experiences of Social Recovery Cognitive Behavioural Therapy and treatment as usual in the <scp>PRODIGY</scp> trial. Microbial Biotechnology, 2018, 12, 879-885.	1.7	12
21	Survivors' experiences of informal social support in coping and recovering after the 2017 Manchester Arena bombing. BJPsych Open, 2022, 8, .	0.7	11
22	Assessment of metacognitive beliefs in an at risk mental state for psychosis: A validation study of the Metacognitions Questionnaireâ€30. Clinical Psychology and Psychotherapy, 2018, 25, 710-720.	2.7	10
23	Social recovery therapy: a treatment manual. Psychosis, 2019, 11, 261-272.	0.8	10
24	International application of standards for health care quality, access and evaluation of services for early intervention in psychotic disorders. Microbial Biotechnology, 2021, 15, 723-730.	1.7	8
25	Combined individual and family therapy in comparison to treatment as usual for people atâ€risk of psychosis: A feasibility study (IF CBT): Trial rationale, methodology and baseline characteristics. Microbial Biotechnology, 2021, 15, 140-148.	1.7	7
26	Investigating expressed emotion in individuals atâ€risk of developing psychosis and their families over 12 months. Clinical Psychology and Psychotherapy, 2021, 28, 1285-1296.	2.7	6
27	Measuring adherence in social recovery therapy with people with first episode psychosis. Behavioural and Cognitive Psychotherapy, 2020, 48, 82-90.	1.2	5
28	"l don't think I took her fears seriously― Exploring the experiences of family members of individuals atâ€risk of developing psychosis over 12 months. Clinical Psychology and Psychotherapy, 2020, 27, 965-976.	2.7	5
29	The psychosocial response to a terrorist attack at Manchester Arena, 2017: a process evaluation. BMC Psychology, 2021, 9, 22.	2.1	5
30	Clinical and cost-effectiveness of social recovery therapy for the prevention and treatment of long-term social disability among young people with emerging severe mental illness (PRODIGY): randomised controlled trial. British Journal of Psychiatry, 2022, 220, 154-162.	2.8	5
31	<i>à€œl don't know how to fix it and sometimes it's so overwhelmingâ€</i> ldentifying the barriers and facilitators for family caregivers supporting someone at high-risk of psychosis: A qualitative study. Psychosis, 2020, 12, 57-67.	0.8	4
32	Psychological impact of spontaneous memorials: A narrative review Psychological Trauma: Theory, Research, Practice, and Policy, 2022, 14, 1230-1236.	2.1	4
33	â€~If he feels better I'll feel better' relationships with individuals at highâ€risk of developing psychosis. Microbial Biotechnology, 2022, 16, 231-238.	1.7	2
34	Examining the effects of national initiatives to improve the physical health of people with psychosis in England: secondary analysis of data from the National Clinical Audit of Psychosis. BJPsych Bulletin, 2021, , 1-8.	1.1	2
35	Service User Perceived Criticism and Warmth (SU-PCaW) Questionnaire. Psychosis, 2023, 15, 201-210.	0.8	1
36	A comparison of the National Clinical Audit of Psychosis 2019/2020 standards and First Episode Psychosis Services Fidelity Scale 1.0. Microbial Biotechnology, 2022, 16, 1028-1035.	1.7	1