

Paul French

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9240497/publications.pdf>

Version: 2024-02-01

36
papers

968
citations

623734

14
h-index

454955

30
g-index

38
all docs

38
docs citations

38
times ranked

1348
citing authors

#	ARTICLE	IF	CITATIONS
1	Service User Perceived Criticism and Warmth (SU-PCaW) Questionnaire. <i>Psychosis</i> , 2023, 15, 201-210.	0.8	1
2	“If he feels better I’ll feel better” relationships with individuals at high risk of developing psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 231-238.	1.7	2
3	Psychological impact of spontaneous memorials: A narrative review.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2022, 14, 1230-1236.	2.1	4
4	Clinical and cost-effectiveness of social recovery therapy for the prevention and treatment of long-term social disability among young people with emerging severe mental illness (PRODIGY): randomised controlled trial. <i>British Journal of Psychiatry</i> , 2022, 220, 154-162.	2.8	5
5	People’s experiences of distress and psychosocial care following a terrorist attack: interviews with survivors of the Manchester Arena bombing in 2017. <i>BJPsych Open</i> , 2022, 8, e41.	0.7	19
6	A comparison of the National Clinical Audit of Psychosis 2019/2020 standards and First Episode Psychosis Services Fidelity Scale 1.0. <i>Microbial Biotechnology</i> , 2022, 16, 1028-1035.	1.7	1
7	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. <i>Lancet Psychiatry</i> , 2022, 9, 477-486.	7.4	13
8	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-174.	2.8	16
9	Survivors’ experiences of informal social support in coping and recovering after the 2017 Manchester Arena bombing. <i>BJPsych Open</i> , 2022, 8, .	0.7	11
10	International application of standards for health care quality, access and evaluation of services for early intervention in psychotic disorders. <i>Microbial Biotechnology</i> , 2021, 15, 723-730.	1.7	8
11	Combined individual and family therapy in comparison to treatment as usual for people at risk of psychosis: A feasibility study (IF CBT): Trial rationale, methodology and baseline characteristics. <i>Microbial Biotechnology</i> , 2021, 15, 140-148.	1.7	7
12	The psychosocial response to a terrorist attack at Manchester Arena, 2017: a process evaluation. <i>BMC Psychology</i> , 2021, 9, 22.	2.1	5
13	Investigating expressed emotion in individuals at risk of developing psychosis and their families over 12 months. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1285-1296.	2.7	6
14	Using epidemiological evidence to forecast population need for early treatment programmes in mental health: a generalisable Bayesian prediction methodology applied to and validated for first-episode psychosis in England. <i>British Journal of Psychiatry</i> , 2021, 219, 383-391.	2.8	16
15	Examining the effects of national initiatives to improve the physical health of people with psychosis in England: secondary analysis of data from the National Clinical Audit of Psychosis. <i>BJPsych Bulletin</i> , 2021, , 1-8.	1.1	2
16	Measuring adherence in social recovery therapy with people with first episode psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 82-90.	1.2	5
17	“I don’t know how to fix it and sometimes it’s so overwhelming” Identifying the barriers and facilitators for family caregivers supporting someone at high-risk of psychosis: A qualitative study. <i>Psychosis</i> , 2020, 12, 57-67.	0.8	4
18	“I don’t think I took her fears seriously” Exploring the experiences of family members of individuals at risk of developing psychosis over 12 months. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 965-976.	2.7	5

#	ARTICLE	IF	CITATIONS
19	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. JMIR Research Protocols, 2020, 9, e15058.	1.0	24
20	Psychological screening of adults and young people following the Manchester Arena incident. BJPsych Open, 2019, 5, e85.	0.7	20
21	Social recovery therapy: a treatment manual. Psychosis, 2019, 11, 261-272.	0.8	10
22	Structured lifestyle education for people with schizophrenia, schizoaffective disorder and first-episode psychosis (STEPWISE): randomised controlled trial. British Journal of Psychiatry, 2019, 214, 63-73.	2.8	77
23	Metacognitive beliefs as psychological predictors of social functioning: An investigation with young people at risk of psychosis. Psychiatry Research, 2018, 262, 520-526.	3.3	21
24	Social recovery therapy in combination with early intervention services for enhancement of social recovery in patients with first-episode psychosis (SUPEREDEN3): a single-blind, randomised controlled trial. Lancet Psychiatry, 2018, 5, 41-50.	7.4	67
25	Young people's experiences of Social Recovery Cognitive Behavioural Therapy and treatment as usual in the PRODIGY trial. Microbial Biotechnology, 2018, 12, 879-885.	1.7	12
26	Expressed emotion (EE) in families of individuals at-risk of developing psychosis: A systematic review. Psychiatry Research, 2018, 270, 661-672.	3.3	25
27	Assessment of metacognitive beliefs in an at risk mental state for psychosis: A validation study of the Metacognitions Questionnaire. Clinical Psychology and Psychotherapy, 2018, 25, 710-720.	2.7	10
28	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. Lancet Psychiatry, 2018, 5, 633-643.	7.4	71
29	Structured lifestyle education to support weight loss for people with schizophrenia, schizoaffective disorder and first episode psychosis: the STEPWISE RCT. Health Technology Assessment, 2018, 22, 1-160.	2.8	39
30	Prevention and treatment of long-term social disability amongst young people with emerging severe mental illness with social recovery therapy (The PRODIGY Trial): study protocol for a randomised controlled trial. Trials, 2017, 18, 315.	1.6	14
31	STEPWISE – Structured lifestyle Education for People With Schizophrenia: a study protocol for a randomised controlled trial. Trials, 2016, 17, 475.	1.6	12
32	Comparing time use in individuals at different stages of psychosis and a non-clinical comparison group. Schizophrenia Research, 2015, 161, 188-193.	2.0	72
33	Components of therapy as mechanisms of change in cognitive therapy for people at risk of psychosis: Analysis of the EDIE-2 trial. British Journal of Psychiatry, 2015, 207, 123-129.	2.8	15
34	Participant views on involvement in a trial of social recovery cognitive-behavioural therapy. British Journal of Psychiatry, 2015, 206, 122-127.	2.8	21
35	Early detection and intervention evaluation for people at risk of psychosis: multisite randomised controlled trial. BMJ, 2012, 344, e2233-e2233.	6.0	266
36	Early detection and intervention evaluation for people at high-risk of psychosis-2 (EDIE-2): trial rationale, design and baseline characteristics. Microbial Biotechnology, 2011, 5, 24-32.	1.7	58