Yoshitaka Narita

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9242064/publications.pdf

Version: 2024-02-01

77 2,360 24 46
papers citations h-index g-index

81 81 81 3205
all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	The first-in-human phase I study of a brain-penetrant mutant IDH1 inhibitor DS-1001 in patients with recurrent or progressive IDH1-mutant gliomas. Neuro-Oncology, 2023, 25, 326-336.	1.2	23
2	The clinical characteristics and outcomes of incidentally discovered glioblastoma. Journal of Neuro-Oncology, 2022, 156, 551-557.	2.9	4
3	Transcriptome and methylome analysis of CNS germ cell tumor finds its cell-of-origin in embryogenesis and reveals shared similarities with testicular counterparts. Neuro-Oncology, 2022, 24, 1246-1258.	1.2	14
4	Do neurocognitive impairments explain the differences between brain tumor patients and their proxies when assessing the patient's IADL?. Neuro-Oncology Practice, 2022, 9, 271-283.	1.6	1
5	Evaluation of the efficacy and safety of TAS0313 in adults with recurrent glioblastoma. Cancer Immunology, Immunotherapy, 2022, 71, 2703-2715.	4.2	3
6	Review of the diagnosis and treatment of brain metastases. Japanese Journal of Clinical Oncology, 2022, 52, 3-7.	1.3	4
7	MGMT gene promoter methylation by pyrosequencing method correlates volumetric response and neurological status in IDH wild-type glioblastomas. Journal of Neuro-Oncology, 2022, 157, 561-571.	2.9	5
8	Assessment of therapeutic outcome and role of reirradiation in patients with radiation-induced glioma. Radiation Oncology, 2022, 17, 85.	2.7	2
9	Clinical Application of Comprehensive Genomic Profiling Tests for Diffuse Gliomas. Cancers, 2022, 14, 2454.	3.7	3
10	Utility of methylthioadenosine phosphorylase immunohistochemical deficiency as a surrogate for CDKN2A homozygous deletion in the assessment of adult-type infiltrating astrocytoma. Modern Pathology, 2021, 34, 688-700.	5 . 5	25
11	Development of an EORTC questionnaire measuring instrumental activities of daily living (IADL) in patients with brain tumours: phase l–III. Quality of Life Research, 2021, 30, 1491-1502.	3.1	5
12	Accelerator-based BNCT for patients with recurrent glioblastoma: a multicenter phase II study. Neuro-Oncology Advances, 2021, 3, vdab067.	0.7	42
13	Necessity for craniospinal irradiation of germinoma with positive cytology without spinal lesion on MR imaging—A controversy. Neuro-Oncology Advances, 2021, 3, vdab086.	0.7	7
14	Phase I Assessment of Safety and Therapeutic Activity of BAY1436032 in Patients with IDH1-Mutant Solid Tumors. Clinical Cancer Research, 2021, 27, 2723-2733.	7.0	33
15	Outcomes of salvage fractionated re-irradiation combined with bevacizumab for recurrent high-grade gliomas that progressed after bevacizumab treatment**. Japanese Journal of Clinical Oncology, 2021, 51, 1028-1035.	1.3	3
16	TERT promoter mutation status is necessary and sufficient to diagnose IDH-wildtype diffuse astrocytic glioma with molecular features of glioblastoma. Acta Neuropathologica, 2021, 142, 323-338.	7.7	58
17	Low tumor cell content predicts favorable prognosis in germinoma patients. Neuro-Oncology Advances, 2021, 3, vdab110.	0.7	8
18	Safety and efficacy of depatuxizumab mafodotin in Japanese patients with malignant glioma: A nonrandomized, phase $1/2$ trial. Cancer Science, 2021, 112, 5020-5033.	3.9	19

#	Article	IF	CITATIONS
19	Tissue 2-Hydroxyglutarate and Preoperative Seizures in Patients With Diffuse Gliomas. Neurology, 2021, 97, e2114-e2123.	1.1	3
20	COT-6 Body mass index and height in relation to brain tumor risk in a Japanese population. Neuro-Oncology Advances, 2021, 3, vi29-vi29.	0.7	0
21	Surgical outcome and graded prognostic assessment of patients with brain metastasis from adult sarcoma: multi-institutional retrospective study in Japan. International Journal of Clinical Oncology, 2020, 25, 1995-2005.	2.2	8
22	Validation study of the Japanese version of MD Anderson Symptom Inventory for Brain Tumor module. Japanese Journal of Clinical Oncology, 2020, 50, 787-793.	1.3	6
23	EPID-09. THE INCIDENCE OF PRIMARY BRAIN TUMORS IN CHILDREN IN JAPAN BASED ON 2016 NATIONAL CANCER REGISTRY IN JAPAN. Neuro-Oncology, 2020, 22, iii320-iii320.	1.2	0
24	Integrated clinical, histopathological, and molecular data analysis of 190 central nervous system germ cell tumors from the iGCT Consortium. Neuro-Oncology, 2019, 21, 1565-1577.	1.2	74
25	Survival benefits of hypofractionated radiotherapy combined with temozolomide or temozolomide plus bevacizumab in elderly patients with glioblastoma aged ≥ 75 years. Radiation Oncology, 20	01 3 , ⁷ 14, 2	200 ¹⁹
26	DNA demethylation is associated with malignant progression of lower-grade gliomas. Scientific Reports, 2019, 9, 1903.	3.3	31
27	A randomized, double-blind, phase III trial of personalized peptide vaccination for recurrent glioblastoma. Neuro-Oncology, 2019, 21, 348-359.	1.2	63
28	Phase I study of a brain penetrant mutant IDH1 inhibitor DS-1001b in patients with recurrent or progressive <i>IDH1</i> mutant gliomas Journal of Clinical Oncology, 2019, 37, 2004-2004.	1.6	23
29	Molecular Diagnosis in WHO Classification of Tumours of the Central Nervous System 2016 : A Domestic Survey and Perspectives. Japanese Journal of Neurosurgery, 2019, 28, 674-685.	0.0	0
30	Chemotherapy of Diffuse Astrocytoma (WHO grade II) in Adults. Progress in Neurological Surgery, 2018, 31, 145-151.	1.3	4
31	MyD88 Mutation in Elderly Predicts Poor Prognosis in Primary Central Nervous System Lymphoma: Multi-Institutional Analysis. World Neurosurgery, 2018, 112, e69-e73.	1.3	26
32	Clinical outcomes of brain metastases from hepatocellular carcinoma: a multicenter retrospective study and a literature review. International Journal of Clinical Oncology, 2018, 23, 1095-1100.	2.2	7
33	Effects of Surgery With Salvage Stereotactic Radiosurgery Versus Surgery With Whole-Brain Radiation Therapy in Patients With One to Four Brain Metastases (JCOG0504): A Phase III, Noninferiority, Randomized Controlled Trial. Journal of Clinical Oncology, 2018, 36, 3282-3289.	1.6	126
34	Current Evidence and Future Direction in Treating Adult Grade â; and ⢠Gliomas. Japanese Journal of Neurosurgery, 2018, 27, 82-90.	0.0	0
35	Genome-wide DNA methylation profiling identifies primary central nervous system lymphoma as a distinct entity different from systemic diffuse large B-cell lymphoma. Acta Neuropathologica, 2017, 133, 321-324.	7.7	18
36	Genome-wide methylation profiles in primary intracranial germ cell tumors indicate a primordial germ cell origin for germinomas. Acta Neuropathologica, 2017, 133, 445-462.	7.7	64

#	Article	IF	Citations
37	Outcomes of Surgery followed by Local Brain Radiotherapy Compared with Surgery followed by Whole Brain Radiotherapy for Single Brain Metastasis. Tumori, 2017, 103, 367-373.	1.1	7
38	Clinical Study for Malignant Brain Tumors by JCOG Brain Study Group. Japanese Journal of Neurosurgery, 2016, 25, 566-578.	0.0	1
39	A combination of TERT promoter mutation and MGMT methylation status predicts clinically relevant subgroups of newly diagnosed glioblastomas. Acta Neuropathologica Communications, 2016, 4, 79.	5.2	189
40	Health-related quality of life in outpatients with primary central nervous system lymphoma after radiotherapy and high-dose methotrexate chemotherapy. Molecular and Clinical Oncology, 2016, 5, 179-185.	1.0	8
41	A prospective, multicentre, single-arm clinical trial of bevacizumab for patients with surgically untreatable, symptomatic brain radiation necrosisâ€. Neuro-Oncology Practice, 2016, 3, 272-280.	1.6	34
42	The necessity of long-term follow-up including spinal examination after successful initial treatment of intracranial germinoma: case reports. Child's Nervous System, 2016, 32, 547-551.	1.1	2
43	Recurrent neomorphic mutations of MTOR in central nervous system and testicular germ cell tumors may be targeted for therapy. Acta Neuropathologica, 2016, 131, 889-901.	7.7	70
44	Glioblastomas with <i>IDH1/2</i> mutations have a short clinical history and have a favorable clinical outcome. Japanese Journal of Clinical Oncology, 2016, 46, 31-39.	1.3	15
45	Health-related quality of life in long-term survivors with Grade II gliomas: the contribution of disease recurrence and Karnofsky Performance Status. Japanese Journal of Clinical Oncology, 2015, 45, 906-913.	1.3	16
46	Bevacizumab for glioblastoma. Therapeutics and Clinical Risk Management, 2015, 11, 1759.	2.0	36
47	Diffusely infiltrating astrocytomas: pathology, molecular mechanisms and markers. Acta Neuropathologica, 2015, 129, 789-808.	7.7	45
48	Development of a robust and sensitive pyrosequencing assay for the detection of IDH1/2 mutations in gliomas. Brain Tumor Pathology, 2015, 32, 22-30.	1.7	65
49	Usefulness of a glass-free medical three-dimensional autostereoscopic display in neurosurgery. International Journal of Computer Assisted Radiology and Surgery, 2014, 9, 905-911.	2.8	20
50	Risk factors for early death after surgery in patients with brain metastases: reevaluation of the indications for and role of surgery. Journal of Neuro-Oncology, 2014, 116, 145-152.	2.9	26
51	Toxicity and Outcome of Radiotherapy with Concomitant and Adjuvant Temozolomide in Elderly Patients with Glioblastoma: A Retrospective Study. Neurologia Medico-Chirurgica, 2014, 54, 272-279.	2.2	18
52	Secondary glioblastomas with IDH1/2 mutations have longer glioma history from preceding lower-grade gliomas. Brain Tumor Pathology, 2013, 30, 224-232.	1.7	20
53	Upregulating mutations in the TERT promoter commonly occur in adult malignant gliomas and are strongly associated with total 1p19q loss. Acta Neuropathologica, 2013, 126, 267-276.	7.7	315
54	Management of glioblastoma in an NF1 patient with moyamoya syndrome: a case report. Child's Nervous System, 2013, 29, 341-345.	1.1	7

#	Article	IF	CITATIONS
55	Randomized trial of chemoradiotherapy and adjuvant chemotherapy with nimustine (ACNU) versus nimustine plus procarbazine for newly diagnosed anaplastic astrocytoma and glioblastoma (JCOG0305). Cancer Chemotherapy and Pharmacology, 2013, 71, 511-521.	2.3	25
56	Secondary hematological malignancies associated with temozolomide in patients with glioma. Neuro-Oncology, 2013, 15, 1445-1450.	1.2	44
57	Drug Review: Safety and Efficacy of Bevacizumab for Glioblastoma and Other Brain Tumors. Japanese Journal of Clinical Oncology, 2013, 43, 587-595.	1.3	57
58	Extended trastuzumab therapy improves the survival of HER2-positive breast cancer patients following surgery and radiotherapy for brain metastases. Molecular and Clinical Oncology, 2013, 1, 995-1001.	1.0	10
59	A case of more than 20 years survival with glioblastoma, and development of cavernous angioma as a delayed complication of radiotherapy. Neuropathology, 2013, 33, 576-581.	1.2	20
60	Clinical presentation of anaplastic large-cell lymphoma in the central nervous system. Molecular and Clinical Oncology, 2013, 1, 655-660.	1.0	30
61	Current Knowledge and Treatment Strategies for Grade II Gliomas. Neurologia Medico-Chirurgica, 2013, 53, 429-437.	2.2	6
62	Phase II Study of Single-agent Bevacizumab in Japanese Patients with Recurrent Malignant Glioma. Japanese Journal of Clinical Oncology, 2012, 42, 887-895.	1.3	85
63	Management of Cytomegalovirus Infection in a Patient with Malignant Glioma Treated with Temozolomide and Steroids. Internal Medicine, 2012, 51, 2967-2971.	0.7	10
64	IDH1/2 mutation is a prognostic marker for survival and predicts response to chemotherapy for grade II gliomas concomitantly treated with radiation therapy. International Journal of Oncology, 2012, 41, 1325-1336.	3.3	67
65	Pathological findings and prognostic factors in recurrent glioblastomas. Brain Tumor Pathology, 2012, 29, 192-200.	1.7	22
66	Histopathological malignant progression of grade II and III gliomas correlated with IDH1/2 mutation status. Brain Tumor Pathology, 2012, 29, 183-191.	1.7	9
67	Long-term follow-up of vanishing tumors in the brain: How should a lesion mimicking primary CNS lymphoma be managed?. Clinical Neurology and Neurosurgery, 2012, 114, 1217-1221.	1.4	31
68	Reactivation of cytomegalovirus following treatment of malignant glioma with temozolomide. International Cancer Conference Journal, 2012, 1, 53-57.	0.5	2
69	Significance of <i>IDH</i> mutations varies with tumor histology, grade, and genetics in Japanese glioma patients. Cancer Science, 2012, 103, 587-592.	3.9	87
70	A case of unclassified highâ€grade glioma with polar spongioblastoma pattern. Neuropathology, 2012, 32, 604-610.	1.2	5
71	Epidemiology and Standard Therapy in Gliomas(<special issue="">Current Status and Perspectives of) Tj ETQq1 1 0</special>	.784314 i 0.0	gBT /Overloc
72	Comparison of Clinical Outcomes of Surgery Followed by Local Brain Radiotherapy and Surgery Followed by Whole Brain Radiotherapy in Patients With Single Brain Metastasis: Single-Center Retrospective Analysis. International Journal of Radiation Oncology Biology Physics, 2011, 81, e475-e480.	0.8	23

#	Article	IF	CITATION
73	Reactivation of Hepatitis B Virus After Glioblastoma Treatment With Temozolomide -Case Report Neurologia Medico-Chirurgica, 2011, 51, 728-731.	2.2	11
74	Phase I Trial of a Personalized Peptide Vaccine for Patients Positive for Human Leukocyte Antigen–A24 With Recurrent or Progressive Glioblastoma Multiforme. Journal of Clinical Oncology, 2011, 29, 337-344.	1.6	104
75	p53 abnormality and tumor invasion in patients with malignant astrocytoma. Brain Tumor Pathology, 2010, 27, 95-101.	1.7	19
76	Acute lymphoblastic leukemia after temozolomide treatment for anaplastic astrocytoma in a child with a germline <i>TP53</i> mutation. Pediatric Blood and Cancer, 2010, 55, 577-579.	1.5	23
77	Strategy of surgery and radiation therapy for brain metastases. International Journal of Clinical Oncology, 2009, 14, 275-280.	2.2	41