

Yanping Fu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9245006/publications.pdf>

Version: 2024-02-01

80
papers

4,585
citations

126907

33
h-index

106344

65
g-index

81
all docs

81
docs citations

81
times ranked

3399
citing authors

#	ARTICLE	IF	CITATIONS
1	A geminivirus-related DNA mycovirus that confers hypovirulence to a plant pathogenic fungus. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 8387-8392.	7.1	472
2	Taxonomy of the order Mononegavirales: update 2016. Archives of Virology, 2016, 161, 2351-2360.	2.1	407
3	Extracellular transmission of a DNA mycovirus and its use as a natural fungicide. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1452-1457.	7.1	243
4	A ceratoâ€platanin protein SsCP1 targets plant PR1 and contributes to virulence of <i>Sclerotinia sclerotiorum</i> . New Phytologist, 2018, 217, 739-755.	7.3	211
5	Widespread Horizontal Gene Transfer from Double-Stranded RNA Viruses to Eukaryotic Nuclear Genomes. Journal of Virology, 2010, 84, 11876-11887.	3.4	200
6	Fungal negative-stranded RNA virus that is related to bornaviruses and nyaviruses. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 12205-12210.	7.1	198
7	A Small Secreted Virulence-Related Protein Is Essential for the Necrotrophic Interactions of <i>Sclerotinia sclerotiorum</i> with Its Host Plants. PLoS Pathogens, 2016, 12, e1005435.	4.7	180
8	Characterization of debilitation-associated mycovirus infecting the plant-pathogenic fungus <i>Sclerotinia sclerotiorum</i> . Journal of General Virology, 2006, 87, 241-249.	2.9	159
9	Fungal DNA virus infects a mycophagous insect and utilizes it as a transmission vector. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 12803-12808.	7.1	143
10	A Novel Partitivirus That Confers Hypovirulence on Plant Pathogenic Fungi. Journal of Virology, 2014, 88, 10120-10133.	3.4	133
11	Comparative genomic and transcriptional analyses of the carbohydrate-active enzymes and secretomes of phytopathogenic fungi reveal their significant roles during infection and development. Scientific Reports, 2015, 5, 15565.	3.3	117
12	A 2-kb Mycovirus Converts a Pathogenic Fungus into a Beneficial Endophyte for Brassica Protection and Yield Enhancement. Molecular Plant, 2020, 13, 1420-1433.	8.3	113
13	A novel mycovirus closely related to hypoviruses that infects the plant pathogenic fungus <i>Sclerotinia sclerotiorum</i> . Virology, 2011, 418, 49-56.	2.4	111
14	Virome Characterization of a Collection of <i>S. sclerotiorum</i> from Australia. Frontiers in Microbiology, 2017, 8, 2540.	3.5	106
15	Novel Secretory Protein Ss-Caf1 of the Plant-Pathogenic Fungus <i>Sclerotinia sclerotiorum</i> Is Required for Host Penetration and Normal Sclerotial Development. Molecular Plant-Microbe Interactions, 2014, 27, 40-55.	2.6	105
16	Antifungal substances produced by <i>Penicillium oxalicum</i> strain PY-1â€”potential antibiotics against plant pathogenic fungi. World Journal of Microbiology and Biotechnology, 2008, 24, 909-915.	3.6	85
17	A mitovirus related to plant mitochondrial gene confers hypovirulence on the phytopathogenic fungus <i>Sclerotinia sclerotiorum</i> . Virus Research, 2015, 197, 127-136.	2.2	83
18	Virus-mediated suppression of host non-self recognition facilitates horizontal transmission of heterologous viruses. PLoS Pathogens, 2017, 13, e1006234.	4.7	81

#	ARTICLE	IF	CITATIONS
19	Molecular characterization of a bipartite double-stranded RNA virus and its satellite-like RNA co-infecting the phytopathogenic fungus <i>Sclerotinia sclerotiorum</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 406.	3.5	70
20	Molecular characterization of two positive-strand RNA viruses co-infecting a hypovirulent strain of <i>Sclerotinia sclerotiorum</i> . <i>Virology</i> , 2014, 464-465, 450-459.	2.4	69
21	Dicer-Like Proteins Regulate Sexual Development via the Biogenesis of Perithecium-Specific MicroRNAs in a Plant Pathogenic Fungus <i>Fusarium graminearum</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 818.	3.5	68
22	Integrated omics study of lipid droplets from <i>Plasmodiophora brassicae</i> . <i>Scientific Reports</i> , 2016, 6, 36965.	3.3	59
23	A cosmopolitan fungal pathogen of dicots adopts an endophytic lifestyle on cereal crops and protects them from major fungal diseases. <i>ISME Journal</i> , 2020, 14, 3120-3135.	9.8	57
24	Interannual dynamics, diversity and evolution of the virome in <i>Sclerotinia sclerotiorum</i> from a single crop field. <i>Virus Evolution</i> , 2021, 7, veab032.	4.9	56
25	An effector of a necrotrophic fungal pathogen targets the calcium-sensing receptor in chloroplasts to inhibit host resistance. <i>Molecular Plant Pathology</i> , 2020, 21, 686-701.	4.2	55
26	Endosphere microbiome comparison between symptomatic and asymptomatic roots of <i>Brassica napus</i> infected with <i>Plasmodiophora brassicae</i> . <i>PLoS ONE</i> , 2017, 12, e0185907.	2.5	53
27	Ss-Sl2, a Novel Cell Wall Protein with PAN Modules, Is Essential for Sclerotial Development and Cellular Integrity of <i>Sclerotinia sclerotiorum</i> . <i>PLoS ONE</i> , 2012, 7, e34962.	2.5	44
28	<i>Arabidopsis</i> Mutant <i>bik1</i> Exhibits Strong Resistance to <i>Plasmodiophora brassicae</i> . <i>Frontiers in Physiology</i> , 2016, 7, 402.	2.8	44
29	Nox Complex signal and MAPK cascade pathway are cross-linked and essential for pathogenicity and conidiation of mycoparasite <i>Coniothyrium minitans</i> . <i>Scientific Reports</i> , 2016, 6, 24325.	3.3	41
30	Characterization of a Novel Megabirnavirus from <i>Sclerotinia sclerotiorum</i> Reveals Horizontal Gene Transfer from Single-Stranded RNA Virus to Double-Stranded RNA Virus. <i>Journal of Virology</i> , 2015, 89, 8567-8579.	3.4	40
31	Co-infection of a hypovirulent isolate of <i>Sclerotinia sclerotiorum</i> with a new botybirnavirus and a strain of a mitovirus. <i>Virology Journal</i> , 2016, 13, 92.	3.4	40
32	A Single ssRNA Segment Encoding RdRp Is Sufficient for Replication, Infection, and Transmission of Ourmia-Like Virus in Fungi. <i>Frontiers in Microbiology</i> , 2020, 11, 379.	3.5	39
33	A <i>Ralstonia solanacearum</i> effector targets TGA transcription factors to subvert salicylic acid signaling. <i>Plant Cell</i> , 2022, 34, 1666-1683.	6.6	39
34	The Microbial Opsin Homolog <i>Sop1</i> is involved in <i>Sclerotinia sclerotiorum</i> Development and Environmental Stress Response. <i>Frontiers in Microbiology</i> , 2015, 6, 1504.	3.5	38
35	Characterization of a novel <i>Sclerotinia sclerotiorum</i> RNA virus as the prototype of a new proposed family within the order Tymovirales. <i>Virus Research</i> , 2016, 219, 92-99.	2.2	37
36	A Novel Deltaflexivirus that Infects the Plant Fungal Pathogen, <i>Sclerotinia sclerotiorum</i> , Can Be Transmitted Among Host Vegetative Incompatible Strains. <i>Viruses</i> , 2018, 10, 295.	3.3	35

#	ARTICLE	IF	CITATIONS
37	Bio-priming with a hypovirulent phytopathogenic fungus enhances the connection and strength of microbial interaction network in rapeseed. <i>Npj Biofilms and Microbiomes</i> , 2020, 6, 45.	6.4	33
38	Nine viruses from eight lineages exhibiting new evolutionary modes that co-infect a hypovirulent phytopathogenic fungus. <i>PLoS Pathogens</i> , 2021, 17, e1009823.	4.7	30
39	Molecular Characterization of a Novel Positive-Sense, Single-Stranded RNA Mycovirus Infecting the Plant Pathogenic Fungus <i>Sclerotinia sclerotiorum</i> . <i>Viruses</i> , 2015, 7, 2470-2484.	3.3	28
40	Two alphapartitiviruses co-infecting a single isolate of the plant pathogenic fungus <i>Rhizoctonia solani</i> . <i>Archives of Virology</i> , 2018, 163, 515-520.	2.1	28
41	The Subtilisin-Like Protease Bcser2 Affects the Sclerotial Formation, Conidiation and Virulence of <i>Botrytis cinerea</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 603.	4.1	25
42	Discovery of Two Mycoviruses by High-Throughput Sequencing and Assembly of Mycovirus-Derived Small Silencing RNAs From a Hypovirulent Strain of <i>Sclerotinia sclerotiorum</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 1415.	3.5	21
43	Transcriptional Responses of <i>Sclerotinia sclerotiorum</i> to the Infection by SsHADV-1. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 493.	3.5	20
44	A HOPS protein, CmVps39, is required for vacuolar morphology, autophagy, growth, conidiogenesis and mycoparasitic functions of <i>Coniothyrium minitans</i> . <i>Environmental Microbiology</i> , 2016, 18, 3785-3797.	3.8	19
45	Fungicidal Actions and Resistance Mechanisms of Prochloraz to <i>Penicillium digitatum</i> . <i>Plant Disease</i> , 2021, 105, 408-415.	1.4	19
46	Molecular Characterization of the First Alternavirus Identified in <i>Fusarium oxysporum</i> . <i>Viruses</i> , 2021, 13, 2026.	3.3	18
47	Functional Analysis of the Melanin-Associated Gene CmMR1 in <i>Coniothyrium minitans</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 2658.	3.5	17
48	Editing homologous copies of an essential gene affords crop resistance against two cosmopolitan necrotrophic pathogens. <i>Plant Biotechnology Journal</i> , 2021, 19, 2349-2361.	8.3	17
49	Two distant helicases in one mycovirus: evidence of horizontal gene transfer between mycoviruses, coronaviruses and other nidoviruses. <i>Virus Evolution</i> , 2021, 7, veab043.	4.9	17
50	Sclerotia of a phytopathogenic fungus restrict microbial diversity and improve soil health by suppressing other pathogens and enriching beneficial microorganisms. <i>Journal of Environmental Management</i> , 2020, 259, 109857.	7.8	16
51	Genomic organization of a novel victorivirus from the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Archives of Virology</i> , 2015, 160, 2907-2910.	2.1	15
52	Complete genome sequence of a novel mitovirus from the phytopathogenic fungus <i>Rhizoctonia oryzae-sativae</i> . <i>Archives of Virology</i> , 2017, 162, 1409-1412.	2.1	15
53	A Novel RNA Virus Related to Sobemoviruses Confers Hypovirulence on the Phytopathogenic Fungus <i>Sclerotinia sclerotiorum</i> . <i>Viruses</i> , 2019, 11, 759.	3.3	15
54	Mycoparasitism illuminated by genome and transcriptome sequencing of <i>Coniothyrium minitans</i> , an important biocontrol fungus of the plant pathogen <i>Sclerotinia sclerotiorum</i> . <i>Microbial Genomics</i> , 2020, 6, .	2.0	15

#	ARTICLE	IF	CITATIONS
55	A "footprint" of plant carbon fixation cycle functions during the development of a heterotrophic fungus. <i>Scientific Reports</i> , 2015, 5, 12952.	3.3	14
56	Identification of <i>Lasiodiplodia pseudotheobromae</i> Causing Fruit Rot of Citrus in China. <i>Plants</i> , 2021, 10, 202.	3.5	14
57	Isolation and evaluation of the biocontrol potential of <i>Talaromyces</i> spp. against rice sheath blight guided by soil microbiome. <i>Environmental Microbiology</i> , 2021, 23, 5946-5961.	3.8	13
58	Codon Usage Provides Insights into the Adaptive Evolution of Mycoviruses in Their Associated Fungi Host. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7441.	4.1	13
59	Uninterrupted Expression of CmSIT1 in a Sclerotial Parasite <i>Coniothyrium minitans</i> Leads to Reduced Growth and Enhanced Antifungal Ability. <i>Frontiers in Microbiology</i> , 2017, 8, 2208.	3.5	12
60	Early Transcriptional Response to DNA Virus Infection in <i>Sclerotinia sclerotiorum</i> . <i>Viruses</i> , 2019, 11, 278.	3.3	12
61	Four Novel Botourmiaviruses Co-Infecting an Isolate of the Rice Blast Fungus <i>Magnaporthe oryzae</i> . <i>Viruses</i> , 2020, 12, 1383.	3.3	11
62	Genome Characterization and Phylogenetic Analysis of a Novel Endornavirus That Infects Fungal Pathogen <i>Sclerotinia sclerotiorum</i> . <i>Viruses</i> , 2022, 14, 456.	3.3	10
63	Active DNA demethylation regulates MAMP-triggered immune priming in <i>Arabidopsis</i> . <i>Journal of Genetics and Genomics</i> , 2022, 49, 796-809.	3.9	10
64	New insights into reovirus evolution: implications from a newly characterized mycoreovirus. <i>Journal of General Virology</i> , 2017, 98, 1132-1141.	2.9	9
65	MAPKK Inhibitor UO126 Inhibits <i>Plasmodiophora brassicae</i> Development. <i>Phytopathology</i> , 2018, 108, 711-720.	2.2	8
66	<i>Sclerotinia sclerotiorum</i> SsCut1 Modulates Virulence and Cutinase Activity. <i>Journal of Fungi (Basel)</i> , 2022, 8, 1075.	3.5	8
67	Proto-oncogenes in a eukaryotic unicellular organism play essential roles in plasmodial growth in host cells. <i>BMC Genomics</i> , 2018, 19, 881.	2.8	6
68	A novel antisense long non-coding RNA participates in asexual and sexual reproduction by regulating the expression of <i>GzmetE</i> in <i>Fusarium graminearum</i> . <i>Environmental Microbiology</i> , 2021, 23, 4939-4955.	3.8	6
69	Deciphering Bacterial Community of the Fallow and Paddy Soil Focusing on Possible Biocontrol Agents. <i>Agronomy</i> , 2022, 12, 431.	3.0	6
70	CmAim24 Is Essential for Mitochondrial Morphology, Conidiogenesis, and Mycoparasitism in <i>Coniothyrium minitans</i> . <i>Applied and Environmental Microbiology</i> , 2020, 86, .	3.1	5
71	lncRsp1, a long noncoding RNA, influences Fgsp1 expression and sexual reproduction in <i>Fusarium graminearum</i> . <i>Molecular Plant Pathology</i> , 2021, .	4.2	5
72	Mycoviroomic Analysis Unveils Complex Virus Composition in a Hypovirulent Strain of <i>Sclerotinia sclerotiorum</i> . <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 649.	3.5	5

#	ARTICLE	IF	CITATIONS
73	Host Transcriptional Response of <i>Sclerotinia sclerotiorum</i> Induced by the Mycoparasite <i>Coniothyrium minitans</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 183.	3.5	4
74	Characterization of a novel botoulivirus isolated from the phytopathogenic fungus <i>Sclerotinia sclerotiorum</i> . <i>Archives of Virology</i> , 2021, 166, 2859-2863.	2.1	4
75	Pyrimethanil Sensitivity and Resistance Mechanisms in <i>Penicillium digitatum</i> . <i>Plant Disease</i> , 2021, 105, 1758-1764.	1.4	3
76	Characterization of a novel RNA virus from the phytopathogenic fungus <i>Leptosphaeria biglobosa</i> related to members of the genus <i>Mitovirus</i> . <i>Archives of Virology</i> , 2019, 164, 913-916.	2.1	2
77	Characterization of a newly identified RNA segment derived from the genome of <i>Sclerotinia sclerotiorum</i> reovirus 1. <i>Archives of Virology</i> , 2022, 167, 603-606.	2.1	2
78	Fusarivirus accessory helicases present an evolutionary link for viruses infecting plants and fungi. <i>Virologica Sinica</i> , 2022, 37, 427-436.	3.0	2
79	A novel alphahypovirus that infects the fungal plant pathogen <i>Sclerotinia sclerotiorum</i> . <i>Archives of Virology</i> , 2022, 167, 213-217.	2.1	1
80	Risk and molecular mechanisms for boscalid resistance in <i>Penicillium digitatum</i> . <i>Pesticide Biochemistry and Physiology</i> , 2022, 184, 105130.	3.6	1