

# Anne-Christine Rat Acr

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9249797/publications.pdf>

Version: 2024-02-01

78  
papers

1,966  
citations

257450

24  
h-index

265206

42  
g-index

85  
all docs

85  
docs citations

85  
times ranked

2663  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tailored patient therapeutic educational interventions: A patient-centred communication model. <i>Health Expectations</i> , 2022, 25, 276-289.	2.6	8
2	Characteristics of patients with knee and/or hip osteoarthritis undergoing spa treatment: the prospective KHOALA cohort study. <i>International Journal of Biometeorology</i> , 2022, 66, 573-590.	3.0	0
3	Do Glucocorticoid Injections Increase the Risk of Knee Osteoarthritis Progression Over 5 Years?. <i>Arthritis and Rheumatology</i> , 2022, 74, 1343-1351.	5.6	14
4	Time to initiation of biologic disease-modifying antirheumatic drugs in the French cohort ESPOIR. <i>Joint Bone Spine</i> , 2021, 88, 105060.	1.6	6
5	Impact of smoking on femorotibial and hip osteoarthritis progression: 3-year follow-up data from the KHOALA cohort. <i>Joint Bone Spine</i> , 2021, 88, 105077.	1.6	4
6	Pain in women with knee and/or hip osteoarthritis is related to systemic inflammation and to adipose tissue dysfunction: Cross-sectional results of the KHOALA cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 129-136.	3.4	16
7	Histoire naturelle de l'arthrose des membres inférieurs. Que nous a appris la cohorte KHOALA?. <i>Revue Du Rhumatisme Monographies</i> , 2021, 88, 97-103.	0.0	0
8	Patients and spouses coping with inflammatory arthritis: Impact of communication and spousal perceived social support and burden. <i>Joint Bone Spine</i> , 2021, 88, 105125.	1.6	1
9	Association of Baseline Cardiovascular Diseases with 5-Year Knee and Hip Osteoarthritis Progression in Non-Obese Patients: Data from the KHOALA Cohort. <i>Journal of Clinical Medicine</i> , 2021, 10, 3353.	2.4	3
10	What Have We Learned About the Course of Clinical Outcomes After Total Knee or Hip Arthroplasty?. <i>Arthritis Care and Research</i> , 2020, 72, 1519-1529.	3.4	9
11	What Have We Learned From Trajectory Analysis of Clinical Outcomes in Knee and Hip Osteoarthritis Before Surgery?. <i>Arthritis Care and Research</i> , 2020, 72, 1693-1702.	3.4	13
12	Chondrocalcinosis of the Knee and the Risk of Osteoarthritis Progression: Data From the Knee and Hip Osteoarthritis Long-term Assessment Cohort. <i>Arthritis and Rheumatology</i> , 2020, 72, 726-732.	5.6	17
13	Patients and relatives coping with inflammatory arthritis: Care teamwork. <i>Health Expectations</i> , 2020, 23, 137-147.	2.6	8
14	Recommandations de la Société française de rhumatologie sur la prise en charge pharmacologique de la gonarthrose. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2020, 87, 439-446.	0.0	4
15	Trajectory analysis combining pain and physical function in individuals with knee and hip osteoarthritis: results from the French KHOALA cohort. <i>Rheumatology</i> , 2020, 59, 3488-3498.	1.9	14
16	Five-year Evolution Patterns of Physical Activity and Sedentary Behavior in Patients with Lower-limb Osteoarthritis and Their Sociodemographic and Clinical Correlates. <i>Journal of Rheumatology</i> , 2020, 47, 1807-1814.	2.0	4
17	Spa therapy with physical rehabilitation is an alternative to usual spa therapy protocol in symptomatic knee osteoarthritis. <i>Scientific Reports</i> , 2020, 10, 11004.	3.3	9
18	What Is Relatives' Role in Arthritis Management? A Qualitative Study of the Perceptions of Patient-Relative Dyads. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 45-53.	1.8	4

#	ARTICLE	IF	CITATIONS
19	Impact of comorbidities and functional impairment on 5-year loss of health utility in patients with lower-limb osteoarthritis in the KHOALA cohort. <i>Quality of Life Research</i> , 2019, 28, 3047-3054.	3.1	8
20	Comparison of high-frequency intensive balneotherapy with low-frequency balneotherapy combined with land-based exercise on postural control in symptomatic knee osteoarthritis: a randomized clinical trial. <i>International Journal of Biometeorology</i> , 2019, 63, 1151-1159.	3.0	5
21	SAT0151â€¦TIME TO INITIATION OF BIOLOGIC DISEASE-MODIFYING ANTIRHEUMATIC DRUGS IN THE FRENCH COHORT ESPOIR. , 2019, , .		0
22	OP0178â€¦CARDIOVASCULAR COMORBIDITIES HAVE A DELETERIOUS IMPACT ON KNEE OSTEOARTHRITIS PROGNOSIS AT 5 YEARS: DATA FROM THE PROSPECTIVE KHOALA COHORT. , 2019, , .		0
23	The presence of cardiovascular disease does not modify the weak impact obesity has on health-related quality of life in patients with hip osteoarthritis in the KHOALA cohort. <i>Joint Bone Spine</i> , 2018, 85, 233-238.	1.6	4
24	Body composition and clinical symptoms in patients with hip or knee osteoarthritis: Results from the KHOALA cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 797-804.	3.4	27
25	Can the e-OAKHQOL be an alternative to measure health-related quality of life in knee osteoarthritis?. <i>Quality of Life Research</i> , 2018, 27, 2731-2743.	3.1	1
26	Cost Effectiveness of Intra-Articular Hyaluronic Acid and Disease-Modifying Drugs in Knee Osteoarthritis. <i>Pharmacoeconomics</i> , 2018, 36, 1321-1331.	3.3	8
27	Development of a Web-Based Formative Self-Assessment Tool for Physicians to Practice Breaking Bad News (BRADNET). <i>JMIR Medical Education</i> , 2018, 4, e17.	2.6	7
28	Radiography and abdominal CT compared with sacroiliac joint CT in the diagnosis of sacroiliitis. <i>Acta Radiologica</i> , 2017, 58, 1252-1259.	1.1	14
29	Association entre morphologie de la hanche et prÃ©valence, sÃ©vÃ©ritÃ© clinique et progression de la coxarthrose pendant 3Ã ans: rÃ©sultats de la cohorte Knee and Hip OsteoArthritis Long-term Assessment (KHOALA). <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2017, 84, 440-447.	0.0	0
30	Influence of meteorological elements on balance control and pain in patients with symptomatic knee osteoarthritis. <i>International Journal of Biometeorology</i> , 2017, 61, 903-910.	3.0	15
31	Factors associated with knowledge and safety skills of arthritis patients receiving biologics: A survey of 677 patients. <i>Joint Bone Spine</i> , 2017, 84, 163-168.	1.6	9
32	Association between hip morphology and prevalence, clinical severity and progression of hip osteoarthritis over 3 years: The knee and hip osteoarthritis long-term assessment cohort results. <i>Joint Bone Spine</i> , 2016, 83, 432-438.	1.6	13
33	Femoro-tibial knee osteoarthritis: One or two X-rays? Results from a population-based study. <i>Joint Bone Spine</i> , 2016, 83, 37-42.	1.6	4
34	The Mini-OAKHQOL for knee and hip osteoarthritis quality of life was obtained following recent shortening guidelines. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 70-78.	5.0	13
35	Diurnal variation on balance control in patients with symptomatic knee osteoarthritis. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 109-114.	3.0	20
36	Validity of the global anti-phospholipid syndrome score to predict thrombosis: a prospective multicentre cohort study. <i>Rheumatology</i> , 2015, 54, 2071-2075.	1.9	61

#	ARTICLE	IF	CITATIONS
37	Aiming for SDAI remission versus low disease activity at 1â€..year after inclusion in ESPOIR cohort is associated with better 3-year structural outcomes. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1676-1683.	0.9	21
38	Development of patient-centred standards of care for osteoarthritis in Europe: the eumusc.net-project. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1145-1149.	0.9	68
39	Cross-sectional study of self-care safety skills in 677 patients on biodrugs for inflammatory joint disease. <i>Joint Bone Spine</i> , 2014, 81, 502-507.	1.6	12
40	Transculturizaci3n y validaci3n al espa3ol del Cuestionario espec3fico de artrosis de miembros inferiores y calidad de vida AMICAL: Arthrose des Membres Inf3rieurs et Qualit3 de vie AMIQUAL. <i>Reumatolog3a Cl3nica</i> , 2014, 10, 241-247.	0.5	5
41	Transculturalization and Validation of a Spanish Translation of the Specific Lower Limb Osteoarthritis and Quality of Life Questionnaire AMICAL: Arthrose des Membres Inf3rieurs et Qualit3 de vie AMIQUAL. <i>Reumatolog3a Cl3nica (English Edition)</i> , 2014, 10, 241-247.	0.3	3
42	Reproducibility of radiographic hip measurements in adults. <i>Joint Bone Spine</i> , 2013, 80, 52-56.	1.6	35
43	Screening for Latent Tuberculosis Infection in Patients with Chronic Inflammatory Arthritis: Discrepancies Between Tuberculin Skin Test and Interferon-Î³ Release Assay Results. <i>Journal of Rheumatology</i> , 2013, 40, 1986-1993.	2.0	26
44	Item reduction based on rigorous methodological guidelines is necessary to maintain validity when shortening composite measurement scales. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 710-718.	5.0	103
45	Safety of biologics: Elaboration and validation of a questionnaire assessing patientsâ€™ self-care safety skills: The BioSecure questionnaire. An initiative of the French Rheumatology Society Therapeutic Education section. <i>Joint Bone Spine</i> , 2013, 80, 471-476.	1.6	30
46	Superficial vein thrombosis, thrombin generation and activated protein C resistance as predictors of thromboembolic events in lupus and antiphospholipid patients. A prospective cohort study. <i>Thrombosis Research</i> , 2013, 132, e1-e7.	1.7	35
47	Relationship Between Hip Dysplasia, Pain, and Osteoarthritis in a Cohort of Patients with Hip Symptoms. <i>Journal of Rheumatology</i> , 2013, 40, 1583-1589.	2.0	27
48	Who are the patients with early arthritis with worse than death scores on the EQ-5D? Results from the ESPOIR cohort. <i>Rheumatology</i> , 2013, 52, 832-838.	1.9	13
49	GUEPARD treat-to-target strategy is significantly more efficacious than ESPOIR routine care in early rheumatoid arthritis according to patient-reported outcomes and physician global estimate. <i>Rheumatology</i> , 2013, 52, 1890-1897.	1.9	12
50	Potential Classification Criteria for Rheumatoid Arthritis After Two Years: Results From a French Multicenter Cohort. <i>Arthritis Care and Research</i> , 2013, 65, 1227-1234.	3.4	16
51	Responsiveness of EQ-5D and SF-6D in patients with early arthritis: results from the ESPOIR cohort. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1478-1483.	0.9	19
52	Can we improve the diagnosis of spondyloarthritis in patients with uncertain diagnosis? The EchoSpA prospective multicenter French cohort. <i>Joint Bone Spine</i> , 2012, 79, 586-590.	1.6	14
53	The KHOALA cohort of knee and hip osteoarthritis in France. <i>Joint Bone Spine</i> , 2012, 79, 597-603.	1.6	48
54	Impact of co-morbidities on measuring indirect utility by the Medical Outcomes Study Short Form 6D in lower-limb osteoarthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 627-635.	3.3	8

#	ARTICLE	IF	CITATIONS
55	Factors associated with fatigue in early arthritis: Results from the ESPOIR cohort. <i>Arthritis Care and Research</i> , 2012, 64, n/a-n/a.	3.4	21
56	Musculoskeletal Ultrasonography in Healthy Subjects and Ultrasound Criteria for Early Arthritis (The ESPOIR Cohort). <i>Journal of Rheumatology</i> , 2011, 38, 613-620.	2.0	55
57	Importance of patient satisfaction with care in predicting osteoarthritis-specific health-related quality of life one year after total joint arthroplasty. <i>Quality of Life Research</i> , 2011, 20, 1581-1588.	3.1	38
58	National, multicentre, prospective study of quality of life in patients with osteoarthritis of the knee treated with hylane G-F 20. <i>Clinical Rheumatology</i> , 2011, 30, 1285-1293.	2.2	10
59	Measurement properties of the osteoarthritis of knee and hip quality of life OAKHQOL questionnaire: an item response theory analysis. <i>Rheumatology</i> , 2011, 50, 500-505.	1.9	29
60	Comparison of the EQ-5D and the SF-6D Utility Measures in 813 Patients with Early Arthritis: Results from the ESPOIR Cohort. <i>Journal of Rheumatology</i> , 2011, 38, 1576-1584.	2.0	15
61	Effects of rituximab therapy on quality of life in patients with primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, 6-12.	0.8	33
62	Total hip or knee replacement for osteoarthritis: Mid- and long-term quality of life. <i>Arthritis Care and Research</i> , 2010, 62, 54-62.	3.4	85
63	Early referral to the rheumatologist for early arthritis patients: evidence for suboptimal care. Results from the ESPOIR cohort. <i>Rheumatology</i> , 2010, 49, 147-155.	1.9	31
64	La présence d'un épanchement articulaire influence-t-elle la réponse clinique à une injection unique d'Hylane GF-20 dans la coxarthrose?. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008, 75, 260-267.	0.0	0
65	Does joint effusion influence the clinical response to a single Hylan GF-20 injection for hip osteoarthritis?. <i>Joint Bone Spine</i> , 2008, 75, 182-188.	1.6	21
66	Content of quality-of-life instruments is affected by item-generation methods. <i>International Journal for Quality in Health Care</i> , 2007, 19, 390-398.	1.8	32
67	Linkage proof for <i>PTPN22</i> , a rheumatoid arthritis susceptibility gene and a human autoimmunity gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1649-1654.	7.1	90
68	Prise en charge de la polyarthrite rhumatoïde en médecine générale: enquête dans un département français. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2006, 73, 256-262.	0.0	2
69	Développement et validation d'un questionnaire de qualité de vie spécifique de l'arthrose de hanche et de genou: l'AMIQUAL (Arthrose des Membres Inférieurs et Qualité de Vie). <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2006, 73, 1364-1372.	0.0	1
70	Apport de l'IRM au bilan lésionnel cartilagineux et articulaire dans la pathologie dégénérative du genou. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2006, 73, 609-616.	0.0	2
71	Development and testing of a specific quality-of-life questionnaire for knee and hip osteoarthritis: OAKHQOL (OsteoArthritis of Knee Hip Quality Of Life). <i>Joint Bone Spine</i> , 2006, 73, 697-704.	1.6	50
72	Macroscopic and microscopic features of synovial membrane inflammation in the osteoarthritic knee: Correlating magnetic resonance imaging findings with disease severity. <i>Arthritis and Rheumatism</i> , 2005, 52, 3492-3501.	6.7	239

#	ARTICLE	IF	CITATIONS
73	OAKHQOL: A new instrument to measure quality of life in knee and hip osteoarthritis. Journal of Clinical Epidemiology, 2005, 58, 47-55.	5.0	109
74	Do primary care physicians have a place in the management of rheumatoid arthritis?. Joint Bone Spine, 2004, 71, 190-197.	1.6	27
75	Rheumatoid arthritis: direct and indirect costs. Joint Bone Spine, 2004, 71, 518-524.	1.6	123
76	Spinal epidural lipomatosis revealing endogenous Cushing's syndrome. Joint Bone Spine, 2002, 69, 222-225.	1.6	28
77	Cardiac manifestations of rheumatoid arthritis: A case-control transesophageal echocardiography study in 30 patients. Arthritis and Rheumatism, 2001, 45, 129-135.	6.7	82
78	Large Artery Disease in Scleroderma: Case Report and Review of the Literature. Journal of Clinical Rheumatology, 2000, 6, 198-203.	0.9	1