

# Steffi G Riedel-Heller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9250658/publications.pdf>

Version: 2024-02-01

345  
papers

18,091  
citations

26630

56  
h-index

23533

111  
g-index

461  
all docs

461  
docs citations

461  
times ranked

24674  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates APOE, tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019, 51, 414-430.	21.4	1,962
2	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	12.6	1,085
3	Rare coding variants in PLCC2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017, 49, 1373-1384.	21.4	783
4	New insights into the genetic etiology of Alzheimer's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436.	21.4	700
5	Prediction of Dementia by Subjective Memory Impairment<sub>title</sub>Effects of Severity and Temporal Association With Cognitive Impairment</sub>&lt;alt-title>Dementia and Subjective Memory Impairment</alt-title>. <i>Archives of General Psychiatry</i> , 2010, 67, 414.	12.3	559
6	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	12.8	484
7	AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 76-83.	0.8	414
8	Predicting brain-age from multimodal imaging data captures cognitive impairment. <i>NeuroImage</i> , 2017, 148, 179-188.	4.2	407
9	Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S63-S86.	2.6	317
10	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015, 15, 691.	2.9	287
11	Body Dissatisfaction in Individuals with Obesity Compared to Normal-Weight Individuals: A Systematic Review and Meta-Analysis. <i>Obesity Facts</i> , 2016, 9, 424-441.	3.4	252
12	Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. <i>Journal of Affective Disorders</i> , 2017, 210, 338-344.	4.1	248
13	Mild cognitive impairment: prevalence and incidence according to different diagnostic criteria. <i>British Journal of Psychiatry</i> , 2003, 182, 449-454.	2.8	232
14	Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 465-476.	0.8	232
15	Economic costs of overweight and obesity. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2013, 27, 105-115.	4.7	214
16	Incidence of Mild Cognitive Impairment: A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 164-175.	1.5	179
17	Mild Cognitive Impairment in General Practice: Age-Specific Prevalence and Correlate Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 24, 307-316.	1.5	173
18	Mental disorders?who and what might help?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 167-174.	3.1	156

#	ARTICLE	IF	CITATIONS
19	Evidence Synthesis of Digital Interventions to Mitigate the Negative Impact of the COVID-19 Pandemic on Public Mental Health: Rapid Meta-review. <i>Journal of Medical Internet Research</i> , 2021, 23, e23365.	4.3	140
20	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417.	12.8	140
21	Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015, 10, e0144203.	2.5	128
22	The stigma of obesity in the general public and its implications for public health - a systematic review. <i>BMC Public Health</i> , 2011, 11, 661.	2.9	124
23	Prevalence of dementia according to DSM-III-R and ICD-10. <i>British Journal of Psychiatry</i> , 2001, 179, 250-254.	2.8	121
24	Prediction of Dementia in Primary Care Patients. <i>PLoS ONE</i> , 2011, 6, e16852.	2.5	116
25	Cognitive performance before and after the onset of subjective cognitive decline in old age. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 194-205.	2.4	110
26	The Stigma of Suicide Survivorship and Related Consequences – A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0162688.	2.5	110
27	School-based prevention programs for depression and anxiety in adolescence: a systematic review. <i>Health Promotion International</i> , 2014, 29, 427-441.	1.8	101
28	Anticholinergic drug use and risk for dementia: target for dementia prevention. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 111-115.	3.2	99
29	Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 143.	2.4	98
30	Systematic review of the effect of the psychosocial working environment on cognition and dementia. <i>Occupational and Environmental Medicine</i> , 2014, 71, 358-365.	2.8	98
31	Current alcohol consumption and its relationship to incident dementia: results from a 3-year follow-up study among primary care attenders aged 75 years and older. <i>Age and Ageing</i> , 2011, 40, 456-463.	1.6	97
32	Mental wellbeing in the German old age population largely unaltered during COVID-19 lockdown: results of a representative survey. <i>BMC Geriatrics</i> , 2020, 20, 489.	2.7	94
33	Impact of Depression on Health Care Utilization and Costs among Multimorbid Patients – Results from the MultiCare Cohort Study. <i>PLoS ONE</i> , 2014, 9, e91973.	2.5	88
34	Alzheimer's disease-associated (hydroxy)methylomic changes in the brain and blood. <i>Clinical Epigenetics</i> , 2019, 11, 164.	4.1	88
35	A nonsynonymous mutation in <i>PLCG2</i> reduces the risk of Alzheimer's disease, dementia with Lewy bodies and frontotemporal dementia, and increases the likelihood of longevity. <i>Acta Neuropathologica</i> , 2019, 138, 237-250.	7.7	87
36	Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with anxiety disorders. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 47.	2.4	86

#	ARTICLE	IF	CITATIONS
37	Converging Genetic and Functional Brain Imaging Evidence Links Neuronal Excitability to Working Memory, Psychiatric Disease, and Brain Activity. <i>Neuron</i> , 2014, 81, 1203-1213.	8.1	86
38	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002853.	8.4	86
39	Higher body mass index in older adults is associated with lower gray matter volume: implications for memory performance. <i>Neurobiology of Aging</i> , 2016, 40, 1-10.	3.1	84
40	Social isolation, mental health, and use of digital interventions in youth during the COVID-19 pandemic: A nationally representative survey. <i>European Psychiatry</i> , 2021, 64, e20.	0.2	82
41	User Acceptance of Computerized Cognitive Behavioral Therapy for Depression: Systematic Review. <i>Journal of Medical Internet Research</i> , 2017, 19, e309.	4.3	81
42	Obese Children, Adults and Senior Citizens in the Eyes of the General Public: Results of a Representative Study on Stigma and Causation of Obesity. <i>PLoS ONE</i> , 2012, 7, e46924.	2.5	80
43	Traffic Noise and Mental Health: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6175.	2.6	80
44	Prevalence and correlates of DSM-IV-TR major depressive disorder, self-reported diagnosed depression and current depressive symptoms among adults in Germany. <i>Journal of Affective Disorders</i> , 2016, 190, 167-177.	4.1	79
45	Risk factors and protective factors of depression in older people 65+. A systematic review. <i>PLoS ONE</i> , 2021, 16, e0251326.	2.5	79
46	Social Isolation and Loneliness during COVID-19 Lockdown: Associations with Depressive Symptoms in the German Old-Age Population. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3615.	2.6	74
47	Burnout among young physicians and its association with physicians' wishes to leave: results of a survey in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 2.	2.2	73
48	Mental health problems in the general population during and after the first lockdown phase due to the SARS-Cov-2 pandemic: rapid review of multi-wave studies. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e27.	3.9	72
49	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1135-1146.	2.6	70
50	Eating Behaviour in the General Population: An Analysis of the Factor Structure of the German Version of the Three-Factor-Eating-Questionnaire (TFEQ) and Its Association with the Body Mass Index. <i>PLoS ONE</i> , 2015, 10, e0133977.	2.5	69
51	Is orthorexic behavior common in the general public? A large representative study in Germany. <i>Eating and Weight Disorders</i> , 2019, 24, 267-273.	2.5	69
52	White matter microstructural variability mediates the relation between obesity and cognition in healthy adults. <i>NeuroImage</i> , 2018, 172, 239-249.	4.2	67
53	White matter hyperintensities associated with small vessel disease impair social cognition beside attention and memory. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 996-1009.	4.3	66
54	Association between multimorbidity patterns and chronic pain in elderly primary care patients: a cross-sectional observational study. <i>BMC Family Practice</i> , 2016, 17, 68.	2.9	65

#	ARTICLE	IF	CITATIONS
55	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 167.	6.2	64
56	Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. <i>Quality of Life Research</i> , 2016, 25, 1159-1168.	3.1	61
57	Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. <i>British Journal of General Practice</i> , 2015, 65, e716-e723.	1.4	59
58	Health burden and costs of obesity and overweight in Germany: an update. <i>European Journal of Health Economics</i> , 2015, 16, 957-967.	2.8	59
59	The association between unemployment and depression—Results from the population-based LIFE-adult-study. <i>Journal of Affective Disorders</i> , 2018, 235, 399-406.	4.1	59
60	PLD3 in non-familial Alzheimer's disease. <i>Nature</i> , 2015, 520, E3-E5.	27.8	58
61	Prospective Associations between Single Foods, Alzheimer's Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852.	4.1	57
62	The CERAD Neuropsychological Assessment Battery Total Score Detects and Predicts Alzheimer Disease Dementia with High Diagnostic Accuracy. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1017-1028.	1.2	56
63	Preferences for Depression Treatment Including Internet-Based Interventions: Results From a Large Sample of Primary Care Patients. <i>Frontiers in Psychiatry</i> , 2018, 9, 181.	2.6	53
64	Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). <i>Journal of Affective Disorders</i> , 2018, 238, 317-326.	4.1	53
65	Mild cognitive impairment and quality of life in the oldest old: a closer look. <i>Quality of Life Research</i> , 2020, 29, 1675-1683.	3.1	53
66	Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 1203-1212.	2.6	52
67	Cost-Effectiveness of Collaborative Care for the Treatment of Depressive Disorders in Primary Care: A Systematic Review. <i>PLoS ONE</i> , 2015, 10, e0123078.	2.5	51
68	Alzheimer's disease risk variants modulate endophenotypes in mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016, 12, 872-881.	0.8	50
69	Internet Use in Old Age: Results of a German Population-Representative Survey. <i>Journal of Medical Internet Research</i> , 2020, 22, e15543.	4.3	50
70	The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 193, 309-317.	4.1	49
71	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 140.	2.4	48
72	Syrian refugees in Germany: Perspectives on mental health and coping strategies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109906.	2.6	48

#	ARTICLE	IF	CITATIONS
73	Differential effects of enriched environment at work on cognitive decline in old age. <i>Neurology</i> , 2015, 84, 2169-2176.	1.1	47
74	Primary prevention of dementia: from modifiable risk factors to a public brain health agenda?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1289-1301.	3.1	47
75	Service Utilization and Health-Care Costs in the Advanced Elderly. <i>Value in Health</i> , 2008, 11, 611-620.	0.3	46
76	Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 607-616.	3.1	46
77	Association of Systolic Blood Pressure With Dementia Risk and the Role of Age, U-Shaped Associations, and Mortality. <i>JAMA Internal Medicine</i> , 2022, 182, 142.	5.1	45
78	Sexual and reproductive health of young people with disability in Ethiopia: a study on knowledge, attitude and practice: a cross-sectional study. <i>Globalization and Health</i> , 2016, 12, 5.	4.9	44
79	Prevalence of DSM-5 Mild Neurocognitive Disorder in Dementia-Free Older Adults: Results of the Population-Based LIFE-Adult-Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 328-339.	1.2	43
80	Are cognitively impaired individuals adequately represented in community surveys? Recruitment challenges and strategies to facilitate participation in community surveys of older adults. A review. <i>European Journal of Epidemiology</i> , 2000, 16, 827-835.	5.7	42
81	Behavioral and Emotional Disorders and Transportation Noise among Children and Adolescents: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3336.	2.6	42
82	The role of spousal loss in the development of depressive symptoms in the elderly – Implications for diagnostic systems. <i>Journal of Affective Disorders</i> , 2014, 161, 97-103.	4.1	41
83	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83.	2.7	41
84	Factors associated with preferences for long-term care settings in old age: evidence from a population-based survey in Germany. <i>BMC Health Services Research</i> , 2017, 17, 156.	2.2	41
85	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 193-203.	2.7	41
86	Shiftwork and Alcohol Consumption: A Systematic Review of the Literature. <i>European Addiction Research</i> , 2021, 27, 9-15.	2.4	41
87	A Self-Help App for Syrian Refugees With Posttraumatic Stress (Sanadak): Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24807.	3.7	41
88	Excess health care costs of late-life depression – Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 199, 139-147.	4.1	40
89	Prevalence of clinically apparent hypertrophic cardiomyopathy in Germany – An analysis of over 5 million patients. <i>PLoS ONE</i> , 2018, 13, e0196612.	2.5	40
90	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020, 139, 1025-1044.	7.7	40

#	ARTICLE	IF	CITATIONS
91	Cost-effectiveness of a primary care model for anxiety disorders. <i>British Journal of Psychiatry</i> , 2009, 195, 308-317.	2.8	38
92	Current major depressive syndrome measured with the Patient Health Questionnaire-9 (PHQ-9) and the Composite International Diagnostic Interview (CIDI): results from a cross-sectional population-based study of adults in Germany. <i>BMC Psychiatry</i> , 2015, 15, 77.	2.6	37
93	Frequent attenders in late life in primary care: a systematic review of European studies. <i>BMC Family Practice</i> , 2017, 18, 104.	2.9	37
94	HELP@APP: development and evaluation of a self-help app for traumatized Syrian refugees in Germany – a study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 131.	2.6	36
95	The Costs of Dementia From the Societal Perspective: Is Care Provided in the Community Really Cheaper than Nursing Home Care?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 117-126.	2.5	35
96	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950.	1.0	35
97	Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. <i>PLoS ONE</i> , 2017, 12, e0170303.	2.5	35
98	Association between mental demands at work and cognitive functioning in the general population – results of the health study of the Leipzig research center for civilization diseases (LIFE). <i>Journal of Occupational Medicine and Toxicology</i> , 2014, 9, 23.	2.2	34
99	Treatment preferences for depression in the elderly. <i>International Psychogeriatrics</i> , 2017, 29, 389-398.	1.0	34
100	AgeWell.de – study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. <i>BMC Geriatrics</i> , 2019, 19, 203.	2.7	34
101	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316.	2.6	33
102	Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e111-e117.	1.4	33
103	Which types of mental work demands may be associated with reduced risk of dementia?. <i>Alzheimer's and Dementia</i> , 2017, 13, 431-440.	0.8	33
104	Social factors and the prevalence of social isolation in a population-based adult cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1959-1968.	3.1	33
105	Incidence of Dementia According to DSM-III-R and ICD-10. <i>British Journal of Psychiatry</i> , 2001, 179, 255-260.	2.8	32
106	S3 guideline on psychosocial therapies in severe mental illness: evidence and recommendations. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 173-188.	3.2	32
107	A peripheral epigenetic signature of immune system genes is linked to neocortical thickness and memory. <i>Nature Communications</i> , 2017, 8, 15193.	12.8	32
108	Age- and gender-specific norms for the German version of the Three-Factor Eating-Questionnaire (TFEQ). <i>Appetite</i> , 2015, 91, 241-247.	3.7	31

#	ARTICLE	IF	CITATIONS
109	Education as protector against dementia, but what exactly do we mean by education?. Age and Ageing, 2016, 45, 523-528.	1.6	31
110	Job satisfaction of foreign-national physicians working in patient care: a cross-sectional study in Saxony, Germany. Journal of Occupational Medicine and Toxicology, 2016, 11, 41.	2.2	31
111	Association of Rare <i>APOE</i> Missense Variants V236E and R251G With Risk of Alzheimer Disease. JAMA Neurology, 2022, 79, 652.	9.0	31
112	Attitudes Towards Bariatric Surgery in the General Public. Obesity Surgery, 2013, 23, 338-345.	2.1	30
113	Outcomes of stable and unstable patterns of subjective cognitive decline “ results from the Leipzig Longitudinal Study of the Aged (LEILA75+). BMC Geriatrics, 2016, 16, 180.	2.7	30
114	Stigma and Knowledge as Determinants of Recommendation and Referral Behavior of General Practitioners and Internists. Obesity Surgery, 2016, 26, 2393-2401.	2.1	30
115	Disentangling the complex relation of disability and depressive symptoms in old age “ findings of a multicenter prospective cohort study in Germany. International Psychogeriatrics, 2017, 29, 885-895.	1.0	30
116	Sleep disturbances and upregulation of brain arousal during daytime in depressed versus non-depressed elderly subjects. World Journal of Biological Psychiatry, 2017, 18, 633-640.	2.6	30
117	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. Gerontologist, The, 2019, 59, 738-748.	3.9	30
118	A Systematic Review of Economic Evaluations of Treatments for Borderline Personality Disorder. PLoS ONE, 2014, 9, e107748.	2.5	29
119	Gray matter structural networks are associated with cardiovascular risk factors in healthy older adults. Journal of Cerebral Blood Flow and Metabolism, 2018, 38, 360-372.	4.3	29
120	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. Journal of Alzheimer's Disease, 2019, 68, 1469-1478.	2.6	28
121	Unmet health care needs in old age and their association with depression “ results of a population-representative survey. Journal of Affective Disorders, 2019, 245, 998-1006.	4.1	28
122	Age-, sex-, and education-specific norms for an extended CERAD Neuropsychological Assessment Battery“Results from the population-based LIFE-Adult-Study.. Neuropsychology, 2018, 32, 461-475.	1.3	28
123	Are social conflicts at work associated with depressive symptomatology? Results from the population-based LIFE-Adult-Study. Journal of Occupational Medicine and Toxicology, 2020, 15, 1.	2.2	27
124	Depression and quality of life in old age: a closer look. European Journal of Ageing, 2021, 18, 75-83.	2.8	27
125	Dietitians and Nutritionists: Stigma in the Context of Obesity. A Systematic Review. PLoS ONE, 2015, 10, e0140276.	2.5	27
126	Association of the apolipoprotein E genotype with memory performance and executive functioning in cognitively intact elderly.. Neuropsychology, 2015, 29, 382-387.	1.3	26



#	ARTICLE	IF	CITATIONS
127	A qualitative study on older primary care patientsâ€™ perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. BMC Family Practice, 2018, 19, 2.	2.9	26
128	Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell Assessment of Need for the Elderly (CANE) â€“ a pilot study. International Psychogeriatrics, 2014, 26, 285-295.	1.0	25
129	Social inequalities in patient-reported outcomes among older multimorbid patients â€“ results of the MultiCare cohort study. International Journal for Equity in Health, 2015, 14, 17.	3.5	25
130	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. Frontiers in Psychiatry, 2020, 11, 330.	2.6	25
131	The Role of Referrals in Diagnosing Dementia at the Primary Care Level. International Psychogeriatrics, 1999, 11, 251-262.	1.0	24
132	Perception of overweight and obesity from different angles: A qualitative study. Scandinavian Journal of Public Health, 2012, 40, 271-277.	2.3	24
133	General practitionersâ€™ views on (long-term) prescription and use of problematic and potentially inappropriate medication for oldest-old patientsâ€™ A qualitative interview study with GPs (CIM-TRIAD) Tj ETQq1 1 0.784314 24 BT /Over	2.3	24
134	Loss experiences in old age and their impact on the social network and depressionâ€“ results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). Journal of Affective Disorders, 2018, 241, 94-102.	4.1	24
135	Physician emigration from Germany: insights from a survey in Saxony, Germany. BMC Health Services Research, 2018, 18, 341.	2.2	24
136	Predictors of psychological distress in Syrian refugees with posttraumatic stress in Germany. PLoS ONE, 2021, 16, e0254406.	2.5	24
137	Genetic Analysis of Association Between Calcium Signaling and Hippocampal Activation, Memory Performance in the Young and Old, and Risk for Sporadic Alzheimer Disease. JAMA Psychiatry, 2015, 72, 1029.	11.0	23
138	Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. Journal of Alzheimer's Disease, 2016, 54, 185-199.	2.6	23
139	Respondentsâ€™ report of a clinician-diagnosed depression in health surveys: comparison with DSM-IV mental disorders in the general adult population in Germany. BMC Psychiatry, 2017, 17, 39.	2.6	23
140	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. Age and Ageing, 2017, 46, 813-820.	1.6	23
141	A Metabolic Obesity Profile Is Associated With Decreased Gray Matter Volume in Cognitively Healthy Older Adults. Frontiers in Aging Neuroscience, 2019, 11, 202.	3.4	23
142	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). Journal of Affective Disorders, 2019, 256, 650-657.	4.1	23
143	APOE Îµ4 and the Influence of Sex, Age, Vascular Risk Factors, and Ethnicity on Cognitive Decline. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1863-1873.	3.6	23
144	Cost-utility analysis of a preventive home visit program for older adults in Germany. BMC Health Services Research, 2015, 15, 141.	2.2	22

#	ARTICLE	IF	CITATIONS
145	The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 131-141.	1.2	22
146	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35.	4.1	22
147	Memory-related subjective cognitive symptoms in the adult population: prevalence and associated factors – results of the LIFE-Adult-Study. <i>BMC Psychology</i> , 2018, 6, 23.	2.1	22
148	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 285.	2.6	22
149	Increased estrogen level can be associated with depression in males. <i>Psychoneuroendocrinology</i> , 2018, 87, 196-203.	2.7	21
150	Does parity matter in women’s risk of dementia? A COSMIC collaboration cohort study. <i>BMC Medicine</i> , 2020, 18, 210.	5.5	21
151	Employment status and desire for work in severe mental illness: results from an observational, cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1657-1667.	3.1	21
152	Measuring Negative Attitudes towards Overweight and Obesity in the German Population – Psychometric Properties and Reference Values for the German Short Version of the Fat Phobia Scale (FPS). <i>PLoS ONE</i> , 2014, 9, e114641.	2.5	21
153	Sexuality and Sexual Reproductive Health of Disabled Young People in Ethiopia. <i>Sexually Transmitted Diseases</i> , 2014, 41, 583-588.	1.7	20
154	Mortality in Individuals with Subjective Cognitive Decline: Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). <i>Journal of Alzheimer's Disease</i> , 2015, 48, S33-S42.	2.6	20
155	The association of BMI and social distance towards obese individuals is mediated by sympathy and understanding. <i>Social Science and Medicine</i> , 2015, 128, 25-30.	3.8	20
156	Complex coevolution of depression and health-related quality of life in old age. <i>Quality of Life Research</i> , 2015, 24, 2713-2722.	3.1	20
157	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly – Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). <i>PLoS ONE</i> , 2016, 11, e0147050.	2.5	20
158	Sexual Experiences of Adolescents With and Without Disabilities: Results from a Cross-Sectional Study. <i>Sexuality and Disability</i> , 2016, 34, 171-182.	1.0	20
159	Layered stigma? Co-occurring depression and obesity in the public eye. <i>Journal of Psychosomatic Research</i> , 2018, 106, 29-33.	2.6	20
160	Concepts of Mental Demands at Work That Protect Against Cognitive Decline and Dementia: A Systematic Review. <i>American Journal of Health Promotion</i> , 2019, 33, 1200-1208.	1.7	20
161	Testosterone imbalance may link depression and increased body weight in premenopausal women. <i>Translational Psychiatry</i> , 2019, 9, 160.	4.8	20
162	Prevalence of High Resilience in Old Age and Association with Perceived Threat of COVID-19 – Results from a Representative Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7173.	2.6	20

#	ARTICLE	IF	CITATIONS
163	Obesity and Associated Lifestyle in a Large Sample of Multi-Morbid German Primary Care Attendees. PLoS ONE, 2014, 9, e102587.	2.5	19
164	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 481-493.	1.3	19
165	The German version of the Camberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. International Psychogeriatrics, 2015, 27, 1919-1926.	1.0	19
166	First evidence for glial pathology in late life minor depression: S100B is increased in males with minor depression. Frontiers in Cellular Neuroscience, 2015, 9, 406.	3.7	19
167	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. Dementia and Geriatric Cognitive Disorders, 2017, 44, 71-83.	1.5	19
168	Advance directives and power of attorney for health care in the oldest-old – results of the AgeQualiDe study. BMC Geriatrics, 2017, 17, 85.	2.7	19
169	Olfactory dysfunction: properties of the Sniffinâ€™ Sticks Screening 12 test and associations with quality of life. European Archives of Oto-Rhino-Laryngology, 2019, 276, 389-395.	1.6	18
170	The Importance of Engaging in Physical Activity in Older Adulthood for Transitions Between Cognitive Status Categories and Death: A Coordinated Analysis of 14 Longitudinal Studies. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1661-1667.	3.6	18
171	Comparison of FORTA, PRISCUS and EU(7)-PIM lists on identifying potentially inappropriate medication and its impact on cognitive function in multimorbid elderly German people in primary care: a multicentre observational study. BMJ Open, 2021, 11, e050344.	1.9	18
172	Eicosapentaenoic Acid Is Associated with Decreased Incidence of Alzheimerâ€™s Dementia in the Oldest Old. Nutrients, 2021, 13, 461.	4.1	18
173	Lifetime and current depression in the German National Cohort (NAKO). World Journal of Biological Psychiatry, 2023, 24, 865-880.	2.6	18
174	TREM2 rare variant p.R47H is not associated with Parkinson's disease. Parkinsonism and Related Disorders, 2016, 23, 109-111.	2.2	17
175	Effects of psychological eating behaviour domains on the association between socio-economic status and BMI. Public Health Nutrition, 2017, 20, 2706-2712.	2.2	17
176	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. Journal of Alzheimer's Disease, 2019, 69, 857-869.	2.6	17
177	Effectiveness and Feasibility of Internet-Based Interventions for Grief After Bereavement: Systematic Review and Meta-analysis. JMIR Mental Health, 2021, 8, e29661.	3.3	17
178	Computational dissection of human episodic memory reveals mental process-specific genetic profiles. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E4939-48.	7.1	16
179	Perspective of elderly patients on chronic use of potentially inappropriate medication – Results of the qualitative CIM-TRIAD study. PLoS ONE, 2018, 13, e0202068.	2.5	16
180	Social Network Types in Old Age and Incident Dementia. Journal of Geriatric Psychiatry and Neurology, 2018, 31, 163-170.	2.3	16

#	ARTICLE	IF	CITATIONS
181	Attitudes and treatment practice of general practitioners towards patients with obesity in primary care. <i>BMC Family Practice</i> , 2020, 21, 169.	2.9	16
182	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6986.	2.6	16
183	How can urban environments support dementia risk reduction? A qualitative study. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	16
184	Heart failure is independently associated with white matter lesions: insights from the population-based LIFE-Adult Study. <i>ESC Heart Failure</i> , 2021, 8, 697-704.	3.1	16
185	Associations Between Anxiety, Body Mass Index, and Sex Hormones in Women. <i>Frontiers in Psychiatry</i> , 2019, 10, 479.	2.6	15
186	Perceived social isolation and cognitive functioning. Longitudinal findings based on the German Ageing Survey. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 276-281.	2.7	15
187	Recruitment and Baseline Characteristics of Participants in the AgeWell.de Study – A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 408.	2.6	15
188	Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2022, 68, 200-208.	2.8	15
189	Prevalence of pain and its associated factors among the oldest-olds in different care settings – results of the AgeQualiDe study. <i>BMC Family Practice</i> , 2018, 19, 85.	2.9	14
190	Methylomic profiling in trisomy 21 identifies cognition- and Alzheimer’s disease-related dysregulation. <i>Clinical Epigenetics</i> , 2019, 11, 195.	4.1	14
191	A novel superior medication-based chronic disease score predicted all-cause mortality in independent geriatric cohorts. <i>Journal of Clinical Epidemiology</i> , 2019, 105, 112-124.	5.0	14
192	Correlates of hospitalization among the oldest old: results of the AgeCoDe – AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301.	2.9	14
193	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, 1745-1749.	0.8	14
194	Psychosocial therapies in severe mental illness: update on evidence and recommendations. <i>Current Opinion in Psychiatry</i> , 2020, 33, 414-421.	6.3	14
195	“It tingled as if we had gone through an anthill.” Young People with Intellectual Disability and Their Experiences with Relationship, Sexuality and Contraception. <i>Sexuality and Disability</i> , 2021, 39, 421-438.	1.0	14
196	APOE e4-genotype and lifestyle interaction on cognitive performance: Results of the LIFE-Adult-study. <i>Health Psychology</i> , 2018, 37, 194-205.	1.6	14
197	Relationship Status: Single? Young Adults with Visual, Hearing, or Physical Disability and Their Experiences with Partnership and Sexuality. <i>Sexuality and Disability</i> , 2017, 35, 415-432.	1.0	13
198	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388.	2.7	13

#	ARTICLE	IF	CITATIONS
199	Five AAs counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). <i>BMC Family Practice</i> , 2018, 19, 97.	2.9	13
200	Loss and grief in elderly people: Results from the LIFE-Adult-Study. <i>Death Studies</i> , 2022, 46, 1621-1630.	2.7	13
201	Correlates of institutionalization among the oldest old—Evidence from the multicenter AgeCoDe—AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102.	2.7	13
202	Growing old at home — A randomized controlled trial to investigate the effectiveness and cost-effectiveness of preventive home visits to reduce nursing home admissions: study protocol [NCT00644826]. <i>BMC Public Health</i> , 2008, 8, 185.	2.9	12
203	Cost-effectiveness of fall prevention programs based on home visits for seniors aged over 65 years: a systematic review. <i>International Psychogeriatrics</i> , 2011, 23, 711-723.	1.0	12
204	A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients — Results of the MultiCare study. <i>Journal of Affective Disorders</i> , 2014, 168, 276-283.	4.1	12
205	Genetic estimators of DNA methylation provide insights into the molecular basis of polygenic traits. <i>Translational Psychiatry</i> , 2018, 8, 31.	4.8	12
206	Exploring Genetic Associations of Alzheimer's Disease Loci With Mild Cognitive Impairment Neurocognitive Endophenotypes. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 340.	3.4	12
207	Prevalence and factors associated with obesity among the oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104069.	3.0	12
208	Self-efficacy in multimorbid elderly patients with osteoarthritis in primary care—influence on pain-related disability. <i>Clinical Rheumatology</i> , 2015, 34, 1761-1767.	2.2	11
209	Risk of Dementia in Older Adults With Low Versus High Occupation-Based Motivational Processes. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 126-135.	2.3	11
210	Serum BDNF correlates with connectivity in the (pre)motor hub in the aging human brain—a resting-state fMRI pilot study. <i>Neurobiology of Aging</i> , 2016, 38, 181-187.	3.1	11
211	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 738-746.	2.6	11
212	Could High Mental Demands at Work Offset the Adverse Association Between Social Isolation and Cognitive Functioning? Results of the Population-Based LIFE-Adult-Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 1258-1269.	1.2	11
213	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 245-250.	3.0	11
214	Does weight-related stigmatisation and discrimination depend on educational attainment and level of income? A systematic review. <i>BMJ Open</i> , 2019, 9, e027673.	1.9	11
215	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). <i>BMC Psychiatry</i> , 2019, 19, 423.	2.6	11
216	Health-Related Quality of Life of Asylum Seekers and Refugees in Germany: a Cross-Sectional Study with Data from the German Socio-Economic Panel. <i>Applied Research in Quality of Life</i> , 2020, , 1.	2.4	11

#	ARTICLE	IF	CITATIONS
217	Frequent attenders in the German healthcare system: determinants of high utilization of primary care services. Results from the cross-sectional German health interview and examination survey for adults (DEGS). <i>BMC Family Practice</i> , 2020, 21, 10.	2.9	11
218	Traumatized Syrian Refugees with Ambiguous Loss: Predictors of Mental Distress. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3865.	2.6	11
219	Analyzing the link between anxiety and eating behavior as a potential pathway to eating-related health outcomes. <i>Scientific Reports</i> , 2021, 11, 14717.	3.3	11
220	Education, Occupational Complexity, and Incident Dementia: A COSMIC Collaborative Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 179-196.	2.6	11
221	Unmet care needs of the oldest old with late-life depression: A comparison of patient, caring relative and general practitioner perceptions – Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 205, 182-189.	4.1	10
222	Do Individuals in Old Age Prepare for the Risk of Long-Term Care? Results of A Population-Based Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2189.	2.6	10
223	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2629-2638.	2.9	10
224	Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. <i>Frontiers in Psychiatry</i> , 2021, 12, 642618.	2.6	10
225	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. <i>Psychological Assessment</i> , 2015, 27, 895-904.	1.5	9
226	Secular trends in the incidence of dementia in high-income countries: a protocol of a systematic review and a planned meta-analysis. <i>BMJ Open</i> , 2017, 7, e013630.	1.9	9
227	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020, 32, 645-659.	1.0	9
228	Depressive Symptomatology in Early Retirees Associated With Reason for Retirement – Results From the Population-Based LIFE-Adult-Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 565442.	2.6	9
229	EQ-5D-3L health status and health state utilities of the oldest-old (85+%) in Germany: results from the AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2020, 29, 3223-3232.	3.1	9
230	Associations and correlates of general versus specific successful ageing components. <i>European Journal of Ageing</i> , 2021, 18, 549-563.	2.8	9
231	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. <i>Gerontology</i> , 2020, 66, 460-466.	2.8	9
232	Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. <i>BMC Family Practice</i> , 2021, 22, 61.	2.9	9
233	Informal caregivers' perspectives on health of and (potentially inappropriate) medication for (relatively) independent oldest-old people – a qualitative interview study. <i>BMC Geriatrics</i> , 2018, 18, 169.	2.7	8
234	Needs and health care costs in old age: a longitudinal perspective: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2020, 24, 1763-1768.	2.8	8

#	ARTICLE	IF	CITATIONS
235	A cross-national study of depression in preclinical dementia: A COSMIC collaboration study. <i>Alzheimer's and Dementia</i> , 2020, 16, 1544-1552.	0.8	8
236	Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 735.	2.6	8
237	Unmet care needs in the oldest old with social loss experiences: results of a representative survey. <i>BMC Geriatrics</i> , 2020, 20, 416.	2.7	8
238	Do self-reported hearing and visual impairments predict longitudinal dementia in older adults?. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1519-1528.	2.6	8
239	Inflammation and the Association of Vitamin D and Depressive Symptomatology. <i>Nutrients</i> , 2021, 13, 1972.	4.1	8
240	The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. <i>PLoS ONE</i> , 2016, 11, e0156647.	2.5	8
241	Less Animal-Based Food, Better Weight Status: Associations of the Restriction of Animal-Based Product Intake with Body-Mass-Index, Depressive Symptoms and Personality in the General Population. <i>Nutrients</i> , 2020, 12, 1492.	4.1	8
242	Interplay between adipose tissue secreted proteins, eating behavior and obesity. <i>European Journal of Nutrition</i> , 2022, 61, 885-899.	3.9	8
243	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe "AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3109-3115.	2.9	8
244	Reading cognition from the eyes "association of retinal nerve fiber layer thickness with cognitive performance in a population-based study. <i>Brain Communications</i> , 2021, 3, fcab258.	3.3	8
245	The assessment of cognitive function in the German National Cohort (NAKO) " Associations of demographics and psychiatric symptoms with cognitive test performance. <i>World Journal of Biological Psychiatry</i> , 2022, , 1-15.	2.6	8
246	The Impact of the COVID-19 Pandemic on Avoidance of Health Care, Symptom Severity, and Mental Well-Being in Patients With Coronary Artery Disease. <i>Frontiers in Medicine</i> , 2021, 8, 760265.	2.6	8
247	Who should take care of me? Preferences of old age individuals for characteristics of professional long-term caregivers: an observational cross-sectional study. <i>BMC Research Notes</i> , 2017, 10, 382.	1.4	7
248	Cross-cultural validation of the German version of the Four-Dimensional Symptom Questionnaire (4DSQ) in multimorbid elderly people. <i>Quality of Life Research</i> , 2018, 27, 2691-2697.	3.1	7
249	Determinants of health-care costs in the oldest-old in Germany. <i>Journal of the Economics of Ageing</i> , 2019, 14, 100200.	1.3	7
250	Determinants of Willingness to Pay for Health Insurance in Germany "Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). <i>Frontiers in Public Health</i> , 2020, 8, 456.	2.7	7
251	Recruitment and Baseline Characteristics of Participants in the "Sanadak" Trial: A Self-Help App for Syrian Refugees with Post-traumatic Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7578.	2.6	7
252	Implementation of the patient version of the evidence-based (S3) guideline for psychosocial interventions for patients with severe mental illness (IMPPETUS): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2020, 21, 275.	1.6	7

#	ARTICLE	IF	CITATIONS
253	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 151-161.	2.6	7
254	Help-seeking for psychological distress and its association with anxiety in the oldest old – results from the AgeQualiDe cohort study. <i>Aging and Mental Health</i> , 2021, 25, 923-929.	2.8	7
255	Anticholinergic drug burden according to the anticholinergic drug scale and the German anticholinergic burden and their impact on cognitive function in multimorbid elderly German people: a multicentre observational study. <i>BMJ Open</i> , 2021, 11, e044230.	1.9	7
256	Health Care Services Utilization and Health-Related Quality of Life of Syrian Refugees with Post-Traumatic Stress Symptoms in Germany (the Sanadak Trial). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3408.	2.6	7
257	Generalized Anxiety and Panic Symptoms in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2021, , 1-37.	2.6	7
258	Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12786.	2.6	7
259	The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 204, 247-254.	4.1	6
260	Obesity as a disability – A representative survey of individuals with obesity from Germany. <i>Disability and Health Journal</i> , 2017, 10, 152-156.	2.8	6
261	Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2018, 22, 1038-1045.	2.8	6
262	Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 811-820.	3.9	6
263	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104112.	3.0	6
264	Dementia Research Fit for the Planet: Reflections on Population Studies of Dementia for Researchers and Policy Makers Alike. <i>Neuroepidemiology</i> , 2020, 54, 157-170.	2.3	6
265	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2022, 68, 894-902.	2.8	6
266	Young People with Intellectual Disability and Their Experiences with Intimate Relationships: a Follow-up Analysis of Parents' and Caregivers' Perspectives. <i>Sexuality and Disability</i> , 2022, 40, 299-314.	1.0	6
267	Leipzignetz 2.0: mapping COVID-19-related changes in mental health services in the German city of Leipzig. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1531-1541.	3.1	6
268	Physical Activity Determinants in Older German Adults at Increased Dementia Risk with Multimorbidity: Baseline Results of the AgeWell.de Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3164.	2.6	6
269	Serum ghrelin is positively associated with physiological anxiety but negatively associated with pathological anxiety in humans: Data from a large community-based study. <i>Psychoneuroendocrinology</i> , 2022, 140, 105728.	2.7	6
270	Social support and health-related quality of life among the oldest old – longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2021, , 1.	3.1	6



#	ARTICLE	IF	CITATIONS
271	Establishing a Mental Health Surveillance in Germany: Development of a framework concept and indicator set.. , 2021, 6, 34-63.		6
272	On the application of the CES-D with the elderly: dimensional structure and artifacts resulting from oppositely worded items. International Journal of Methods in Psychiatric Research, 2000, 9, 199-209.	2.1	5
273	Inpatient or Outpatient Rehabilitation after Herniated Disc Surgery? â€“ Setting-Specific Preferences, Participation and Outcome of Rehabilitation. PLoS ONE, 2014, 9, e89200.	2.5	5
274	No association of the variant rs11887120 in DNMT3A with cognitive decline in individuals with mild cognitive impairment. Epigenomics, 2016, 8, 593-598.	2.1	5
275	Categorical and dimensional perspectives on depression in elderly primary care patients â€“ Results of the AgeMooDe study. International Journal of Methods in Psychiatric Research, 2018, 27, .	2.1	5
276	In-depth statistical analysis of the use of a website providing patientsâ€™ narratives on lifestyle change when living with chronic back pain or coronary heart disease. Patient Education and Counseling, 2018, 101, 1283-1290.	2.2	5
277	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. Geriatrics and Gerontology International, 2019, 19, 705-710.	1.5	5
278	The value of the GPâ€™s clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. British Journal of General Practice, 2019, 69, e786-e793.	1.4	5
279	Burnout and work-life balance among physicians: the role of migration background. Journal of Occupational Medicine and Toxicology, 2021, 16, 28.	2.2	5
280	Are informal family caregivers stigmatized differently based on their gender or employment status?: a German study on public stigma towards informal long-term caregivers of older individuals. BMC Public Health, 2021, 21, 1868.	2.9	5
281	General cognitive ability assessment in the German National Cohort (NAKO) â€“ The block-adaptive number series task. World Journal of Biological Psychiatry, 2023, 24, 924-935.	2.6	5
282	Gender Specifics of Healthy Ageing in Older Age as Seen by Women and Men (70+): A Focus Group Study. International Journal of Environmental Research and Public Health, 2022, 19, 3137.	2.6	5
283	Psychometric properties of the Patient Assessment of Chronic Illness Care measure (PACIC-5A) among patients with obesity. BMC Health Services Research, 2019, 19, 61.	2.2	4
284	Association of anxiety symptoms with health care use and costs in people aged 85 and over. International Journal of Geriatric Psychiatry, 2019, 34, 765-776.	2.7	4
285	A rare heterozygous <i>TREM2</i> coding variant identified in familial clustering of dementia affects an intrinsically disordered protein region and function of TREM2. Human Mutation, 2020, 41, 169-181.	2.5	4
286	Evaluation of a multidisciplinary concept of mental demands at work on cognitive functioning in old age. Aging and Mental Health, 2020, 25, 1-10.	2.8	4
287	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. Journal of the American Medical Directors Association, 2021, 22, 577-582.e2.	2.5	4
288	Effects of <i>APOE</i> $\epsilon 4$ allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients ( <i>AgeCoDe</i> ). International Journal of Geriatric Psychiatry, 2021, 36, 152-162.	2.7	4

#	ARTICLE	IF	CITATIONS
289	Comparing burnout and work-life balance among specialists in internal medicine: the role of inpatient vs. outpatient workplace. <i>Journal of Occupational Medicine and Toxicology</i> , 2021, 16, 5.	2.2	4
290	Valuing end-of-life care: translation and content validation of the ICECAP-SCM measure. <i>BMC Palliative Care</i> , 2021, 20, 29.	1.8	4
291	Predictors of change in depressive symptoms in older and multimorbid patients: a longitudinal analysis of the multicare cohort. <i>Aging and Mental Health</i> , 2022, 26, 818-827.	2.8	4
292	Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7959.	2.6	4
293	Mild cognitive impairment: prevalence and incidence according to different diagnostic criteria: Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). <i>British Journal of Psychiatry</i> , 2003, 182, 449-454.	2.8	4
294	Erste sexuelle Erfahrungen von jungen Erwachsenen mit Beeinträchtigungen. <i>Public Health Forum</i> , 2017, 25, 304-307.	0.2	3
295	Correlates of preferences for autonomy in long-term care: results of a population-based survey among older individuals in Germany. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 71-78.	1.8	3
296	Compression of cognitive morbidity by higher education in individuals aged 75+ living in Germany. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1389-1396.	2.7	3
297	The association between mental demands at the workplace and cognitive functioning: the role of the big five personality traits. <i>Aging and Mental Health</i> , 2020, 24, 1064-1070.	2.8	3
298	Socioeconomic inequalities in cognitive function in midlife and early late-life are partially attributable to modifiable health and lifestyle factors. <i>Alzheimer's and Dementia</i> , 2020, 16, e045760.	0.8	3
299	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2021, 67, 591-598.	2.8	3
300	Instruments to Assess Social Functioning in Individuals with Dementia: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 619-637.	2.6	3
301	Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. <i>Journal of the Economics of Ageing</i> , 2021, 20, 100346.	1.3	3
302	Loss and bereavement in late life (60+): Study protocol for a randomized controlled trial regarding an internet-based self-help intervention. <i>Internet Interventions</i> , 2021, 26, 100451.	2.7	3
303	Do High Mental Demands at Work Protect Cognitive Health in Old Age via Hippocampal Volume? Results From a Community Sample. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 622321.	3.4	3
304	The role of migration in mental healthcare: treatment satisfaction and utilization. <i>BMC Psychiatry</i> , 2022, 22, 116.	2.6	3
305	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. <i>Frontiers in Medicine</i> , 2022, 9, 815419.	2.6	3
306	What Comes after the Trial? An Observational Study of the Real-World Uptake of an E-Mental Health Intervention by General Practitioners to Reduce Depressive Symptoms in Their Patients. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6203.	2.6	3

#	ARTICLE	IF	CITATIONS
307	Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2408-2410.	2.6	2
308	<p>Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients â€“ A Longitudinal Cohort Study</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1881-1888.	2.9	2
309	Effectiveness and feasibility of internet-based and mobile-based interventions for individuals experiencing bereavement: a systematic review protocol. <i>BMJ Open</i> , 2020, 10, e036034.	1.9	2
310	German tariffs for the ICECAP-Supportive Care Measure (ICECAP-SCM) for use in economic evaluations at the end of life. <i>European Journal of Health Economics</i> , 2021, 22, 365-380.	2.8	2
311	Psychische Folgen der COVID-19 Pandemie in der BevÃ¶lkerung. <i>Public Health Forum</i> , 2021, 29, 54-56.	0.2	2
312	Unmet needs of the oldest old primary care patients with common somatic and psychiatric disordersâ€”A psychometric evaluation. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1872.	2.1	2
313	Health-related quality of life and ego integrity among the oldest old â€“ Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104408.	3.0	2
314	Leipzig - Individual Placement and Support for people with mental illnesses (LIPSY): study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2021, 21, 410.	2.6	2
315	Bipolar Disorder and Outcomes of Monotherapy with Lithium, Valproate, Quetiapine, Olanzapine, Venlafaxine, and Citalopram. <i>Pharmacopsychiatry</i> , 2021, 54, 126-130.	3.3	2
316	Relationships Between Self-Rated Health at Three Time Points: Past, Present, Future. <i>Frontiers in Psychology</i> , 2021, 12, 763158.	2.1	2
317	Predictors of competitive employment in individuals with severe mental illness: results from an observational, cross-sectional study in Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2022, 17, 3.	2.2	2
318	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501.	4.1	2
319	P4â€”53: Subjective Cognitive Decline and Progression to Dementia Due to AD and Nonâ€”AD in Memory Clinic and Communityâ€”Based Cohorts. <i>Alzheimer's and Dementia</i> , 2016, 12, P1073.	0.8	1
320	Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patientsâ€™ perspective. <i>PLoS ONE</i> , 2017, 12, e0183698.	2.5	1
321	Weigh More, Pay More? Public Opinion on Varying Health Insurance Contributions among Divergent Weight Groups. <i>Obesity Facts</i> , 2019, 12, 509-517.	3.4	1
322	Reductions in cognitive functioning are associated with decreases in satisfaction with aging. Longitudinal findings based on a nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104072.	3.0	1
323	Development of a protective mental work demands questionnaire. <i>International Psychogeriatrics</i> , 2020, 33, 1-12.	1.0	1
324	GPsâ€™ awareness of car driving among oldest patients: exploratory results from a primary care cohort. <i>BJGP Open</i> , 2021, 5, BJGPO.2020.0145.	1.8	1

#	ARTICLE	IF	CITATIONS
325	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). Journal of Alzheimer's Disease, 2021, 79, 1589-1599.	2.6	1
326	Carersâ€™™ distress. International Psychogeriatrics, 2021, 33, 311-313.	1.0	1
327	Experiences and attitudes towards mental health problems in first year German university students. International Journal of Adolescent Medicine and Health, 2021, .	1.3	1
328	Gender-specific design and effectiveness of non-pharmacological interventions against cognitive decline and dementiaâ€™™ protocol for a systematic review and meta-analysis. PLoS ONE, 2021, 16, e0256826.	2.5	1
329	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. Aging and Mental Health, 2022, 26, 1862-1873.	2.8	1
330	Psychometric Evaluation of the German Version of the Social Functioning in Dementia Scale (SF-DEM). Journal of Alzheimer's Disease, 2022, 86, 1231-1241.	2.6	1
331	Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. BMC Geriatrics, 2021, 21, 688.	2.7	1
332	Epidemiology of dementia â€™™ A current overview. Public Health Forum, 2012, 20, 11-12.	0.2	0
333	P2â€™™351: â€™™Healthy Dietâ€™™™ and Cognitive Status in the Oldest Old. Alzheimer's and Dementia, 2016, 12, P779.	0.8	0
334	P3-086: FTO is Not Related to Imaging Parameters of the Hippocampus: A Volumetric and Diffusion Tensor Imaging Study. , 2016, 12, P851-P851.		0
335	P3-377: The Cognitive Functioning of Socially Isolated Individuals May Profit from High Mental Work Demands. , 2016, 12, P993-P994.		0
336	[P3â€™™357]: ASSOCIATION OF HIPPOCAMPAL VOLUMES WITH COGNITIVE TASKS IN A LARGE POPULATIONâ€™™BASED COHORT. Alzheimer's and Dementia, 2017, 13, P1092.	0.8	0
337	UnterstÃ¼tzte Elternschaft â€™™ zur Umsetzung des Artikels 23 der UN-BRK. Public Health Forum, 2017, 25, 284-287.	0.2	0
338	P1â€™™028: OCCUPATIONAL COGNITIVE REQUIREMENTS ARE AN IMPORTANT PROXY MEASURE OF COGNITIVE RESERVE: EVIDENCE FROM THE AGECODE AND DELCODE STUDIES. Alzheimer's and Dementia, 2018, 14, P276.	0.8	0
339	P2â€™™156: EFFECTS OF LEPTIN ON HIPPOCAMPUS VOLUME AND COGNITIVE PERFORMANCE. Alzheimer's and Dementia, 2018, 14, P727.	0.8	0
340	P3â€™™122: <i>APOE</i>â€™™4 MODULATES LEVELS OF OMEGAâ€™™3 AND OMEGAâ€™™6 FATTY ACIDS IN ALZHEIMER'S DISEASE DEMENTIA. Alzheimer's and Dementia, 2018, 14, P1114.	0.8	0
341	O4â€™™08â€™™02: THE MEDIATING EFFECT OF COGNITIVEâ€™™RESERVE BETWEEN SOCIAL ISOLATION AND COGNITIVE FUNCTION: RESULTS OFâ€™™THE POPULATIONâ€™™BASED LIFEâ€™™ADULT STUDY. Alzheimer's and Dementia, 2018, 14, P1421.	0.8	0
342	Altruistic Behavior Depending on Opponentsâ€™™™ Body Weight: An Experimental Approach. Obesity Facts, 2019, 12, 448-459.	3.4	0

#	ARTICLE	IF	CITATIONS
343	AgeWell.de (Germany). <i>Alzheimer's and Dementia</i> , 2020, 16, e046950.	0.8	0
344	The importance of familiarity with caregiving for public caregiver stigma: Evidence from a cross-sectional study in Germany. <i>Archives of Gerontology and Geriatrics</i> , 2021, 93, 104301.	3.0	0
345	Imagining the preventive city: How can urban environments support dementia prevention? A qualitative study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0