

Steffi G Riedel-Heller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9250658/publications.pdf>

Version: 2024-02-01

345
papers

18,091
citations

26630

56
h-index

23533

111
g-index

461
all docs

461
docs citations

461
times ranked

24674
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | General cognitive ability assessment in the German National Cohort (NAKO) – The block-adaptive number series task. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 924-935. | 2.6 | 5 |
| 2 | Lifetime and current depression in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2023, 24, 865-880. | 2.6 | 18 |
| 3 | Loss and grief in elderly people: Results from the LIFE-Adult-Study. <i>Death Studies</i> , 2022, 46, 1621-1630. | 2.7 | 13 |
| 4 | Predictors of change in depressive symptoms in older and multimorbid patients: a longitudinal analysis of the multicare cohort. <i>Aging and Mental Health</i> , 2022, 26, 818-827. | 2.8 | 4 |
| 5 | Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2022, 68, 200-208. | 2.8 | 15 |
| 6 | Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. <i>Aging and Mental Health</i> , 2022, 26, 1862-1873. | 2.8 | 1 |
| 7 | Social factors and the prevalence of social isolation in a population-based adult cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1959-1968. | 3.1 | 33 |
| 8 | How can urban environments support dementia risk reduction? A qualitative study. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, . | 2.7 | 16 |
| 9 | Interplay between adipose tissue secreted proteins, eating behavior and obesity. <i>European Journal of Nutrition</i> , 2022, 61, 885-899. | 3.9 | 8 |
| 10 | Education, Occupational Complexity, and Incident Dementia: A COSMIC Collaborative Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 179-196. | 2.6 | 11 |
| 11 | Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2022, 68, 894-902. | 2.8 | 6 |
| 12 | Young People with Intellectual Disability and Their Experiences with Intimate Relationships: a Follow-up Analysis of Parents' and Caregivers' Perspectives. <i>Sexuality and Disability</i> , 2022, 40, 299-314. | 1.0 | 6 |
| 13 | Predictors of competitive employment in individuals with severe mental illness: results from an observational, cross-sectional study in Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2022, 17, 3. | 2.2 | 2 |
| 14 | Association of Systolic Blood Pressure With Dementia Risk and the Role of Age, U-Shaped Associations, and Mortality. <i>JAMA Internal Medicine</i> , 2022, 182, 142. | 5.1 | 45 |
| 15 | The assessment of cognitive function in the German National Cohort (NAKO) – Associations of demographics and psychiatric symptoms with cognitive test performance. <i>World Journal of Biological Psychiatry</i> , 2022, , 1-15. | 2.6 | 8 |
| 16 | The role of migration in mental healthcare: treatment satisfaction and utilization. <i>BMC Psychiatry</i> , 2022, 22, 116. | 2.6 | 3 |
| 17 | LeiP#netz 2.0: mapping COVID-19-related changes in mental health services in the German city of Leipzig. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1531-1541. | 3.1 | 6 |
| 18 | Physical Activity Determinants in Older German Adults at Increased Dementia Risk with Multimorbidity: Baseline Results of the AgeWell.de Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3164. | 2.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. <i>Frontiers in Medicine</i> , 2022, 9, 815419. | 2.6 | 3 |
| 20 | Gender Specifics of Healthy Ageing in Older Age as Seen by Women and Men (70+): A Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3137. | 2.6 | 5 |
| 21 | Psychometric Evaluation of the German Version of the Social Functioning in Dementia Scale (SF-DEM). <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1231-1241. | 2.6 | 1 |
| 22 | New insights into the genetic etiology of Alzheimer's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436. | 21.4 | 700 |
| 23 | Serum ghrelin is positively associated with physiological anxiety but negatively associated with pathological anxiety in humans: Data from a large community-based study. <i>Psychoneuroendocrinology</i> , 2022, 140, 105728. | 2.7 | 6 |
| 24 | Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501. | 4.1 | 2 |
| 25 | What Comes after the Trial? An Observational Study of the Real-World Uptake of an E-Mental Health Intervention by General Practitioners to Reduce Depressive Symptoms in Their Patients. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6203. | 2.6 | 3 |
| 26 | Association of Rare APOE Missense Variants V236E and R251G With Risk of Alzheimer Disease. <i>JAMA Neurology</i> , 2022, 79, 652. | 9.0 | 31 |
| 27 | The Importance of Engaging in Physical Activity in Older Adulthood for Transitions Between Cognitive Status Categories and Death: A Coordinated Analysis of 14 Longitudinal Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1661-1667. | 3.6 | 18 |
| 28 | Associations and correlates of general versus specific successful ageing components. <i>European Journal of Ageing</i> , 2021, 18, 549-563. | 2.8 | 9 |
| 29 | Shiftwork and Alcohol Consumption: A Systematic Review of the Literature. <i>European Addiction Research</i> , 2021, 27, 9-15. | 2.4 | 41 |
| 30 | Depression and quality of life in old age: a closer look. <i>European Journal of Ageing</i> , 2021, 18, 75-83. | 2.8 | 27 |
| 31 | Help-seeking for psychological distress and its association with anxiety in the oldest old – results from the AgeQualiDe cohort study. <i>Ageing and Mental Health</i> , 2021, 25, 923-929. | 2.8 | 7 |
| 32 | Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 577-582.e2. | 2.5 | 4 |
| 33 | The importance of familiarity with caregiving for public caregiver stigma: Evidence from a cross-sectional study in Germany. <i>Archives of Gerontology and Geriatrics</i> , 2021, 93, 104301. | 3.0 | 0 |
| 34 | Effects of APOE ε4 allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 152-162. | 2.7 | 4 |
| 35 | Recruitment and Baseline Characteristics of Participants in the AgeWell.de Study – A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 408. | 2.6 | 15 |
| 36 | Mental health problems in the general population during and after the first lockdown phase due to the SARS-Cov-2 pandemic: rapid review of multi-wave studies. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e27. | 3.9 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | German tariffs for the ICECAP-Supportive Care Measure (ICECAP-SCM) for use in economic evaluations at the end of life. <i>European Journal of Health Economics</i> , 2021, 22, 365-380. | 2.8 | 2 |
| 38 | â€œIt tingled as if we had gone through an anthill.â€•Young People with Intellectual Disability and Their Experiences with Relationship, Sexuality and Contraception. <i>Sexuality and Disability</i> , 2021, 39, 421-438. | 1.0 | 14 |
| 39 | A Self-Help App for Syrian Refugees With Posttraumatic Stress (Sanadak): Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24807. | 3.7 | 41 |
| 40 | GPsâ€™ awareness of car driving among oldest patients: exploratory results from a primary care cohort. <i>BJGP Open</i> , 2021, 5, BJGPO.2020.0145. | 1.8 | 1 |
| 41 | Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1589-1599. | 2.6 | 1 |
| 42 | Comparing burnout and work-life balance among specialists in internal medicine: the role of inpatient vs. outpatient workplace. <i>Journal of Occupational Medicine and Toxicology</i> , 2021, 16, 5. | 2.2 | 4 |
| 43 | Valuing end-of-life care: translation and content validation of the ICECAP-SCM measure. <i>BMC Palliative Care</i> , 2021, 20, 29. | 1.8 | 4 |
| 44 | Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2021, 67, 591-598. | 2.8 | 3 |
| 45 | Instruments to Assess Social Functioning in Individuals with Dementia: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 619-637. | 2.6 | 3 |
| 46 | Do self-reported hearing and visual impairments predict longitudinal dementia in older adults?. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1519-1528. | 2.6 | 8 |
| 47 | Anticholinergic drug burden according to the anticholinergic drug scale and the German anticholinergic burden and their impact on cognitive function in multimorbid elderly German people: a multicentre observational study. <i>BMJ Open</i> , 2021, 11, e044230. | 1.9 | 7 |
| 48 | Evidence Synthesis of Digital Interventions to Mitigate the Negative Impact of the COVID-19 Pandemic on Public Mental Health: Rapid Meta-review. <i>Journal of Medical Internet Research</i> , 2021, 23, e23365. | 4.3 | 140 |
| 49 | Social Isolation and Loneliness during COVID-19 Lockdown: Associations with Depressive Symptoms in the German Old-Age Population. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3615. | 2.6 | 74 |
| 50 | Health Care Services Utilization and Health-Related Quality of Life of Syrian Refugees with Post-Traumatic Stress Symptoms in Germany (the Sanadak Trial). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3408. | 2.6 | 7 |
| 51 | Psychische Folgen der COVID-19 Pandemie in der BevÃ¶lkerung. <i>Public Health Forum</i> , 2021, 29, 54-56. | 0.2 | 2 |
| 52 | Traumatized Syrian Refugees with Ambiguous Loss: Predictors of Mental Distress. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3865. | 2.6 | 11 |
| 53 | Unmet needs of the oldest old primary care patients with common somatic and psychiatric disordersâ€”A psychometric evaluation. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1872. | 2.1 | 2 |
| 54 | Employment status and desire for work in severe mental illness: results from an observational, cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1657-1667. | 3.1 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. <i>BMC Family Practice</i> , 2021, 22, 61. | 2.9 | 9 |
| 56 | Carersâ€™™ distress. <i>International Psychogeriatrics</i> , 2021, 33, 311-313. | 1.0 | 1 |
| 57 | Correlates of institutionalization among the oldest oldâ€™™Evidence from the multicenter AgeCoDeâ€™™AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102. | 2.7 | 13 |
| 58 | Experiences and attitudes towards mental health problems in first year German university students. <i>International Journal of Adolescent Medicine and Health</i> , 2021, . | 1.3 | 1 |
| 59 | Risk factors and protective factors of depression in older people 65+. A systematic review. <i>PLoS ONE</i> , 2021, 16, e0251326. | 2.5 | 79 |
| 60 | Inflammation and the Association of Vitamin D and Depressive Symptomatology. <i>Nutrients</i> , 2021, 13, 1972. | 4.1 | 8 |
| 61 | Common variants in Alzheimerâ€™™s disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417. | 12.8 | 140 |
| 62 | The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6986. | 2.6 | 16 |
| 63 | Prevalence of High Resilience in Old Age and Association with Perceived Threat of COVID-19â€™™Results from a Representative Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7173. | 2.6 | 20 |
| 64 | Burnout and work-life balance among physicians: the role of migration background. <i>Journal of Occupational Medicine and Toxicology</i> , 2021, 16, 28. | 2.2 | 5 |
| 65 | Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7959. | 2.6 | 4 |
| 66 | Health-related quality of life and ego integrity among the oldest old â€™™ Evidence from the multicenter AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104408. | 3.0 | 2 |
| 67 | Analyzing the link between anxiety and eating behavior as a potential pathway to eating-related health outcomes. <i>Scientific Reports</i> , 2021, 11, 14717. | 3.3 | 11 |
| 68 | Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. <i>Frontiers in Psychiatry</i> , 2021, 12, 642618. | 2.6 | 10 |
| 69 | Predictors of psychological distress in Syrian refugees with posttraumatic stress in Germany. <i>PLoS ONE</i> , 2021, 16, e0254406. | 2.5 | 24 |
| 70 | Gender-specific design and effectiveness of non-pharmacological interventions against cognitive decline and dementiaâ€™™protocol for a systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0256826. | 2.5 | 1 |
| 71 | Leipzig - Individual Placement and Support for people with mental illnesses (LIPSY): study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2021, 21, 410. | 2.6 | 2 |
| 72 | Comparison of FORTA, PRISCUS and EU(7)-PIM lists on identifying potentially inappropriate medication and its impact on cognitive function in multimorbid elderly German people in primary care: a multicentre observational study. <i>BMJ Open</i> , 2021, 11, e050344. | 1.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. <i>Journal of the Economics of Ageing</i> , 2021, 20, 100346. | 1.3 | 3 |
| 74 | Loss and bereavement in late life (60+): Study protocol for a randomized controlled trial regarding an internet-based self-help intervention. <i>Internet Interventions</i> , 2021, 26, 100451. | 2.7 | 3 |
| 75 | Bipolar Disorder and Outcomes of Monotherapy with Lithium, Valproate, Quetiapine, Olanzapine, Venlafaxine, and Citalopram. <i>Pharmacopsychiatry</i> , 2021, 54, 126-130. | 3.3 | 2 |
| 76 | Social isolation, mental health, and use of digital interventions in youth during the COVID-19 pandemic: A nationally representative survey. <i>European Psychiatry</i> , 2021, 64, e20. | 0.2 | 82 |
| 77 | Eicosapentaenoic Acid Is Associated with Decreased Incidence of Alzheimer's Dementia in the Oldest Old. <i>Nutrients</i> , 2021, 13, 461. | 4.1 | 18 |
| 78 | Are informal family caregivers stigmatized differently based on their gender or employment status?: a German study on public stigma towards informal long-term caregivers of older individuals. <i>BMC Public Health</i> , 2021, 21, 1868. | 2.9 | 5 |
| 79 | Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe/AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3109-3115. | 2.9 | 8 |
| 80 | Heart failure is independently associated with white matter lesions: insights from the population-based LIFE Adult Study. <i>ESC Heart Failure</i> , 2021, 8, 697-704. | 3.1 | 16 |
| 81 | Reading cognition from the eyes' association of retinal nerve fiber layer thickness with cognitive performance in a population-based study. <i>Brain Communications</i> , 2021, 3, fcab258. | 3.3 | 8 |
| 82 | Generalized Anxiety and Panic Symptoms in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2021, , 1-37. | 2.6 | 7 |
| 83 | Relationships Between Self-Rated Health at Three Time Points: Past, Present, Future. <i>Frontiers in Psychology</i> , 2021, 12, 763158. | 2.1 | 2 |
| 84 | The Impact of the COVID-19 Pandemic on Avoidance of Health Care, Symptom Severity, and Mental Well-Being in Patients With Coronary Artery Disease. <i>Frontiers in Medicine</i> , 2021, 8, 760265. | 2.6 | 8 |
| 85 | Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12786. | 2.6 | 7 |
| 86 | Effectiveness and Feasibility of Internet-Based Interventions for Grief After Bereavement: Systematic Review and Meta-analysis. <i>JMIR Mental Health</i> , 2021, 8, e29661. | 3.3 | 17 |
| 87 | Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. <i>BMC Geriatrics</i> , 2021, 21, 688. | 2.7 | 1 |
| 88 | Social support and health-related quality of life among the oldest old - longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2021, , 1. | 3.1 | 6 |
| 89 | Imagining the preventive city: How can urban environments support dementia prevention? A qualitative study. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.8 | 0 |
| 90 | Establishing a Mental Health Surveillance in Germany: Development of a framework concept and indicator set.. , 2021, 6, 34-63. | | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 811-820. | 3.9 | 6 |
| 92 | The association between mental demands at the workplace and cognitive functioning: the role of the big five personality traits. <i>Aging and Mental Health</i> , 2020, 24, 1064-1070. | 2.8 | 3 |
| 93 | Needs and health care costs in old age: a longitudinal perspective: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2020, 24, 1763-1768. | 2.8 | 8 |
| 94 | Correlates of hospitalization among the oldest old: results of the AgeCoDe/“AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301. | 2.9 | 14 |
| 95 | A rare heterozygous <i>TREM2</i> coding variant identified in familial clustering of dementia affects an intrinsically disordered protein region and function of TREM2. <i>Human Mutation</i> , 2020, 41, 169-181. | 2.5 | 4 |
| 96 | Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/“AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020, 32, 645-659. | 1.0 | 9 |
| 97 | Syrian refugees in Germany: Perspectives on mental health and coping strategies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109906. | 2.6 | 48 |
| 98 | Perceived social isolation and cognitive functioning. Longitudinal findings based on the German Ageing Survey. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 276-281. | 2.7 | 15 |
| 99 | Depressive Symptomatology in Early Retirees Associated With Reason for Retirement—Results From the Population-Based LIFE-Adult-Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 565442. | 2.6 | 9 |
| 100 | Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104112. | 3.0 | 6 |
| 101 | Mental wellbeing in the German old age population largely unaltered during COVID-19 lockdown: results of a representative survey. <i>BMC Geriatrics</i> , 2020, 20, 489. | 2.7 | 94 |
| 102 | Health-Related Quality of Life of Asylum Seekers and Refugees in Germany: a Cross-Sectional Study with Data from the German Socio-Economic Panel. <i>Applied Research in Quality of Life</i> , 2020, , 1. | 2.4 | 11 |
| 103 | Does parity matter in women’s risk of dementia? A COSMIC collaboration cohort study. <i>BMC Medicine</i> , 2020, 18, 210. | 5.5 | 21 |
| 104 | Effectiveness and feasibility of internet-based and mobile-based interventions for individuals experiencing bereavement: a systematic review protocol. <i>BMJ Open</i> , 2020, 10, e036034. | 1.9 | 2 |
| 105 | Traffic Noise and Mental Health: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6175. | 2.6 | 80 |
| 106 | A cross-national study of depression in preclinical dementia: A COSMIC collaboration study. <i>Alzheimer's and Dementia</i> , 2020, 16, 1544-1552. | 0.8 | 8 |
| 107 | Determinants of Willingness to Pay for Health Insurance in Germany—Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). <i>Frontiers in Public Health</i> , 2020, 8, 456. | 2.7 | 7 |
| 108 | EQ-5D-3L health status and health state utilities of the oldest-old (85+%) in Germany: results from the AgeCoDe-“AgeQualiDe study. <i>Quality of Life Research</i> , 2020, 29, 3223-3232. | 3.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 735. | 2.6 | 8 |
| 110 | Attitudes and treatment practice of general practitioners towards patients with obesity in primary care. <i>BMC Family Practice</i> , 2020, 21, 169. | 2.9 | 16 |
| 111 | Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 167. | 6.2 | 64 |
| 112 | Socioeconomic inequalities in cognitive function in midlife and early late-life are partially attributable to modifiable health and lifestyle factors. <i>Alzheimer's and Dementia</i> , 2020, 16, e045760. | 0.8 | 3 |
| 113 | AgeWell.de (Germany). <i>Alzheimer's and Dementia</i> , 2020, 16, e046950. | 0.8 | 0 |
| 114 | Recruitment and Baseline Characteristics of Participants in the "Sanadaka" Trial: A Self-Help App for Syrian Refugees with Post-traumatic Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7578. | 2.6 | 7 |
| 115 | Unmet care needs in the oldest old with social loss experiences: results of a representative survey. <i>BMC Geriatrics</i> , 2020, 20, 416. | 2.7 | 8 |
| 116 | Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, 1745-1749. | 0.8 | 14 |
| 117 | Evaluation of a multidisciplinary concept of mental demands at work on cognitive functioning in old age. <i>Aging and Mental Health</i> , 2020, 25, 1-10. | 2.8 | 4 |
| 118 | Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020, 11, 330. | 2.6 | 25 |
| 119 | Psychosocial therapies in severe mental illness: update on evidence and recommendations. <i>Current Opinion in Psychiatry</i> , 2020, 33, 414-421. | 6.3 | 14 |
| 120 | APOE ϵ 4 and the Influence of Sex, Age, Vascular Risk Factors, and Ethnicity on Cognitive Decline. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1863-1873. | 3.6 | 23 |
| 121 | Implementation of the patient version of the evidence-based (S3) guideline for psychosocial interventions for patients with severe mental illness (IMPPETUS): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2020, 21, 275. | 1.6 | 7 |
| 122 | PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020, 139, 1025-1044. | 7.7 | 40 |
| 123 | Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 151-161. | 2.6 | 7 |
| 124 | Reductions in cognitive functioning are associated with decreases in satisfaction with aging. Longitudinal findings based on a nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104072. | 3.0 | 1 |
| 125 | Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. <i>Gerontology</i> , 2020, 66, 460-466. | 2.8 | 9 |
| 126 | Development of a protective mental work demands questionnaire. <i>International Psychogeriatrics</i> , 2020, 33, 1-12. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2629-2638. | 2.9 | 10 |
| 128 | Dementia Research Fit for the Planet: Reflections on Population Studies of Dementia for Researchers and Policy Makers Alike. <i>Neuroepidemiology</i> , 2020, 54, 157-170. | 2.3 | 6 |
| 129 | Are social conflicts at work associated with depressive symptomatology? Results from the population-based LIFE-Adult-Study. <i>Journal of Occupational Medicine and Toxicology</i> , 2020, 15, 1. | 2.2 | 27 |
| 130 | Mild cognitive impairment and quality of life in the oldest old: a closer look. <i>Quality of Life Research</i> , 2020, 29, 1675-1683. | 3.1 | 53 |
| 131 | Frequent attenders in the German healthcare system: determinants of high utilization of primary care services. Results from the cross-sectional German health interview and examination survey for adults (DEGS). <i>BMC Family Practice</i> , 2020, 21, 10. | 2.9 | 11 |
| 132 | Prevalence and factors associated with obesity among the oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104069. | 3.0 | 12 |
| 133 | Do High Mental Demands at Work Protect Cognitive Health in Old Age via Hippocampal Volume? Results From a Community Sample. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 622321. | 3.4 | 3 |
| 134 | Internet Use in Old Age: Results of a German Population-Representative Survey. <i>Journal of Medical Internet Research</i> , 2020, 22, e15543. | 4.3 | 50 |
| 135 | Less Animal-Based Food, Better Weight Status: Associations of the Restriction of Animal-Based Product Intake with Body-Mass-Index, Depressive Symptoms and Personality in the General Population. <i>Nutrients</i> , 2020, 12, 1492. | 4.1 | 8 |
| 136 | What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. <i>Gerontologist</i> , The, 2019, 59, 738-748. | 3.9 | 30 |
| 137 | AgeWell.de “ study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. <i>BMC Geriatrics</i> , 2019, 19, 203. | 2.7 | 34 |
| 138 | A Metabolic Obesity Profile Is Associated With Decreased Gray Matter Volume in Cognitively Healthy Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 202. | 3.4 | 23 |
| 139 | Concepts of Mental Demands at Work That Protect Against Cognitive Decline and Dementia: A Systematic Review. <i>American Journal of Health Promotion</i> , 2019, 33, 1200-1208. | 1.7 | 20 |
| 140 | Associations Between Anxiety, Body Mass Index, and Sex Hormones in Women. <i>Frontiers in Psychiatry</i> , 2019, 10, 479. | 2.6 | 15 |
| 141 | Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002853. | 8.4 | 86 |
| 142 | Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). <i>Journal of Affective Disorders</i> , 2019, 256, 650-657. | 4.1 | 23 |
| 143 | Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 705-710. | 1.5 | 5 |
| 144 | Weigh More, Pay More? Public Opinion on Varying Health Insurance Contributions among Divergent Weight Groups. <i>Obesity Facts</i> , 2019, 12, 509-517. | 3.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Altruistic Behavior Depending on Opponents's Body Weight: An Experimental Approach. <i>Obesity Facts</i> , 2019, 12, 448-459. | 3.4 | 0 |
| 146 | Behavioral and Emotional Disorders and Transportation Noise among Children and Adolescents: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3336. | 2.6 | 42 |
| 147 | Psychometric properties of the Patient Assessment of Chronic Illness Care measure (PACIC-5A) among patients with obesity. <i>BMC Health Services Research</i> , 2019, 19, 61. | 2.2 | 4 |
| 148 | Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 285. | 2.6 | 22 |
| 149 | A nonsynonymous mutation in PLCG2 reduces the risk of Alzheimer's disease, dementia with Lewy bodies and frontotemporal dementia, and increases the likelihood of longevity. <i>Acta Neuropathologica</i> , 2019, 138, 237-250. | 7.7 | 87 |
| 150 | Testosterone imbalance may link depression and increased body weight in premenopausal women. <i>Translational Psychiatry</i> , 2019, 9, 160. | 4.8 | 20 |
| 151 | Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 857-869. | 2.6 | 17 |
| 152 | Determinants of health-care costs in the oldest-old in Germany. <i>Journal of the Economics of Ageing</i> , 2019, 14, 100200. | 1.3 | 7 |
| 153 | HELP@APP: development and evaluation of a self-help app for traumatized Syrian refugees in Germany – a study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 131. | 2.6 | 36 |
| 154 | Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1469-1478. | 2.6 | 28 |
| 155 | Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 245-250. | 3.0 | 11 |
| 156 | Association of anxiety symptoms with health care use and costs in people aged 85 and over. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 765-776. | 2.7 | 4 |
| 157 | Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates APOE2, tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019, 51, 414-430. | 21.4 | 1,962 |
| 158 | Does weight-related stigmatisation and discrimination depend on educational attainment and level of income? A systematic review. <i>BMJ Open</i> , 2019, 9, e027673. | 1.9 | 11 |
| 159 | The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. <i>British Journal of General Practice</i> , 2019, 69, e786-e793. | 1.4 | 5 |
| 160 | Alzheimer's disease-associated (hydroxy)methylomic changes in the brain and blood. <i>Clinical Epigenetics</i> , 2019, 11, 164. | 4.1 | 88 |
| 161 | Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients – A Longitudinal Cohort Study. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1881-1888. | 2.9 | 2 |
| 162 | Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). <i>BMC Psychiatry</i> , 2019, 19, 423. | 2.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Methylomic profiling in trisomy 21 identifies cognition- and Alzheimer's disease-related dysregulation. <i>Clinical Epigenetics</i> , 2019, 11, 195. | 4.1 | 14 |
| 164 | Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 465-476. | 0.8 | 232 |
| 165 | Olfactory dysfunction: properties of the Sniffin Sticks Screening 12 test and associations with quality of life. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 389-395. | 1.6 | 18 |
| 166 | A novel superior medication-based chronic disease score predicted all-cause mortality in independent geriatric cohorts. <i>Journal of Clinical Epidemiology</i> , 2019, 105, 112-124. | 5.0 | 14 |
| 167 | Unmet health care needs in old age and their association with depression – results of a population-representative survey. <i>Journal of Affective Disorders</i> , 2019, 245, 998-1006. | 4.1 | 28 |
| 168 | Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 193-203. | 2.7 | 41 |
| 169 | Is orthorexic behavior common in the general public? A large representative study in Germany. <i>Eating and Weight Disorders</i> , 2019, 24, 267-273. | 2.5 | 69 |
| 170 | The association between unemployment and depression – Results from the population-based LIFE-adult-study. <i>Journal of Affective Disorders</i> , 2018, 235, 399-406. | 4.1 | 59 |
| 171 | White matter microstructural variability mediates the relation between obesity and cognition in healthy adults. <i>NeuroImage</i> , 2018, 172, 239-249. | 4.2 | 67 |
| 172 | Genetic estimators of DNA methylation provide insights into the molecular basis of polygenic traits. <i>Translational Psychiatry</i> , 2018, 8, 31. | 4.8 | 12 |
| 173 | Layered stigma? Co-occurring depression and obesity in the public eye. <i>Journal of Psychosomatic Research</i> , 2018, 106, 29-33. | 2.6 | 20 |
| 174 | Increased estrogen level can be associated with depression in males. <i>Psychoneuroendocrinology</i> , 2018, 87, 196-203. | 2.7 | 21 |
| 175 | Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2018, 22, 1038-1045. | 2.8 | 6 |
| 176 | White matter hyperintensities associated with small vessel disease impair social cognition beside attention and memory. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 996-1009. | 4.3 | 66 |
| 177 | Categorical and dimensional perspectives on depression in elderly primary care patients – Results of the AgeMooDe study. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, . | 2.1 | 5 |
| 178 | Gray matter structural networks are associated with cardiovascular risk factors in healthy older adults. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 360-372. | 4.3 | 29 |
| 179 | Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35. | 4.1 | 22 |
| 180 | P1028: OCCUPATIONAL COGNITIVE REQUIREMENTS ARE AN IMPORTANT PROXY MEASURE OF COGNITIVE RESERVE: EVIDENCE FROM THE AGECODE AND DELCODE STUDIES. <i>Alzheimer's and Dementia</i> , 2018, 14, P276. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | P2â€156: EFFECTS OF LEPTIN ON HIPPOCAMPUS VOLUME AND COGNITIVE PERFORMANCE. <i>Alzheimer's and Dementia</i> , 2018, 14, P727. | 0.8 | 0 |
| 182 | P3â€122: <i>APOE</i>â€4 MODULATES LEVELS OF OMEGAâ€3 AND OMEGAâ€6 FATTY ACIDS IN ALZHEIMER'S DISEASE DEMENTIA. <i>Alzheimer's and Dementia</i> , 2018, 14, P1114. | 0.8 | 0 |
| 183 | O4â€08â€02: THE MEDIATING EFFECT OF COGNITIVEÂRESERVE BETWEEN SOCIAL ISOLATION AND COGNITIVE FUNCTION: RESULTS OFÂTHE POPULATIONÂBASED LIFEÂADULT STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1421. | 0.8 | 0 |
| 184 | Exploring Genetic Associations of Alzheimerâ€™s Disease Loci With Mild Cognitive Impairment Neurocognitive Endophenotypes. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 340. | 3.4 | 12 |
| 185 | Informal caregiversâ€™ perspectives on health of and (potentially inappropriate) medication for (relatively) independent oldest-old people â€“ a qualitative interview study. <i>BMC Geriatrics</i> , 2018, 18, 169. | 2.7 | 8 |
| 186 | Primary prevention of dementia: from modifiable risk factors to a public brain health agenda?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1289-1301. | 3.1 | 47 |
| 187 | Do Individuals in Old Age Prepare for the Risk of Long-Term Care? Results of A Population-Based Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2189. | 2.6 | 10 |
| 188 | Correlates of preferences for autonomy in long-term care: results of a population-based survey among older individuals in Germany. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 71-78. | 1.8 | 3 |
| 189 | Perspective of elderly patients on chronic use of potentially inappropriate medication â€“ Results of the qualitative CIM-TRIAD study. <i>PLoS ONE</i> , 2018, 13, e0202068. | 2.5 | 16 |
| 190 | Prevalence of clinically apparent hypertrophic cardiomyopathy in Germanyâ€™An analysis of over 5 million patients. <i>PLoS ONE</i> , 2018, 13, e0196612. | 2.5 | 40 |
| 191 | Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098. | 12.8 | 484 |
| 192 | In-depth statistical analysis of the use of a website providing patientsâ€™ narratives on lifestyle change when living with chronic back pain or coronary heart disease. <i>Patient Education and Counseling</i> , 2018, 101, 1283-1290. | 2.2 | 5 |
| 193 | Loss experiences in old age and their impact on the social network and depressionâ€“ results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Journal of Affective Disorders</i> , 2018, 241, 94-102. | 4.1 | 24 |
| 194 | Preferences for Depression Treatment Including Internet-Based Interventions: Results From a Large Sample of Primary Care Patients. <i>Frontiers in Psychiatry</i> , 2018, 9, 181. | 2.6 | 53 |
| 195 | Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388. | 2.7 | 13 |
| 196 | Cross-cultural validation of the German version of the Four-Dimensional Symptom Questionnaire (4DSQ) in multimorbid elderly people. <i>Quality of Life Research</i> , 2018, 27, 2691-2697. | 3.1 | 7 |
| 197 | Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, . | 12.6 | 1,085 |
| 198 | Memory-related subjective cognitive symptoms in the adult population: prevalence and associated factors â€“ results of the LIFE-Adult-Study. <i>BMC Psychology</i> , 2018, 6, 23. | 2.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Prospective Associations between Single Foods, Alzheimer's Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852. | 4.1 | 57 |
| 200 | Five A's counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). <i>BMC Family Practice</i> , 2018, 19, 97. | 2.9 | 13 |
| 201 | Compression of cognitive morbidity by higher education in individuals aged 75+ living in Germany. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1389-1396. | 2.7 | 3 |
| 202 | A qualitative study on older primary care patients' perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. <i>BMC Family Practice</i> , 2018, 19, 2. | 2.9 | 26 |
| 203 | Physician emigration from Germany: insights from a survey in Saxony, Germany. <i>BMC Health Services Research</i> , 2018, 18, 341. | 2.2 | 24 |
| 204 | Prevalence of pain and its associated factors among the oldest-olds in different care settings - results of the AgeQualiDe study. <i>BMC Family Practice</i> , 2018, 19, 85. | 2.9 | 14 |
| 205 | Social Network Types in Old Age and Incident Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2018, 31, 163-170. | 2.3 | 16 |
| 206 | Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). <i>Journal of Affective Disorders</i> , 2018, 238, 317-326. | 4.1 | 53 |
| 207 | APOE e4-genotype and lifestyle interaction on cognitive performance: Results of the LIFE-Adult-study.. <i>Health Psychology</i> , 2018, 37, 194-205. | 1.6 | 14 |
| 208 | Age-, sex-, and education-specific norms for an extended CERAD Neuropsychological Assessment Battery - Results from the population-based LIFE-Adult-Study.. <i>Neuropsychology</i> , 2018, 32, 461-475. | 1.3 | 28 |
| 209 | Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. <i>Journal of Affective Disorders</i> , 2017, 210, 338-344. | 4.1 | 248 |
| 210 | Disentangling the complex relation of disability and depressive symptoms in old age - findings of a multicenter prospective cohort study in Germany. <i>International Psychogeriatrics</i> , 2017, 29, 885-895. | 1.0 | 30 |
| 211 | Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e111-e117. | 1.4 | 33 |
| 212 | Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 738-746. | 2.6 | 11 |
| 213 | Respondents' report of a clinician-diagnosed depression in health surveys: comparison with DSM-IV mental disorders in the general adult population in Germany. <i>BMC Psychiatry</i> , 2017, 17, 39. | 2.6 | 23 |
| 214 | Secular trends in the incidence of dementia in high-income countries: a protocol of a systematic review and a planned meta-analysis. <i>BMJ Open</i> , 2017, 7, e013630. | 1.9 | 9 |
| 215 | Factors associated with preferences for long-term care settings in old age: evidence from a population-based survey in Germany. <i>BMC Health Services Research</i> , 2017, 17, 156. | 2.2 | 41 |
| 216 | A peripheral epigenetic signature of immune system genes is linked to neocortical thickness and memory. <i>Nature Communications</i> , 2017, 8, 15193. | 12.8 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Could High Mental Demands at Work Offset the Adverse Association Between Social Isolation and Cognitive Functioning? Results of the Population-Based LIFE-Adult-Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 1258-1269. | 1.2 | 11 |
| 218 | General practitioners'™ views on (long-term) prescription and use of problematic and potentially inappropriate medication for oldest-old patients"™ A qualitative interview study with GPs (CIM-TRIAD) Tj ETQq0 0 Q.rgBT /Ovz4lock 10 T | 0.2 | 0 |
| 219 | Treatment preferences for depression in the elderly. <i>International Psychogeriatrics</i> , 2017, 29, 389-398. | 1.0 | 34 |
| 220 | How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017, 46, 813-820. | 1.6 | 23 |
| 221 | Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950. | 1.0 | 35 |
| 222 | Rare coding variants in PLCC2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017, 49, 1373-1384. | 21.4 | 783 |
| 223 | Effects of psychological eating behaviour domains on the association between socio-economic status and BMI. <i>Public Health Nutrition</i> , 2017, 20, 2706-2712. | 2.2 | 17 |
| 224 | Relationship Status: Single? Young Adults with Visual, Hearing, or Physical Disability and Their Experiences with Partnership and Sexuality. <i>Sexuality and Disability</i> , 2017, 35, 415-432. | 1.0 | 13 |
| 225 | Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 44, 71-83. | 1.5 | 19 |
| 226 | Advance directives and power of attorney for health care in the oldest-old "™ results of the AgeQualiDe study. <i>BMC Geriatrics</i> , 2017, 17, 85. | 2.7 | 19 |
| 227 | The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 131-141. | 1.2 | 22 |
| 228 | Prevalence of DSM-5 Mild Neurocognitive Disorder in Dementia-Free Older Adults: Results of the Population-Based LIFE-Adult-Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 328-339. | 1.2 | 43 |
| 229 | Sleep disturbances and upregulation of brain arousal during daytime in depressed versus non-depressed elderly subjects. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 633-640. | 2.6 | 30 |
| 230 | Obesity as a disability "™ A representative survey of individuals with obesity from Germany. <i>Disability and Health Journal</i> , 2017, 10, 152-156. | 2.8 | 6 |
| 231 | Which types of mental work demands may be associated with reduced risk of dementia?. <i>Alzheimer's and Dementia</i> , 2017, 13, 431-440. | 0.8 | 33 |
| 232 | Predicting brain-age from multimodal imaging data captures cognitive impairment. <i>NeuroImage</i> , 2017, 148, 179-188. | 4.2 | 407 |
| 233 | [P3"™357]: ASSOCIATION OF HIPPOCAMPAL VOLUMES WITH COGNITIVE TASKS IN A LARGE POPULATION"™BASED COHORT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1092. | 0.8 | 0 |
| 234 | Erste sexuelle Erfahrungen von jungen Erwachsenen mit Beeintr"™chtigungen. <i>Public Health Forum</i> , 2017, 25, 304-307. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. PLoS ONE, 2017, 12, e0183698. | 2.5 | 1 |
| 236 | Frequent attenders in late life in primary care: a systematic review of European studies. BMC Family Practice, 2017, 18, 104. | 2.9 | 37 |
| 237 | The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. Health and Quality of Life Outcomes, 2017, 15, 140. | 2.4 | 48 |
| 238 | Who should take care of me? Preferences of old age individuals for characteristics of professional long-term caregivers: an observational cross-sectional study. BMC Research Notes, 2017, 10, 382. | 1.4 | 7 |
| 239 | Unterstützte Elternschaft – zur Umsetzung des Artikels 23 der UN-BRK. Public Health Forum, 2017, 25, 284-287. | 0.2 | 0 |
| 240 | Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. PLoS ONE, 2017, 12, e0170303. | 2.5 | 35 |
| 241 | User Acceptance of Computerized Cognitive Behavioral Therapy for Depression: Systematic Review. Journal of Medical Internet Research, 2017, 19, e309. | 4.3 | 81 |
| 242 | Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly – Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). PLoS ONE, 2016, 11, e0147050. | 2.5 | 20 |
| 243 | Unmet care needs of the oldest old with late-life depression: A comparison of patient, caring relative and general practitioner perceptions – Results of the AgeMooDe study. Journal of Affective Disorders, 2016, 205, 182-189. | 4.1 | 10 |
| 244 | Outcomes of stable and unstable patterns of subjective cognitive decline – results from the Leipzig Longitudinal Study of the Aged (LEILA75+). BMC Geriatrics, 2016, 16, 180. | 2.7 | 30 |
| 245 | Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. Journal of Alzheimer's Disease, 2016, 54, 185-199. | 2.6 | 23 |
| 246 | Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2016, 54, 1135-1146. | 2.6 | 70 |
| 247 | Body Dissatisfaction in Individuals with Obesity Compared to Normal-Weight Individuals: A Systematic Review and Meta-Analysis. Obesity Facts, 2016, 9, 424-441. | 3.4 | 252 |
| 248 | P2-351: "Healthy Diet" and Cognitive Status in the Oldest Old. Alzheimer's and Dementia, 2016, 12, P779. 0.8 | | 0 |
| 249 | P3-086: FTO is Not Related to Imaging Parameters of the Hippocampus: A Volumetric and Diffusion Tensor Imaging Study. , 2016, 12, P851-P851. | | 0 |
| 250 | P3-377: The Cognitive Functioning of Socially Isolated Individuals May Profit from High Mental Work Demands. , 2016, 12, P993-P994. | | 0 |
| 251 | P4-153: Subjective Cognitive Decline and Progression to Dementia Due to AD and Non-AD in Memory Clinic and Community-Based Cohorts. Alzheimer's and Dementia, 2016, 12, P1073. | 0.8 | 1 |
| 252 | Education as protector against dementia, but what exactly do we mean by education?. Age and Ageing, 2016, 45, 523-528. | 1.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Sexual Experiences of Adolescents With and Without Disabilities: Results from a Cross-Sectional Study. <i>Sexuality and Disability</i> , 2016, 34, 171-182. | 1.0 | 20 |
| 254 | No association of the variant rs11887120 in DNMT3A with cognitive decline in individuals with mild cognitive impairment. <i>Epigenomics</i> , 2016, 8, 593-598. | 2.1 | 5 |
| 255 | Excess health care costs of late-life depression – Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 199, 139-147. | 4.1 | 40 |
| 256 | The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 204, 247-254. | 4.1 | 6 |
| 257 | Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316. | 2.6 | 33 |
| 258 | Job satisfaction of foreign-national physicians working in patient care: a cross-sectional study in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 41. | 2.2 | 31 |
| 259 | Burnout among young physicians and its association with physicians' wishes to leave: results of a survey in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 2. | 2.2 | 73 |
| 260 | Association between multimorbidity patterns and chronic pain in elderly primary care patients: a cross-sectional observational study. <i>BMC Family Practice</i> , 2016, 17, 68. | 2.9 | 65 |
| 261 | Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 607-616. | 3.1 | 46 |
| 262 | Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. <i>Quality of Life Research</i> , 2016, 25, 1159-1168. | 3.1 | 61 |
| 263 | Stigma and Knowledge as Determinants of Recommendation and Referral Behavior of General Practitioners and Internists. <i>Obesity Surgery</i> , 2016, 26, 2393-2401. | 2.1 | 30 |
| 264 | Sexual and reproductive health of young people with disability in Ethiopia: a study on knowledge, attitude and practice: a cross-sectional study. <i>Globalization and Health</i> , 2016, 12, 5. | 4.9 | 44 |
| 265 | TREM2 rare variant p.R47H is not associated with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 23, 109-111. | 2.2 | 17 |
| 266 | Serum BDNF correlates with connectivity in the (pre)motor hub in "the aging human brain" a resting-state fMRI pilot study. <i>Neurobiology of Aging</i> , 2016, 38, 181-187. | 3.1 | 11 |
| 267 | The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 193, 309-317. | 4.1 | 49 |
| 268 | Alzheimer's disease risk variants modulate endophenotypes in mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016, 12, 872-881. | 0.8 | 50 |
| 269 | Higher body mass index in older adults is associated with lower gray matter volume: implications for memory performance. <i>Neurobiology of Aging</i> , 2016, 40, 1-10. | 3.1 | 84 |
| 270 | Prevalence and correlates of DSM-IV-TR major depressive disorder, self-reported diagnosed depression and current depressive symptoms among adults in Germany. <i>Journal of Affective Disorders</i> , 2016, 190, 167-177. | 4.1 | 79 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. <i>PLoS ONE</i> , 2016, 11, e0156647. | 2.5 | 8 |
| 272 | The Stigma of Suicide Survivorship and Related Consequencesâ€”A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0162688. | 2.5 | 110 |
| 273 | The German version of the Camberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. <i>International Psychogeriatrics</i> , 2015, 27, 1919-1926. | 1.0 | 19 |
| 274 | Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. <i>British Journal of General Practice</i> , 2015, 65, e716-e723. | 1.4 | 59 |
| 275 | Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. <i>Psychological Assessment</i> , 2015, 27, 895-904. | 1.5 | 9 |
| 276 | Association of the apolipoprotein E genotype with memory performance and executive functioning in cognitively intact elderly.. <i>Neuropsychology</i> , 2015, 29, 382-387. | 1.3 | 26 |
| 277 | Mortality in Individuals with Subjective Cognitive Decline: Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). <i>Journal of Alzheimer's Disease</i> , 2015, 48, S33-S42. | 2.6 | 20 |
| 278 | Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 1203-1212. | 2.6 | 52 |
| 279 | Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S63-S86. | 2.6 | 317 |
| 280 | Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2408-2410. | 2.6 | 2 |
| 281 | First evidence for glial pathology in late life minor depression: S100B is increased in males with minor depression. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 406. | 3.7 | 19 |
| 282 | Eating Behaviour in the General Population: An Analysis of the Factor Structure of the German Version of the Three-Factor-Eating-Questionnaire (TFEQ) and Its Association with the Body Mass Index. <i>PLoS ONE</i> , 2015, 10, e0133977. | 2.5 | 69 |
| 283 | Self-efficacy in multimorbid elderly patients with osteoarthritis in primary careâ€™influence on pain-related disability. <i>Clinical Rheumatology</i> , 2015, 34, 1761-1767. | 2.2 | 11 |
| 284 | Risk of Dementia in Older Adults With Low Versus High Occupation-Based Motivational Processes. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 126-135. | 2.3 | 11 |
| 285 | Cognitive performance before and after the onset of subjective cognitive decline in old age. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 194-205. | 2.4 | 110 |
| 286 | S3 guideline on psychosocial therapies in severe mental illness: evidence and recommendations. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 173-188. | 3.2 | 32 |
| 287 | The association of BMI and social distance towards obese individuals is mediated by sympathy and understanding. <i>Social Science and Medicine</i> , 2015, 128, 25-30. | 3.8 | 20 |
| 288 | Health burden and costs of obesity and overweight in Germany: an update. <i>European Journal of Health Economics</i> , 2015, 16, 957-967. | 2.8 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | Age- and gender-specific norms for the German version of the Three-Factor Eating-Questionnaire (TFEQ). <i>Appetite</i> , 2015, 91, 241-247. | 3.7 | 31 |
| 290 | Current major depressive syndrome measured with the Patient Health Questionnaire-9 (PHQ-9) and the Composite International Diagnostic Interview (CIDI): results from a cross-sectional population-based study of adults in Germany. <i>BMC Psychiatry</i> , 2015, 15, 77. | 2.6 | 37 |
| 291 | Cost-utility analysis of a preventive home visit program for older adults in Germany. <i>BMC Health Services Research</i> , 2015, 15, 141. | 2.2 | 22 |
| 292 | Social inequalities in patient-reported outcomes among older multimorbid patients – results of the MultiCare cohort study. <i>International Journal for Equity in Health</i> , 2015, 14, 17. | 3.5 | 25 |
| 293 | Differential effects of enriched environment at work on cognitive decline in old age. <i>Neurology</i> , 2015, 84, 2169-2176. | 1.1 | 47 |
| 294 | PLD3 in non-familial Alzheimer's disease. <i>Nature</i> , 2015, 520, E3-E5. | 27.8 | 58 |
| 295 | Complex coevolution of depression and health-related quality of life in old age. <i>Quality of Life Research</i> , 2015, 24, 2713-2722. | 3.1 | 20 |
| 296 | Computational dissection of human episodic memory reveals mental process-specific genetic profiles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4939-48. | 7.1 | 16 |
| 297 | Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83. | 2.7 | 41 |
| 298 | The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015, 15, 691. | 2.9 | 287 |
| 299 | Genetic Analysis of Association Between Calcium Signaling and Hippocampal Activation, Memory Performance in the Young and Old, and Risk for Sporadic Alzheimer Disease. <i>JAMA Psychiatry</i> , 2015, 72, 1029. | 11.0 | 23 |
| 300 | Cost-Effectiveness of Collaborative Care for the Treatment of Depressive Disorders in Primary Care: A Systematic Review. <i>PLoS ONE</i> , 2015, 10, e0123078. | 2.5 | 51 |
| 301 | Dietitians and Nutritionists: Stigma in the Context of Obesity. A Systematic Review. <i>PLoS ONE</i> , 2015, 10, e0140276. | 2.5 | 27 |
| 302 | Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015, 10, e0144203. | 2.5 | 128 |
| 303 | Inpatient or Outpatient Rehabilitation after Herniated Disc Surgery? – Setting-Specific Preferences, Participation and Outcome of Rehabilitation. <i>PLoS ONE</i> , 2014, 9, e89200. | 2.5 | 5 |
| 304 | Impact of Depression on Health Care Utilization and Costs among Multimorbid Patients – Results from the MultiCare Cohort Study. <i>PLoS ONE</i> , 2014, 9, e91973. | 2.5 | 88 |
| 305 | Obesity and Associated Lifestyle in a Large Sample of Multi-Morbid German Primary Care Attendees. <i>PLoS ONE</i> , 2014, 9, e102587. | 2.5 | 19 |
| 306 | A Systematic Review of Economic Evaluations of Treatments for Borderline Personality Disorder. <i>PLoS ONE</i> , 2014, 9, e107748. | 2.5 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | School-based prevention programs for depression and anxiety in adolescence: a systematic review. <i>Health Promotion International</i> , 2014, 29, 427-441. | 1.8 | 101 |
| 308 | Systematic review of the effect of the psychosocial working environment on cognition and dementia. <i>Occupational and Environmental Medicine</i> , 2014, 71, 358-365. | 2.8 | 98 |
| 309 | Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 481-493. | 1.3 | 19 |
| 310 | Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell Assessment of Need for the Elderly (CANE) – a pilot study. <i>International Psychogeriatrics</i> , 2014, 26, 285-295. | 1.0 | 25 |
| 311 | Sexuality and Sexual Reproductive Health of Disabled Young People in Ethiopia. <i>Sexually Transmitted Diseases</i> , 2014, 41, 583-588. | 1.7 | 20 |
| 312 | The role of spousal loss in the development of depressive symptoms in the elderly – Implications for diagnostic systems. <i>Journal of Affective Disorders</i> , 2014, 161, 97-103. | 4.1 | 41 |
| 313 | Converging Genetic and Functional Brain Imaging Evidence Links Neuronal Excitability to Working Memory, Psychiatric Disease, and Brain Activity. <i>Neuron</i> , 2014, 81, 1203-1213. | 8.1 | 86 |
| 314 | A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients – Results of the MultiCare study. <i>Journal of Affective Disorders</i> , 2014, 168, 276-283. | 4.1 | 12 |
| 315 | Association between mental demands at work and cognitive functioning in the general population – results of the health study of the Leipzig research center for civilization diseases (LIFE). <i>Journal of Occupational Medicine and Toxicology</i> , 2014, 9, 23. | 2.2 | 34 |
| 316 | The CERAD Neuropsychological Assessment Battery Total Score Detects and Predicts Alzheimer Disease Dementia with High Diagnostic Accuracy. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1017-1028. | 1.2 | 56 |
| 317 | The Costs of Dementia From the Societal Perspective: Is Care Provided in the Community Really Cheaper than Nursing Home Care?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 117-126. | 2.5 | 35 |
| 318 | AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 76-83. | 0.8 | 414 |
| 319 | Measuring Negative Attitudes towards Overweight and Obesity in the German Population – Psychometric Properties and Reference Values for the German Short Version of the Fat Phobia Scale (FPS). <i>PLoS ONE</i> , 2014, 9, e114641. | 2.5 | 21 |
| 320 | Economic costs of overweight and obesity. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2013, 27, 105-115. | 4.7 | 214 |
| 321 | Attitudes Towards Bariatric Surgery in the General Public. <i>Obesity Surgery</i> , 2013, 23, 338-345. | 2.1 | 30 |
| 322 | Perception of overweight and obesity from different angles: A qualitative study. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 271-277. | 2.3 | 24 |
| 323 | Epidemiology of dementia – A current overview. <i>Public Health Forum</i> , 2012, 20, 11-12. | 0.2 | 0 |
| 324 | Obese Children, Adults and Senior Citizens in the Eyes of the General Public: Results of a Representative Study on Stigma and Causation of Obesity. <i>PLoS ONE</i> , 2012, 7, e46924. | 2.5 | 80 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 325 | Prediction of Dementia in Primary Care Patients. PLoS ONE, 2011, 6, e16852. | 2.5 | 116 |
| 326 | The stigma of obesity in the general public and its implications for public health - a systematic review. BMC Public Health, 2011, 11, 661. | 2.9 | 124 |
| 327 | Current alcohol consumption and its relationship to incident dementia: results from a 3-year follow-up study among primary care attenders aged 75 years and older. Age and Ageing, 2011, 40, 456-463. | 1.6 | 97 |
| 328 | Cost-effectiveness of fall prevention programs based on home visits for seniors aged over 65 years: a systematic review. International Psychogeriatrics, 2011, 23, 711-723. | 1.0 | 12 |
| 329 | Anticholinergic drug use and risk for dementia: target for dementia prevention. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 111-115. | 3.2 | 99 |
| 330 | Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with anxiety disorders. Health and Quality of Life Outcomes, 2010, 8, 47. | 2.4 | 86 |
| 331 | Prediction of Dementia by Subjective Memory Impairment<sub>title>Effects of Severity and Temporal Association With Cognitive Impairment</sub><alt>Dementia and Subjective Memory Impairment</alt>. Archives of General Psychiatry, 2010, 67, 414. | 12.3 | 559 |
| 332 | Incidence of Mild Cognitive Impairment: A Systematic Review. Dementia and Geriatric Cognitive Disorders, 2010, 29, 164-175. | 1.5 | 179 |
| 333 | Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. Health and Quality of Life Outcomes, 2010, 8, 143. | 2.4 | 98 |
| 334 | Cost-effectiveness of a primary care model for anxiety disorders. British Journal of Psychiatry, 2009, 195, 308-317. | 2.8 | 38 |
| 335 | Service Utilization and Health-Care Costs in the Advanced Elderly. Value in Health, 2008, 11, 611-620. | 0.3 | 46 |
| 336 | Growing old at home â€œ A randomized controlled trial to investigate the effectiveness and cost-effectiveness of preventive home visits to reduce nursing home admissions: study protocol [NCT00644826]. BMC Public Health, 2008, 8, 185. | 2.9 | 12 |
| 337 | Mild Cognitive Impairment in General Practice: Age-Specific Prevalence and Correlate Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). Dementia and Geriatric Cognitive Disorders, 2007, 24, 307-316. | 1.5 | 173 |
| 338 | Mental disorders?who and what might help?. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 167-174. | 3.1 | 156 |
| 339 | Mild cognitive impairment: prevalence and incidence according to different diagnostic criteria. British Journal of Psychiatry, 2003, 182, 449-454. | 2.8 | 232 |
| 340 | Mild cognitive impairment: prevalence and incidence according to different diagnostic criteria: Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). British Journal of Psychiatry, 2003, 182, 449-454. | 2.8 | 4 |
| 341 | Prevalence of dementia according to DSMâ€œIIIâ€œR and ICDâ€œ10. British Journal of Psychiatry, 2001, 179, 250-254. | 2.8 | 121 |
| 342 | Incidence of Dementia According to DSMâ€œIIIâ€œR and ICDâ€œ10. British Journal of Psychiatry, 2001, 179, 255-260. | 2.8 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | On the application of the CES-D with the elderly: dimensional structure and artifacts resulting from oppositely worded items. <i>International Journal of Methods in Psychiatric Research</i> , 2000, 9, 199-209. | 2.1 | 5 |
| 344 | Are cognitively impaired individuals adequately represented in community surveys? Recruitment challenges and strategies to facilitate participation in community surveys of older adults. A review. <i>European Journal of Epidemiology</i> , 2000, 16, 827-835. | 5.7 | 42 |
| 345 | The Role of Referrals in Diagnosing Dementia at the Primary Care Level. <i>International Psychogeriatrics</i> , 1999, 11, 251-262. | 1.0 | 24 |