

Marta KoÅ,odziej-SobociÅ,,ska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9253622/publications.pdf>

Version: 2024-02-01

44

papers

685

citations

516710

16

h-index

610901

24

g-index

44

all docs

44

docs citations

44

times ranked

704

citing authors

#	ARTICLE	IF	CITATIONS
1	Factors affecting the spread of parasites in populations of wild European terrestrial mammals. Mammal Research, 2019, 64, 301-318.	1.3	59
2	Sparganosis (<i>Spirometra</i>) in Europe in the Molecular Era. Clinical Infectious Diseases, 2021, 72, 882-890.	5.8	51
3	Determination of the relative avidity of the specific IgG antibodies in human toxocariasis. Parasite Immunology, 2008, 30, 187-190.	1.5	42
4	Sarcoptic mange vulnerability in carnivores of the BiaÅowieÅ¼a Primeval Forest, Poland: underlying determinant factors. Ecological Research, 2014, 29, 237-244.	1.5	35
5	Trichinella spiralis: Macrophage activity and antibody response in chronic murine infection. Experimental Parasitology, 2006, 112, 52-62.	1.2	31
6	High parasite infection level in non-native invasive species: it is just a matter of time. Ecography, 2018, 41, 1283-1294.	4.5	31
7	Development of cellular immune response of mice to infection with low doses of Trichinella spiralis, Trichinella britovi and Trichinella pseudospiralis larvae. Parasitology Research, 2011, 108, 169-176.	1.6	29
8	Detection of Echinococcus multilocularis antigens in faeces by ELISA. Parasitology Research, 2003, 91, 491-496.	1.6	26
9	Range expansion of the golden jackal (<i>Canis aureus</i>) into Poland: first records. Mammal Research, 2015, 60, 411-414.	1.3	26
10	Raccoon dog (<i>Nyctereutes procyonoides</i>)—the new host of Echinococcus multilocularis in Poland. Annals of Parasitology, 2002, 48, 65-8.	0.1	23
11	Sparganosis in wild boar (<i>Sus scrofa</i>) – Implications for veterinarians, hunters, and consumers. Veterinary Parasitology, 2016, 227, 115-117.	1.8	22
12	Increased Parasitic Load in Captive-Released European Bison (<i>Bison bonasus</i>) has Important Implications for Reintroduction Programs. EcoHealth, 2018, 15, 467-471.	2.0	21
13	Update of the helminth fauna in Eurasian lynx (<i>Lynx lynx</i>) in Poland. Parasitology Research, 2018, 117, 2613-2621.	1.6	21
14	The first report of sparganosis (<i>Spirometra</i> sp.) in Eurasian badger (<i>Meles meles</i>). Parasitology International, 2014, 63, 397-399.	1.3	20
15	An invasive species as an additional parasite reservoir: <i>Trichinella</i> in introduced American mink (<i>Neovison vison</i>). Veterinary Parasitology, 2016, 231, 106-109.	1.8	19
16	The first case of genetically confirmed sparganosis (<i>Spirometra erinaceieuropaei</i>) in European reptiles. Parasitology Research, 2018, 117, 3659-3662.	1.6	17
17	Does the blood-sucking nematode <i>Ashworthius sidemi</i> (Trichostrongylidae) cause deterioration of blood parameters in European bison (<i>Bison bonasus</i>)?. European Journal of Wildlife Research, 2016, 62, 781-785.	1.4	16
18	Influence of management and biological factors on parasitic invasions in the wild – Spread of the blood-sucking nematode <i>Ashworthius sidemi</i> in European bison (<i>Bison bonasus</i>). International Journal for Parasitology: Parasites and Wildlife, 2016, 5, 286-294.	1.5	15

#	ARTICLE	IF	CITATIONS
19	Rodents as intermediate hosts of cestode parasites of mammalian carnivores and birds of prey in Poland, with the first data on the life-cycle of <i>Mesocestoides melesi</i> . <i>Parasites and Vectors</i> , 2020, 13, 95.	2.5	14
20	Inhibition of nitric oxide production by aminoguanidine influences the number of <i>Trichinella spiralis</i> parasites in infected â€œlow respondersâ€“(C57BL/6) and â€œhigh respondersâ€“(BALB/c) mice. <i>Parasitology Research</i> , 2006, 99, 194-196.	1.6	13
21	Pattern of parasite egg shedding by European bison (<i>Bison bonasus</i>) in the BiaÅ,owieÅ¼a Primeval Forest, Poland. <i>Mammal Research</i> , 2016, 61, 179-186.	1.3	13
22	Genetic diversity of two mitochondrial DNA genes in <i>Spirometra erinaceieuropaei</i> (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Tc 57, 764-777.	1.4	13
23	The Nematodes <i>Thelazia gulosa</i> Raillet and Henry, 1910 and <i>Thelazia skrjabini</i> Erschov, 1928 as a Cause of Blindness in European Bison (<i>Bison bonasus</i>) in Poland. <i>Acta Parasitologica</i> , 2020, 65, 963-968.	1.1	12
24	Kinetics of specific humoral immune response of mice infected with low doses of <i>Trichinella spiralis</i> , <i>T. britovi</i> , and <i>T. pseudospiralis</i> larvae. <i>Helminthologia</i> , 2010, 47, 152-157.	0.9	11
25	The first records of <i>Spirometra erinaceieuropaei</i> (Cestoda: Diphyllobothriidae), a causative agent of human sparganosis, in Latvian wildlife. <i>Parasitology Research</i> , 2021, 120, 365-371.	1.6	11
26	<i>Trichinella spiralis</i> reinfection: macrophage activity in BALB/c mice. <i>Parasitology Research</i> , 2007, 101, 629-637.	1.6	8
27	Aleutian mink disease: Spatio-temporal variation of prevalence and influence on the feral American mink. <i>Transboundary and Emerging Diseases</i> , 2021, 68, 2556-2570.	3.0	8
28	Diversity and transmission of Aleutian mink disease virus in feral and farmed American mink and native mustelids. <i>Virus Evolution</i> , 2021, 7, veab075.	4.9	8
29	<i>Trichinella spiralis</i> reinfection: changes in cellular and humoral immune response in BALB/c mice. <i>Helminthologia</i> , 2012, 49, 201-210.	0.9	7
30	<i>Alaria</i> spp. mesocercariae in Eurasian badger (<i>Meles meles</i>) and wild boar (<i>Sus scrofa</i>) from the BiaÅ,owieÅ¼a Forest, north-eastern Poland. <i>Parasitology Research</i> , 2018, 117, 1297-1299.	1.6	7
31	<i>Demodex melesinus</i> (Acariformes: Demodecidae) â€“ the forgotten European badger parasite, rediscovered after 100 years. <i>Acta Parasitologica</i> , 2018, 63, 665-668.	1.1	6
32	Penis size and sperm quality, are all bats grey in the dark?. <i>Environmental Epigenetics</i> , 2019, 65, 697-703.	1.8	6
33	Sparganosis â€“ neglected zoonosis and its reservoir in wildlife. <i>Medycyna Weterynaryjna</i> , 2018, 74, 219-222.	0.1	6
34	Occurrence of <i>Echinococcus multilocularis</i> in red foxes from the Carpathian regions of Slovakia and Poland. <i>Acta Parasitologica</i> , 2006, 51, .	1.1	5
35	Large lungworms (Nematoda: Dictyocaulidae) recovered from the European bison may represent a new nematode subspecies. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2020, 13, 213-220.	1.5	5
36	Digestive tract nematode infections in non-native invasive American mink with the first molecular identification of <i>Molineus patens</i> . <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 14, 48-52.	1.5	5

#	ARTICLE	IF	CITATIONS
37	Multispecies reservoir of <i>Spirometra erinaceieuropaei</i> (Cestoda: Diphyllobothriidae) in carnivore communities in north-eastern Poland. <i>Parasites and Vectors</i> , 2020, 13, 560.	2.5	4
38	Seroprevalence of <i>Echinococcus</i> spp. and <i>Toxocara</i> spp. in Invasive Non-native American Mink. <i>EcoHealth</i> , 2020, 17, 13-27.	2.0	4
39	Blastocystis occurrence and subtype diversity in wild European terrestrial mammals – The case of BiaÅ,owieÅ¼a Primeval Forest (NE Poland). <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 16, 120-125.	1.5	4
40	In vivo inhibition of inducible nitric oxide synthase by aminoguanidine influences free radicals production and macrophage activity in <i>Trichinella spiralis</i> infected low responders (C57BL/6) and high responders (BALB/c) mice. <i>Helminthologia</i> , 2012, 49, 189-200.	0.9	3
41	Endohelminths of European Perch (<i>Perca fluviatilis</i>) from Selected Localities in Poland with an Emphasis on Search of the Broad Fish Tapeworm <i>Dibothriocephalus latus</i> . <i>Acta Parasitologica</i> , 2019, 64, 544-550.	1.1	3
42	A tale of two nematodes: Climate mediates mustelid infection by nematodes across the geographical range. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2022, 17, 218-224.	1.5	3
43	Moose <i>Alces alces</i> (Linnaeus, 1758). <i>Handbook of the Mammals of Europe</i> , 2022, , 1-32.	0.3	2
44	The first case of autochthonous subcutaneous dirofilariasis (<i>Dirofilaria repens</i>) in a dog from BiaÅ,owieÅ¼a (NE Poland) and possible threat posed to inhabitants of BiaÅ,owieÅ¼a Primeval Forest area. <i>Parasitology Research</i> , 2021, 120, 359-364.	1.6	0