

Marta KoÅ,odziej-SobociÅ,ska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9253622/publications.pdf>

Version: 2024-02-01

44

papers

685

citations

516710

16

h-index

610901

24

g-index

44

all docs

44

docs citations

44

times ranked

704

citing authors

#	ARTICLE	IF	CITATIONS
1	A tale of two nematodes: Climate mediates mustelid infection by nematodes across the geographical range. International Journal for Parasitology: Parasites and Wildlife, 2022, 17, 218-224.	1.5	3
2	Moose Alces alces (Linnaeus, 1758). Handbook of the Mammals of Europe, 2022, , 1-32.	0.3	2
3	Aleutian mink disease: Spatio-temporal variation of prevalence and influence on the feral American mink. Transboundary and Emerging Diseases, 2021, 68, 2556-2570.	3.0	8
4	Sparganosis (<i>Spirometra</i>) in Europe in the Molecular Era. Clinical Infectious Diseases, 2021, 72, 882-890.	5.8	51
5	The first case of autochthonous subcutaneous dirofilariasis (<i>Dirofilaria repens</i>) in a dog from BiaÅowieÅ¼a (NE Poland) and possible threat posed to inhabitants of BiaÅowieÅ¼a Primeval Forest area. Parasitology Research, 2021, 120, 359-364.	1.6	0
6	The first records of <i>Spirometra erinaceieuropaei</i> (Cestoda: Diphyllobothriidae), a causative agent of human sparganosis, in Latvian wildlife. Parasitology Research, 2021, 120, 365-371.	1.6	11
7	Digestive tract nematode infections in non-native invasive American mink with the first molecular identification of <i>Molineus patens</i> . International Journal for Parasitology: Parasites and Wildlife, 2021, 14, 48-52.	1.5	5
8	Diversity and transmission of Aleutian mink disease virus in feral and farmed American mink and native mustelids. Virus Evolution, 2021, 7, veab075.	4.9	8
9	Blastocystis occurrence and subtype diversity in wild European terrestrial mammals – The case of BiaÅowieÅ¼a Primeval Forest (NE Poland). International Journal for Parasitology: Parasites and Wildlife, 2021, 16, 120-125.	1.5	4
10	Multispecies reservoir of <i>Spirometra erinaceieuropaei</i> (Cestoda: Diphyllobothriidae) in carnivore communities in north-eastern Poland. Parasites and Vectors, 2020, 13, 560.	2.5	4
11	The Nematodes <i>Thelazia gulosa</i> Raillet and Henry, 1910 and <i>Thelazia skrabini</i> Erschov, 1928 as a Cause of Blindness in European Bison (Bison bonasus) in Poland. Acta Parasitologica, 2020, 65, 963-968.	1.1	12
12	Large lungworms (Nematoda: Dictyocaulidae) recovered from the European bison may represent a new nematode subspecies. International Journal for Parasitology: Parasites and Wildlife, 2020, 13, 213-220.	1.5	5
13	Rodents as intermediate hosts of cestode parasites of mammalian carnivores and birds of prey in Poland, with the first data on the life-cycle of <i>Mesocestoides melesi</i> . Parasites and Vectors, 2020, 13, 95.	2.5	14
14	Seroprevalence of <i>Echinococcus</i> spp. and <i>Toxocara</i> spp. in Invasive Non-native American Mink. EcoHealth, 2020, 17, 13-27.	2.0	4
15	Genetic diversity of two mitochondrial DNA genes in <i>Spirometra erinaceieuropaei</i> (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 57, 764-777.	1.4	13
16	Endohelminths of European Perch (Perca fluviatilis) from Selected Localities in Poland with an Emphasis on Search of the Broad Fish Tapeworm <i>Dibothriocephalus latus</i> . Acta Parasitologica, 2019, 64, 544-550.	1.1	3
17	Factors affecting the spread of parasites in populations of wild European terrestrial mammals. Mammal Research, 2019, 64, 301-318.	1.3	59
18	Penis size and sperm quality, are all bats grey in the dark?. Environmental Epigenetics, 2019, 65, 697-703.	1.8	6

#	ARTICLE	IF	CITATIONS
19	Increased Parasitic Load in Captive-Released European Bison (<i>Bison bonasus</i>) has Important Implications for Reintroduction Programs. <i>EcoHealth</i> , 2018, 15, 467-471.	2.0	21
20	Alaria spp. mesocercariae in Eurasian badger (<i>Meles meles</i>) and wild boar (<i>Sus scrofa</i>) from the BiaÅowieÅ¼a Forest, north-eastern Poland. <i>Parasitology Research</i> , 2018, 117, 1297-1299.	1.6	7
21	High parasite infection level in non-native invasive species: it is just a matter of time. <i>Ecography</i> , 2018, 41, 1283-1294.	4.5	31
22	<i>Demodex melesinus</i> (Acariformes: Demodecidae) – the forgotten European badger parasite, rediscovered after 100 years. <i>Acta Parasitologica</i> , 2018, 63, 665-668.	1.1	6
23	The first case of genetically confirmed sparganosis (<i>Spirometra erinaceieuropaei</i>) in European reptiles. <i>Parasitology Research</i> , 2018, 117, 3659-3662.	1.6	17
24	Update of the helminth fauna in Eurasian lynx (<i>Lynx lynx</i>) in Poland. <i>Parasitology Research</i> , 2018, 117, 2613-2621.	1.6	21
25	Sparganosis – neglected zoonosis and its reservoir in wildlife. <i>Medycyna Weterynaryjna</i> , 2018, 74, 219-222.	0.1	6
26	Does the blood-sucking nematode <i>Ashworthius sidemi</i> (Trichostrongylidae) cause deterioration of blood parameters in European bison (<i>Bison bonasus</i>)?. <i>European Journal of Wildlife Research</i> , 2016, 62, 781-785.	1.4	16
27	Influence of management and biological factors on parasitic invasions in the wild – Spread of the blood-sucking nematode <i>Ashworthius sidemi</i> in European bison (<i>Bison bonasus</i>). <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2016, 5, 286-294.	1.5	15
28	Sparganosis in wild boar (<i>Sus scrofa</i>) – Implications for veterinarians, hunters, and consumers. <i>Veterinary Parasitology</i> , 2016, 227, 115-117.	1.8	22
29	An invasive species as an additional parasite reservoir: <i>Trichinella</i> in introduced American mink (<i>Neovison vison</i>). <i>Veterinary Parasitology</i> , 2016, 231, 106-109.	1.8	19
30	Pattern of parasite egg shedding by European bison (<i>Bison bonasus</i>) in the BiaÅowieÅ¼a Primeval Forest, Poland. <i>Mammal Research</i> , 2016, 61, 179-186.	1.3	13
31	Range expansion of the golden jackal (<i>Canis aureus</i>) into Poland: first records. <i>Mammal Research</i> , 2015, 60, 411-414.	1.3	26
32	Sarcoptic mange vulnerability in carnivores of the BiaÅowieÅ¼a Primeval Forest, Poland: underlying determinant factors. <i>Ecological Research</i> , 2014, 29, 237-244.	1.5	35
33	The first report of sparganosis (<i>Spirometra</i> sp.) in Eurasian badger (<i>Meles meles</i>). <i>Parasitology International</i> , 2014, 63, 397-399.	1.3	20
34	In vivo inhibition of inducible nitric oxide synthase by aminoguanidine influences free radicals production and macrophage activity in <i>Trichinella spiralis</i> infected low responders (C57BL/6) and high responders (BALB/c) mice. <i>Helminthologia</i> , 2012, 49, 189-200.	0.9	3
35	<i>Trichinella spiralis</i> reinfection: changes in cellular and humoral immune response in BALB/c mice. <i>Helminthologia</i> , 2012, 49, 201-210.	0.9	7
36	Development of cellular immune response of mice to infection with low doses of <i>Trichinella spiralis</i> , <i>Trichinella britovi</i> and <i>Trichinella pseudospiralis</i> larvae. <i>Parasitology Research</i> , 2011, 108, 169-176.	1.6	29

#	ARTICLE	IF	CITATIONS
37	Kinetics of specific humoral immune response of mice infected with low doses of <i>Trichinella spiralis</i> , <i>T. britovi</i> , and <i>T. pseudospiralis</i> larvae. <i>Helminthologia</i> , 2010, 47, 152-157.	0.9	11
38	Determination of the relative avidity of the specific IgG antibodies in human toxocariasis. <i>Parasite Immunology</i> , 2008, 30, 187-190.	1.5	42
39	<i>Trichinella spiralis</i> reinfection: macrophage activity in BALB/c mice. <i>Parasitology Research</i> , 2007, 101, 629-637.	1.6	8
40	Occurrence of <i>Echinococcus multilocularis</i> in red foxes from the Carpathian regions of Slovakia and Poland. <i>Acta Parasitologica</i> , 2006, 51, .	1.1	5
41	Inhibition of nitric oxide production by aminoguanidine influences the number of <i>Trichinella spiralis</i> parasites in infected âœlow respondersâ€“(C57BL/6) and âœhigh respondersâ€“(BALB/c) mice. <i>Parasitology Research</i> , 2006, 99, 194-196.	1.6	13
42	<i>Trichinella spiralis</i> : Macrophage activity and antibody response in chronic murine infection. <i>Experimental Parasitology</i> , 2006, 112, 52-62.	1.2	31
43	Detection of <i>Echinococcus multilocularis</i> antigens in faeces by ELISA. <i>Parasitology Research</i> , 2003, 91, 491-496.	1.6	26
44	Raccoon dog (<i>Nyctereutes procyonoides</i>)–the new host of <i>Echinococcus multilocularis</i> in Poland. <i>Annals of Parasitology</i> , 2002, 48, 65-8.	0.1	23