

# Paulo J Coelho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9253977/publications.pdf>

Version: 2024-02-01

80  
papers

1,725  
citations

257450

24  
h-index

330143

37  
g-index

84  
all docs

84  
docs citations

84  
times ranked

1741  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lactone-fused naphthopyran UV photoswitches with fast bleaching in the dark. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022, 424, 113649.	3.9	4
2	Modulation of the fading kinetics of lactone-fused naphthopyran UV photoswitches. <i>Dyes and Pigments</i> , 2022, 202, 110301.	3.7	3
3	A comprehensive spectroscopic, solvatochromic and photochemical analysis of 5-hydroxyquinoline and 8-hydroxyquinoline mono-azo dyes. <i>Journal of Molecular Structure</i> , 2021, 1223, 129323.	3.6	11
4	Highly active organosulfonic aryl-silica nanoparticles as efficient catalysts for biomass derived biodiesel and fuel additives. <i>Biomass and Bioenergy</i> , 2021, 145, 105936.	5.7	16
5	Synthesis of Vinylnaphthofurans and NMR Analysis of their Photoswitching. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 1979-1988.	2.4	3
6	Exploring fast fading photochromic lactone-fused naphthopyrans. <i>Dyes and Pigments</i> , 2021, 187, 109110.	3.7	12
7	Easy synthesis of polycyclic naphthopyran UV photoswitches using two one-pot reactions. <i>Dyes and Pigments</i> , 2021, 192, 109388.	3.7	8
8	Color switching transparent materials based on vinylidene-naphthofurans. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 388, 112155.	3.9	5
9	Joining High Coloration and Fast Color Fading with Photochromic Fused-naphthopyrans. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 985-992.	2.4	22
10	Nanoengineered textiles: from advanced functional nanomaterials to groundbreaking high-performance clothing. , 2020, , 611-714.		11
11	Enhancement of the color intensity of photochromic fused-naphthopyrans. <i>Dyes and Pigments</i> , 2019, 169, 118-124.	3.7	22
12	Light driven PVDF fibers based on photochromic nanosilica@naphthopyran fabricated by wet spinning. <i>Applied Surface Science</i> , 2019, 470, 951-958.	6.1	28
13	Colour switching with photochromic vinylidene-naphthofurans. <i>Tetrahedron</i> , 2018, 74, 7372-7379.	1.9	8
14	Photochromic hybrid materials doped with vinylidene-naphthofurans. <i>Progress in Organic Coatings</i> , 2018, 125, 146-152.	3.9	7
15	Photochromic polypropylene fibers based on UV-responsive silica@phosphomolybdate nanoparticles through melt spinning technology. <i>Chemical Engineering Journal</i> , 2018, 350, 856-866.	12.7	24
16	Synthesis of Polycyclic Spironaphthofuran Derivatives by Acid-Catalyzed Domino Reaction of 2-Naphthols with Tetraarylbutane-1,4-diols. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 3291-3297.	2.4	3
17	Grey colouring thermally reversible photochromic 1-vinylidene-naphthofurans. <i>Dyes and Pigments</i> , 2017, 141, 269-276.	3.7	7
18	A novel generation of hybrid photochromic vinylidene-naphthofuran silica nanoparticles through fine-tuning of surface chemistry. <i>Dalton Transactions</i> , 2017, 46, 9076-9087.	3.3	7

#	ARTICLE	IF	CITATIONS
19	Sulfonic acid functionalized silica nanoparticles as catalysts for the esterification of linoleic acid. <i>New Journal of Chemistry</i> , 2017, 41, 3595-3605.	2.8	35
20	Control of the Switching Speed of Photochromic Naphthopyrans through Restriction of Double Bond Isomerization. <i>Journal of Organic Chemistry</i> , 2017, 82, 12028-12037.	3.2	23
21	A closer look at the photochromism of vinylidene-naphthofurans. <i>Dyes and Pigments</i> , 2017, 137, 593-600.	3.7	20
22	Naphthopyran-Based Silica Nanoparticles as New High-Performance Photoresponsive Materials. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 7221-7231.	8.0	34
23	Screen-Printed Photochromic Textiles through New Inks Based on SiO <sub>2</sub> @naphthopyran Nanoparticles. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 28935-28945.	8.0	53
24	Fastest non-ionic azo dyes and transfer of their thermal isomerisation kinetics into liquid-crystalline materials. <i>Chemical Communications</i> , 2016, 52, 5132-5135.	4.1	18
25	Lanthano phosphomolybdate-decorated silica nanoparticles: novel hybrid materials with photochromic properties. <i>Dalton Transactions</i> , 2015, 44, 4582-4593.	3.3	15
26	Fast (hetero)aryl-benzothiazolium ethenes photoswitches activated by visible-light at room temperature. <i>Dyes and Pigments</i> , 2015, 117, 163-169.	3.7	8
27	Fast Color Change with Photochromic Fused Naphthopyrans. <i>Journal of Organic Chemistry</i> , 2015, 80, 12177-12181.	3.2	48
28	Acid-Catalyzed Domino Reactions of Tetraarylbut-2-yne-1,4-diols. Synthesis of Conjugated Indenes and Inden-2-ones. <i>Journal of Organic Chemistry</i> , 2014, 79, 5781-5786.	3.2	14
29	Fast and fully reversible photochromic performance of hybrid sol-gel films doped with a fused-naphthopyran. <i>Journal of Materials Chemistry C</i> , 2013, 1, 5387.	5.5	37
30	Reversible trans-cis photoisomerization of new pyrrolidene heterocyclic imines. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2013, 259, 59-65.	3.9	31
31	New heterocyclic systems to afford microsecond green-light isomerisable azo dyes and their use as fast molecular photochromic switches. <i>Chemical Communications</i> , 2013, 49, 11427.	4.1	57
32	Fast thermal cis-trans isomerization of heterocyclic azo dyes in PMMA polymers. <i>Optical Materials</i> , 2013, 35, 1167-1172.	3.6	40
33	Cationic 3H-indolium dyes by ring-opening of benzo[1,3]oxazine. <i>Dyes and Pigments</i> , 2013, 98, 93-99.	3.7	12
34	Synthesis of 1-Vinylidene-naphthofurans: A Thermally Reversible Photochromic System That Colors Only When Adsorbed on Silica Gel. <i>Journal of Organic Chemistry</i> , 2013, 78, 6956-6961.	3.2	18
35	Bichromophoric dye derived from benzo[1,3]oxazine system. <i>Dyes and Pigments</i> , 2013, 96, 569-573.	3.7	18
36	Photochromic Fused-Naphthopyrans without Residual Color. <i>Journal of Organic Chemistry</i> , 2012, 77, 3959-3968.	3.2	47

#	ARTICLE	IF	CITATIONS
37	One pot synthesis of aryl substituted aurones. <i>Dyes and Pigments</i> , 2012, 92, 537-541.	3.7	18
38	Photoswitching in azo dyes bearing thienylpyrrole and benzothiazole heterocyclic systems. <i>Dyes and Pigments</i> , 2012, 92, 745-748.	3.7	43
39	Synthesis of a Photochromic Fused 2 <i>H</i> -Chromene Capable of Generating a Single Coloured Species. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 1768-1773.	2.4	15
40	Enhancement of the photochromic switching speed of bithiophene azo dyes. <i>Tetrahedron Letters</i> , 2012, 53, 4502-4506.	1.4	27
41	Photochromic and photophysical properties of new benzo- and naphtho[1,3]oxazine switches. <i>Photochemical and Photobiological Sciences</i> , 2011, 10, 1346-1354.	2.9	13
42	Preventing the Formation of the Long-Lived Colored Transoid-Trans Photoisomer in Photochromic Benzopyrans. <i>Organic Letters</i> , 2011, 13, 4040-4043.	4.6	35
43	[VO(acac) <sub>2</sub> ] hybrid catalyst: from complex immobilization onto silica nanoparticles to catalytic application in the epoxidation of geraniol. <i>Catalysis Science and Technology</i> , 2011, 1, 784.	4.1	51
44	Synthesis and characterization of novel diazenes bearing pyrrole, thiophene and thiazole heterocycles as efficient photochromic and nonlinear optical (NLO) materials. <i>Dyes and Pigments</i> , 2011, 91, 62-73.	3.7	127
45	Photochromic hybrid sol-gel films containing naphthopyrans. <i>Journal of Sol-Gel Science and Technology</i> , 2010, 56, 203-211.	2.4	25
46	Synthesis of carbonyl dyes from 1-hydroxy-2-acetonaphthone and 2-fluorobenzophenone. <i>Journal of Heterocyclic Chemistry</i> , 2010, 47, 1123-1126.	2.6	1
47	Fast photochromic sterically hindered benzo[1,3]oxazines. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010, 216, 59-65.	3.9	11
48	Synthesis and photochemical reactivity of new 4-substituted naphtho[1,2-b]pyran derivatives. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010, 216, 73-78.	3.9	5
49	Unexpected formation of new photochromic compounds derived from 3,3-diphenyl-3H-naphtho[2,1-b]pyran-1-one. <i>Tetrahedron</i> , 2010, 66, 8317-8324.	1.9	3
50	Superparamagnetic <sup>3</sup> Fe <sub>2</sub> O <sub>3</sub> @SiO <sub>2</sub> nanoparticles: a novel support for the immobilization of [VO(acac) <sub>2</sub> ]. <i>Dalton Transactions</i> , 2010, 39, 2842.	3.3	109
51	Thermally reversible photochromic behaviour of new naphthopyrans involving an intramolecular [2+2] cyclization reaction. <i>Tetrahedron</i> , 2009, 65, 5369-5376.	1.9	10
52	NMR investigation of the dyes formed under UV irradiation of some photochromic indeno-fused naphthopyrans. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009, 208, 180-185.	3.9	13
53	Novel photochromic 2,2'-bithiophene azo dyes. <i>Dyes and Pigments</i> , 2009, 82, 130-133.	3.7	27
54	<sup>1</sup> H and <sup>13</sup> C NMR signal assignments of some new spiro[7 <i>H</i> -benzo[ <i>d</i> ]anthracene- <i>n</i> aphthopyrans]. <i>Magnetic Resonance in Chemistry</i> , 2008, 46, 295-298.	1.9	2

#	ARTICLE	IF	CITATIONS
55	Remarkable thermally stable open forms of photochromic new N-substituted benzopyranocarbazoles. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008, 198, 242-249.	3.9	19
56	Synthesis and photochromic properties of symmetrical aryl ether linked bi- and tri-naphthopyrans. <i>Dyes and Pigments</i> , 2008, 76, 24-34.	3.7	12
57	The unexpected formation of novel carbonyl dyes. <i>Dyes and Pigments</i> , 2008, 78, 173-176.	3.7	3
58	Novel Photochromic Spiro[Thioxanthene-Naphthopyrans] with Faster Bleaching Kinetics. <i>Letters in Organic Chemistry</i> , 2008, 5, 502-506.	0.5	4
59	Estudo do comportamento fotocromático de um naftopirano: uma experiência simples ilustrativa do fotocromismo. <i>Química Nova</i> , 2006, 29, 607-610.	0.3	2
60	Photochromic properties of thienylpyrrole azo dyes in solution. <i>Tetrahedron Letters</i> , 2006, 47, 3711-3714.	1.4	59
61	Unprecedented coexistence of a spirooxazine and its four transoid photomerocyanines. <i>Tetrahedron Letters</i> , 2006, 47, 4903-4905.	1.4	23
62	Photochemical and thermal behaviour of new photochromic indeno-fused naphthopyrans. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2005, 172, 300-307.	3.9	34
63	Spectrokinetic studies on new bi-photochromic molecules containing two naphthopyran entities. <i>Tetrahedron</i> , 2005, 61, 11730-11743.	1.9	28
64	New Benzopyranocarbazoles: Synthesis and Photochromic Behavior.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
65	New benzopyranocarbazoles: synthesis and photochromic behaviour. <i>Tetrahedron</i> , 2005, 61, 1681-1691.	1.9	40
66	Synthesis of Hydroxy-7H-benzo[c]fluoren-7-ones. <i>Synlett</i> , 2004, 2004, 1015-1018.	1.8	6
67	The effect of a sulphur bridge on the photochromic properties of indeno-fused naphthopyrans. <i>Tetrahedron</i> , 2004, 60, 2593-2599.	1.9	26
68	Studies under Continuous Irradiation of Photochromic Spiro[fluorenopyran-thioxanthenes]. <i>Helvetica Chimica Acta</i> , 2004, 87, 1400-1410.	1.6	11
69	Photochromic Properties of New Benzoindene-Fused 2H-Chromenes. <i>Helvetica Chimica Acta</i> , 2003, 86, 570-578.	1.6	22
70	Synthesis and Reactivity of Photochromic 2H-Chromenes Based on 3-Carboxylated Coumarins. <i>Helvetica Chimica Acta</i> , 2003, 86, 3244-3253.	1.6	11
71	Structural elucidation of the red dye obtained from reaction of 1,8-naphthalenediol with 1,1-diphenylprop-2-yn-1-ol. A correction. <i>Tetrahedron Letters</i> , 2003, 44, 1903-1905.	1.4	7
72	Highly diastereoselective intramolecular Diels-Alder reaction of chiral silatrienes. <i>Tetrahedron</i> , 2003, 59, 2451-2456.	1.9	11

#	ARTICLE	IF	CITATIONS
73	Synthesis of Photochromic Dyes Based on Annulated Coumarin Systems. <i>Helvetica Chimica Acta</i> , 2002, 85, 442-450.	1.6	26
74	Synthesis and spectrokinetic studies of spiro[thioxanthene-naphthopyrans]. <i>Tetrahedron</i> , 2002, 58, 9505-9511.	1.9	39
75	First report of a permanent open form of a naphthopyran. <i>Tetrahedron Letters</i> , 2002, 43, 2203-2205.	1.4	15
76	Synthesis and photochromic behaviour of novel 2H-chromenes derived from fluorenone. <i>Tetrahedron</i> , 2002, 58, 925-931.	1.9	35
77	REGIOSELECTIVE SYNTHESIS OF SILACYCLOALKANES. <i>Main Group Metal Chemistry</i> , 2001, 24, .	1.6	3
78	Diastereoselective Synthesis of 4-Sila-3,4,4a,5-tetrahydro-2H-isoquinolin-1-ones through Intramolecular Diels-Alder Reaction of Chiral Silatrienes. <i>Synlett</i> , 2001, 2001, 1455-1457.	1.8	9
79	Intramolecular Diels-Alder Reaction of Chiral Silatrienes: Synthesis of 4a,7,8,8a-Tetrahydro-4-silaisochroman-1-ones. <i>European Journal of Organic Chemistry</i> , 2000, 2000, 3039-3046.	2.4	7
80	Intramolecular Diels-Alder reaction of chiral silatrienes. Synthesis of 4-sila-3, 4, 4a, 5-tetrahydro-2H-isoquinolin-1-one. <i>Tetrahedron Letters</i> , 1998, 39, 4261-4262.	1.4	9