

# Frits H M Van Osch

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9254294/publications.pdf>

Version: 2024-02-01

26  
papers

550  
citations

933447

10  
h-index

642732

23  
g-index

27  
all docs

27  
docs citations

27  
times ranked

945  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantified relations between exposure to tobacco smoking and bladder cancer risk: a meta-analysis of 89 observational studies. <i>International Journal of Epidemiology</i> , 2016, 45, 857-870.	1.9	148
2	Impact of dietary patterns and the main food groups on mortality and recurrence in cancer survivors: a systematic review of current epidemiological literature. <i>BMJ Open</i> , 2018, 8, e014530.	1.9	68
3	Heart-rate-variability (HRV), predicts outcomes in COVID-19. <i>PLoS ONE</i> , 2021, 16, e0258841.	2.5	60
4	Significant Role of Lifetime Cigarette Smoking in Worsening Bladder Cancer and Upper Tract Urothelial Carcinoma Prognosis: A Meta-Analysis. <i>Journal of Urology</i> , 2016, 195, 872-879.	0.4	42
5	An inverse association between the Mediterranean diet and bladder cancer risk: a pooled analysis of 13 cohort studies. <i>European Journal of Nutrition</i> , 2020, 59, 287-296.	3.9	38
6	Mitochondrial DNA copy number in colorectal cancer: between tissue comparisons, clinicopathological characteristics and survival. <i>Carcinogenesis</i> , 2015, 36, bgv151.	2.8	36
7	The association between smoking cessation before and after diagnosis and non-muscle-invasive bladder cancer recurrence: a prospective cohort study. <i>Cancer Causes and Control</i> , 2018, 29, 675-683.	1.8	23
8	Intake of milk and other dairy products and the risk of bladder cancer: a pooled analysis of 13 cohort studies. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 28-35.	2.9	16
9	Coffee consumption and risk of bladder cancer: a pooled analysis of 501,604 participants from 12 cohort studies in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>European Journal of Epidemiology</i> , 2020, 35, 523-535.	5.7	14
10	A scoping review of internal hospital crises and disasters in the Netherlands, 2000â€“2020. <i>PLoS ONE</i> , 2021, 16, e0250551.	2.5	13
11	Fruit and vegetable intake and the risk of recurrence in patients with non-muscle invasive bladder cancer: a prospective cohort study. <i>Cancer Causes and Control</i> , 2018, 29, 573-579.	1.8	10
12	A Stratified Meta-Analysis of the Association between Exposure to Environmental Tobacco Smoke during Childhood and Adulthood and Urothelial Bladder Cancer Risk. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 569.	2.6	10
13	The association between coffee consumption and bladder cancer in the bladder cancer epidemiology and nutritional determinants (BLEND) international pooled study. <i>Cancer Causes and Control</i> , 2019, 30, 859-870.	1.8	10
14	Fruit consumption and the risk of bladder cancer: A pooled analysis by the Bladder Cancer Epidemiology and Nutritional Determinants Study. <i>International Journal of Cancer</i> , 2020, 147, 2091-2100.	5.1	10
15	A multimodal sevoflurane-based sedation regimen in combination with targeted temperature management in post-cardiac arrest patients reduces the incidence of delirium: An observational propensity score-matched study. <i>Resuscitation</i> , 2021, 159, 158-164.	3.0	9
16	Total Fluid Intake and the Risk of Recurrence in Patients With Non-Muscle Invasive Bladder Cancer: A Prospective Cohort Study. <i>Bladder Cancer</i> , 2018, 4, 303-310.	0.4	7
17	Patients choose certainty over burden in bladder cancer surveillance. <i>World Journal of Urology</i> , 2019, 37, 2747-2753.	2.2	7
18	Modeling the Complex Exposure History of Smoking in Predicting Bladder Cancer. <i>Epidemiology</i> , 2019, 30, 458-465.	2.7	7

#	ARTICLE	IF	CITATIONS
19	Early detection of hospitalized patients with COVID-19 at high risk of clinical deterioration: Utility of emergency department shock index. <i>American Journal of Emergency Medicine</i> , 2021, 49, 76-79.	1.6	7
20	Utility of Shock Index for Suspected Rupture of Abdominal Aortic Aneurysms. <i>Prehospital Emergency Care</i> , 2021, 25, 1-8.	1.8	4
21	Tar, nicotine and carbon monoxide yield of UK cigarettes and the risk of non-muscle-invasive and muscle-invasive bladder cancer. <i>European Journal of Cancer Prevention</i> , 2019, 28, 40-44.	1.3	3
22	Patient-Reported Outcome Measure for Real-time Symptom Assessment in Women With Endometriosis: Focus Group Study. <i>JMIR Formative Research</i> , 2021, 5, e28782.	1.4	3
23	SARS-CoV-2 seroprevalence in healthcare workers of a teaching hospital in a highly endemic region in the Netherlands after the first wave: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e051573.	1.9	3
24	Pre-admission anticoagulant therapy and mortality in hospitalized COVID-19 patients: A retrospective cohort study. <i>Thrombosis Research</i> , 2021, 208, 35-38.	1.7	1
25	Primary care access to radiology: Characteristics of trauma patients referred to the emergency department. <i>Journal of Evaluation in Clinical Practice</i> , 0, , .	1.8	1
26	Fluid intake and clinicopathological characteristics of bladder cancer: the West Midlands Bladder Cancer Prognosis Programme. <i>European Journal of Cancer Prevention</i> , 2020, 29, 110-118.	1.3	0