

Stefano Volpato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9257329/publications.pdf>

Version: 2024-02-01

221
papers

13,962
citations

17440

63
h-index

23533

111
g-index

225
all docs

225
docs citations

225
times ranked

18186
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 and Atrial Fibrillation in Older Patients: Does Oral Anticoagulant Therapy Provide a Survival Benefit? An Insight from the GeroCovid Registry. <i>Thrombosis and Haemostasis</i> , 2022, 122, 105-112.	3.4	21
2	Management of Older Outpatients during the COVID-19 Pandemic: The GeroCovid Ambulatory Study. <i>Gerontology</i> , 2022, 68, 412-417.	2.8	10
3	Prevalence of obesity and diabetes in older people with sarcopenia defined according to EWGSOP2 and FNHI criteria. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 113-120.	2.9	8
4	Atrial fibrillation and COVID-19 in older patients: how disability contributes to shape the risk profile. An analysis of the GeroCovid registry. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 249-256.	2.9	4
5	The impact of sex and physical performance on long-term mortality in older patients with myocardial infarction. <i>BMC Medicine</i> , 2022, 20, 15.	5.5	4
6	A 2-year retrospective analysis of the prognostic value of MqSOFA compared to lactate, NEWS and qSOFA in patients with sepsis. <i>Infection</i> , 2022, 50, 941-948.	4.7	9
7	Computed tomography findings and prognosis in older COVID-19 patients. <i>BMC Geriatrics</i> , 2022, 22, 166.	2.7	17
8	Monitoring COVID-19 vaccine use in Italian long term care centers: The GeroCovid VAX study. <i>Vaccine</i> , 2022, 40, 2324-2330.	3.8	10
9	An unwanted reaction by the use of Haloperidol in hyperkinetic delirium. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1409-1411.	2.9	3
10	Predicting in-hospital mortality for sepsis: a comparison between qSOFA and modified qSOFA in a 2-year single-centre retrospective analysis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 825-831.	2.9	8
11	Total urinary polyphenols and longitudinal changes of bone properties. The InCHIANTI study. <i>Osteoporosis International</i> , 2021, 32, 353-362.	3.1	3
12	Are vaccines against COVID-19 tailored to the most vulnerable people?. <i>Vaccine</i> , 2021, 39, 2325-2327.	3.8	19
13	The impact of periprocedural myocardial infarction on mortality in older adults with non-ST-segment elevation acute coronary syndrome. <i>Journal of Cardiovascular Medicine</i> , 2021, Publish Ahead of Print, 546-552.	1.5	1
14	Predictive value of geriatric-quickSOFA in hospitalized older people with sepsis. <i>BMC Geriatrics</i> , 2021, 21, 241.	2.7	4
15	Assessing the impact of COVID-19 on the health of geriatric patients: The European GeroCovid Observational Study. <i>European Journal of Internal Medicine</i> , 2021, 87, 29-35.	2.2	30
16	Post-Operative All-Cause Mortality in Elderly Patients Undergoing Abdominal Emergency Surgery: Role of Charlson Comorbidity Index. <i>Healthcare (Switzerland)</i> , 2021, 9, 805.	2.0	7
17	Prognostic interplay of kidney function with sarcopenia, anemia, disability and cognitive impairment. The GLISTEN study. <i>European Journal of Internal Medicine</i> , 2021, 93, 57-63.	2.2	7
18	Psychological Well-Being of Older Adults With Cognitive Deterioration During Quarantine: Preliminary Results From the GeroCovid Initiative. <i>Frontiers in Medicine</i> , 2021, 8, 715294.	2.6	7

#	ARTICLE	IF	CITATIONS
19	The Geriatrician Point of View. , 2021, , 307-315.		0
20	Physical performance measures and hospital outcomes among Italian older adults: results from the CRIME project. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 319-327.	2.9	4
21	Clinical features of SARS-CoV-2 infection in Italian Long-Term Care Facilities: GeroCovid LTCFs Observational Study. <i>Journal of the American Medical Directors Association</i> , 2021, , .	2.5	9
22	The Interplay between Anticholinergic Burden and Anemia in Relation to 1-Year Mortality among Older Patients Discharged from Acute Care Hospitals. <i>Journal of Clinical Medicine</i> , 2021, 10, 4650.	2.4	2
23	Multidimensional geriatric evaluation in acromegaly: a comparative cross-sectional study. <i>BMC Geriatrics</i> , 2021, 21, 598.	2.7	6
24	Clostridium difficile infection in a Geriatric Care Unit: clinical characteristics and prognosis. <i>Journal of Gerontology and Geriatrics</i> , 2021, 69, 1-5.	0.5	4
25	Unveiling the Burden of Interactions Among Clinical Risk Factors for 1-Year Mortality in Hospitalized Older Patients. <i>Frontiers in Medicine</i> , 2021, 8, 771115.	2.6	1
26	Comparing EWGSOP2 and FNIH Sarcopenia Definitions: Agreement and Three-Year Survival Prognostic Value in Older Hospitalized Adults. The GLISTEN Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1331-1337.	3.6	21
27	The Assessment of Scales of Frailty and Physical Performance Improves Prediction of Major Adverse Cardiac Events in Older Adults with Acute Coronary Syndrome. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1113-1119.	3.6	49
28	Nutritional status and all-cause mortality in older adults with acute coronary syndrome. <i>Clinical Nutrition</i> , 2020, 39, 1572-1579.	5.0	35
29	Kidney function and cognitive impairment among older hospitalized patients: a comparison of four glomerular filtration rate equations. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 841-850.	2.9	1
30	Cognitive Impairment, Chronic Kidney Disease, and 1-Year Mortality in Older Patients Discharged from Acute Care Hospital. <i>Journal of Clinical Medicine</i> , 2020, 9, 2202.	2.4	4
31	Medico-legal assessment of personal damage in older people: report from a multidisciplinary consensus conference. <i>International Journal of Legal Medicine</i> , 2020, 134, 2319-2334.	2.2	7
32	Hand Grip Strength May Affect the Association Between Anticholinergic Burden and Mortality Among Older Patients Discharged from Hospital. <i>Drugs and Aging</i> , 2020, 37, 447-455.	2.7	4
33	Exercise intervention improves quality of life in older adults after myocardial infarction: randomised clinical trial. <i>Heart</i> , 2020, 106, 1658-1664.	2.9	37
34	Perioperative Management of Elderly patients (PriME): recommendations from an Italian intersociety consensus. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1647-1673.	2.9	55
35	Three-year National report from the Gruppo Italiano di Ortogeriatrics (GIOG) in the management of hip-fractured patients. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1245-1253.	2.9	8
36	A Frail Health Care System for an Old Population: Lesson form the COVID-19 Outbreak in Italy. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, e126-e127.	3.6	46

#	ARTICLE	IF	CITATIONS
37	Prognostic factors in older patients admitted in ICU with diagnosis of abdominal sepsis (sepsis-3) Tj ETQq1 1 0.784314 rgBT /Overloc	0.5	1
38	Association between hospitalization-related outcomes, dynapenia and body mass index: The Glisten Study. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 743-750.	2.9	7
39	Hand grip strength assessment in older people: is the supine position valid and reliable?. <i>European Geriatric Medicine</i> , 2019, 10, 741-745.	2.8	4
40	Uric acid within the "normal" range predict 9-year cardiovascular mortality in older individuals. The InCHIANTI study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 1061-1067.	2.6	15
41	Prognosis and Interplay of Cognitive Impairment and Sarcopenia in Older Adults Discharged from Acute Care Hospitals. <i>Journal of Clinical Medicine</i> , 2019, 8, 1693.	2.4	8
42	Bleeding Risk Scores and Scales of Frailty for the Prediction of Haemorrhagic Events in Older Adults with Acute Coronary Syndrome: Insights from the FRASER study. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 523-532.	2.6	11
43	Polypharmacy and sarcopenia in hospitalized older patients: results of the GLISTEN study. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 557-559.	2.9	14
44	Vitamin D Deficiency and Sarcopenia in Older Persons. <i>Nutrients</i> , 2019, 11, 2861.	4.1	179
45	The excess mortality risk associated with anticholinergic burden among older patients discharged from acute care hospital with depressive symptoms. <i>European Journal of Internal Medicine</i> , 2019, 61, 69-74.	2.2	13
46	Grip strength predicts cardiac adverse events in patients with cardiac disorders: an individual patient pooled meta-analysis. <i>Heart</i> , 2019, 105, 834-841.	2.9	61
47	Dysphagia in Nursing Home Residents: Management and Outcomes. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 147-151.	2.5	35
48	Anticholinergic burden and 1-year mortality among older patients discharged from acute care hospital. <i>Geriatrics and Gerontology International</i> , 2018, 18, 705-713.	1.5	23
49	The Different Domains of the Comprehensive Geriatric Assessment. <i>Practical Issues in Geriatrics</i> , 2018, , 11-25.	0.8	3
50	Determining the best percent-predicted equation for estimated VO ₂ peak by a 1-km moderate perceptually-regulated treadmill walk to predict mortality in outpatients with cardiovascular disease. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 307-311.	1.3	13
51	The association between delirium and sarcopenia in older adult patients admitted to acute geriatrics units: Results from the GLISTEN multicenter observational study. <i>Clinical Nutrition</i> , 2018, 37, 1498-1504.	5.0	23
52	Sarcopenia and malnutrition: impact on the outcome in hospitalized patients. <i>Geriatric Care</i> , 2018, 4, .	0.2	1
53	Association of Anticholinergic Drug Burden with Cognitive and Functional Decline Over Time in Older Inpatients: Results from the CRIME Project. <i>Drugs and Aging</i> , 2018, 35, 917-924.	2.7	29
54	Relationship between low levels of circulating TRAIL and atheromatosis progression in patients with chronic kidney disease. <i>PLoS ONE</i> , 2018, 13, e0203716.	2.5	14

#	ARTICLE	IF	CITATIONS
55	500-meter and 1000-meter moderate walks equally assess cardiorespiratory fitness in male outpatients with cardiovascular diseases. <i>Journal of Sports Medicine and Physical Fitness</i> , 2018, 58, 1312-1317.	0.7	13
56	Association Between Gait Speed With Mortality, Cardiovascular Disease and Cancer: A Systematic Review and Meta-analysis of Prospective Cohort Studies. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 981-988.e7.	2.5	123
57	Anticholinergic Burden is Associated With Increased Mortality in Older Patients With Dependency Discharged From Hospital. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 942-947.	2.5	17
58	Physical activity intervention for elderly patients with reduced physical performance after acute coronary syndrome (HULK study): rationale and design of a randomized clinical trial. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 98.	1.7	22
59	Peak oxygen uptake estimation from a moderate 500-m treadmill walk in older women with cardiovascular disease. <i>Sport Sciences for Health</i> , 2018, 14, 655-661.	1.3	1
60	A moderate 500-m treadmill walk for estimating peak oxygen uptake in men with NYHA class I-II heart failure and reduced left ventricular ejection fraction. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 67.	1.7	12
61	Effects of oral amino acid supplementation on Multidimensional Prognostic Index in hospitalized older patients: a multicenter randomized, double-blind, placebo-controlled pilot study. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 633-640.	2.9	10
62	Does being assisted by care workers affect antipsychotics prescription among older people discharged from hospital?. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1707-1713.	1.5	1
63	Predictors of rehospitalization among older adults: Results of the CRIME Study. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1588-1592.	1.5	21
64	Inappropriate prescription of low molecular weight heparins for thromboprophylaxis among older hospitalized patients. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 483-490.	2.9	3
65	The effectiveness of Robot-Assisted Gait Training versus conventional therapy on mobility in severely disabled progressive Multiple sclerosis patients (RAGTIME): study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 88.	1.6	18
66	Oxidized LDL, Gamma-Glutamyltransferase and Adverse Outcomes in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017, 65, e77-e82.	2.6	2
67	Prevalence and Clinical Correlates of Sarcopenia, Identified According to the EWGSOP Definition and Diagnostic Algorithm, in Hospitalized Older People: The GLISTEN Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 1575-1581.	3.6	93
68	Dynapenic Abdominal Obesity as a Predictor of Worsening Disability, Hospitalization, and Mortality in Older Adults: Results From the InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 1098-1104.	3.6	57
69	Combining Gait Speed and Recall Memory to Predict Survival in Late Life: Population-Based Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 614-618.	2.6	15
70	The incidence of sarcopenia among hospitalized older patients: results from the Glisten study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 907-914.	7.3	139
71	The frailty in elderly patients receiving cardiac interventional procedures (FRASER) program: rationale and design of a multicenter prospective study. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 895-903.	2.9	19
72	Metabolic and nutritional approach to older frail people. <i>Geriatric Care</i> , 2017, 3, .	0.2	0

#	ARTICLE	IF	CITATIONS
73	Combining LDL-C and HDL-C to predict survival in late life: The InChianti study. PLoS ONE, 2017, 12, e0185307.	2.5	14
74	Prognostic value of anemia in terms of disability and mortality in hospitalized geriatric patients: results from the CRIME study. Geriatric Care, 2016, 2, .	0.2	1
75	Cross-sectional study of coeliac autoimmunity in a population of Vietnamese children. BMJ Open, 2016, 6, e011173.	1.9	16
76	Muscle dysfunction in type 2 diabetes: a major threat to patient's mobility and independence. Acta Diabetologica, 2016, 53, 879-889.	2.5	125
77	Change in the Multidimensional Prognostic Index Score During Hospitalization in Older Patients. Rejuvenation Research, 2016, 19, 244-251.	1.8	34
78	Improved walking speed is associated with lower hospitalisation rates in patients in an exercise-based secondary prevention programme. Heart, 2016, 102, 1902-1908.	2.9	36
79	Short Physical Performance Battery and all-cause mortality: systematic review and meta-analysis. BMC Medicine, 2016, 14, 215.	5.5	534
80	Targeted lipidomics distinguishes patient subgroups in mild cognitive impairment (MCI) and late onset Alzheimer's disease (LOAD). BBA Clinical, 2016, 5, 25-28.	4.1	50
81	Serum Soluble Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Levels in Older Subjects with Dementia and Mild Cognitive Impairment. Dementia and Geriatric Cognitive Disorders, 2016, 41, 273-280.	1.5	11
82	The Multidimensional Prognostic Index predicts in-hospital length of stay in older patients: a multicentre prospective study. Age and Ageing, 2016, 45, 90-96.	1.6	24
83	Forced expiratory volume in one second: Predicting return to work within 3months after chronic heart failure diagnosis. International Journal of Cardiology, 2016, 203, 798-799.	1.7	4
84	Predictors of Functional Changes in Italian Nursing Home Residents: The U.L.I.S.S.E. Study. Journal of the American Medical Directors Association, 2016, 17, 306-311.	2.5	12
85	The Predictive Value of the EWGSOP Definition of Sarcopenia: Results From the InCHIANTI Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 259-264.	3.6	156
86	Adherence to a standardized protocol for measuring grip strength and appropriate cut-off values in adults over 65 years with sarcopenia: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2015, 13, 50-59.	1.7	21
87	Exceptional Exercise Capacity in an 80-Year-Old Breast Cancer Survivor and Long-Term Sprint Athlete. Journal of the American Geriatrics Society, 2015, 63, 2641-2643.	2.6	0
88	Absolute quantification of cell-free microRNAs in cancer patients. Oncotarget, 2015, 6, 14545-14555.	1.8	103
89	Disentangling the Impact of Chronic Kidney Disease, Anemia, and Mobility Limitation on Mortality in Older Patients Discharged From Hospital. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 1120-1127.	3.6	23
90	Counteracting inflammation and insulin resistance with diet and exercise: A strategy for frailty prevention?. European Geriatric Medicine, 2015, 6, 220-231.	2.8	9

#	ARTICLE	IF	CITATIONS
91	Hip fractures: comprehensive geriatric care and recovery. <i>Lancet, The</i> , 2015, 385, 1594-1595.	13.7	14
92	Klotho, a new marker for osteoporosis and muscle strength in β^2 -thalassemia major. <i>Blood Cells, Molecules, and Diseases</i> , 2015, 55, 396-401.	1.4	24
93	Multidimensional Prognostic Index Predicts Mortality and Length of Stay During Hospitalization in the Older Patients: A Multicenter Prospective Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 325-331.	3.6	70
94	Physical Function and Disability in Older Adults with Diabetes. <i>Clinics in Geriatric Medicine</i> , 2015, 31, 51-65.	2.6	38
95	Functional Changes during Hospital Stay in Older Patients Admitted to an Acute Care Ward: A Multicenter Observational Study. <i>PLoS ONE</i> , 2014, 9, e96398.	2.5	24
96	Non-invasive ventilation in the treatment of sleep-related breathing disorders: A review and update. <i>Revista Portuguesa De Pneumologia</i> , 2014, 20, 324-335.	0.7	22
97	Risk of illness, hospitalization and death in a cohort of blood donors in Italy. <i>Current Medical Research and Opinion</i> , 2014, 30, 1803-1812.	1.9	8
98	Hepatocellular carcinoma in thalassaemia: an update of the Italian Registry. <i>British Journal of Haematology</i> , 2014, 167, 121-126.	2.5	69
99	Prevalence and Clinical Correlates of Sarcopenia in Community-Dwelling Older People: Application of the EWGSOP Definition and Diagnostic Algorithm. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 438-446.	3.6	222
100	Diabetes, peripheral neuropathy, and lower-extremity function. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 91-95.	2.3	61
101	Predictors of length of hospital stay among older adults admitted to acute care wards: a multicentre observational study. <i>European Journal of Internal Medicine</i> , 2014, 25, 56-62.	2.2	64
102	Association between VO ₂ peak estimated by a 1-km treadmill walk and mortality. A 10-year follow-up study in patients with cardiovascular disease. <i>International Journal of Cardiology</i> , 2014, 173, 248-252.	1.7	33
103	Flow-mediated dilation, carotid wall thickness and HDL function in subjects with hyperalphalipoproteinemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 777-783.	2.6	28
104	Inverse Correlation Between Circulating Levels of TNF-Related Apoptosis-Inducing Ligand and 17 β -Estradiol. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E659-E664.	3.6	14
105	Potentially inappropriate drug use among hospitalised older adults: results from the CRIME study. <i>Age and Ageing</i> , 2014, 43, 767-773.	1.6	98
106	Association of Sarcopenia With Short- and Long-term Mortality in Older Adults Admitted to Acute Care Wards: Results From the CRIME Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 1154-1161.	3.6	151
107	Physical performance measures and polypharmacy among hospitalized older adults: Results from the crime study. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 616-621.	3.3	31
108	Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology</i> , the, 2014, 2, 634-647.	11.4	591

#	ARTICLE	IF	CITATIONS
109	Insulin resistance and systemic inflammation, but not metabolic syndrome phenotype, predict 9 years mortality in older adults. <i>Atherosclerosis</i> , 2014, 235, 538-545.	0.8	24
110	Abstract 4785: miR-125b targets erythropoietin and its receptor and their expression correlates with metastatic potential and ERBB2/HER2 expression. , 2014, , .		2
111	Assessment of Mobility Status and Risk of Mobility Disability in Older Persons. <i>Current Pharmaceutical Design</i> , 2014, 20, 3099-3113.	1.9	16
112	Physical Disability in the Elderly with Diabetes: Epidemiology and Mechanisms. <i>Current Diabetes Reports</i> , 2013, 13, 824-830.	4.2	32
113	Outcomes of weekend versus weekday admission for acute aortic dissection or rupture: A retrospective study on the Italian National Hospital Database. <i>International Journal of Cardiology</i> , 2013, 168, 3117-3119.	1.7	25
114	Determinants and clinical significance of plasma oxidized LDLs in older individuals. A 9 years follow-up study. <i>Atherosclerosis</i> , 2013, 226, 201-207.	0.8	25
115	Handgrip Strength Predicts Persistent Walking Recovery After Hip Fracture Surgery. <i>American Journal of Medicine</i> , 2013, 126, 1068-1075.e1.	1.5	89
116	Treadmill walking speed and survival prediction in men with cardiovascular disease: a 10-year follow-up study. <i>BMJ Open</i> , 2013, 3, e003446.	1.9	31
117	Predictive Value of Admission N-Terminal Pro-B-Type Natriuretic Peptide and Renal Function in Older People Hospitalized for Dyspnoea. <i>Disease Markers</i> , 2013, 35, 735-740.	1.3	3
118	miR-125b targets erythropoietin and its receptor and their expression correlates with metastatic potential and ERBB2/HER2 expression. <i>Molecular Cancer</i> , 2013, 12, 130.	19.2	73
119	Association of Soluble Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand (TRAIL) with Central Adiposity and Low-Density Lipoprotein Cholesterol. <i>PLoS ONE</i> , 2013, 8, e58225.	2.5	21
120	Pattern of Medication Use Among Older Inpatients in Seven Hospitals in Italy: Results from the Criteria to Assess Appropriate Medication Use Among Elderly Complex Patients (CRIME) Project. <i>Current Drug Safety</i> , 2013, 8, 98-103.	0.6	24
121	Role of Muscle Mass and Muscle Quality in the Association Between Diabetes and Gait Speed. <i>Diabetes Care</i> , 2012, 35, 1672-1679.	8.6	215
122	Relationship Between Renal Function and Physical Performance in Elderly Hospitalized Patients. <i>Rejuvenation Research</i> , 2012, 15, 545-552.	1.8	40
123	Protein Intake and Muscle Strength in Older Persons: Does Inflammation Matter?. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 480-484.	2.6	69
124	POTENTIAL PROGNOSTIC VALUE OF HANDGRIP STRENGTH IN OLDER HOSPITALIZED PATIENTS. <i>Journal of Frailty & Aging</i> , 2012, 1, 1-6.	1.3	7
125	Association of tumor necrosis factor-related apoptosis-inducing ligand with total and cardiovascular mortality in older adults. <i>Atherosclerosis</i> , 2011, 215, 452-458.	0.8	90
126	WHEN HOSPITAL PATIENTS FALL: PRELIMINARY DATA FROM FERRARA, ITALY. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1144-1146.	2.6	9

#	ARTICLE	IF	CITATIONS
127	Nutrition in the age-related disablement process. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 599-604.	3.3	128
128	High frequency hearing loss in the elderly: effect of age and noise exposure in an Italian group. <i>Journal of Laryngology and Otology</i> , 2011, 125, 776-780.	0.8	35
129	Predictive Value of the Short Physical Performance Battery Following Hospitalization in Older Patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 89-96.	3.6	350
130	Myasthenia gravis: a changing pattern of incidence. <i>Journal of Neurology</i> , 2010, 257, 2015-2019.	3.6	70
131	Lipoprotein(a), Inflammation, and Peripheral Arterial Disease in a Community-Based Sample of Older Men and Women (the InCHIANTI Study). <i>American Journal of Cardiology</i> , 2010, 105, 1825-1830.	1.6	48
132	Trail Making Test Predicts Physical Impairment and Mortality in Older Persons. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 719-723.	2.6	109
133	Type 2 Diabetes and Risk for Functional Decline and Disability in Older Persons. <i>Current Diabetes Reviews</i> , 2010, 6, 134-143.	1.3	81
134	Diabetes, Cardiovascular Risk Factors and Idiopathic Sudden Sensorineural Hearing Loss: A Case-Control Study. <i>Audiology and Neuro-Otology</i> , 2010, 15, 111-115.	1.3	147
135	Relationship Between Low Levels of High-Density Lipoprotein Cholesterol and Dementia in the Elderly. The InChianti Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 559-564.	3.6	62
136	Lower Extremity Performance Measures Predict Long-Term Prognosis in Older Patients Hospitalized for Heart Failure. <i>Journal of Cardiac Failure</i> , 2010, 16, 390-395.	1.7	118
137	Plasma soluble gp130 levels are increased in older subjects with metabolic syndrome. The role of insulin resistance. <i>Atherosclerosis</i> , 2010, 213, 319-324.	0.8	34
138	Potentially Inappropriate Drug Prescriptions and Risk of Hospitalization among Older, Italian, Nursing Home Residents. <i>Drugs and Aging</i> , 2010, 27, 747-758.	2.7	102
139	Diabetes and Disability, Cognitive Decline, and Aging-Related Outcomes. , 2010, , 225-246.		0
140	The benefit and risk of testosterone replacement therapy in older men: effects on lipid metabolism. <i>Acta Biomedica</i> , 2010, 81 Suppl 1, 95-9.	0.3	0
141	Potential Prognostic Significance of Decreased Serum Levels of TRAIL after Acute Myocardial Infarction. <i>PLoS ONE</i> , 2009, 4, e4442.	2.5	82
142	The Role of Polyunsaturated Fatty Acids (PUFA) in the Treatment of Dyslipidemias. <i>Current Pharmaceutical Design</i> , 2009, 15, 4087-4093.	1.9	59
143	Potentially Inappropriate Medications and Functional Decline in Elderly Hospitalized Patients. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1007-1014.	2.6	92
144	Moderate Alcohol Intake and Risk of Functional Decline: The Health, Aging, and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1767-1775.	2.6	32

#	ARTICLE	IF	CITATIONS
145	Development of CRItéria to Assess Appropriate Medication Use among Elderly Complex Patients (CRIME) Project. <i>Drugs and Aging</i> , 2009, 26, 3-13.	2.7	37
146	Variability in the Prescription of Cardiovascular Medications in Older Patients. <i>Drugs and Aging</i> , 2009, 26, 41-51.	2.7	10
147	Elevated C-reactive protein levels and metabolic syndrome in the elderly: The role of central obesity. <i>Atherosclerosis</i> , 2009, 203, 626-632.	0.8	48
148	Lateâ€Life Body Mass Index and Dementia Incidence: Nineâ€Year Followâ€Up Data from the Kungsholmen Project. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 111-116.	2.6	224
149	Highâ€Density Lipoprotein Cholesterol and Objective Measures of Lower Extremity Performance in Older Nondisabled Persons: The InChianti Study. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 621-629.	2.6	32
150	Reduced factor VII and factor VIII levels and prolonged thrombinâ€generation times during a healthy diet in middleâ€aged women with mild to moderate cardiovascular disease risk. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 2088-2094.	3.8	8
151	Performance-Based Functional Assessment in Older Hospitalized Patients: Feasibility and Clinical Correlates. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 1393-1398.	3.6	129
152	Diabetes Mellitus, Glycemic Control, and Incident Depressive Symptoms Among 70- to 79-Year-Old Persons. <i>Archives of Internal Medicine</i> , 2007, 167, 1137.	3.8	138
153	From Chronic Low Back Pain to Disability, a Multifactorial Mediated Pathway. <i>Spine</i> , 2007, 32, E809-E815.	2.0	75
154	High interleukin-6 plasma levels are associated with low HDL-C levels in community-dwelling older adults: The InChianti study. <i>Atherosclerosis</i> , 2007, 192, 384-390.	0.8	61
155	An unusual case of hyperammonemia in a 83-year-old woman. <i>Aging Clinical and Experimental Research</i> , 2007, 19, 506-508.	2.9	8
156	High baseline values of fat mass, independently of appendicular skeletal mass, predict 2- year onset of disability in elderly subjects at the high end of the functional spectrum. <i>Aging Clinical and Experimental Research</i> , 2007, 19, 154-159.	2.9	35
157	High interleukinâ€6 plasma levels are associated with functional impairment in older patients with Vascular dementia. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 305-311.	2.7	54
158	Plasma cytokines profile in older subjects with late onset Alzheimerâ€™s disease or vascular dementia. <i>Journal of Psychiatric Research</i> , 2007, 41, 686-693.	3.1	202
159	Characteristics of Nondisabled Older Patients Developing New Disability Associated with Medical Illnesses and Hospitalization. <i>Journal of General Internal Medicine</i> , 2007, 22, 668-674.	2.6	128
160	Association between anemia and physical disability in older patients: role of comorbidity. <i>Aging Clinical and Experimental Research</i> , 2006, 18, 485-492.	2.9	25
161	Anemia, Physical Disability, and Survival in Older Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2006, 12, 533-539.	1.7	20
162	Self-rated health showed a graded association with frequently used biomarkers in a large population sample. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 465-471.	5.0	244

#	ARTICLE	IF	CITATIONS
163	Anaemia increases the risk of dementia in cognitively intact elderly. <i>Neurobiology of Aging</i> , 2006, 27, 278-284.	3.1	128
164	Markers of inflammation, Vitamin E and peripheral nervous system function. <i>Neurobiology of Aging</i> , 2006, 27, 1280-1288.	3.1	41
165	Seasonal variation of pretransfusion hemoglobin levels in patients with thalassemia major. <i>Blood</i> , 2006, 107, 355-357.	1.4	8
166	Impact of Inflammation on the Relationship Among Alcohol Consumption, Mortality, and Cardiac Events. <i>Archives of Internal Medicine</i> , 2006, 166, 1490.	3.8	46
167	Total Serum Cholesterol and Recovery From Disability Among Hospitalized Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 736-742.	3.6	15
168	Anemia and Recovery from Disability in Activities of Daily Living in Hospitalized Older Persons. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 632-636.	2.6	28
169	Anemia and cognitive performance in hospitalized older patients: results from the GIFA study. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 529-534.	2.7	53
170	Lower Plasma Vitamin E Levels Are Associated With the Frailty Syndrome: The InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 278-283.	3.6	134
171	Frailty of Older Age: The Role of the Endocrine - Immune Interaction. <i>Current Pharmaceutical Design</i> , 2006, 12, 3147-3159.	1.9	49
172	Body mass index, free insulin-like growth factor I, and physical function among older adults: results from the iSIRENTE study. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E829-E834.	3.5	62
173	Just Get Out the Door! Importance of Walking Outside the Home for Maintaining Mobility: Findings from the Women's Health and Aging Study. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 198-203.	2.6	246
174	Executive Function Correlates with Walking Speed in Older Persons: The InCHIANTI Study. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 410-415.	2.6	322
175	Diabetes, hyperglycaemia and mortality in disabled older women: The Women's Health and Ageing Study I. <i>Diabetic Medicine</i> , 2005, 22, 543-550.	2.3	18
176	Relation of Plasma Leptin to C-Reactive Protein in Older Adults (from the Invecchiare nel Chianti) <i>Tj ETQq0 0 0 rgBT, /Overlock 10 Tf 50 2</i>	1.6	48
177	Treatment With Angiotensin-Converting Enzyme Inhibitors Is Associated With a Reduction in Short-Term Mortality in Older Patients With Acute Ischemic Stroke. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 463-465.	3.6	4
178	Risk Factors for Falls in Older Disabled Women With Diabetes: The Women's Health and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 1539-1545.	3.6	166
179	Patterns of Disability Related to Diabetes Mellitus in Older Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, M148-M153.	3.6	68
180	Relationship of Alcohol Intake With Inflammatory Markers and Plasminogen Activator Inhibitor-1 in Well-Functioning Older Adults. <i>Circulation</i> , 2004, 109, 607-612.	1.6	165

#	ARTICLE	IF	CITATIONS
181	Prescription of Antithrombotic Therapy in Older Patients Hospitalized for Transient Ischemic Attack and Ischemic Stroke: The GIFA Study. <i>Stroke</i> , 2004, 35, 913-917.	2.0	43
182	Effect of DHEAS on Skeletal Muscle Over the Life Span: The InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, M466-M472.	3.6	96
183	Low Cholesterol Levels Are Associated With Short-Term Mortality in Older Patients With Ischemic Stroke. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, M293-M297.	3.6	46
184	Body Mass Index, Body Cell Mass, and 4-Year All-Cause Mortality Risk in Older Nursing Home Residents. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 886-891.	2.6	59
185	What Constitutes Normal Hemoglobin Concentration in Community-Dwelling Disabled Older Women?. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1811-1816.	2.6	170
186	Incidence of Loss of Ability to Walk 400 Meters in a Functionally Limited Older Population. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 2094-2098.	2.6	75
187	Prescription of Anti-Oedema Agents and Short-Term Mortality in Older Patients with Acute Ischaemic Stroke. <i>Drugs and Aging</i> , 2004, 21, 273-278.	2.7	6
188	Combined measurement of serum albumin and high-density lipoprotein cholesterol strongly predicts mortality in frail older nursing-home residents. <i>Aging Clinical and Experimental Research</i> , 2004, 16, 472-475.	2.9	14
189	Risk of hospitalization for upper gastrointestinal tract bleeding. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 103-110.	5.0	27
190	Handgrip Strength and Cause-Specific and Total Mortality in Older Disabled Women: Exploring the Mechanism. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 636-641.	2.6	526
191	Effect of metabolic control on homocysteine levels in type 2 diabetic patients: a 3-year follow-up. <i>Journal of Internal Medicine</i> , 2003, 254, 264-271.	6.0	23
192	Emotional Vitality and Change in Lower Extremity Function After Acute Medical Illness and Hospitalization. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1814-1815.	2.6	5
193	Progression of Lower-Extremity Disability in Older Women With Diabetes. <i>Diabetes Care</i> , 2003, 26, 70-75.	8.6	102
194	Ageing bone in men and women: beyond changes in bone mineral density. <i>Osteoporosis International</i> , 2003, 14, 531-538.	3.1	135
195	Serum cholesterol levels and in-hospital mortality in the elderly. <i>American Journal of Medicine</i> , 2003, 115, 265-271.	1.5	35
196	Serum IL-1 β levels in health and disease: a population-based study. 'The InCHIANTI study'. <i>Cytokine</i> , 2003, 22, 198-205.	3.2	87
197	Insulin-Like Growth Factor I and Interleukin-6 Contribute Synergistically to Disability and Mortality in Older Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 2019-2025.	3.6	269
198	Lower Extremity Physical Performance and Hip Bone Mineral Density in Elderly Black and White Men and Women: Cross-Sectional Associations in the Health ABC Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003, 58, M934-M942.	3.6	65

#	ARTICLE	IF	CITATIONS
199	The Association of Positive and Negative Affect and Exercise Self-Efficacy in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2003, 11, 265-274.	1.0	12
200	Targeting High-Risk Older Adults into Exercise Programs for Disability Prevention. <i>Journal of Aging and Physical Activity</i> , 2003, 11, 219-228.	1.0	19
201	Comorbidities and Impairments Explaining the Association Between Diabetes and Lower Extremity Disability: The Women's Health and Aging Study. <i>Diabetes Care</i> , 2002, 25, 678-683.	8.6	199
202	Genetic Factors Associated With the Absence of Atherosclerosis in Octogenarians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M611-M615.	3.6	15
203	Association Between Thyroid Dysfunction and Total Cholesterol Level in an Older Biracial Population. <i>Archives of Internal Medicine</i> , 2002, 162, 773.	3.8	99
204	Serum thyroxine level and cognitive decline in euthyroid older women. <i>Neurology</i> , 2002, 58, 1055-1061.	1.1	115
205	Reliability and sensitivity to change assessed for a summary measure of lower body function. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 916-921.	5.0	298
206	Low Serum Vitamin D Does Not Predict New Disability or Loss of Muscle Strength in Older Women. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 912-917.	2.6	111
207	Change in Muscle Strength Explains Accelerated Decline of Physical Function in Older Women With High Interleukin-6 Serum Levels. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 1947-1954.	2.6	528
208	The measurement of health. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 1094-1102.	5.0	6
209	The Inverse Association between Age and Cholesterol Level among Older Patients: The Role of Poor Health Status. <i>Gerontology</i> , 2001, 47, 36-45.	2.8	45
210	Progressive versus Catastrophic Loss of the Ability to Walk: Implications for the Prevention of Mobility Loss. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1463-1470.	2.6	142
211	High Vitamin E Plasma Levels and Low Low-Density Lipoprotein Oxidation Are Associated with the Absence of Atherosclerosis in Octogenarians. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 651-654.	2.6	23
212	The Value of Serum Albumin and High-Density Lipoprotein Cholesterol in Defining Mortality Risk in Older Persons with Low Serum Cholesterol. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1142-1147.	2.6	97
213	Cardiovascular Disease, Interleukin-6, and Risk of Mortality in Older Women. <i>Circulation</i> , 2001, 103, 947-953.	1.6	405
214	Association of IGF-I Levels with Muscle Strength and Mobility in Older Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4139-4146.	3.6	187
215	Association of IGF-I Levels with Muscle Strength and Mobility in Older Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4139-4146.	3.6	56
216	Acute Phase Markers Are Associated with Reduced Plasma Lipid Levels in a Population of Hospitalized Elderly Patients. <i>Gerontology</i> , 2000, 46, 22-27.	2.8	41

#	ARTICLE	IF	CITATIONS
217	A new method for identifying antibiotic-treated infections using automated pharmacy records. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 1069-1075.	5.0	9
218	Benzodiazepines with different half-life and falling in a hospitalized population. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 1222-1229.	5.0	110
219	Relationships between fasting plasma insulin, anthropometrics, and metabolic parameters in a very old healthy population. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 535-540.	3.4	17
220	Fibrinolytic and Coagulation Factors in Very Old Subjects: Association With Lipoprotein Profile and Anthropometric Variables. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1998, 53A, M8-M13.	3.6	2
221	Tako-Tsubo cardiomyopathy in an older woman with hyperkinetic delirium. <i>Journal of Gerontology and Geriatrics</i> , 0, , 1-4.	0.5	0