

Roman Shapovalov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9259597/publications.pdf>

Version: 2024-02-01

65
papers

1,097
citations

430874

18
h-index

526287

27
g-index

74
all docs

74
docs citations

74
times ranked

1113
citing authors

#	ARTICLE	IF	CITATIONS
1	Correlates of willingness to initiate pre-exposure prophylaxis and anticipation of practicing safer drug- and sex-related behaviors among high-risk drug users on methadone treatment. <i>Drug and Alcohol Dependence</i> , 2017, 173, 107-116.	3.2	57
2	The Pre-exposure Prophylaxis (PrEP) Care Cascade in People Who Inject Drugs: A Systematic Review. <i>AIDS and Behavior</i> , 2021, 25, 1490-1506.	2.7	53
3	Willingness to Use Pre-Exposure Prophylaxis (PrEP): An Empirical Test of the Information-Motivation-Behavioral Skills (IMB) Model among High-Risk Drug Users in Treatment. <i>AIDS and Behavior</i> , 2017, 21, 1299-1308.	2.7	52
4	Long-Term Effects of Childhood Risk Factors on Cardiovascular Health During Adulthood. <i>Clinical Medicine Reviews in Vascular Health</i> , 2015, 7, 1-5.	3.0	49
5	Early Sexual Debut: A Risk Factor for STIs/HIV Acquisition Among a Nationally Representative Sample of Adults in Nepal. <i>Journal of Community Health</i> , 2016, 41, 70-77.	3.8	45
6	The Impact of Methadone Maintenance Treatment on HIV Risk Behaviors among High-Risk Injection Drug Users: A Systematic Review. <i>Evidence-based Medicine & Public Health</i> , 2016, 2, .	5.0	43
7	Use of Smartphone to Seek Sexual Health Information Online Among Malaysian Men Who Have Sex with Men (MSM): Implications for mHealth Intervention to Increase HIV Testing and Reduce HIV Risks. <i>Journal of Community Health</i> , 2020, 45, 10-19.	3.8	37
8	The Impact of Methadone Maintenance Treatment on HIV Risk Behaviors among High-Risk Injection Drug Users: A Systematic Review. <i>Evidence-based Medicine & Public Health</i> , 0, 2, .	5.0	36
9	Exploring the Use of Pre-exposure Prophylaxis (PrEP) for HIV Prevention Among High-Risk People Who Use Drugs in Treatment. <i>Frontiers in Public Health</i> , 2018, 6, 195.	2.7	33
10	Modeling a Theory-Based Approach to Examine the Influence of Neurocognitive Impairment on HIV Risk Reduction Behaviors Among Drug Users in Treatment. <i>AIDS and Behavior</i> , 2016, 20, 1646-1657.	2.7	32
11	Examining the Acceptability of mHealth Technology in HIV Prevention Among High-Risk Drug Users in Treatment. <i>AIDS and Behavior</i> , 2017, 21, 3100-3110.	2.7	31
12	A Moderated Mediation Model of HIV-Related Stigma, Depression, and Social Support on Health-Related Quality of Life among Incarcerated Malaysian Men with HIV and Opioid Dependence. <i>AIDS and Behavior</i> , 2017, 21, 1059-1069.	2.7	31
13	Measuring Acceptability and Preferences for Implementation of Pre-Exposure Prophylaxis (PrEP) Using Conjoint Analysis: An Application to Primary HIV Prevention Among High Risk Drug Users. <i>AIDS and Behavior</i> , 2018, 22, 1228-1238.	2.7	31
14	Integrated Bio-behavioral Approach to Improve Adherence to Pre-exposure Prophylaxis and Reduce HIV Risk in People Who Use Drugs: A Pilot Feasibility Study. <i>AIDS and Behavior</i> , 2018, 22, 2640-2649.	2.7	29
15	The Impact of COVID-19 on Access to HIV Prevention Services Among Opioid-Dependent Individuals. <i>Journal of Community Health</i> , 2021, 46, 960-966.	3.8	28
16	The Age of Initiation of Drug Use and Sexual Behavior May Influence Subsequent HIV Risk Behavior: A Systematic Review. <i>Isrn Aids</i> , 2013, 2013, 1-17.	2.5	27
17	Developing an Integrated, Brief Biobehavioral HIV Prevention Intervention for High-Risk Drug Users in Treatment: The Process and Outcome of Formative Research. <i>Frontiers in Immunology</i> , 2017, 8, 561.	4.8	25
18	Awareness about and willingness to use long-acting injectable pre-exposure prophylaxis (LAI-PrEP) among people who use drugs. <i>Journal of Substance Abuse Treatment</i> , 2020, 117, 108058.	2.8	24

#	ARTICLE	IF	CITATIONS
19	The Influence of Neurocognitive Impairment on HIV Risk Behaviors and Intervention Outcomes among High-Risk Substance Users: A Systematic Review. <i>Frontiers in Public Health</i> , 2016, 4, 16.	2.7	21
20	COVID-19 Vaccine Hesitancy and Associated Factors among People with HIV in the United States: Findings from a National Survey. <i>Vaccines</i> , 2022, 10, 424.	4.4	21
21	Design and implementation of a factorial randomized controlled trial of methadone maintenance therapy and an evidence-based behavioral intervention for incarcerated people living with HIV and opioid dependence in Malaysia. <i>Contemporary Clinical Trials</i> , 2017, 59, 1-12.	1.8	20
22	The Influence of Neurocognitive Impairment, Depression, and Alcohol Use Disorders on Health-Related Quality of Life among Incarcerated, HIV-Infected, Opioid Dependent Malaysian Men: A Moderated Mediation Analysis. <i>AIDS and Behavior</i> , 2017, 21, 1070-1081.	2.7	19
23	Differential impacts of COVID-19 across racial-ethnic identities in persons with opioid use disorder. <i>Journal of Substance Abuse Treatment</i> , 2021, 129, 108387.	2.8	18
24	An Exploratory Factor Analysis of a Brief Self-Report Scale to Detect Neurocognitive Impairment Among Participants Enrolled in Methadone Maintenance Therapy. <i>Journal of Substance Abuse Treatment</i> , 2016, 63, 61-65.	2.8	16
25	HIV-Related Stigma, Motivation to Adhere to Antiretroviral Therapy, and Medication Adherence Among HIV-Positive Methadone-Maintained Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 80, 166-173.	2.1	16
26	Treatment Engagement Moderates the Effect of Neurocognitive Impairment on Antiretroviral Therapy Adherence in HIV-Infected Drug Users in Treatment. <i>Journal of the Association of Nurses in AIDS Care</i> , 2017, 28, 85-94.	1.0	15
27	Using individual stated-preferences to optimize HIV self-testing service delivery among men who have sex with men (MSM) in Malaysia: results from a conjoint-based analysis. <i>BMC Public Health</i> , 2020, 20, 1777.	2.9	15
28	Response to the COVID-19 Outbreak in Urban Settings in China. <i>Journal of Urban Health</i> , 2021, 98, 41-52.	3.6	15
29	Sex-Related Differences in Self-Reported Neurocognitive Impairment among High-Risk Cocaine Users in Methadone Maintenance Treatment Program. <i>Substance Abuse: Research and Treatment</i> , 2015, 9, SART.S23332.	0.9	14
30	Interest in use of mHealth technology in HIV prevention and associated factors among high-risk drug users enrolled in methadone maintenance program. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 1144-1148.	1.2	14
31	Viral suppression among HIV-infected methadone-maintained patients: The role of ongoing injection drug use and adherence to antiretroviral therapy (ART). <i>Addictive Behaviors</i> , 2018, 85, 88-93.	3.0	14
32	Cognitive profiles in persons with opioid use disorder enrolled in methadone treatment. <i>Applied Neuropsychology Adult</i> , 2022, 29, 462-468.	1.2	14
33	Association Between Intimate Partner Violence Against Women and HIV-Risk Behaviors. <i>Violence Against Women</i> , 2016, 22, 1621-1641.	1.7	13
34	Willingness to Use HIV Self-Testing and Associated Factors Among Transgender Women in Malaysia. <i>Transgender Health</i> , 2020, 5, 182-190.	2.5	13
35	Mobile Health Technology Use and the Acceptability of an mHealth Platform for HIV Prevention Among Men Who Have Sex With Men in Malaysia: Cross-sectional Respondent-Driven Sampling Survey. <i>Journal of Medical Internet Research</i> , 2022, 24, e36917.	4.3	13
36	<p>Feasibility and Acceptability of an mHealth-Based Approach as an HIV Prevention Strategy Among People Who Use Drugs on Pre-Exposure Prophylaxis<p>. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 107-118.	1.8	12

#	ARTICLE	IF	CITATIONS
37	Willingness to initiate pre-exposure prophylaxis (PrEP) and its use among opioid-dependent individuals in drug treatment. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108477.	3.2	11
38	Adapting behavioural interventions to compensate for cognitive dysfunction in persons with opioid use disorder. <i>Annals of General Psychiatry</i> , 2021, 34, e100412.	3.1	10
39	A non-inferiority trial of an evidence-based secondary HIV prevention behavioral intervention compared to an adapted, abbreviated version: Rationale and intervention description. <i>Contemporary Clinical Trials</i> , 2015, 44, 95-102.	1.8	9
40	Intent to Use Preexposure Prophylaxis (PrEP), HIV Risk Behaviors, and Self-Report Neurocognitive Symptoms by High-Risk Drug Users: A Mediation Analysis. <i>Journal of the Association of Nurses in AIDS Care</i> , 2017, 28, 612-621.	1.0	9
41	Willingness to Use Pre-Exposure Prophylaxis (PrEP) for HIV Prevention and PrEP Implementation Preferences Among Transgender Women in Malaysia. <i>Transgender Health</i> , 2020, 5, 258-266.	2.5	9
42	Race, trust, and COVID-19 vaccine hesitancy in people with opioid use disorder.. <i>Health Psychology</i> , 2022, 41, 115-120.	1.6	9
43	Sex Trafficking Related Knowledge, Awareness, and Attitudes among Adolescent Female Students in Nepal: A Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0133508.	2.5	8
44	HIV Sero-Status Non-disclosure Among HIV-Infected Opioid-Dependent Individuals: The Roles of HIV-Related Stigma, Risk Behavior, and Social Support. <i>Journal of Community Health</i> , 2019, 44, 112-120.	3.8	8
45	Purposeful Fentanyl Use and Associated Factors among Opioid-Dependent People Who Inject Drugs. <i>Substance Use and Misuse</i> , 2021, 56, 979-987.	1.4	8
46	Privacy and Confidentiality Concerns Related to the Use of mHealth Apps for HIV Prevention Efforts Among Malaysian Men Who Have Sex With Men: Cross-sectional Survey Study. <i>JMIR Formative Research</i> , 2021, 5, e28311.	1.4	8
47	Exploring drivers of pre-exposure prophylaxis uptake among gay, bisexual, and other men who have sex with men in Malaysia. <i>International Journal of STD and AIDS</i> , 0, , 095646242211065.	1.1	8
48	Engagement in Harm Reduction Strategies After Suspected Fentanyl Contamination Among Opioid-Dependent Individuals. <i>Journal of Community Health</i> , 2021, 46, 349-357.	3.8	7
49	Willingness to Be Vaccinated Against COVID-19 Among People With HIV in the United States: Results From a National Survey. <i>Frontiers in Medicine</i> , 0, 9, .	2.6	6
50	Rationale and design of an integrated bio-behavioral approach to improve adherence to pre-exposure prophylaxis and HIV risk reduction among opioid-dependent people who use drugs: The CHRP-BB study. <i>Contemporary Clinical Trials</i> , 2019, 82, 77-84.	1.8	5
51	Online HIV information seeking and pre-exposure prophylaxis awareness among people who use drugs. <i>Journal of Substance Abuse Treatment</i> , 2020, 111, 16-22.	2.8	5
52	Association between the brief inventory of neurocognitive impairment (BINI) and objective cognitive testing among persons with opioid use disorders in drug treatment. <i>Journal of Addictive Diseases</i> , 2021, 39, 166-174.	1.3	5
53	Developing a cognitive dysfunction risk score for use with opioid-dependent persons in drug treatment. <i>Drug and Alcohol Dependence</i> , 2021, 224, 108726.	3.2	5
54	Methadone within prison and linkage to and retention in treatment upon community release for people with opioid use disorder in Kyrgyzstan: Evaluation of a national program. <i>International Journal of Drug Policy</i> , 2022, 101, 103558.	3.3	5

#	ARTICLE	IF	CITATIONS
55	Adapting an Evidence-Based HIV Prevention Intervention Targeting High-Risk Migrant Workers: The Process and Outcome of Formative Research. <i>Frontiers in Public Health</i> , 2016, 4, 61.	2.7	2
56	An explanatory factor analysis of a brief self-report scale to detect neurocognitive impairment among HIV-positive men who have sex with men and transgender women in Peru. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 1297-1301.	1.2	2
57	A Self-report Measure to Detect Neurocognitive Impairment Among Incarcerated People Living with HIV in Malaysian Context: an Exploratory Factor Analysis. <i>International Journal of Mental Health and Addiction</i> , 2017, 15, 812-825.	7.4	2
58	Use of Pre-exposure Prophylaxis Among People Who Inject Drugs: Exploratory Findings of the Interaction Between Race, Homelessness, and Trust. <i>AIDS and Behavior</i> , 2021, 25, 3743-3753.	2.7	2
59	Clinical and Demographic Differences in the Willingness to use Self-Administered At-Home COVID-19 Testing Measures among Persons with Opioid use Disorder. <i>Substance Abuse</i> , 2022, 43, 708-712.	2.3	2
60	Latent profile analysis of data from the brief inventory of neurocognitive impairment (BINI) to develop neuro-cognitive profiles among opioid-dependent patients in drug treatment. <i>Journal of Addictive Diseases</i> , 2023, 41, 120-127.	1.3	1
61	PG-12â€fViral suppression among HIV-infected methadone-maintained patients: The role of ongoing injection drug use and adherence to antiretroviral therapy (ART). <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 77-77.	2.1	0
62	HIV pre-exposure prophylaxis for people who inject drugs. , 2021, , 223-236.		0
63	Limited risk compensation among women who inject drugs. <i>Sexually Transmitted Diseases</i> , 2021, Publish Ahead of Print, .	1.7	0
64	The Use of Female Sex Workers Among Men in Nepal: Prevalence, STIs/HIV-Related Risk Behaviors, and Gender Ideology. <i>Primary Prevention Insights</i> , 2016, 6, 11-17.	1.0	0
65	Influence of Stigma on Pre-Exposure Prophylaxis (PrEP) Care Continuum Among Men and Transwomen Who Have Sex with Men (MTWSM) in the United States. <i>International Journal of HIV/AIDS Prevention Education and Behavioural Science</i> , 2019, 5, 134.	0.1	0