Femke Lamers

List of Publications by Year
in descending order

117 papers	6,743 citations	71102 41 h-index	74163 75 g-index
132 all docs	132 docs citations	132 times ranked	9423 citing authors

#	Article	IF	Citations
1	Comorbidity Patterns of Anxiety and Depressive Disorders in a Large Cohort Study. Journal of Clinical Psychiatry, 2011, 72, 341-348.	2.2	648
2	Understanding the somatic consequences of depression: biological mechanisms and the role of depression symptom profile. BMC Medicine, 2013, 11, 129.	5.5	550
3	Two-year course of depressive and anxiety disorders: Results from the Netherlands Study of Depression and Anxiety (NESDA). Journal of Affective Disorders, 2011, 133, 76-85.	4.1	278
4	Identifying Depressive Subtypes in a Large Cohort Study. Journal of Clinical Psychiatry, 2010, 71, 1582-1589.	2.2	225
5	Depression Heterogeneity and Its Biological Underpinnings: Toward Immunometabolic Depression. Biological Psychiatry, 2020, 88, 369-380.	1.3	209
6	Sleep Patterns and Mental Health Correlates in US Adolescents. Journal of Pediatrics, 2017, 182, 137-143.	1.8	198
7	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.	4.5	175
8	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. JAMA Psychiatry, 2017, 74, 1214.	11.0	174
9	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19. Journal of Medical Internet Research, 2020, 22, e19992.	4.3	155
10	Sociodemographic and psychiatric determinants of attrition in the Netherlands Study of Depression and Anxiety (NESDA). Comprehensive Psychiatry, 2012, 53, 63-70.	3.1	150
11	Leptin Dysregulation Is Specifically Associated With Major Depression With Atypical Features: Evidence for a Mechanism Connecting Obesity and Depression. Biological Psychiatry, 2017, 81, 807-814.	1.3	147
12	Summed score of the Patient Health Questionnaire-9 was a reliable and valid method for depression screening in chronically ill elderly patients. Journal of Clinical Epidemiology, 2008, 61, 679-687.	5.0	146
13	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. Biological Psychiatry, 2019, 85, 829-837.	1.3	134
14	Depressive and anxiety disorders and the association with obesity, physical, and social activities. Depression and Anxiety, 2010, 27, 1057-1065.	4.1	127
15	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. Depression and Anxiety, 2019, 36, 975-986.	4.1	121
16	Are sedentary television watching and computer use behaviors associated with anxiety and depressive disorders?. Psychiatry Research, 2011, 186, 239-243.	3.3	115
17	Association of inflammation with depression and anxiety: evidence for symptom-specificity and potential causality from UK Biobank and NESDA cohorts. Molecular Psychiatry, 2021, 26, 7393-7402.	7.9	107
18	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. Lancet Psychiatry,the, 2018, 5, 581-590.	7.4	97

#	Article	IF	Citations
19	Early and late onset depression in young and middle aged adults: Differential symptomatology, characteristics and risk factors?. Journal of Affective Disorders, 2012, 138, 259-267.	4.1	96
20	Health Correlates of Insomnia Symptoms and Comorbid Mental Disorders in a Nationally Representative Sample of US Adolescents. Sleep, 2015, 38, 197-204.	1.1	92
21	Patients with anxious depression. Current Opinion in Psychiatry, 2018, 31, 17-25.	6.3	91
22	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. Brain, Behavior, and Immunity, 2020, 88, 174-183.	4.1	85
23	BIDIRECTIONAL PROSPECTIVE ASSOCIATIONS OF METABOLIC SYNDROME COMPONENTS WITH DEPRESSION, ANXIETY, AND ANTIDEPRESSANT USE. Depression and Anxiety, 2016, 33, 754-764.	4.1	74
24	A Minimal Psychological Intervention in Chronically Ill Elderly Patients with Depression: A Randomized Trial. Psychotherapy and Psychosomatics, 2010, 79, 217-226.	8.8	71
25	Differentiating Nonrestorative Sleep from Nocturnal Insomnia Symptoms: Demographic, Clinical, Inflammatory, and Functional Correlates. Sleep, 2013, 36, 671-679.	1.1	71
26	Structure of major depressive disorder in adolescents and adults in the US general population. British Journal of Psychiatry, 2012, 201, 143-150.	2.8	68
27	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	8.8	67
28	Mood reactivity and affective dynamics in mood and anxiety disorders.. Journal of Abnormal Psychology, 2018, 127, 659-669.	1.9	66
29	Differential Autonomic Nervous System Reactivity in Depression and Anxiety During Stress Depending on Type of Stressor. Psychosomatic Medicine, 2016, 78, 562-572.	2.0	65
30	Improving Quality of Life in Depressed COPD Patients: Effectiveness of a Minimal Psychological Intervention. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2010, 7, 315-322.	1.6	62
31	Longitudinal Predictive Validity of the DSM-5 Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2017, 78, 207-213.	2.2	56
32	Treating depression in diabetes patients: does a nurse-administered minimal psychological intervention affect diabetes-specific quality of life and glycaemic control? A randomized controlled trial. Journal of Advanced Nursing, 2011, 67, 788-799.	3.3	54
33	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). PLoS ONE, 2016, 11, e0156624.	2.5	54
34	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	2.8	53
35	Objective physical functioning in patients with depressive and/or anxiety disorders. Journal of Affective Disorders, 2011, 131, 193-199.	4.1	52
36	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. Journal of Psychiatric Research, 2017, 84, 41-48.	3.1	51

#	Article	IF	Citations
37	The identification of symptom-based subtypes of depression: A nationally representative cohort study. Journal of Affective Disorders, 2016, 190, 395-406.	4.1	50
38	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. Translational Psychiatry, 2020, 10, 235.	4.8	48
39	The role of anxious distress in immune dysregulation in patients with major depressive disorder. Translational Psychiatry, 2017, 7, 1268.	4.8	47
40	Suicidal ideation and suicide attempts: associations with sleep duration, insomnia, and inflammation. Psychological Medicine, 2021, 51, 2094-2103.	4.5	47
41	The 'true' prevalence of bipolar II disorder. Current Opinion in Psychiatry, 2012, 25, 19-23.	6.3	45
42	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. American Journal of Epidemiology, 2017, 185, 954-964.	3.4	45
43	Incident Major Depressive Disorder Predicted by Three Measures of Insulin Resistance: A Dutch Cohort Study. American Journal of Psychiatry, 2021, 178, 914-920.	7.2	43
44	Fatigue in patients with chronic disease: results from the population-based Lifelines Cohort Study. Scientific Reports, 2021, 11, 20977.	3.3	43
45	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study. BMC Psychiatry, 2022, 22, 136.	2.6	42
46	Empirically derived subtypes of lifetime anxiety disorders: Developmental and clinical correlates in U.S. Adolescents.. Journal of Consulting and Clinical Psychology, 2012, 80, 102-115.	2.0	41
47	Prevalence and Correlates of Prolonged Fatigue in a U.S. Sample of Adolescents. American Journal of Psychiatry, 2013, 170, 502-510.	7.2	40
48	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. Depression and Anxiety, 2018, 35, 551-559.	4.1	38
49	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. Journal of Clinical Medicine, 2020, 9, 322.	2.4	38
50	The association of depression and anxiety with cardiac autonomic activity: The role of confounding effects of antidepressants. Depression and Anxiety, 2019, 36, 1163-1172.	4.1	36
51	An integrated approach to understand biological stress system dysregulation across depressive and anxiety disorders. Journal of Affective Disorders, 2021, 283, 139-146.	4.1	36
52	Magnitude, impact, and stability of primary headache subtypes: 30 year prospective Swiss cohort study. BMJ: British Medical Journal, 2011, 343, d5076-d5076.	2.3	35
53	The Association Between Insomnia and Sleep Duration in Adults With Attention-Deficit Hyperactivity Disorder: Results From a General Population Study. Journal of Clinical Sleep Medicine, 2018, 14, 349-357.	2.6	35
54	Relationship Between Major Depression Symptom Severity and Sleep Collected Using a Wristband Wearable Device: Multicenter Longitudinal Observational Study. JMIR MHealth and UHealth, 2021, 9, e24604.	3.7	35

#	Article	IF	Citations
55	Inflammation and depression in young people: a systematic review and proposed inflammatory pathways. Molecular Psychiatry, 2022, 27, 315-327.	7.9	35
56	Approach and avoidance tendencies in depression and anxiety disorders. Psychiatry Research, 2017, 256, 475-481.	3.3	33
57	Cortical thickness and resting-state cardiac function across the lifespan: A cross-sectional pooled mega-analysis. Psychophysiology, 2021, 58, e13688.	2.4	33
58	Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. Translational Psychiatry, 2020, 10, 259.	4.8	31
59	Obesity and atypical depression symptoms: findings from Mendelian randomization in two European cohorts. Translational Psychiatry, 2021, 11, 96.	4.8	31
60	Six-year trajectory of objective physical function in persons with depressive and anxiety disorders. Depression and Anxiety, 2017, 34, 188-197.	4.1	29
61	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. Psychological Medicine, 2019, 49, 617-627.	4.5	27
62	Increased serum levels of leptin and insulin in both schizophrenia and major depressive disorder: A cross-disorder proteomics analysis. European Neuropsychopharmacology, 2019, 29, 835-846.	0.7	26
63	Predicting Depressive Symptom Severity Through Individuals' Nearby Bluetooth Device Count Data Collected by Mobile Phones: Preliminary Longitudinal Study. JMIR MHealth and UHealth, 2021, 9, e29840.	3.7	26
64	Longitudinal Relationships Between Depressive Symptom Severity and Phone-Measured Mobility: Dynamic Structural Equation Modeling Study. JMIR Mental Health, 2022, 9, e34898.	3.3	26
65	The effectiveness of a minimal psychological intervention on self-management beliefs and behaviors in depressed chronically ill elderly persons: a randomized trial. International Psychogeriatrics, 2012, 24, 288-297.	1.0	24
66	Influences of lifestyle factors on cardiac autonomic nervous system activity over time. Preventive Medicine, 2017, 94, 12-19.	3.4	24
67	Linking atypical depression and insulin resistance-related disorders via low-grade chronic inflammation: Integrating the phenotypic, molecular and neuroanatomical dimensions. Brain, Behavior, and Immunity, 2021, 93, 335-352.	4.1	24
68	Economic evaluation of a minimal psychological intervention in chronically ill elderly patients with minor or mild to moderate depression: A randomized trial (the DELTA-study). International Journal of Technology Assessment in Health Care, 2009, 25, 497-504.	0.5	23
69	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. Psychiatry Research, 2015, 227, 230-237.	3.3	23
70	Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. Depression and Anxiety, 2017, 34, 246-256.	4.1	23
71	Borderline personality symptoms and work performance: a population-based survey. BMC Psychiatry, 2018, 18, 202.	2.6	23
72	Process evaluation of a minimal psychological intervention to reduce depression in chronically ill elderly persons. Patient Education and Counseling, 2007, 68, 252-257.	2.2	22

#	Article	IF	Citations
73	ADHD, circadian rhythms and seasonality. Journal of Psychiatric Research, 2016, 81, 87-94.	3.1	21
74	Familial aggregation and heritability of the melancholic and atypical subtypes of depression. Journal of Affective Disorders, 2016, 204, 241-246.	4.1	21
75	The predictive specificity of psychological vulnerability markers for the course of affective disorders. Journal of Psychiatric Research, 2018, 103, 10-17.	3.1	21
76	Barriers and facilitators to employment in borderline personality disorder: A qualitative study among patients, mental health practitioners and insurance physicians. PLoS ONE, 2019, 14, e0220233.	2.5	20
77	Differences between unipolar mania and bipolarâ€‑ disorder: Evidence from nine epidemiological studies. Bipolar Disorders, 2019, 21, 437-448.	1.9	20
78	Disparities by Education Level in Outcomes of a Self-Management Intervention: The DELTA Trial in the Netherlands. Psychiatric Services, 2011, 62, 793-795.	2.0	19
79	IDENTIFYING PANIC DISORDER SUBTYPES USING FACTOR MIXTURE MODELING. Depression and Anxiety, 2015, 32, 509-517.	4.1	19
80	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. Psychotherapy and Psychosomatics, 2018, 87, 308-310.	8.8	19
81	Delayed sleep-onset and biological age: late sleep-onset is associated with shorter telomere length. Sleep, 2019, 42, .	1.1	19
82	The Association Between Home Stay and Symptom Severity in Major Depressive Disorder: Preliminary Findings From a Multicenter Observational Study Using Geolocation Data From Smartphones. JMIR MHealth and UHealth, 2022, 10, e28095.	3.7	19
83	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. Journal of Affective Disorders, 2020, 260, 77-83.	4.1	18
84	Investigating the impact of COVID-19 lockdown on adults with a recent history of recurrent major depressive disorder: a multi-Centre study using remote measurement technology. BMC Psychiatry, 2021, 21, 435.	2.6	16
85	Screening for Depression in Daily Life: Development and External Validation of a Prediction Model Based on Actigraphy and Experience Sampling Method. Journal of Medical Internet Research, 2020, 22, e22634.	4.3	15
86	Taking Personalized Medicine Seriously: Biomarker Approaches in Phase IIb/III Studies in Major Depression and Schizophrenia. Innovations in Clinical Neuroscience, 2015, 12, 26S-40S.	0.1	15
87	Basal autonomic activity, stress reactivity, and increases in metabolic syndrome components over time. Psychoneuroendocrinology, 2016, 71, 119-126.	2.7	14
88	The Association Between Metabolic Syndrome, Obesity-Related Outcomes, and ADHD in Adults With Comorbid Affective Disorders. Journal of Attention Disorders, 2018, 22, 460-471.	2.6	14
89	Dissecting Depression Biological and Clinical Heterogeneityâ€"The Importance of Symptom Assessment Resolution. JAMA Psychiatry, 2021, 78, 341.	11.0	14
90	Associations of immunometabolic risk factors with symptoms of depression and anxiety: The role of cardiac vagal activity. Brain, Behavior, and Immunity, 2018, 73, 493-503.	4.1	13

#	Article	IF	Citations
91	Physiological stress markers, mental health and objective physical function. Journal of Psychosomatic Research, 2020, 133, 109996.	2.6	13
92	Basal and LPS-stimulated inflammatory markers and the course of anxiety symptoms. Brain, Behavior, and Immunity, 2021, 98, 378-387.	4.1	13
93	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. Journal of Medical Internet Research, 2021, 23, e20700.	4.3	11
94	The day-to-day bidirectional longitudinal association between objective and self-reported sleep and affect: An ambulatory assessment study. Journal of Affective Disorders, 2021, 283, 165-171.	4.1	11
95	Dissection of depression heterogeneity using proteomic clusters. Psychological Medicine, 2023, 53, 2904-2912.	4.5	10
96	One-year severity of depressive symptoms: Results from the NESDA study. Psychiatry Research, 2011, 190, 226-231.	3.3	9
97	The long-lasting impact of childhood trauma on adult chronic physical disorders. Journal of Psychiatric Research, 2021, 136, 87-94.	3.1	9
98	Oral contraceptives, depressive and insomnia symptoms in adult women with and without depression. Psychoneuroendocrinology, 2021, 133, 105390.	2.7	9
99	The role of depressive symptoms and symptom dimensions in actigraphy-assessed sleep, circadian rhythm, and physical activity. Psychological Medicine, 2022, 52, 2760-2766.	4.5	9
100	Prescribing Antidepressants and Benzodiazepines in the Netherlands: Is Chronic Physical Illness Involved?. Depression Research and Treatment, 2010, 2010, 1-6.	1.3	8
101	Temporal stability and drivers of change in cardiac autonomic nervous system activity. Autonomic Neuroscience: Basic and Clinical, 2017, 208, 117-125.	2.8	8
102	Stability and transition of depression subtypes in late life. Journal of Affective Disorders, 2020, 265, 445-452.	4.1	8
103	Psychosocial factors and cancer incidence (PSY‐CA): Protocol for individual participant data meta‐analyses. Brain and Behavior, 2021, 11, e2340.	2.2	8
104	Bidirectional Prospective Associations Between Cardiac Autonomic Activity and Inflammatory Markers. Psychosomatic Medicine, 2018, 80, 475-482.	2.0	7
105	The role of borderline personality disorder symptoms on absenteeism & work performance in the Netherlands Study of Depression and Anxiety (NESDA). BMC Psychiatry, 2020, 20, 414.	2.6	7
106	Response to "International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder"by Guu et al. (2019). Psychotherapy and Psychosomatics, 2020, 89, 48-48.	8.8	6
107	Characteristics and Predictors of Educational and Occupational Disengagement Among Outpatient Youth With Borderline Personality Disorder. Journal of Personality Disorders, 2022, 36, 116-128.	1.4	6
108	Insulin resistance as a marker for the immune-metabolic subtype of depression. Journal of Affective Disorders, 2021, 295, 1371-1376.	4.1	6

#	Article	IF	Citations
109	The association between clinical and biological characteristics of depression and structural brain alterations. Journal of Affective Disorders, 2022, 312, 268-274.	4.1	6
110	Association Between Depression, Anxiety, and Antidepressant Use With T-Wave Amplitude and QT-Interval. Frontiers in Neuroscience, 2018, 12, 375.	2.8	5
111	Effects of dietary interventions on depressive symptom profiles: results from the MooDFOOD depression prevention study. Psychological Medicine, 2021, , 1-10.	4.5	5
112	A comparison of bivariate, multivariate randomâ€effects, and Poisson correlated gammaâ€frailty models to metaâ€analyze individual patient data of ordinal scale diagnostic tests. Biometrical Journal, 2017, 59, 1317-1338.	1.0	4
113	Depression Subtypes and Inflammation: Atypical Rather Than Melancholic Depression Is Linked With Immunometabolic Dysregulations. , 2018, , 455-471.		3
114	Investigating data-driven biological subtypes of psychiatric disorders using specification-curve analysis. Psychological Medicine, 2020, , 1-12.	4.5	3
115	Person misfit on the Inventory of Depressive Symptomatology: Low quality selfâ€report or true atypical symptom profile?. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	2
116	Investigating Data-driven Biological Subtypes of Psychiatric Disorders Using Specification-Curve Analysis â€" ERRATUM. Psychological Medicine, 2021, , 1-1.	4.5	1
117	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. Journal of Cancer Survivorship, 2021, , 1.	2.9	1