

Martin Lepage

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9262171/publications.pdf>

Version: 2024-02-01

165
papers

5,584
citations

117625

34
h-index

118850

62
g-index

172
all docs

172
docs citations

172
times ranked

7007
citing authors

#	ARTICLE	IF	CITATIONS
1	The Bank of Standardized Stimuli (BOSS), a New Set of 480 Normative Photos of Objects to Be Used as Visual Stimuli in Cognitive Research. <i>PLoS ONE</i> , 2010, 5, e10773.	2.5	466
2	Hippocampal PET activations of memory encoding and retrieval: The HIPER model. , 1998, 8, 313-322.		433
3	Multi-atlas segmentation of the whole hippocampus and subfields using multiple automatically generated templates. <i>NeuroImage</i> , 2014, 101, 494-512.	4.2	322
4	Episodic memory-related activation in schizophrenia: meta-analysis. <i>British Journal of Psychiatry</i> , 2005, 187, 500-509.	2.8	214
5	Neurocognition: Clinical and Functional Outcomes in Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 5-12.	1.9	199
6	Medial prefrontal cortex activity during memory encoding of pictures and its relation to symptomatic improvement after citalopram treatment in patients with major depression. <i>Journal of Psychiatry and Neuroscience</i> , 2010, 35, 152-162.	2.4	172
7	Cognitive and clinical moderators of recognition memory in schizophrenia: a meta-analysis. <i>Schizophrenia Research</i> , 2005, 74, 233-252.	2.0	124
8	Social cognitive impairments in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 95, 124-133.	2.0	111
9	Dorsolateral prefrontal cortex involvement in memory post-retrieval monitoring revealed in both item and associative recognition tests. <i>NeuroImage</i> , 2005, 24, 1113-1121.	4.2	110
10	Neural Correlates of Memory for Items and for Associations: An Event-related Functional Magnetic Resonance Imaging Study. <i>Journal of Cognitive Neuroscience</i> , 2005, 17, 652-667.	2.3	89
11	Spatial Patterning of Tissue Volume Loss in Schizophrenia Reflects Brain Network Architecture. <i>Biological Psychiatry</i> , 2020, 87, 727-735.	1.3	87
12	A Process-specific Functional Dissociation of the Amygdala in Emotional Memory. <i>Journal of Cognitive Neuroscience</i> , 2006, 18, 1359-1367.	2.3	84
13	Episodic memory impairment in Huntington's disease: A meta-analysis. <i>Neuropsychologia</i> , 2006, 44, 1984-1994.	1.6	83
14	The Relative Contribution of Cognition and Symptomatic Remission to Functional Outcome Following Treatment of a First Episode of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e566-e572.	2.2	83
15	Functional neural substrates of self-reported physical anhedonia in non-clinical individuals and in patients with schizophrenia. <i>Journal of Psychiatric Research</i> , 2010, 44, 707-716.	3.1	80
16	Fronto-temporal disconnectivity and clinical short-term outcome in first episode psychosis: A DTI-tractography study. <i>Journal of Psychiatric Research</i> , 2011, 45, 369-377.	3.1	77
17	Evaluating accuracy of striatal, pallidal, and thalamic segmentation methods: Comparing automated approaches to manual delineation. <i>NeuroImage</i> , 2018, 170, 182-198.	4.2	75
18	Neurocognition and neuroimaging of persistent negative symptoms of schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 53-69.	2.8	71

#	ARTICLE	IF	CITATIONS
19	Identifying persistent negative symptoms in first episode psychosis. <i>BMC Psychiatry</i> , 2012, 12, 224.	2.6	71
20	Cognitive insight and verbal memory in first episode of psychosis. <i>European Psychiatry</i> , 2008, 23, 368-374.	0.2	69
21	Selective Abnormal Modulation of Hippocampal Activity During Memory Formation in First-Episode Psychosis. <i>Archives of General Psychiatry</i> , 2007, 64, 999.	12.3	65
22	Prefrontal cortex contribution to associative recognition memory in humans: an event-related functional magnetic resonance imaging study. <i>Neuroscience Letters</i> , 2003, 346, 73-76.	2.1	60
23	Associative Memory Encoding and Recognition in Schizophrenia: An Event-Related fMRI Study. <i>Biological Psychiatry</i> , 2006, 60, 1215-1223.	1.3	60
24	Neural correlates of semantic associative encoding in episodic memory. <i>Cognitive Brain Research</i> , 2000, 9, 271-280.	3.0	57
25	Modulation of Memory Formation by Stimulus Content: Specific Role of the Medial Prefrontal Cortex in the Successful Encoding of Social Pictures. <i>Journal of Cognitive Neuroscience</i> , 2007, 19, 351-362.	2.3	55
26	Cortical thickness is associated with poor insight in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2011, 45, 781-787.	3.1	51
27	Head motion: the dirty little secret of neuroimaging in psychiatry. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 62-68.	2.4	51
28	Benefits of Enriched Intervention Compared with Standard Care for Patients with Recent-Onset Psychosis: A Metaanalytic Approach. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 464-472.	1.9	49
29	Cortical Thinning in Temporo-Parietal Junction (TPJ) in Non-Affective First-Episode of Psychosis Patients with Persistent Negative Symptoms. <i>PLoS ONE</i> , 2014, 9, e101372.	2.5	45
30	Insight in first episode psychosis: who is measuring what?. <i>Microbial Biotechnology</i> , 2008, 2, 34-41.	1.7	44
31	Cognitive markers of short-term clinical outcome in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 297-304.	2.8	44
32	Reduced hippocampal volume and hypothalamusâ€“pituitaryâ€“adrenal axis function in first episode psychosis: Evidence for sex differences. <i>NeuroImage: Clinical</i> , 2015, 7, 195-202.	2.7	43
33	Immediate and Sustained Outcomes and Moderators Associated With Metacognitive Training for Psychosis. <i>JAMA Psychiatry</i> , 2022, 79, 417.	11.0	42
34	Does the Beck Cognitive Insight Scale Predict Response to Cognitive Remediation in Schizophrenia?. <i>Schizophrenia Research and Treatment</i> , 2016, 2016, 1-6.	1.5	41
35	The Structural Neural Substrates of Persistent Negative Symptoms in First-Episode of Non-Affective Psychosis: A Voxel-Based Morphometry Study. <i>Frontiers in Psychiatry</i> , 2012, 3, 42.	2.6	38
36	Efficacy of psychological interventions targeting cognitive biases in schizophrenia: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2020, 78, 101854.	11.4	38

#	ARTICLE	IF	CITATIONS
37	Symptom Attribution in first episode psychosis: A cortical thickness study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 203, 6-13.	1.8	37
38	Cortical thickness and low insight into symptoms in enduring schizophrenia. <i>Schizophrenia Research</i> , 2016, 170, 66-72.	2.0	34
39	Identifying schizophrenia subgroups using clustering and supervised learning. <i>Schizophrenia Research</i> , 2019, 214, 51-59.	2.0	34
40	Structural brain correlates of cognitive function in schizophrenia: A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 132, 37-49.	6.1	33
41	Cannabis use and anticipatory pleasure as reported by subjects with early psychosis and community controls. <i>Schizophrenia Research</i> , 2012, 137, 39-44.	2.0	32
42	Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 31-39.	2.4	32
43	Structural neural correlates of impairments in social cognition in first episode psychosis. <i>Social Neuroscience</i> , 2008, 3, 79-88.	1.3	31
44	A 12-month outcome study of insight and symptom change in first-episode psychosis. <i>Microbial Biotechnology</i> , 2010, 4, 79-88.	1.7	31
45	Impairment in verbal memory observed in first episode psychosis patients with persistent negative symptoms. <i>Schizophrenia Research</i> , 2013, 147, 223-229.	2.0	30
46	TCF4 gene polymorphism and cognitive performance in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2014, 152, 124-129.	2.0	30
47	The Parahippocampal Gyrus as a Neural Marker of Early Remission in First-Episode Psychosis: A Voxel-Based Morphometry Study. <i>Clinical Schizophrenia and Related Psychoses</i> , 2011, 4, 217-228.	1.4	30
48	Neural markers of remission in first-episode schizophrenia: A volumetric neuroimaging study of the hippocampus and amygdala. <i>Schizophrenia Research</i> , 2010, 122, 72-80.	2.0	29
49	Neural markers of early remission in first-episode schizophrenia: A volumetric neuroimaging study of the parahippocampus. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 40-47.	1.8	29
50	Polygenic Risk Score associated with specific symptom dimensions in first-episode psychosis. <i>Schizophrenia Research</i> , 2017, 184, 116-121.	2.0	29
51	A study on negative and depressive symptom prevalence in individuals at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 900-906.	1.7	29
52	Medial temporal lobe activations during associative memory encoding for arbitrary and semantically related object pairs. <i>Brain Research</i> , 2007, 1161, 46-55.	2.2	27
53	A NEET distinction: youths not in employment, education or training follow different pathways to illness and care in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1401-1411.	3.1	27
54	Disrupted integrity of the fornix in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2010, 119, 61-64.	2.0	26

#	ARTICLE	IF	CITATIONS
55	The Dorsolateral Prefrontal Cortex Plays a Role in Self-Initiated Elaborative Cognitive Processing during Episodic Memory Encoding: rTMS Evidence. <i>PLoS ONE</i> , 2013, 8, e73789.	2.5	25
56	The effect of second-generation antipsychotics on hippocampal volume in first episode of psychosis: longitudinal study. <i>BJPsych Open</i> , 2016, 2, 139-146.	0.7	25
57	Age-related cortical thickness trajectories in first episode psychosis patients presenting with early persistent negative symptoms. <i>NPJ Schizophrenia</i> , 2016, 2, 16029.	3.6	25
58	Prefrontal activity and impaired memory encoding strategies in schizophrenia. <i>Journal of Psychiatric Research</i> , 2017, 91, 64-73.	3.1	25
59	Diffusion tensor imaging tractography of the fornix and belief confidence in first-episode psychosis. <i>Schizophrenia Research</i> , 2012, 137, 80-84.	2.0	24
60	Cognitive insight in first-episode schizophrenia: Further evidence for a role of the ventrolateral prefrontal cortex. <i>Schizophrenia Research</i> , 2015, 166, 65-68.	2.0	24
61	Latent Clinical-Anatomical Dimensions of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1426-1438.	4.3	24
62	Episodic Memory Bias and the Symptoms of Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 702-709.	1.9	23
63	Influence of Emotional Expression on Memory Recognition Bias in Schizophrenia as Revealed by fMRI. <i>Schizophrenia Bulletin</i> , 2010, 36, 800-810.	4.3	23
64	Strategy for Semantic Association Memory (SESAME) training: Effects on brain functioning in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 50-58.	1.8	23
65	Selective pair recognition memory impairment with no response bias in schizophrenia. <i>Psychiatry Research</i> , 2009, 169, 39-42.	3.3	22
66	The Prevalence of Negative Symptoms Across the Stages of the Psychosis Continuum. <i>Harvard Review of Psychiatry</i> , 2019, 27, 15-32.	2.1	22
67	Apomorphine effects on episodic memory in young healthy volunteers. <i>Neuropsychologia</i> , 2008, 46, 292-300.	1.6	21
68	Is there an association between neurocognitive performance and medication adherence in first episode psychosis?. <i>Microbial Biotechnology</i> , 2010, 4, 189-195.	1.7	21
69	Differing Time of Onset of Concurrent TMS-fMRI during Associative Memory Encoding: A Measure of Dynamic Connectivity. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 404.	2.0	21
70	Pathways to functional outcomes following a first episode of psychosis: The roles of premorbid adjustment, verbal memory and symptom remission. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 793-803.	2.3	21
71	Investigation of white matter abnormalities in first episode psychosis patients with persistent negative symptoms. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 402-408.	1.8	20
72	Sex Differences in Verbal Memory Predict Functioning Through Negative Symptoms in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 1587-1595.	4.3	20

#	ARTICLE	IF	CITATIONS
73	Relation between emotional face memory and social anhedonia in schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 102-110.	2.4	20
74	Duration of active psychosis and first-episode psychosis negative symptoms. <i>Microbial Biotechnology</i> , 2017, 11, 63-71.	1.7	19
75	Smoking status and its relationship to demographic and clinical characteristics in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2017, 85, 83-90.	3.1	19
76	Comparing cognitive clusters across first- and multiple-episode of psychosis. <i>Psychiatry Research</i> , 2018, 269, 707-718.	3.3	19
77	Decrease and increase in brain activity during visual perceptual priming: An fMRI study on similar but perceptually different complex visual scenes. <i>Neuropsychologia</i> , 2005, 43, 1887-1900.	1.6	18
78	Cognitive deficits characterization using the CogState Research Battery in first-episode psychosis patients. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 140-145.	1.3	18
79	Relational Memory as a Possible Neurocognitive Marker of Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 946.	11.0	18
80	Assessment of single and bound features in a working memory task in schizophrenia. <i>Schizophrenia Research</i> , 2008, 100, 153-160.	2.0	17
81	Neural activity related to self-initiating elaborative semantic encoding in associative memory. <i>NeuroImage</i> , 2013, 67, 273-282.	4.2	17
82	Therapeutic effectiveness and tolerability of aripiprazole as initial choice of treatment in first episode psychosis in an early intervention service: A one-year outcome study. <i>Schizophrenia Research</i> , 2016, 174, 120-125.	2.0	17
83	Dimensions of insight in schizophrenia: Exploratory factor analysis of items from multiple self- and interviewer-rated measures of insight. <i>Schizophrenia Research</i> , 2018, 199, 319-325.	2.0	17
84	Structural Associations of Cortical Contrast and Thickness in First Episode Psychosis. <i>Cerebral Cortex</i> , 2019, 29, 5009-5021.	2.9	17
85	The role of illness engulfment in the association between insight and depressive symptomatology in schizophrenia. <i>Journal of Psychiatric Research</i> , 2019, 111, 1-7.	3.1	17
86	Brain cortical and subcortical morphology in adolescents with depression and a history of suicide attempt. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E347-E357.	2.4	17
87	Social Cognitive Markers of Short-Term Clinical Outcome in First-Episode Psychosis. <i>Clinical Schizophrenia and Related Psychoses</i> , 2010, 4, 105-114.	1.4	17
88	Neural correlates of recognition memory of social information in people with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 97-109.	2.4	16
89	Functional magnetic resonance imaging study of external source memory and its relation to cognitive insight in non-clinical subjects. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 683-691.	1.8	16
90	Clinical and functional implications of a history of childhood ADHD in first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 165, 128-133.	2.0	16

#	ARTICLE	IF	CITATIONS
91	Source retrieval is not properly differentiated from object retrieval in early schizophrenia: An fMRI study using virtual reality. <i>NeuroImage: Clinical</i> , 2015, 7, 336-346.	2.7	16
92	Longitudinal trajectory of clinical insight and covariation with cortical thickness in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2017, 86, 46-54.	3.1	16
93	Changes in memory performance over a 12-month period in relation to achieving symptomatic remission after a first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 153, 103-108.	2.0	15
94	Predictors of "all-cause discontinuation"™ of initial oral antipsychotic medication in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 201, 287-293.	2.0	15
95	A longitudinal study of cognitive insight and cortical thickness in first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 193, 251-260.	2.0	15
96	Impact of childhood trauma on positive and negative symptom remission in first episode psychosis. <i>Schizophrenia Research</i> , 2021, 231, 82-89.	2.0	15
97	Predictors of cognition in first episode psychosis. <i>Schizophrenia Research</i> , 2014, 152, 164-169.	2.0	14
98	Cognitive training of self-initiation of semantic encoding strategies in schizophrenia: A pilot study. <i>Neuropsychological Rehabilitation</i> , 2016, 26, 464-479.	1.6	14
99	Manual-Protocol Inspired Technique for Improving Automated MR Image Segmentation during Label Fusion. <i>Frontiers in Neuroscience</i> , 2016, 10, 325.	2.8	13
100	Functional neural correlates of social approval in schizophrenia. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 445-457.	3.0	13
101	Clarifying associations between cortical thickness, subcortical structures, and a comprehensive assessment of clinical insight in enduring schizophrenia. <i>Schizophrenia Research</i> , 2019, 204, 245-252.	2.0	13
102	Parietal cortex and episodic memory retrieval in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 191-199.	1.8	12
103	The relative contributions of social cognition and self-reflectiveness to clinical insight in enduring schizophrenia. <i>Psychiatry Research</i> , 2017, 258, 116-123.	3.3	12
104	Progress of negative symptoms over the initial 5 years of a first episode of psychosis. <i>Psychological Medicine</i> , 2019, 49, 66-74.	4.5	12
105	Neurocognitive functions in persistent negative symptoms following a first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2021, 47, 86-97.	0.7	12
106	The Beck Cognitive Insight Scale: Psychometric properties in a Canadian community sample. <i>Schizophrenia Research</i> , 2012, 137, 254-255.	2.0	11
107	The Potentiation of Associative Memory by Emotions: An Event-Related FMRI Study. <i>Advances in Neuroscience (Hindawi)</i> , 2014, 2014, 1-9.	3.1	11
108	Remote cognitive assessment in severe mental illness: a scoping review. <i>NPJ Schizophrenia</i> , 2022, 8, 14.	3.6	11

#	ARTICLE	IF	CITATIONS
109	Memory for everyday actions in schizophrenia. <i>Schizophrenia Research</i> , 2009, 114, 71-78.	2.0	10
110	A polymorphism in the glutamate metabotropic receptor 7 is associated with cognitive deficits in the early phases of psychosis. <i>Schizophrenia Research</i> , 2022, 249, 56-62.	2.0	10
111	Manualized Group Cognitive-Behavioral Therapy for Social Anxiety in At-Risk Mental State and First Episode Psychosis: A Pilot Study of Feasibility and Outcomes. <i>International Journal of Group Psychotherapy</i> , 2016, 66, 225-245.	0.6	9
112	Dynamic Interplay Between Insight and Persistent Negative Symptoms in First Episode of Psychosis: A Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 211-219.	4.3	9
113	Differential contribution of left and right prefrontal cortex to associative cued-recall memory: a parametric PET study. <i>Neuroscience Research</i> , 2004, 48, 297-304.	1.9	8
114	Examining the effects of two factors on working memory maintenance of bound information in schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 597-605.	1.8	8
115	Anxiety symptoms severity and short-term clinical outcome in first-episode psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 5-11.	1.7	8
116	Modeling the Neuroanatomical and Neurocognitive Mechanisms of Cognitive Insight in Non-clinical Subjects. <i>Cognitive Therapy and Research</i> , 2015, 39, 415-423.	1.9	8
117	Dynamic endophenotypes and longitudinal trajectories: capturing changing aspects of development in early psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 148-151.	2.4	8
118	An fMRI study on memory discriminability for complex visual scenes. <i>Human Brain Mapping</i> , 2008, 29, 1159-1169.	3.6	7
119	Do reward-processing deficits in schizophrenia-spectrum disorders promote cannabis use? An investigation of physiological response to natural rewards and drug cues. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 339-347.	2.4	7
120	Judging Strangers's™ Trustworthiness is Associated with Theory of Mind Skills. <i>Frontiers in Psychiatry</i> , 2015, 6, 52.	2.6	7
121	Do Unremitted Psychotic Symptoms Have an Effect on the Brain? A 2-Year Follow-up Imaging Study in First-Episode Psychosis. <i>Schizophrenia Bulletin Open</i> , 2020, 1, sgaa039.	1.7	7
122	Remote group therapies for cognitive health in schizophrenia-spectrum disorders: Feasible, acceptable, engaging. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100230.	1.3	7
123	The effect of second-generation antipsychotics on basal ganglia and thalamus in first-episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2019, 29, 1408-1418.	0.7	6
124	Cognitive capacity similarly predicts insight into symptoms in first- and multiple-episode psychosis. <i>Schizophrenia Research</i> , 2019, 206, 236-243.	2.0	6
125	Altered hippocampal centrality and dynamic anatomical covariance of intracortical microstructure in first episode psychosis. <i>Hippocampus</i> , 2020, 30, 1058-1072.	1.9	6
126	Understanding sex differences in cognitive insight across first-and-multiple episode psychosis. <i>Schizophrenia Research</i> , 2020, 218, 276-282.	2.0	6

#	ARTICLE	IF	CITATIONS
127	The interfering effect of related events on recognition memory discriminability: a functional magnetic resonance imaging study. <i>Cognitive Brain Research</i> , 2005, 22, 429-437.	3.0	5
128	Associative interference does not affect recognition memory in schizophrenia. <i>Schizophrenia Research</i> , 2005, 80, 185-196.	2.0	5
129	Using proton magnetic resonance spectroscopic imaging to study glutamatergic alterations in patients with schizophrenia: A systematic review. <i>Schizophrenia Research</i> , 2019, 210, 13-20.	2.0	5
130	Validation of the MUSIC Model of Motivation Inventory for use with cognitive training for schizophrenia spectrum disorders: A multinational study. <i>Schizophrenia Research</i> , 2019, 206, 142-148.	2.0	5
131	Intersection of verbal memory and expressivity on cortical contrast and thickness in first episode psychosis. <i>Psychological Medicine</i> , 2020, 50, 1923-1936.	4.5	5
132	Apathy is not associated with reduced ventral striatal volume in patients with schizophrenia. <i>Schizophrenia Research</i> , 2020, 223, 279-288.	2.0	5
133	Delusional content at initial presentation to a catchment-based early intervention service for psychosis. <i>British Journal of Psychiatry</i> , 2021, 218, 217-223.	2.8	5
134	Early Medication Adherence and Insight Change in First-Episode Psychosis. <i>Clinical Schizophrenia and Related Psychoses</i> , 2010, 3, 201-208.	1.4	5
135	Understanding others as a mediator between verbal memory and negative symptoms in schizophrenia-spectrum disorder. <i>Journal of Psychiatric Research</i> , 2021, 143, 429-435.	3.1	5
136	Examining cortical thickness in male and female DWI offenders. <i>Neuroscience Letters</i> , 2016, 619, 189-195.	2.1	4
137	Bipolar disorder risk gene FOXO6 modulates negative symptoms in schizophrenia: a neuroimaging genetics study. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 172-180.	2.4	4
138	Establishing Clinical Cutoff Values for the Beck Cognitive Insight Scale. <i>Cognitive Therapy and Research</i> , 2019, 43, 324-334.	1.9	4
139	Abnormal visual representations associated with confusion of perceived facial expression in schizophrenia with social anxiety disorder. <i>NPJ Schizophrenia</i> , 2020, 6, 28.	3.6	4
140	Self-concept and Engagement in LiFe (SELF): A waitlist-controlled pilot study of a novel psychological intervention to target illness engulfment in enduring schizophrenia and related psychoses. <i>Schizophrenia Research</i> , 2021, 228, 567-574.	2.0	4
141	A feasibility pilot study on using unitization to circumvent relational memory impairments in schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 98-99.	2.0	4
142	Exploring the factor structure of the PTSD checklist for DSM-5 in psychotic disorders.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2023, 15, 767-771.	2.1	4
143	Medial temporal lobe and basal ganglia volume trajectories in persistent negative symptoms following a first episode of psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 117, 110551.	4.8	4
144	Memory and Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 691-692.	1.9	3

#	ARTICLE	IF	CITATIONS
145	Do motivation deficits in schizophrenia-spectrum disorders promote cannabis use? An investigation of behavioural response to natural rewards and drug cues. <i>Psychiatry Research</i> , 2014, 215, 522-527.	3.3	3
146	Altered Surface Area Covariance in the Mentalizing Network in Schizophrenia: Insight into Theory of Mind Processing. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, , .	1.5	3
147	Investigating subjective cognitive complaints in psychosis: Introducing the brief scale to Investigate cognition in schizophrenia (SSTICS-Brief). <i>Cognitive Neuropsychiatry</i> , 2020, 25, 190-200.	1.3	3
148	A Feasibility Study on the Use of the Method of Loci for Improving Episodic Memory Performance in Schizophrenia and Non-clinical Subjects. <i>Frontiers in Psychology</i> , 2021, 12, 612681.	2.1	3
149	Severe childhood trauma and emotion recognition in males and females with first-episode psychosis. <i>Microbial Biotechnology</i> , 2023, 17, 149-158.	1.7	3
150	A Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Specialized Services for First-Episode Psychosis: Protocol for a Pilot Pre-Post, Mixed Methods Study of Horizons-Canada (Phase 2). <i>JMIR Research Protocols</i> , 2021, 10, e28141.	1.0	3
151	The effect of viewpoint on visual stimuli: A study of episodic memory in schizophrenia. <i>Psychiatry Research</i> , 2010, 176, 126-131.	3.3	2
152	Is cognitive insight relevant to functional capacity in schizophrenia?. <i>Schizophrenia Research</i> , 2017, 184, 150-151.	2.0	2
153	The Canadian Network for Research in Schizophrenia and Psychoses: A Nationally Focused Approach to Psychosis and Schizophrenia Research. <i>Canadian Journal of Psychiatry</i> , 2021, , 070674372110091.	1.9	2
154	Recollection rejection of new items in individuals with first-episode psychosis.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 104-113.	1.9	2
155	The Relational Trip Task, a novel ecological measure of relational memory: data from a schizophrenia sample. <i>Cognitive Neuropsychiatry</i> , 2021, 26, 421-440.	1.3	2
156	Manualized group cognitive behavioral therapy for social anxiety in first-episode psychosis: a randomized controlled trial. <i>Psychological Medicine</i> , 2023, 53, 3335-3344.	4.5	2
157	Sex-specific associations in verbal memory brain circuitry in early psychosis. <i>Journal of Psychiatric Research</i> , 2022, 151, 411-418.	3.1	2
158	Normal-range verbal memory in the first-episode of psychosis: Clinical and functional outcomes across 24 months and impact of estimated verbal memory decrement. <i>Schizophrenia Research</i> , 2022, 246, 75-84.	2.0	2
159	Altered emotional modulation of associative memory in first episode schizophrenia: An fMRI study. <i>Schizophrenia Research: Cognition</i> , 2016, 3, 26-32.	1.3	1
160	O7.2. ALTERED HIPPOCAMPAL CENTRALITY IN RELATION TO COORDINATED CHANGES OF INTRACORTICAL MICROSTRUCTURE IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S179-S180.	4.3	1
161	Clinical-Anatomical Phenotypes of Schizophrenia. <i>Biological Psychiatry</i> , 2020, 87, S119-S120.	1.3	1
162	Persistent negative symptoms in schizophrenia: survey of Canadian psychiatrists. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2013, 10, 69-72.	0.1	0

#	ARTICLE	IF	CITATIONS
163	Cover Image, Volume 30, Issue 10. Hippocampus, 2020, 30, C1.	1.9	0
164	Prevalence and severity of posttraumatic stress symptoms in psychosis: Associations with affective and patient-centered variables in those referred for psychological services. Schizophrenia Research, 2021, 228, 53-55.	2.0	0
165	Persistent negative symptoms in schizophrenia: survey of Canadian psychiatrists. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2013, 10, 69-72.	0.1	0