

# Hideki Ishii

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9263333/publications.pdf>

Version: 2024-02-01

313  
papers

6,110  
citations

70961

41  
h-index

133063

59  
g-index

322  
all docs

322  
docs citations

322  
times ranked

7095  
citing authors

#	ARTICLE	IF	CITATIONS
1	National survey of percutaneous coronary intervention during the COVID-19 pandemic in Japan: second report of the Japanese Association of Cardiovascular Intervention and Therapeutics. <i>Cardiovascular Intervention and Therapeutics</i> , 2022, 37, 264-268.	1.2	7
2	Assessment of appropriate body mass index cut-off points for long-term mortality among ST-elevation myocardial infarction survivors in Asian population using machine learning algorithm. <i>Heart and Vessels</i> , 2022, 37, 219-228.	0.5	0
3	CVIT expert consensus document on primary percutaneous coronary intervention (PCI) for acute myocardial infarction (AMI) update 2022. <i>Cardiovascular Intervention and Therapeutics</i> , 2022, 37, 1-34.	1.2	62
4	Japanese Nationwide PCI (J-PCI) Registry Annual Report 2019: patient demographics and in-hospital outcomes. <i>Cardiovascular Intervention and Therapeutics</i> , 2022, 37, 243-247.	1.2	35
5	What is the mechanism of this short atrioâ€His narrow QRS tachycardia?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2022, 45, 234-237.	0.5	0
6	Impact of Hemodialysis on Clinical Outcomes in Patients Undergoing Lower Extremity Bypass Surgery for Peripheral Artery Diseaseâ€”10-year Follow-Up Study. <i>Angiology</i> , 2022, , 000331972110708.	0.8	1
7	Effect of Procedural Volume on In-Hospital Outcomes After Percutaneous Coronary Intervention in Patients With Chronic Kidney Disease (from the Japanese National Clinical Data [J-PCI Registry]). <i>American Journal of Cardiology</i> , 2022, 165, 12-18.	0.7	1
8	One-year outcome after percutaneous coronary intervention in nonagenarians: Insights from the J-PCI OUTCOME registry. <i>American Heart Journal</i> , 2022, 246, 105-116.	1.2	10
9	Albuminuria predicts short-term worsening renal function after transcatheter aortic valve replacement. <i>Cardiovascular Revascularization Medicine</i> , 2022, , .	0.3	1
10	Exercise Stress Echocardiography in the Diagnostic Evaluation of Heart Failure with Preserved Ejection Fraction. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 87.	0.8	5
11	Cardiovascular events and atherosclerosis in patients with typeâ€2 diabetes and impaired glucose tolerance: What are the medical treatments to prevent cardiovascular events in such patients?. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1114-1121.	1.1	7
12	Percutaneous coronary intervention during the COVID-19 pandemic in Japan: Insights from the nationwide registration data. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 22, 100434.	1.3	16
13	Albuminuria predicts worsening renal function after transcatheter aortic valve replacement. <i>Journal of Cardiology</i> , 2022, 79, 648-654.	0.8	2
14	Overview of inâ€hospital outcomes in patients undergoing percutaneous coronary intervention with the revived directional coronary atherectomy. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 100, 51-58.	0.7	3
15	What is the mechanism of tachycardia and an apparent atrioventricular nodal response during <sc>paraâ€Hisian</sc> pacing?. <i>Journal of Arrhythmia</i> , 2022, 38, 646-649.	0.5	0
16	Diastolic Filling Time, Chronotropic Response, and Exercise Capacity in Heart Failure and Preserved Ejection Fraction With Sinus Rhythm. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	9
17	Myocardial salvage after ST-segment-elevation myocardial infarction: comparison between prasugrel and clopidogrel in the presence or absence of high-residual platelet reactivity. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1422-1434.	1.4	4
18	Impact of skeletal muscle mass on clinical outcomes in patients with severe aortic stenosis undergoing transcatheter aortic valve replacement. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, 36, 514-522.	1.2	6

#	ARTICLE	IF	CITATIONS
19	Long-term renal outcomes after elective percutaneous coronary intervention in patients with advanced renal dysfunction. <i>Heart and Vessels</i> , 2021, 36, 452-460.	0.5	0
20	Relationship between epicardial adipose tissue volume and coronary artery spasm. <i>International Journal of Cardiology</i> , 2021, 324, 8-12.	0.8	6
21	Long-term clinical outcomes after self-expandable bare nitinol stent implantation for femoropopliteal occlusive disease in hemodialysis patients. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 318-324.	0.7	0
22	Diagnosis, prevention, and treatment of cardiovascular diseases in people with type 2 diabetes and prediabetes: a consensus statement jointly from the Japanese Circulation Society and the Japan Diabetes Society. <i>Diabetology International</i> , 2021, 12, 1-51.	0.7	6
23	Improved Renal Function After Percutaneous Coronary Intervention in Non-Dialysis Patients With Acute Coronary Syndrome and Advanced Renal Dysfunction. <i>Cardiovascular Revascularization Medicine</i> , 2021, 24, 26-30.	0.3	2
24	Prevalence and clinical outcomes of triglyceride deposit cardiomyovascularopathy among haemodialysis patients. <i>Heart</i> , 2021, 107, 127-134.	1.2	12
25	Association between discharge destination and mid-term mortality in octogenarian patients with ST-elevation myocardial infarction. <i>Journal of Cardiology</i> , 2021, 77, 116-123.	0.8	1
26	Perioperative D-dimer levels after transcatheter aortic valve replacement: Comparison of patients with and without anticoagulant therapy. <i>Cardiology Journal</i> , 2021, 28, 170-172.	0.5	1
27	In-hospital Bleeding Outcomes of Oral Anticoagulant and Dual Antiplatelet Therapy During Percutaneous Coronary Intervention: An Analysis From the Japanese Nationwide Registry. <i>Journal of Cardiovascular Pharmacology</i> , 2021, 78, 221-227.	0.8	0
28	Fifteen-year mortality and cardiac, thrombotic, and bleeding events in survivors of ST-elevation myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2021, , .	0.3	0
29	Outcomes after drug-coated balloon interventions for de novo coronary lesions in the patients on chronic hemodialysis. <i>Heart and Vessels</i> , 2021, 36, 1646-1652.	0.5	3
30	A Resuscitated Adult With Left Main Coronary Artery Ostial Atresia and Graves™ Disease: 10-Year Follow-up. <i>CJC Open</i> , 2021, 3, 1192-1194.	0.7	1
31	Ten-Year Mortality in Patients With ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2021, 149, 9-15.	0.7	7
32	The Mid-term Mortality and Mode of Death in Survivors with ST-elevation Myocardial Infarction. <i>Internal Medicine</i> , 2021, 60, 1665-1674.	0.3	4
33	In-hospital mortality among consecutive patients with ST-Elevation myocardial infarction in modern primary percutaneous intervention era ~ Insights from 15-year data of single-center hospital-based registry ~. <i>PLoS ONE</i> , 2021, 16, e0252503.	1.1	11
34	Electrochemical Fluorination of (Arylthio)methyl Carboxylates and $\hat{3}$ -Phenylthio- $\hat{3}$ -butyrolactone Derivative. <i>Journal of the Electrochemical Society</i> , 2021, 168, 065502.	1.3	2
35	Pacing site- and rate- dependent shortening of retrograde conduction time over the slow pathway after atrial entrainment of fast- slow atrioventricular nodal reentrant tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 2979-2986.	0.8	3
36	Implication of Renal Impairment for Acute Coronary Syndrome. <i>Circulation Journal</i> , 2021, 85, 1779-1780.	0.7	1

#	ARTICLE	IF	CITATIONS
37	One-Year Outcome After Percutaneous Coronary Intervention for Acute Coronary Syndrome—An Analysis of 20,042 Patients From a Japanese Nationwide Registry. <i>Circulation Journal</i> , 2021, 85, 1756-1767.	0.7	24
38	Improvement in the nutritional status after transcatheter aortic valve implantation. <i>Journal of Cardiology</i> , 2021, 78, 250-254.	0.8	1
39	Characteristics and in-hospital outcomes of patients undergoing balloon pulmonary angioplasty for chronic thromboembolic pulmonary hypertension: a time-trend analysis from the Japanese nationwide registry. <i>Open Heart</i> , 2021, 8, e001721.	0.9	8
40	Clinical Outcomes Following Emergent Percutaneous Coronary Intervention for Acute Total/Subtotal Occlusion of the Left Main Coronary Artery. <i>Circulation Journal</i> , 2021, 85, 1789-1796.	0.7	3
41	Percutaneous coronary intervention in side branch coronary arteries: Insights from the Japanese nationwide registry. <i>IJC Heart and Vasculature</i> , 2021, 36, 100856.	0.6	3
42	The Influence of Eicosapentaenoic Acid to Arachidonic Acid Ratio on Long-term Cardiovascular Events Following Percutaneous Coronary Intervention. <i>Internal Medicine</i> , 2021, 60, 3865-3871.	0.3	2
43	Clinical characteristics and treatment of Spontaneous Coronary Artery Dissection in Young Women Undergoing Percutaneous Coronary Intervention. <i>Journal of Cardiovascular Medicine</i> , 2021, 22, 14-19.	0.6	8
44	Coronary stent infection: A catastrophic complication after percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2021, 344, 82-83.	0.8	0
45	Prognostic utility of multipoint nutritional screening for hospitalized patients with acute decompensated heart failure. <i>Nagoya Journal of Medical Science</i> , 2021, 83, 93-105.	0.6	0
46	Comparison between biodegradable- and durable-polymer everolimus-eluting stents in hemodialysis patients with coronary artery disease. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, , 1.	1.2	2
47	Variation in in-hospital mortality and its association with percutaneous coronary intervention-related bleeding complications: A report from nationwide registry in Japan. <i>PLoS ONE</i> , 2021, 16, e0261371.	1.1	1
48	Prevalence of acute coronary syndrome during the pandemic of COVID-19 in the Tokai Region of Japan.. <i>Nagoya Journal of Medical Science</i> , 2021, 83, 697-703.	0.6	1
49	Nutritional Status as a Predictor of Clinical Prognosis in Patients with Peripheral Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 132-133.	0.9	0
50	Impact of Diabetes Mellitus on the Aortic Wall Changes as Atherosclerosis Progresses: Aortic Dilatation and Calcification. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 509-515.	0.9	6
51	Impact of reduced-dose prasugrel vs. standard-dose clopidogrel on in-hospital outcomes of percutaneous coronary intervention in 62,737 patients with acute coronary syndromes: a nationwide registry study in Japan. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 231-238.	1.4	19
52	Guideline on the use of iodinated contrast media in patients with kidney disease 2018. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 1-44.	0.7	31
53	Predictive value of abdominal aortic calcification index for mid-term cardiovascular events in patients with acute coronary syndrome. <i>Heart and Vessels</i> , 2020, 35, 620-629.	0.5	3
54	Guideline on the use of iodinated contrast media in patients with kidney disease 2018. <i>Japanese Journal of Radiology</i> , 2020, 38, 3-46.	1.0	9

#	ARTICLE	IF	CITATIONS
55	Clinical outcomes after percutaneous coronary intervention in non-dialysis patients with acute coronary syndrome and advanced renal dysfunction. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 339-348.	0.7	5
56	Incidence and In-Hospital Outcomes of Patients Presenting With Stent Thrombosis (from the Japanese) <i>Tj ETQq0 0 0 rgBT /Overlock 10</i> 720-726.	0.7	6
57	Association of the Hemoglobin to Serum Creatinine Ratio with In-Hospital Adverse Outcomes after Percutaneous Coronary Intervention among Non-Dialysis Patients: Insights from a Japanese Nationwide Registry (J-PCI Registry). <i>Journal of Clinical Medicine</i> , 2020, 9, 3612.	1.0	5
58	Association of protein-energy wasting and inflammation status with mortality after coronary revascularisation in patients on haemodialysis. <i>Open Heart</i> , 2020, 7, e001276.	0.9	1
59	Population Density Analysis of Percutaneous Coronary Intervention for STâ€‘segmentâ€‘Elevation Myocardial Infarction in Japan. <i>Journal of the American Heart Association</i> , 2020, 9, e016952.	1.6	10
60	Differences in primary indication for guide-extension catheter usage among the three target vessels. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 192-197.	0.1	2
61	Contemporary use and trends in percutaneous coronary intervention in Japan: an outline of the J-PCI registry. <i>Cardiovascular Intervention and Therapeutics</i> , 2020, 35, 218-226.	1.2	88
62	Rotational Atherectomy for Severely Calcified Lesions in Patients With Left Ventricular Systolic Dysfunction: One-Year Outcomes From aSingle-Center Registry Analysis. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 1220-1227.	0.3	2
63	Lipid-rich large plaques in a non-culprit left main coronary artery and long-term clinical outcomes. <i>International Journal of Cardiology</i> , 2020, 305, 5-10.	0.8	5
64	Coronary Drug-Eluting Stent Infection Complicated by Coronary Artery Aneurysm and Purulent Pericarditis: Complete Resolution Without Surgery. <i>Canadian Journal of Cardiology</i> , 2020, 36, 967.e1-967.e3.	0.8	4
65	Comparison of Anti-factor Xa Activity Among Three Different Factor Xa Inhibitors in Non-valvular Atrial Fibrillation Patients with Renal Impairment. <i>Clinical Drug Investigation</i> , 2020, 40, 567-573.	1.1	5
66	Implementation of Percutaneous Coronary Intervention During the COVID-19 Pandemic in Japanâ€‘â€‘ Nationwide Survey Report of the Japanese Association of Cardiovascular Intervention and Therapeutics for Cardiovascular Disease â€‘. <i>Circulation Journal</i> , 2020, 84, 2185-2189.	0.7	23
67	Diagnosis, Prevention, and Treatment of Cardiovascular Diseases in People With Type 2 Diabetes and Prediabetesâ€‘â€‘ A Consensus Statement Jointly From the Japanese Circulation Society and the Japan Diabetes Society â€‘. <i>Circulation Journal</i> , 2020, 85, 82-125.	0.7	16
68	Serial Images of Aortic Plaque Ruptureâ€‘During Transfemoral Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, e203-e204.	1.1	0
69	Impact of Nutritional and Inflammation Status on Long-Term Bleeding in Patients Undergoing Percutaneous Coronary Intervention with an Oral Anticoagulant. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 728-737.	0.9	12
70	TCTAP A-130 Accuracy and Safety of Newly Developed Optical-based FFR Device Compared to Conventional FFR Device. <i>Journal of the American College of Cardiology</i> , 2019, 73, S68.	1.2	0
71	In-Hospital Outcomes After Percutaneous Coronary Intervention for Acute Coronary Syndrome With Cardiogenic Shock (from a Japanese Nationwide Registry [J-PCI Registry]). <i>American Journal of Cardiology</i> , 2019, 123, 1595-1601.	0.7	11
72	A survival case of a young adult patient with ST-elevated myocardial infarction with high levels of lipoprotein(a). <i>Journal of Cardiology Cases</i> , 2019, 19, 207-210.	0.2	1

#	ARTICLE	IF	CITATIONS
73	Comparison of Outcomes After Percutaneous Coronary Intervention in Elderly Patients, Including 10,628 Nonagenarians: Insights From a Japanese Nationwide Registry (J-PCI Registry). <i>Journal of the American Heart Association</i> , 2019, 8, e011183.	1.6	55
74	Prognostic Importance of Multiple Nutrition Screening Indexes for 1-Year Mortality in Hospitalized Acute Decompensated Heart Failure Patients. <i>Circulation Reports</i> , 2019, 1, 87-93.	0.4	12
75	Risk stratification model for in-hospital death in patients undergoing percutaneous coronary intervention: a nationwide retrospective cohort study in Japan. <i>BMJ Open</i> , 2019, 9, e026683.	0.8	21
76	Guideline on the Use of Iodinated Contrast Media in Patients With Kidney Disease 2018. <i>Circulation Journal</i> , 2019, 83, 2572-2607.	0.7	12
77	Impact of Postdischarge Bleeding on Long-Term Mortality in Percutaneous Coronary Intervention Patients Taking Oral Anticoagulants. <i>Journal of Cardiovascular Pharmacology</i> , 2019, 74, 210-217.	0.8	0
78	Prognostic impact of lipoprotein(a) levels during lipid management with statins after ST-elevation acute myocardial infarction. <i>Coronary Artery Disease</i> , 2019, 30, 600-607.	0.3	5
79	Influence of Preadmission Frailty on Short- and Mid-Term Prognoses in Octogenarians With ST-Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2019, 84, 109-118.	0.7	28
80	Influence of chronic kidney disease and worsening renal function on clinical outcomes in patients undergoing primary percutaneous coronary intervention. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 182-188.	0.7	4
81	Contrast-Induced Nephropathy and Long-Term Clinical Outcomes Following Percutaneous Coronary Intervention in Patients With Advanced Renal Dysfunction (Estimated Glomerular Filtration Rate) <i>Tj ETQq1 1 0.784614 rgBT /3 overlock</i>	0.7	14
82	Performance of HAS-BLED, ORBIT, PRECISE-DAPT, and PARIS risk score for predicting long-term bleeding events in patients taking an oral anticoagulant undergoing percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2019, 73, 479-487.	0.8	19
83	An overview of percutaneous coronary intervention in dialysis patients: Insights from a Japanese nationwide registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 94, E1-E8.	0.7	16
84	Coronary air embolism following transbronchial lung biopsy. <i>Cardiovascular Intervention and Therapeutics</i> , 2019, 34, 64-66.	1.2	2
85	JCS 2018 Guideline on Diagnosis and Treatment of Acute Coronary Syndrome. <i>Circulation Journal</i> , 2019, 83, 1085-1196.	0.7	324
86	How Do We Improve the Utility of Fractional Flow Reserve? For Precise Diagnosis of Myocardial Ischemia. <i>Circulation Journal</i> , 2019, 83, 1986-1987.	0.7	3
87	Kidney Measures to Improve Risk Discrimination of Cardiovascular Events. <i>Circulation Journal</i> , 2019, 83, 1836-1837.	0.7	1
88	Clinical outcomes of rotational atherectomy in severely calcified in-stent restenosis: a single-center, retrospective study. <i>Nagoya Journal of Medical Science</i> , 2019, 81, 313-323.	0.6	2
89	Balance between angiogenic and anti-angiogenic isoforms of VEGF-A is associated with the complexity and severity of coronary artery disease. <i>Clinica Chimica Acta</i> , 2018, 478, 114-119.	0.5	18
90	Long-term clinical outcomes after coronary artery bypass graft versus everolimus-eluting stent implantation in chronic hemodialysis patients. <i>Coronary Artery Disease</i> , 2018, 29, 489-494.	0.3	5

#	ARTICLE	IF	CITATIONS
91	Clinical Outcomes after Isolated Infrapopliteal Revascularization in Hemodialysis Patients with Critical Limb Ischemia: Endovascular Therapy versus Bypass Surgery. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 799-807.	0.9	11
92	Comparison of two dosing methods for immediate administration of tolvaptan in acute decompensated heart failure. <i>Journal of Cardiology</i> , 2018, 72, 234-239.	0.8	4
93	Association between the ratio of anti-angiogenic isoform of VEGF-A to total VEGF-A and adverse clinical outcomes in patients after acute myocardial infarction. <i>IJC Heart and Vasculature</i> , 2018, 19, 3-7.	0.6	12
94	Late-Onset Fulminant Myocarditis With Immune Checkpoint Inhibitor Nivolumab. <i>Canadian Journal of Cardiology</i> , 2018, 34, 812.e1-812.e3.	0.8	57
95	Vasospastic angina in a 16-year-old female. <i>Cardiovascular Intervention and Therapeutics</i> , 2018, 33, 393-394.	1.2	1
96	Impact of post-dilatation on longitudinal stent elongation: An in vitro study. <i>Journal of Cardiology</i> , 2018, 71, 464-470.	0.8	3
97	Trade-Off Between Lipid-Lowering Therapy and Costs in Patients With Cardiovascular Disease. <i>Circulation Journal</i> , 2018, 82, 2481-2482.	0.7	0
98	Clinical Impact of Circulating Irisin on Classified Coronary Plaque Characteristics. <i>Journal of Applied Laboratory Medicine</i> , 2018, 3, 79-88.	0.6	4
99	Anxiety and Depression among Hypertensive Outpatients in Afghanistan: A Cross-Sectional Study in Andkhoy City. <i>International Journal of Hypertension</i> , 2018, 2018, 1-8.	0.5	27
100	Clinical Characteristics of Nonobese Patients with Acute Coronary Syndrome and Increased Epicardial Fat Volume. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 1044-1052.	0.9	1
101	Effects of Ezetimibe-Statin Combination Therapy on Coronary Atherosclerosis in Acute Coronary Syndrome. <i>Circulation Journal</i> , 2018, 82, 757-766.	0.7	31
102	The lactate clearance calculated using serum lactate level 6h after is an important prognostic predictor after extracorporeal cardiopulmonary resuscitation: a single-center retrospective observational study. <i>Journal of Intensive Care</i> , 2018, 6, 33.	1.3	20
103	Impact of high-density lipoprotein 3 cholesterol subfraction on periprocedural myocardial injury in patients who underwent elective percutaneous coronary intervention. <i>Lipids in Health and Disease</i> , 2018, 17, 21.	1.2	2
104	Green Process of Three-Component Prostaglandin Synthesis and Rapid <sup>11</sup> C Labelings for Short-Lived PET Tracers. , 2018, , .		2
105	Left ventricular hypertrophy and proteinuria in patients with essential hypertension in Andkhoy, Afghanistan. <i>Nagoya Journal of Medical Science</i> , 2018, 80, 249-255.	0.6	2
106	Association between Helicobacter pylori Infection and Cardiovascular Risk Factors among Patients in the Northern Part of Afghanistan: a Cross-Sectional Study in Andkhoy City. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018, 19, 1035-1039.	0.5	7
107	Blunted cyclic variation of heart rate predicts mortality risk in post-myocardial infarction, end-stage renal disease, and chronic heart failure patients. <i>Europace</i> , 2017, 19, euw222.	0.7	21
108	Coronary artery calcification scores improve contrast-induced nephropathy risk assessment in chronic kidney disease patients. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 391-397.	0.7	1

#	ARTICLE	IF	CITATIONS
109	Correlations between geriatric nutritional risk index and peripheral artery disease in elderly coronary artery disease patients. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1057-1062.	0.7	15
110	Monitoring of anti-Xa activity and factors related to bleeding events: A study in Japanese patients with nonvalvular atrial fibrillation receiving rivaroxaban. <i>Journal of Cardiology</i> , 2017, 70, 244-249.	0.8	38
111	Comparison of Outcomes of Women Versus Men With Non-ST-elevation Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention (from the Japanese Nationwide Registry). <i>American Journal of Cardiology</i> , 2017, 119, 826-831.	0.7	36
112	Increased pre-procedural urinary microalbumin is associated with a risk for renal functional deterioration after coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2017, 230, 599-603.	0.8	5
113	Impact of nutritional assessment and body mass index on cardiovascular outcomes in patients with stable coronary artery disease. <i>International Journal of Cardiology</i> , 2017, 230, 653-658.	0.8	39
114	Impact of Skeletal Muscle Mass on Long-Term Adverse Cardiovascular Outcomes in Patients With Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2017, 119, 1275-1280.	0.7	67
115	Association between plaque characteristics and the amount of debris captured by a filter-type distal protection device in patients with acute coronary syndrome. <i>Atherosclerosis</i> , 2017, 258, 72-78.	0.4	4
116	Impact of Institutional and Operator Volume on Short-Term Outcomes of Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 918-927.	1.1	64
117	Clinical benefit of drugs targeting mitochondrial function as an adjunct to reperfusion in ST-segment elevation myocardial infarction: A meta-analysis of randomized clinical trials. <i>International Journal of Cardiology</i> , 2017, 244, 59-66.	0.8	21
118	Myocardial contractile reserve predicts left ventricular reverse remodeling and cardiac events in dilated cardiomyopathy. <i>Journal of Cardiology</i> , 2017, 70, 303-309.	0.8	9
119	Impact of Paradoxical Decrease in High-density Lipoprotein Cholesterol Levels After Statin Therapy on Major Adverse Cardiovascular Events in Patients with Stable Angina Pectoris. <i>Clinical Therapeutics</i> , 2017, 39, 279-287.	1.1	4
120	Urinary and circulating levels of the anti-angiogenic isoform of vascular endothelial growth factor-A in patients with chronic kidney disease. <i>Clinica Chimica Acta</i> , 2017, 475, 102-108.	0.5	6
121	Data on administration of cyclosporine, nicorandil, metoprolol on reperfusion related outcomes in ST-segment Elevation Myocardial Infarction treated with percutaneous coronary intervention. <i>Data in Brief</i> , 2017, 14, 197-205.	0.5	13
122	Relationship between pre-procedural microalbuminuria and renal functional changes after coronary computed tomography in diabetic patients. <i>Journal of Cardiology</i> , 2017, 69, 666-670.	0.8	5
123	Impact of Geriatric Nutritional Risk Index on cardiovascular outcomes in patients with stable coronary artery disease. <i>Journal of Cardiology</i> , 2017, 69, 383-388.	0.8	58
124	The combination assessment of lipid pool and thrombus by optical coherence tomography can predict the filter no-reflow in primary PCI for ST elevated myocardial infarction. <i>Medicine (United States)</i> , 2017, 96, e9297.	0.4	6
125	Nutrition Status Predicts Severity of Vascular Calcification in Non-Dialyzed Chronic Kidney Disease. <i>Circulation Journal</i> , 2017, 81, 316-321.	0.7	18
126	The Association of Ankle Brachial Index, Protein-Energy Wasting, and Inflammation Status with Cardiovascular Mortality in Patients on Chronic Hemodialysis. <i>Nutrients</i> , 2017, 9, 416.	1.7	33

#	ARTICLE	IF	CITATIONS
127	Influence of False Lumen Status on the Prognosis of Acute Type A Aortic Dissection without Urgent Surgical Treatment. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 169-175.	0.9	1
128	The Effect of Carpal Tunnel Release on Neuropathic Pain in Carpal Tunnel Syndrome. <i>Pain Research and Management</i> , 2017, 2017, 1-8.	0.7	5
129	Impact of Renal Functional/Morphological Dynamics on the Calcification of Coronary and Abdominal Arteries in Patients with Chronic Kidney Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 1092-1104.	0.9	9
130	Decreased Serum Albumin Predicts Bleeding Events in Patients on Antiplatelet Therapy After Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2017, 81, 999-1005.	0.7	14
131	Early Spontaneous Remission of Intramyocardial Dissecting Hematoma. <i>Internal Medicine</i> , 2017, 56, 1067-1070.	0.3	5
132	Impact of Coronary Stent Fracture on Restenotic Neointimal Tissue Characterization After Drug-Eluting Stent Implantation. <i>International Heart Journal</i> , 2017, 58, 861-867.	0.5	5
133	Lipid-Lowering Therapy With Monoclonal Antibodies to Proprotein Convertase Subtilisin-Kexin Type 9 Lessons From Recent Clinical Trials. <i>Circulation Journal</i> , 2017, 81, 1386-1387.	0.7	2
134	Predictive Value of Aortic Valve Calcification for Periprocedural Myocardial Injury in Patients Undergoing Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 487-494.	0.9	4
135	Relationship between Individual External Doses, Ambient Dose Rates and Individuals' Activity-Patterns in Affected Areas in Fukushima following the Fukushima Daiichi Nuclear Power Plant Accident. <i>PLoS ONE</i> , 2016, 11, e0158879.	1.1	36
136	Incidence and Determinants of Complications in Rotational Atherectomy. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	88
137	Unfractionated Heparin during the Interruption of Antiplatelet Therapy for Non-cardiac Surgery after Drug-eluting Stent Implantation. <i>Internal Medicine</i> , 2016, 55, 333-337.	0.3	5
138	Clinical characteristics of patients hospitalized for acute heart failure according to hospital arrival timing. <i>Journal of Cardiology</i> , 2016, 68, 379-383.	0.8	1
139	Predictors of early graft failure after coronary artery bypass grafting for chronic total occlusion. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 23, 142-149.	0.5	33
140	Reverse association of omega-3/omega-6 polyunsaturated fatty acids ratios with carotid atherosclerosis in patients on hemodialysis. <i>Atherosclerosis</i> , 2016, 249, 65-69.	0.4	27
141	Impacts of nicorandil on infarct myocardium in comparison with nitrate: assessed by cardiac magnetic resonance imaging. <i>Heart and Vessels</i> , 2016, 31, 1430-1437.	0.5	21
142	Sunday 28 August 2016. <i>European Heart Journal</i> , 2016, 37, 191-598.	1.0	9
143	Endomyocardial radial strain rate imaging during dobutamine stress echocardiography for the evaluation of contractile reserve in patients with dilated cardiomyopathy. <i>Journal of Clinical Ultrasound</i> , 2016, 44, 555-560.	0.4	7
144	Bypass Surgery Versus Endovascular Therapy in Chronic Hemodialysis Patients With CLI Due to Infringuinal Disease. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1601-1602.	1.2	5

#	ARTICLE	IF	CITATIONS
145	Increased expression of the adipocytokine omentin in the epicardial adipose tissue of coronary artery disease patients. <i>Atherosclerosis</i> , 2016, 251, 299-304.	0.4	42
146	Predictors of abdominal aortic calcification progression in patients with chronic kidney disease without hemodialysis. <i>Atherosclerosis</i> , 2016, 253, 15-21.	0.4	17
147	Impact of adipose tissue composition on cardiovascular risk assessment in patients with stable coronary artery disease. <i>Atherosclerosis</i> , 2016, 251, 206-212.	0.4	7
148	Impact of circulating cathepsin K on the coronary calcification and the clinical outcome in chronic kidney disease patients. <i>Heart and Vessels</i> , 2016, 31, 6-14.	0.5	18
149	Prognostic Value of Albuminuria on Cardiovascular Outcomes After Elective Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 117, 714-719.	0.7	7
150	Lipoprotein(a) levels predict adverse vascular events after acute myocardial infarction. <i>Heart and Vessels</i> , 2016, 31, 1923-1929.	0.5	24
151	Relationship between abdominal aortic and coronary artery calcification as detected by computed tomography in chronic kidney disease patients. <i>Heart and Vessels</i> , 2016, 31, 1030-1037.	0.5	31
152	Treatment with cilostazol improves clinical outcome after endovascular therapy in hemodialysis patients with peripheral artery disease. <i>Journal of Cardiology</i> , 2016, 67, 199-204.	0.8	12
153	Progression from stenosis to occlusion in the proximal native coronary artery after coronary artery bypass grafting. <i>Heart and Vessels</i> , 2016, 31, 1056-1060.	0.5	9
154	Associations between proteinuria and cardiovascular risk factors among hypertensive patients in Andkhoy, Afghanistan. <i>Nagoya Journal of Medical Science</i> , 2016, 78, 377-386.	0.6	1
155	Assessment of In-Stent Restenosis Using High-Definition Computed Tomography With a New Gemstone Detector. <i>Circulation Journal</i> , 2015, 79, 1542-1548.	0.7	2
156	Association of Estimated Glomerular Filtration Rate and Proteinuria With Lipid-Rich Plaque in Coronary Artery Disease. <i>Circulation Journal</i> , 2015, 79, 2263-2270.	0.7	8
157	How Can We Improve Prognosis in Patients With Acute Myocardial Infarction? "Lesson From Patients Without Primary Percutaneous Coronary Intervention". <i>Circulation Journal</i> , 2015, 79, 1900-1901.	0.7	1
158	Acute Thrombotic Occlusion of a Giant Right Coronary Artery Aneurysm. <i>Journal of Cardiac Surgery</i> , 2015, 30, 436-437.	0.3	1
159	Impact of Admission Anemia on Coronary Microcirculation and Clinical Outcomes in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2015, 56, 381-388.	0.5	15
160	Clinical Characteristics and Long-Term Outcomes of Hypertrophic Cardiomyopathy. <i>International Heart Journal</i> , 2015, 56, 415-420.	0.5	16
161	SP304IMPACT OF NON-INVASIVE CARDIOVASCULAR SCREENING PROGRAMS AS A PREDICTOR OF CARDIOVASCULAR EVENTS AMONG ASYMPTOMATIC CHRONIC KIDNEY DISEASE PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii479-iii480.	0.4	0
162	Relation Between Paradoxical Decrease in High-Density Lipoprotein Cholesterol Levels After Statin Therapy and Adverse Cardiovascular Events in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015, 115, 411-416.	0.7	10

#	ARTICLE	IF	CITATIONS
163	Clinical outcome after infrapopliteal bypass surgery in chronic hemodialysis patients with critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2015, 61, 400-404.	0.6	45
164	Impact of low-grade albuminuria on left ventricular diastolic dysfunction. <i>IJC Metabolic &amp; Endocrine</i> , 2015, 6, 13-16.	0.5	3
165	Pd(O)-mediated [11C]carbonylation of aryl and heteroaryl boronic acid pinacol esters with [11C]carbon monoxide under ambient conditions and a facile process for the conversion of [carbonyl-11C]esters to [carbonyl-11C]amides. <i>Tetrahedron</i> , 2015, 71, 1588-1596.	1.0	20
166	Impact of the statin escape phenomenon on long-term clinical outcomes in patients with acute myocardial infarction: Subgroup analysis of the Nagoya Acute Myocardial Infarction Study (NAMIS). <i>Atherosclerosis</i> , 2015, 242, 155-160.	0.4	4
167	Protective effects of n-3 polyunsaturated fatty acids levels in patients with acute myocardial infarction – A new target to prevent reperfusion injury. <i>Journal of Cardiology</i> , 2015, 66, 97-98.	0.8	2
168	Evaluation of dose from external irradiation for individuals living in areas affected by the Fukushima Daiichi Nuclear Plant accident. <i>Radiation Protection Dosimetry</i> , 2015, 163, 353-361.	0.4	41
169	Impact of cigarette smoking on coronary plaque composition. <i>Coronary Artery Disease</i> , 2015, 26, 60-65.	0.3	19
170	Impact of abdominal aortic calcification on long-term cardiovascular outcomes in patients with chronic kidney disease. <i>Atherosclerosis</i> , 2015, 243, 349-355.	0.4	46
171	Impact of Airflow Limitation on Carotid Atherosclerosis in Coronary Artery Disease Patients. <i>Respiration</i> , 2015, 89, 322-328.	1.2	7
172	Application of the newly developed Japanese adenosine normal database for adenosine stress myocardial scintigraphy. <i>Annals of Nuclear Medicine</i> , 2015, 29, 730-739.	1.2	0
173	Inverse association between diabetes and aortic dilatation in patients with advanced coronary artery disease. <i>Atherosclerosis</i> , 2015, 242, 123-127.	0.4	15
174	Can lipid profiles predict clinical outcomes in hemodialysis patients with ischemic heart disease?. <i>Journal of Cardiology</i> , 2015, 65, 87-88.	0.8	2
175	Synthesis of a Vpr-Binding Derivative for Use as a Novel HIV-1 Inhibitor. <i>PLoS ONE</i> , 2015, 10, e0145573.	1.1	5
176	Early Phase Arterial Reaction Following Drug-Eluting and Bare-Metal Stent Implantation in Patients With ST-Segment Elevation Myocardial Infarction. <i>International Heart Journal</i> , 2015, 56, 389-394.	0.5	9
177	Prevalence of Esophageal Cancer in the Northern Part of Afghanistan. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 15, 10981-10984.	0.5	11
178	Recovery of Flow-Mediated Vasodilatation after Repetitive Measurements Is Involved in Early Vascular Impairment: Comparison with Indices of Vascular Tone. <i>PLoS ONE</i> , 2014, 9, e83977.	1.1	9
179	Evaluation for Hypoperfusion Distal to Arteriovenous Vascular Access Using Skin Perfusion Pressure in Fingers. <i>Journal of Vascular Access</i> , 2014, 15, 29-32.	0.5	1
180	Practical Approach to Evaluate Asymptomatic Coronary Artery Disease in End-stage Renal Disease Patients at the Initiation of Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2014, 18, 167-173.	0.4	1

#	ARTICLE	IF	CITATIONS
181	CLINICAL CHARACTERISTICS OF NEUROPATHIC PAIN IN PATIENTS WITH CARPAL TUNNEL SYNDROME. <i>Hand Surgery</i> , 2014, 19, 43-48.	0.6	20
182	Epicardial fat volume correlates with severity of coronary artery disease in nonobese patients. <i>Journal of Cardiovascular Medicine</i> , 2014, 15, 384-390.	0.6	27
183	Impact of serum bilirubin levels on carotid atherosclerosis in patients with coronary artery disease. <i>IJC Metabolic &amp; Endocrine</i> , 2014, 5, 24-27.	0.5	8
184	Impact of Albuminuria on the Incidence of Periprocedural Myocardial Injury in Patients Undergoing Elective Coronary Stent Implantation. <i>American Journal of Cardiology</i> , 2014, 114, 42-46.	0.7	9
185	Geriatric nutritional risk index accurately predicts cardiovascular mortality in incident hemodialysis patients. <i>Journal of Cardiology</i> , 2014, 64, 32-36.	0.8	90
186	Relation of omega-3 fatty acid and C-reactive protein to peripheral artery disease in patients with coronary artery disease. <i>Heart and Vessels</i> , 2014, 29, 449-455.	0.5	18
187	Accelerated decline in renal function after acute myocardial infarction in patients with high low-density lipoprotein-cholesterol to high-density lipoprotein-cholesterol ratio. <i>Heart and Vessels</i> , 2014, 29, 7-14.	0.5	4
188	Prognostic impact of lipid contents on the target lesion in patients with drug eluting stent implantation. <i>Heart and Vessels</i> , 2014, 29, 761-768.	0.5	10
189	Impact of coronary stent designs on acute stent recoil. <i>Journal of Cardiology</i> , 2014, 64, 347-352.	0.8	30
190	Impact of abdominal and epicardial fat on the association between plasma adipocytokine levels and coronary atherosclerosis in non-obese patients. <i>Atherosclerosis</i> , 2014, 237, 671-676.	0.4	26
191	The different association of epicardial fat with coronary plaque in patients with acute coronary syndrome and patients with stable angina pectoris: Analysis using integrated backscatter intravascular ultrasound. <i>Atherosclerosis</i> , 2014, 236, 301-306.	0.4	14
192	Temporary Adjunctive Cilostazol vs Clopidogrel Loading for ST-segment Elevation Acute Myocardial Infarction. <i>American Journal of Cardiovascular Drugs</i> , 2014, 14, 131-136.	1.0	3
193	Impact of diabetic retinopathy on late cardiac events after percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2014, 64, 175-178.	0.8	3
194	Impact of chronic obstructive pulmonary disease on composition of left main coronary artery plaque with intermediate stenosis. <i>International Journal of Cardiology</i> , 2014, 174, 865-866.	0.8	2
195	The risk of adverse cardiac events following minor surgery under discontinuation of all antiplatelet therapy in patients with prior drug-eluting stent implantation. <i>International Journal of Cardiology</i> , 2014, 172, e125-e126.	0.8	3
196	Influence of the false lumen status on clinical outcomes in patients with acute type B aortic dissection. <i>Journal of Vascular Surgery</i> , 2014, 59, 321-326.	0.6	50
197	Novel preprocedural and acute-phase postprocedural predictive factors for contrast-induced kidney injury in CKD patients. <i>International Journal of Cardiology</i> , 2014, 172, e293-e296.	0.8	9
198	Synthesis of <sup>11</sup> C-labeled retinoic acid, [ <sup>11</sup> C]ATRA, via an alkenylboron precursor by Pd(0)-mediated rapid C-[ <sup>11</sup> C]methylation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 3622-3625.	1.0	14

#	ARTICLE	IF	CITATIONS
199	Impact of Sitagliptin on Carotid Intima-Media Thickness in Patients With Coronary Artery Disease and Impaired Glucose Tolerance or Mild Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2014, 114, 384-388.	0.7	50
200	Emergency Care for Acute Myocardial Infarction in Disasters. <i>Circulation Journal</i> , 2014, 78, 586-587.	0.7	2
201	Long-Term Clinical Outcome After Surgical or Percutaneous Coronary Revascularization in Hemodialysis Patients. <i>Circulation Journal</i> , 2014, 78, 986-992.	0.7	35
202	Minimizing Contrast Dose According to Estimated Glomerular Filtration Rate. <i>Circulation Journal</i> , 2014, 78, 59-60.	0.7	0
203	Plasma Indoxyl Sulfate and Estimated Glomerular Filtration Rate. <i>Circulation Journal</i> , 2014, 78, 2477-2482.	0.7	19
204	Effects of polyunsaturated fatty acids on periprocedural myocardial infarction after elective percutaneous coronary intervention. <i>EuroIntervention</i> , 2014, 10, 792-798.	1.4	8
205	Association of inflammatory markers with the morphology and extent of coronary plaque as evaluated by 64-slice multidetector computed tomography in patients with stable coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1149-1158.	0.7	16
206	Impact of the circadian rhythm on microvascular function in patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 168, 4948-4949.	0.8	4
207	Prognostic impact of concurrence of metabolic syndrome and chronic kidney disease in patients undergoing coronary intervention: Involvement of coronary plaque composition. <i>Journal of Cardiology</i> , 2013, 61, 189-195.	0.8	16
208	Comparison of tissue characteristic between left main and non-left main coronary artery lesions "Assessment using integrated backscatter intravascular ultrasound. <i>International Journal of Cardiology</i> , 2013, 167, 613-617.	0.8	1
209	Circulating cathepsin K as a potential novel biomarker of coronary artery disease. <i>Atherosclerosis</i> , 2013, 228, 211-216.	0.4	49
210	Indoxyl sulfate, a uremic toxin, and carotid intima-media thickness in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2013, 163, 214-216.	0.8	22
211	Relation of Plasma Indoxyl Sulfate Levels and Estimated Glomerular Filtration Rate to Left Ventricular Diastolic Dysfunction. <i>American Journal of Cardiology</i> , 2013, 111, 712-716.	0.7	48
212	Serum albumin and C-reactive protein levels predict clinical outcome in hemodialysis patients undergoing endovascular therapy for peripheral artery disease. <i>Atherosclerosis</i> , 2013, 227, 130-134.	0.4	29
213	Sirolimus- vs. paclitaxel-eluting stent to coronary intervention in dialysis patients. <i>International Journal of Cardiology</i> , 2013, 165, 533-536.	0.8	12
214	Association of Cardiac Valvular Calcifications and C-Reactive Protein With Cardiovascular Mortality in Incident Hemodialysis Patients: A Japanese Cohort Study. <i>American Journal of Kidney Diseases</i> , 2013, 61, 254-261.	2.1	49
215	Impact of Angiotensin II Receptor Blocker Therapy (Olmesartan or Valsartan) on Coronary Atherosclerotic Plaque Volume Measured by Intravascular Ultrasound in Patients With Stable Angina Pectoris. <i>American Journal of Cardiology</i> , 2013, 112, 363-368.	0.7	8
216	Association of cardiorespiratory fitness with characteristics of coronary plaque: Assessment using integrated backscatter intravascular ultrasound and optical coherence tomography. <i>International Journal of Cardiology</i> , 2013, 162, 123-128.	0.8	23

#	ARTICLE	IF	CITATIONS
217	Comparison of haemodialysis and non-haemodialysis patients in 6-year clinical outcomes after iliac artery stenting. <i>European Heart Journal</i> , 2013, 34, P2207-P2207.	1.0	0
218	Association of geriatric nutritional risk index and C-reactive protein with cardiovascular morbidity in end-stage renal disease patients who just began hemodialysis therapy. <i>European Heart Journal</i> , 2013, 34, 4357-4357.	1.0	1
219	Treatment with cilostazol prevents incidence of stroke in haemodialysis patients with peripheral artery disease: propensity score-adjusted analysis. <i>European Heart Journal</i> , 2013, 34, P388-P388.	1.0	0
220	First-generation vs. second-generation drug-eluting stent to coronary intervention in hemodialysis patients. <i>European Heart Journal</i> , 2013, 34, 850-850.	1.0	1
221	Prognostic significance of insulin treatment on clinical cardiovascular outcomes in diabetic patients who underwent elective PCI using drug-eluting stents. <i>European Heart Journal</i> , 2013, 34, P4294-P4294.	1.0	0
222	Differences in tissue characterization of restenotic neointima between sirolimus-eluting stent and bare-metal stent: integrated backscatter intravascular ultrasound analysis for in-stent restenosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 996-1001.	0.5	13
223	Long-Term Outcome of Drug-Eluting vs. Bare-Metal Stents in Patients With Acute Myocardial Infarction. <i>Circulation Journal</i> , 2013, 77, 2024-2031.	0.7	10
224	Impact of Adiponectin and Leptin on Long-Term Adverse Events in Japanese Patients With Acute Myocardial Infarction. <i>Circulation Journal</i> , 2013, 77, 2778-2785.	0.7	22
225	Coronary Subclavian Steal from a Left Internal Thoracic Artery Coronary Bypass Graft due to Ipsilateral Subclavian Artery Stenosis and an Arteriovenous Graft in a Hemodialysis Patient with Left Vertebral Artery Occlusion. <i>Internal Medicine</i> , 2013, 52, 1195-1198.	0.3	10
226	Multiple biomarkers improve the prediction of cardiovascular mortality in patients on chronic hemodialysis. <i>European Heart Journal</i> , 2013, 34, P5155-P5155.	1.0	0
227	Noble pre-procedural and acute phase post-procedural predictions for contrast induced kidney injury in chronic kidney disease patients. <i>European Heart Journal</i> , 2013, 34, P5447-P5447.	1.0	0
228	Diabetes With Preserved Renal Function Is an Independent Risk Factor for Renal Function Deterioration After Coronary Computed Tomography Angiography. <i>Journal of Computer Assisted Tomography</i> , 2013, 37, 750-754.	0.5	11
229	Post-Stress Perfusion Abnormalities Detected on Myocardial Perfusion Single-Photon Emission Computed Tomography Predict Long-Term Mortality After Elective Abdominal Aortic Aneurysm Repair. <i>Circulation Journal</i> , 2013, 77, 1229-1234.	0.7	1
230	Renal Dysfunction and Atherosclerosis of the Neointima following Bare Metal Stent Implantation. <i>American Journal of Nephrology</i> , 2013, 38, 58-65.	1.4	6
231	Impact of chronic kidney disease on a re-percutaneous coronary intervention for sirolimus-eluting stent restenosis. <i>Coronary Artery Disease</i> , 2012, 23, 528-532.	0.3	9
232	Nonlinear Measures of Heart Rate Variability and Mortality Risk in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1454-1460.	2.2	66
233	Combined Values of Serum Albumin, C-Reactive Protein and Body Mass Index at Dialysis Initiation Accurately Predicts Long-Term Mortality. <i>American Journal of Nephrology</i> , 2012, 36, 136-143.	1.4	39
234	Effects of Carperitide on Contrast-Induced Acute Kidney Injury with a Minimum Volume of Contrast in Chronic Kidney Disease Patients. <i>Nephron Extra</i> , 2012, 2, 303-310.	1.1	10

#	ARTICLE	IF	CITATIONS
235	Impact of chronic kidney disease on the incidence of peri-procedural myocardial injury in patients undergoing elective stent implantation. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1059-1063.	0.4	17
236	Sirolimus-Eluting Stent vs. Everolimus-Eluting Stent for Coronary Intervention in Patients on Chronic Hemodialysis. <i>Circulation Journal</i> , 2012, 76, 351-355.	0.7	41
237	Impact of Low Levels of Vascular Endothelial Growth Factor After Myocardial Infarction on 6-Month Clinical Outcome. <i>Circulation Journal</i> , 2012, 76, 1509-1516.	0.7	33
238	Impact of Metabolic Syndrome on Various Aspects of Microcirculation and Major Adverse Cardiac Events in Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2012, 76, 1972-1979.	0.7	21
239	Percutaneous Coronary Intervention With Bare Metal Stent vs. Drug-Eluting Stent in Hemodialysis Patients. <i>Circulation Journal</i> , 2012, 76, 1609-1615.	0.7	28
240	Association of Plasma Omega-3 to Omega-6 Polyunsaturated Fatty Acid Ratio with Complexity of Coronary Artery Lesion. <i>Internal Medicine</i> , 2012, 51, 1009-1014.	0.3	27
241	Impact of the first-generation drug-eluting stent implantation on periprocedural myocardial injury in patients with stable angina pectoris. <i>Journal of Cardiology</i> , 2012, 60, 264-269.	0.8	7
242	Comparison of early outcomes after primary stenting in Japanese patients with acute myocardial infarction between clopidogrel and ticlopidine in concomitant use with proton-pump inhibitor. <i>Journal of Cardiology</i> , 2012, 60, 7-11.	0.8	3
243	Predictors of worsening renal function after computed tomography coronary angiography: Assessed by cystatin C. <i>Journal of Cardiovascular Computed Tomography</i> , 2012, 6, 31-36.	0.7	6
244	Impact of Insulin Resistance on Post-Procedural Myocardial Injury and Clinical Outcomes in Patients Who Underwent Elective Coronary Interventions With Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 1159-1167.	1.1	49
245	Synthesis of [ <sup>11</sup> C]Am80 via Novel Pd(0)-Mediated Rapid [ <sup>11</sup> C]Carbonylation Using Arylboronate and [ <sup>11</sup> C]Carbon Monoxide. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 804-807.	1.3	34
246	Impact of pitavastatin on high-sensitivity C-reactive protein and adiponectin in hypercholesterolemic patients with the metabolic syndrome: The PREMIUM Study. <i>Journal of Cardiology</i> , 2012, 60, 389-394.	0.8	25
247	Impact of diabetes and glycaemic control on peripheral artery disease in Japanese patients with end-stage renal disease: long-term follow-up study from the beginning of haemodialysis. <i>Diabetologia</i> , 2012, 55, 1304-1309.	2.9	19
248	Impact of Plaque Burden in the Left Main Coronary Artery Determined by Intravascular Ultrasound on Cardiovascular Events in a Japanese Population Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2012, 109, 352-358.	0.7	8
249	Disruption of Atherosclerotic Neointima as a Cause of Very Late Stent Thrombosis After Bare Metal Stent Implantation. <i>American Journal of Cardiology</i> , 2012, 109, 448-449.	0.7	3
250	Relation Between Estimated Glomerular Filtration Rate and Composition of Coronary Arterial Atherosclerotic Plaques. <i>American Journal of Cardiology</i> , 2012, 109, 1131-1136.	0.7	25
251	Synthesis and biological evaluation of deoxy-hematoxylin derivatives as a novel class of anti-HIV-1 agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 1469-1474.	1.0	19
252	Atorvastatin 10mg plus ezetimibe 10mg compared with atorvastatin 20mg: Impact on the lipid profile in Japanese patients with abnormal glucose tolerance and coronary artery disease. <i>Journal of Cardiology</i> , 2012, 59, 50-56.	0.8	42

#	ARTICLE	IF	CITATIONS
253	Morphologic characterization and quantification of superficial calcifications of the coronary artery-in vivo assessment using optical coherence tomography. Nagoya Journal of Medical Science, 2012, 74, 253-9.	0.6	3
254	Importance of oral fluid intake after coronary computed tomography angiography: An observational study. European Journal of Radiology, 2011, 77, 118-122.	1.2	27
255	Accuracy of 64-slice multidetector computed tomography for classification and quantitation of coronary plaque: Comparison with integrated backscatter intravascular ultrasound. International Journal of Cardiology, 2011, 149, 95-101.	0.8	23
256	Platelet activation and induction of tissue factor in acute and chronic atrial fibrillation: Involvement of mononuclear cell-platelet interaction. Thrombosis Research, 2011, 128, e113-e118.	0.8	41
257	Impact of omega-3 polyunsaturated fatty acids on coronary plaque instability: An integrated backscatter intravascular ultrasound study. Atherosclerosis, 2011, 218, 110-116.	0.4	73
258	Ankle brachial pressure index but not brachial-ankle pulse wave velocity is a strong predictor of systemic atherosclerotic morbidity and mortality in patients on maintenance hemodialysis. Atherosclerosis, 2011, 219, 643-647.	0.4	40
259	Cystatin C. Journal of Computer Assisted Tomography, 2011, 35, 240-245.	0.5	13
260	Lipid-Rich Plaques Predict Non-Target-Lesion Ischemic Events in Patients Undergoing Percutaneous Coronary Intervention. Circulation Journal, 2011, 75, 157-166.	0.7	43
261	Comparison of Tissue Characteristics Between Acute Coronary Syndrome and Stable Angina Pectoris - An Integrated Backscatter Intravascular Ultrasound Analysis of Culprit and Non-Culprit Lesions -. Circulation Journal, 2011, 75, 383-390.	0.7	40
262	Impact of the Low- to High-Density Lipoprotein Cholesterol Ratio on Composition of Angiographically Ambiguous Left Main Coronary Artery Plaque. Circulation Journal, 2011, 75, 1960-1967.	0.7	18
263	Cardiac 64-Multislice Computed Tomography Reveals Increased Epicardial Fat Volume in Patients With Acute Coronary Syndrome. American Journal of Cardiology, 2011, 108, 1119-1123.	0.7	57
264	Association of Adiponectin with Carotid Arteriosclerosis in Predialysis Chronic Kidney Disease. American Journal of Nephrology, 2011, 34, 249-255.	1.4	24
265	Volumetric Analysis of Coronary Plaque Characterization in Patients With Metabolic Syndrome Using 64-Slice Multi-Detector Computed Tomography. Circulation Journal, 2010, 74, 2146-2151.	0.7	16
266	Effects of oral cilostazol 100 mg BID on long-term patency after percutaneous transluminal angioplasty in patients with femoropopliteal disease undergoing hemodialysis: A retrospective chart review in Japanese patients. Clinical Therapeutics, 2010, 32, 24-33.	1.1	20
267	Impact of acarbose on carotid intima-media thickness in patients with newly diagnosed impaired glucose tolerance or mild type 2 diabetes mellitus: A one-year, prospective, randomized, open-label, parallel-group study in Japanese adults with established coronary artery disease. Clinical Therapeutics, 2010, 32, 1610-1617.	1.1	43
268	Comparison of Atorvastatin 5 and 20 mg/d for Reducing F-18 Fluorodeoxyglucose Uptake in Atherosclerotic Plaques on Positron Emission Tomography/Computed Tomography: A Randomized, Investigator-Blinded, Open-Label, 6-Month Study in Japanese Adults Scheduled for Percutaneous Coronary Intervention. Clinical Therapeutics, 2010, 32, 2337-2347.	1.1	76
269	Optical Coherence Tomography Images of a Coronary Artery Aneurysm in an Infarct-Related Artery 6 Months After Bare-Metal Stent Implantation. JACC: Cardiovascular Interventions, 2010, 3, 1300-1302.	1.1	2
270	Prognostic Value of Reduced Left Ventricular Ejection Fraction at Start of Hemodialysis Therapy on Cardiovascular and All-Cause Mortality in End-Stage Renal Disease Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1793-1798.	2.2	88

#	ARTICLE	IF	CITATIONS
271	Impact of renal function on coronary plaque composition. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 175-181.	0.4	55
272	The Association Between Plaque Characterization by CT Angiography and Post-Procedural Myocardial Infarction in Patients With Elective Stent Implantation. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 19-28.	2.3	61
273	Prognostic values of C-reactive protein levels on clinical outcome after endovascular therapy in hemodialysis patients with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2010, 52, 854-859.	0.6	20
274	Use of landiolol hydrochloride, a new $\beta_2$ -blocker, in coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2010, 139, 196-198.	0.8	6
275	Correlation between circulating adiponectin levels and coronary plaque regression during aggressive lipid-lowering therapy in patients with acute coronary syndrome: Subgroup analysis of JAPAN-ACS study. <i>Atherosclerosis</i> , 2010, 212, 237-242.	0.4	24
276	Prognostic Values of C-Reactive Protein Levels on Clinical Outcome After Implantation of Sirolimus-Eluting Stents in Patients on Hemodialysis. <i>Circulation: Cardiovascular Interventions</i> , 2009, 2, 513-518.	1.4	35
277	Aortic valvular calcification predicts restenosis after implantation of drug-eluting stents in patients on chronic haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1562-1567.	0.4	13
278	Impact of long-term statin treatment on coronary plaque composition at angiographically severe lesions: A nonrandomized study of the history of long-term statin treatment before coronary angioplasty. <i>Clinical Therapeutics</i> , 2009, 31, 64-73.	1.1	20
279	Intracoronary Electrocardiogram Recording With a Bare-Wire System. <i>JACC: Cardiovascular Interventions</i> , 2009, 2, 127-135.	1.1	23
280	Reduced LV-EF at Inducting of Hemodialysis Therapy Stratify The Risk of Cardiovascular and All-cause Mortality in End-Stage Renal Disease Patients. <i>Journal of Cardiac Failure</i> , 2009, 15, S156.	0.7	0
281	Protection against $\beta$ -amyloid induced abnormal synaptic function and cell death by Ginkgolide J. <i>Neurobiology of Aging</i> , 2009, 30, 257-265.	1.5	38
282	Nitinol stenting improves primary patency of the superficial femoral artery after percutaneous transluminal angioplasty in hemodialysis patients: A propensity-matched analysis. <i>Journal of Vascular Surgery</i> , 2009, 50, 1057-1062.	0.6	21
283	Three-year prognosis of Japanese patients with ST-elevation myocardial infarction treated with sirolimus-eluting stents. <i>Coronary Artery Disease</i> , 2009, 20, 422-427.	0.3	11
284	Abnormal Glucose Regulation Is Associated With Lipid-Rich Coronary Plaque. <i>JACC: Cardiovascular Imaging</i> , 2008, 1, 39-45.	2.3	65
285	Effects of reduced coronary flow reserve on left ventricular function in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, 98-103.	1.1	16
286	Cilostazol Improves Long-Term Patency after Percutaneous Transluminal Angioplasty in Hemodialysis Patients with Peripheral Artery Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1034-1040.	2.2	48
287	The correlation between lipid volume in the target lesion, measured by integrated backscatter intravascular ultrasound, and post-procedural myocardial infarction in patients with elective stent implantation. <i>European Heart Journal</i> , 2008, 29, 1714-1720.	1.0	80
288	Long-term outcome of percutaneous transluminal angioplasty in chronic haemodialysis patients with peripheral arterial disease. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3996-4001.	0.4	66

#	ARTICLE	IF	CITATIONS
289	Low circulating CD34+ cell count is associated with poor prognosis in chronic hemodialysis patients. <i>Kidney International</i> , 2008, 74, 1603-1609.	2.6	55
290	Pharmacological Intervention for Prevention of Left Ventricular Remodeling and Improving Prognosis in Myocardial Infarction. <i>Circulation</i> , 2008, 118, 2710-2718.	1.6	53
291	Sirolimus-Eluting Stents vs Bare Metal Stents for Coronary Intervention in Japanese Patients With Renal Failure on Hemodialysis. <i>Circulation Journal</i> , 2008, 72, 56-60.	0.7	96
292	Feasibility of Intravenous Administration of Landiolol Hydrochloride for Multislice Computed Tomography Coronary Angiography Initial Experience. <i>Circulation Journal</i> , 2008, 72, 1814-1820.	0.7	11
293	Pharmacological Prevention of Peri-, and Post-Procedural Myocardial Injury in Percutaneous Coronary Intervention. <i>Current Cardiology Reviews</i> , 2008, 4, 223-230.	0.6	6
294	Efficacy of oral nicorandil in patients with end-stage renal disease: A retrospective chart review after coronary angioplasty in japanese patients receiving hemodialysis. <i>Clinical Therapeutics</i> , 2007, 29, 110-122.	1.1	19
295	Impact of Metabolic Syndrome on Tissue Characteristics of Angiographically Mild to Moderate Coronary Lesions. <i>Journal of the American College of Cardiology</i> , 2007, 49, 1149-1156.	1.2	73
296	Effect of Intravenous Nicorandil and Preexisting Angina Pectoris on Short- and Long-Term Outcomes in Patients With a First ST-Segment Elevation Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2007, 99, 1203-1207.	0.7	16
297	The Absolute Configuration of 1-(3 $\beta$ ,4 $\beta$ -Dihydroxycinnamoyl)cyclopentane-2,3-diol from the Amazonian Tree <i>Chimarrhobolus turbinata</i> . <i>Journal of Natural Products</i> , 2006, 69, 1046-1050.	1.5	16
298	Effects of receipt of chronic statin therapy before the onset of acute myocardial infarction: A retrospective study in patients undergoing primary percutaneous coronary intervention. <i>Clinical Therapeutics</i> , 2006, 28, 1812-1819.	1.1	27
299	Impact of Plasma Aldosterone Levels for Prediction of In-Stent Restenosis. <i>American Journal of Cardiology</i> , 2006, 97, 785-788.	0.7	18
300	Regioselective Anodic Monofluorination of Ethers, Lactones, Carbonates, and Esters Using Ionic Liquid Fluoride Salts. <i>Journal of the Electrochemical Society</i> , 2006, 153, D162.	1.3	37
301	Comparison of Percutaneous Coronary Intervention with Medication in the Treatment of Coronary Artery Disease in Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2322-2332.	3.0	54
302	Effects of Intravenous Nicorandil Before Reperfusion for Acute Myocardial Infarction in Patients With Stress Hyperglycemia. <i>Diabetes Care</i> , 2006, 29, 202-206.	4.3	41
303	Chiral recognition of cyclic $\beta$ -hydroxyketones by CD-sensitive zinc tetraphenylporphyrin tweezer. <i>Chirality</i> , 2005, 17, 305-315.	1.3	26
304	Impact of a Single Intravenous Administration of Nicorandil Before Reperfusion in Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation</i> , 2005, 112, 1284-1288.	1.6	207
305	Lactone-free ginkgolides via regioselective DIBAL-H reduction. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 3471.	1.5	11
306	Absolute Configuration of a Hydroxyfuranoid Acid from the Pelage of the Genus <i>Bos</i> , 18-(6S,9R,10R)-Bovodic Acid. <i>Journal of Natural Products</i> , 2004, 67, 1426-1430.	1.5	30

#	ARTICLE	IF	CITATIONS
307	Beneficial effect of rotational atherectomy with low platform speed on late outcomes. International Journal of Cardiology, 2003, , .	0.8	0
308	Selective anodic fluorination of phthalides in ionic liquids. Green Chemistry, 2003, 5, 512-515.	4.6	58
309	Electroorganic synthesis under solvent-free conditions. Highly regioselective anodic monofluorination of cyclic ethers, lactones, and a cyclic carbonate. Tetrahedron Letters, 2002, 43, 1503-1505.	0.7	69
310	Electrolytic Partial Fluorination of Organic Compounds. Part 41: Highly Selective Electrolytic Fluorination of Dimethoxyethane, its Homologues, and Crown Ethers. Tetrahedron, 2000, 56, 8877-8881.	1.0	24
311	Highly selective anodic monofluorination of 4-arylthio-1,3-dioxolan-2-ones: a marked solvent effect on product selectivity. Chemical Communications, 2000, , 1617-1618.	2.2	43
312	Electrolytic Partial Fluorination of Organic Compounds. 42.1Marked Solvent Effects on Regioselective Anodic Monofluorination of 4-Oxo-2-pyrimidyl Sulfides. Journal of Organic Chemistry, 2000, 65, 8685-8689.	1.7	50
313	Discrimination of atypical atrioventricular nodal reentrant tachycardia from atrial tachycardia by the Vâ€Aâ€Aâ€V response. PACE - Pacing and Clinical Electrophysiology, 0, , .	0.5	1