

# Sallie E Lamb

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9264147/publications.pdf>

Version: 2024-02-01

348  
papers

25,554  
citations

23544

58  
h-index

10441

139  
g-index

352  
all docs

352  
docs citations

352  
times ranked

27739  
citing authors

#	ARTICLE	IF	CITATIONS
1	Components, design and effectiveness of digital physical rehabilitation interventions for older people: A systematic review. <i>Journal of Telemedicine and Telecare</i> , 2022, 28, 162-176.	1.4	8
2	The Effect of Therapeutic Exercise Interventions on Physical and Psychosocial Outcomes in Adults Aged 80 Years and Older: A Systematic Review and Meta-Analysis. <i>Journal of Aging and Physical Activity</i> , 2022, 30, 517-534.	0.5	2
3	Surgical fixation with K-wires versus casting in adults with fracture of distal radius: DRAFFT2 multicentre randomised clinical trial. <i>BMJ, The</i> , 2022, 376, e068041.	3.0	8
4	Effects of a Home-Based Physical Training and Activity Promotion Program in Community-Dwelling Older Persons with Cognitive Impairment after Discharge from Rehabilitation: A Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 2435-2444.	1.7	5
5	Effect of an osteoporotic fracture prevention program on fracture incidence in routine care: a cluster-randomized trial. <i>BMC Medicine</i> , 2022, 20, 49.	2.3	4
6	Moulded cast compared with K-wire fixation after manipulation of an acute dorsally displaced distal radius fracture: the DRAFFT 2 RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-80.	1.3	2
7	Flexibility and resistance exercises versus usual care for improving pain and function after distal radius fracture in adults aged 50 years or over: protocol for the WISE randomised multicentre feasibility trial. <i>Pilot and Feasibility Studies</i> , 2022, 8, 55.	0.5	2
8	SWAT 110: Printing the primary outcome on Pink Paper versus standard paper to increase participant engagement to postal questionnaires (PEPPER). <i>Research Methods in Medicine &amp; Health Sciences</i> , 2022, 3, 49-54.	0.7	0
9	The Clinical Effectiveness of a Physiotherapy Delivered Physical and Psychological Group Intervention for Older Adults With Neurogenic Claudication: The BOOST Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 1654-1664.	1.7	9
10	Efficacy of Liposomal Bupivacaine and Bupivacaine Hydrochloride vs Bupivacaine Hydrochloride Alone as a Periarticular Anesthetic for Patients Undergoing Knee Replacement. <i>JAMA Surgery</i> , 2022, 157, 481.	2.2	12
11	Exercise to prevent shoulder problems after breast cancer surgery: the PROSPER RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-124.	1.3	9
12	P135 Lower limb muscle strength and balance in older adults with distal radius fracture: a systematic review. <i>Rheumatology</i> , 2022, 61, .	0.9	0
13	Anti-tumour necrosis factor therapy for early-stage Dupuytren's disease (RIDD): a phase 2b, randomised, double-blind, placebo-controlled trial. <i>Lancet Rheumatology, The</i> , 2022, 4, e407-e416.	2.2	10
14	Understanding prescribed dose in hand strengthening exercise for rheumatoid arthritis: A secondary analysis of the SARAH trial. <i>Musculoskeletal Care</i> , 2022, 20, 899-907.	0.6	2
15	The effectiveness of rehabilitation interventions including outdoor mobility on older adults' physical activity, endurance, outdoor mobility and falls-related self-efficacy: systematic review and meta-analysis. <i>Age and Ageing</i> , 2022, 51, .	0.7	10
16	Nonlinear Dynamic Measures of Walking in Healthy Older Adults: A Systematic Scoping Review. <i>Sensors</i> , 2022, 22, 4408.	2.1	3
17	Interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2021, 2021, CD007146.	1.5	1,914
18	Exercise Effects on Falls, Fractures, Hospitalizations, and Mortality in Older Adults With Dementia: An Individual-Level Patient Data Meta-analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, e203-e212.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Items for consideration in a reporting guideline for mediation analyses: a Delphi study. <i>BMJ Evidence-Based Medicine</i> , 2021, 26, 106-106.	1.7	8
20	Characteristics of L-PRP preparations for treating Achilles tendon rupture within the PATH-2 study. <i>Platelets</i> , 2021, 32, 273-279.	1.1	8
21	The findings of a surgical hip fracture trial were generalizable to the UK national hip fracture database. <i>Journal of Clinical Epidemiology</i> , 2021, 131, 141-151.	2.4	3
22	The evidence for cognitive behavioural therapy in any condition, population or context: a meta-review of systematic reviews and panoramic meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 21-29.	2.7	46
23	Identification of subgroup effect with an individual participant data meta-analysis of randomised controlled trials of three different types of therapist-delivered care in low back pain. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 191.	0.8	4
24	Cognitive behavioural therapy for a variety of conditions: an overview of systematic reviews and panoramic meta-analysis. <i>Health Technology Assessment</i> , 2021, 25, 1-378.	1.3	22
25	The Severe Asthma Questionnaire: sensitivity to change and minimal clinically important difference. <i>European Respiratory Journal</i> , 2021, 57, 2100300.	3.1	5
26	Factors associated with persistent opioid use after an upper extremity fracture. <i>Bone &amp; Joint Open</i> , 2021, 2, 119-124.	1.1	8
27	Monitoring, implementation and reporting of interventions in a selection of trials assessing exercise therapy for the management of shoulder subacromial pain: a cross-sectional investigation. <i>BMJ Open</i> , 2021, 11, e044462.	0.8	3
28	Disentangling contextual effects from musculoskeletal treatments. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 297-299.	0.6	23
29	A hand exercise mobile app for people with rheumatoid arthritis in Turkey: design, development and usability study. <i>Rheumatology International</i> , 2021, 41, 1151-1160.	1.5	5
30	Adrenaline to improve survival in out-of-hospital cardiac arrest: the PARAMEDIC2 RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-166.	1.3	6
31	Psychometric Properties of the Proxy-Reported Life-Space Assessment in Institutionalized Settings (LSA-IS-Proxy) for Older Persons with and without Cognitive Impairment. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3872.	1.2	5
32	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-114.	1.3	12
33	Hand Osteoarthritis: investigating Pain Effects of estrogen-containing therapy (HOPE-e): a protocol for a feasibility randomised placebo-controlled trial. <i>Pilot and Feasibility Studies</i> , 2021, 7, 133.	0.5	1
34	Effectiveness of community-based rehabilitation interventions incorporating outdoor mobility on ambulatory ability and falls-related self-efficacy after hip fracture: a systematic review and meta-analysis. <i>Archives of Osteoporosis</i> , 2021, 16, 99.	1.0	3
35	Getting Recovery Right After Neck Dissection (GRRAND-F): mixed-methods feasibility study to design a pragmatic randomised controlled trial protocol. <i>BMJ Open</i> , 2021, 11, e045741.	0.8	2
36	Rehabilitation to enable recovery from COVID-19: a rapid systematic review. <i>Physiotherapy</i> , 2021, 111, 4-22.	0.2	48

#	ARTICLE	IF	CITATIONS
37	Experiences and perceptions of trial participants and healthcare professionals in the UK Frozen Shoulder Trial (UK FROST): a nested qualitative study. <i>BMJ Open</i> , 2021, 11, e040829.	0.8	0
38	Statistical analysis plan for a pragmatic phase III randomised controlled trial examining behaviour change physiotherapy intervention to increase physical activity following hip and knee replacements: the PEP-TALK trial. <i>Trials</i> , 2021, 22, 467.	0.7	1
39	Progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of patients with rotator cuff disorders (GRASP): a multicentre, pragmatic, 2-factorial, randomised controlled trial. <i>Lancet, The</i> , 2021, 398, 416-428.	6.3	53
40	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-118.	1.3	8
41	Measuring the success of blinding in placebo-controlled trials: Should we be so quick to dismiss it?. <i>Journal of Clinical Epidemiology</i> , 2021, 135, 176-181.	2.4	12
42	Progressive exercise compared with best-practice advice, with or without corticosteroid injection, for rotator cuff disorders: the GRASP factorial RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-158.	1.3	10
43	Home-based rehabilitation programme compared with traditional physiotherapy for patients at risk of poor outcome after knee arthroplasty: the CORKA randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e052598.	0.8	11
44	A Guideline for Reporting Mediation Analyses of Randomized Trials and Observational Studies. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1045.	3.8	169
45	Research Note: Transporting causal effects from randomised trials to target populations to improve external validity. <i>Journal of Physiotherapy</i> , 2021, 67, 315-318.	0.7	0
46	Effectiveness of interventions for the management of primary frozen shoulder. <i>Bone &amp; Joint Open</i> , 2021, 2, 773-784.	1.1	12
47	Risk Factors for Mobility Decline in Community-Dwelling Older Adults: A Systematic Literature Review. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 1053-1066.	0.5	7
48	Multi-Factorial Fall Prevention Strategies: Where to Next?. , 2021, , 386-395.		0
49	The Prevalence of Back and Leg Pain and the Cross-sectional Association With Adverse Health Outcomes in Community Dwelling Older Adults in England. <i>Spine</i> , 2021, 46, 54-61.	1.0	7
50	Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. <i>Health Technology Assessment</i> , 2021, 25, 1-126.	1.3	6
51	Exercise versus usual care after non-reconstructive breast cancer surgery (UK PROSPER): multicentre randomised controlled trial and economic evaluation. <i>BMJ, The</i> , 2021, 375, e066542.	3.0	18
52	A feasibility study to assess the design of a multicentre randomized controlled trial of the clinical and cost-effectiveness of a caregiving intervention for people following hip fracture surgery. <i>Bone &amp; Joint Open</i> , 2021, 2, 909-920.	1.1	5
53	Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults. <i>JAMA Network Open</i> , 2021, 4, e2138911.	2.8	121
54	Multifactorial interventions for preventing falls in older people living in the community: a systematic review and meta-analysis of 41 trials and almost 20 000 participants. <i>British Journal of Sports Medicine</i> , 2020, 54, 1340-1350.	3.1	77

#	ARTICLE	IF	CITATIONS
55	Development and implementation of the physiotherapy-led exercise interventions for the treatment of rotator cuff disorders for the "Getting it Right: Addressing Shoulder Pain" (GRASP) trial. <i>Physiotherapy</i> , 2020, 107, 252-266.	0.2	8
56	Physiotherapy for primary frozen shoulder in secondary care: Developing and implementing stand-alone and post operative protocols for UK FROST and inferences for wider practice. <i>Physiotherapy</i> , 2020, 107, 150-160.	0.2	17
57	Physiotherapy rehabilitation for osteoporotic vertebral fracture—a randomised controlled trial and economic evaluation (PROVE trial). <i>Osteoporosis International</i> , 2020, 31, 277-289.	1.3	19
58	Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. <i>British Journal of Sports Medicine</i> , 2020, 54, 885-891.	3.1	155
59	Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. <i>Lancet, The</i> , 2020, 396, 977-989.	6.3	97
60	Translating the Strengthening and Stretching for Rheumatoid Arthritis of the Hand Programme from clinical trial to clinical practice: An effectiveness implementation study. <i>Hand Therapy</i> , 2020, 25, 87-97.	0.5	2
61	Behaviour change physiotherapy intervention to increase physical activity following hip and knee replacement (PEP-TALK): study protocol for a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035014.	0.8	6
62	Better Outcomes for Older people with Spinal Trouble (BOOST) trial: statistical analysis plan for a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication. <i>Trials</i> , 2020, 21, 667.	0.7	2
63	Evaluation of the implementation of the Back Skills Training (BeST) programme using online training: a cohort implementation study. <i>Physiotherapy</i> , 2020, 109, 4-12.	0.2	2
64	Cost-effectiveness of the PDSAFE personalised physiotherapy intervention for fall prevention in Parkinson's: an economic evaluation alongside a randomised controlled trial. <i>BMC Neurology</i> , 2020, 20, 295.	0.8	6
65	Understanding the mechanisms of a combined physical and psychological intervention for people with neurogenic claudication: protocol for a causal mediation analysis of the BOOST trial. <i>BMJ Open</i> , 2020, 10, e037121.	0.8	1
66	Cost-effectiveness of adrenaline for out-of-hospital cardiac arrest. <i>Critical Care</i> , 2020, 24, 579.	2.5	15
67	Cohort profile: Oxford Pain, Activity and Lifestyle (OPAL) Study, a prospective cohort study of older adults in England. <i>BMJ Open</i> , 2020, 10, e037516.	0.8	8
68	Physical Activity and Exercise in Mild Cognitive Impairment and Dementia: An Umbrella Review of Intervention and Observational Studies. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1415-1422.e6.	1.2	97
69	TIDieR-Placebo: A guide and checklist for reporting placebo and sham controls. <i>PLoS Medicine</i> , 2020, 17, e1003294.	3.9	52
70	Early Psychological and Social Factors Explain the Recovery Trajectory After Distal Radial Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 788-795.	1.4	48
71	Progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of rotator cuff disorders: statistical analysis plan for the Getting it Right: Addressing Shoulder Pain (GRASP) 2 × 2 factorial multicentre randomised controlled trial. <i>Trials</i> , 2020, 21, 767.	0.7	2
72	Synergistic effects of hip/knee osteoarthritis and comorbidities on mobility and self-care limitations among older adults: Cross-sectional analysis of the Oxford pain, Activity and Lifestyle study. <i>Journal of Comorbidity</i> , 2020, 10, 2235042X2097452.	3.9	1

#	ARTICLE	IF	CITATIONS
73	Will We Do If We Can? Habitual Qualitative and Quantitative Physical Activity in Multi-Morbid, Older Persons with Cognitive Impairment. <i>Sensors</i> , 2020, 20, 7208.	2.1	1
74	Musculoskeletal pain and loneliness, social support and social engagement among older adults: Analysis of the Oxford Pain, Activity and Lifestyle cohort. <i>Musculoskeletal Care</i> , 2020, 19, 269-277.	0.6	12
75	The online version of an evidence-based hand exercise program for people with rheumatoid arthritis: A mixed-method, proof-of-concept study. <i>Journal of Hand Therapy</i> , 2020, , .	0.7	7
76	Screening and Intervention to Prevent Falls and Fractures in Older People. <i>New England Journal of Medicine</i> , 2020, 383, 1848-1859.	13.9	74
77	Comparison of the clinical and cost effectiveness of two management strategies (rehabilitation) Tj ETQq1 1 0.784314 rgBT /Overlock protocol for the ACL SNNAP randomised controlled trial. <i>Trials</i> , 2020, 21, 405.	0.7	20
78	The impact of a patient's engagement in their health on the magnitude of limitations and experience following upper limb fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 42-47.	1.9	21
79	Participant expectations and experiences of a tailored physiotherapy intervention for people with Parkinson's and a history of falls. <i>Disability and Rehabilitation</i> , 2020, , 1-9.	0.9	6
80	Exercise for people with a fragility fracture of the pelvis or lower limb: a systematic review of interventions evaluated in clinical trials and reporting quality. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 435.	0.8	6
81	Plaster cast versus functional brace for non-surgical treatment of Achilles tendon rupture (UKSTAR): a multicentre randomised controlled trial and economic evaluation. <i>Lancet, The</i> , 2020, 395, 441-448.	6.3	41
82	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. <i>The Cochrane Library</i> , 2020, 2020, CD010569.	1.5	28
83	Development of A Guideline for Reporting Mediation Analyses (AGReMA). <i>BMC Medical Research Methodology</i> , 2020, 20, 19.	1.4	11
84	Is Protocolised Weaning that Includes Early Extubation Onto Non-Invasive Ventilation More Cost Effective Than Protocolised Weaning Without Non-Invasive Ventilation? Findings from the Breathe Study. <i>PharmacoEconomics - Open</i> , 2020, 4, 697-710.	0.9	3
85	The importance of different frailty domains in a population based sample in England. <i>BMC Geriatrics</i> , 2020, 20, 16.	1.1	12
86	Bayesian adaptive designs for multi-arm trials: an orthopaedic case study. <i>Trials</i> , 2020, 21, 83.	0.7	17
87	Plaster cast versus functional bracing for Achilles tendon rupture: the UKSTAR RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-86.	1.3	10
88	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-162.	1.3	11
89	Moderators of Cognitive Outcomes from an Exercise Program in People with Mild to Moderate Dementia. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2095-2100.	1.3	1
90	Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-116.	1.3	62

#	ARTICLE	IF	CITATIONS
91	Evaluating the impact of a champion on implementation of the Back Skills Training (BeST) programme in Canada: a mixed methods feasibility study protocol. <i>BMJ Open</i> , 2020, 10, e040834.	0.8	0
92	The different influence of high levels of physical activity on the incidence of knee OA in overweight and obese men and women-a gender specific analysis. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1430-1436.	0.6	9
93	Psychosocial factors affecting variation in patient-reported outcomes after elbow fractures. <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, 1431-1440.	1.2	24
94	Caregiver Interventions for Adults Discharged from the Hospital: Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 1960-1969.	1.3	19
95	Inadequate description of placebo and sham controls in a systematic review of recent trials. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13169.	1.7	11
96	Investigating causal mechanisms in randomised controlled trials. <i>Trials</i> , 2019, 20, 524.	0.7	25
97	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). <i>Journal of Clinical Epidemiology</i> , 2019, 106, 32-40.	2.4	21
98	Using Bayesian adaptive designs to improve phase III trials: a respiratory care example. <i>BMC Medical Research Methodology</i> , 2019, 19, 99.	1.4	27
99	Surgical fixation with K-wires versus plaster casting in the treatment of dorsally displaced distal radius fractures: protocol for Distal Radius Acute Fracture Fixation Trial 2 (DRAFFT 2). <i>BMJ Open</i> , 2019, 9, e028474.	0.8	10
100	Caregiver-Delivered Stroke Rehabilitation in Rural China. <i>Stroke</i> , 2019, 50, 1825-1830.	1.0	51
101	An overview of systematic reviews found suboptimal reporting and methodological limitations of mediation studies investigating causal mechanisms. <i>Journal of Clinical Epidemiology</i> , 2019, 111, 60-68.e1.	2.4	23
102	Effectiveness of scoliosis-specific exercises for adolescent idiopathic scoliosis compared with other non-surgical interventions: a systematic review and meta-analysis. <i>Physiotherapy</i> , 2019, 105, 214-234.	0.2	28
103	Development and delivery of the BOOST (Better Outcomes for Older adults with Spinal Trouble) intervention for older adults with neurogenic claudication. <i>Physiotherapy</i> , 2019, 105, 262-274.	0.2	8
104	Duration of Treatment Effect Should Be Considered in the Design and Interpretation of Clinical Trials: Results of a Discrete Choice Experiment. <i>Medical Decision Making</i> , 2019, 39, 461-473.	1.2	9
105	Multicentre, randomised controlled trial of PDSAFE, a physiotherapist-delivered fall prevention programme for people with Parkinson's. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 774-782.	0.9	56
106	Platelet rich plasma for acute achilles tendon rupture: a double-blind, multicentre, randomised, placebo-controlled trial. , 2019, , .		0
107	Platelet rich plasma injection for acute Achilles tendon rupture: PATH-2 randomised, placebo controlled, superiority trial. <i>BMJ: British Medical Journal</i> , 2019, 367, l6132.	2.4	51
108	Exercise for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2019, 2019, CD012424.	1.5	529

#	ARTICLE	IF	CITATIONS
109	Short and long-term clinical effectiveness and cost-effectiveness of a late-phase community-based balance and gait exercise program following hip fracture. The EVA-Hip Randomised Controlled Trial. PLoS ONE, 2019, 14, e0224971.	1.1	25
110	Progressive functional exercise versus best practice advice for adults aged 50 years or over after ankle fracture: protocol for a pilot randomised controlled trial in the UK - the Ankle Fracture Treatment: Enhancing Rehabilitation (AFTER) study. BMJ Open, 2019, 9, e030877.	0.8	8
111	Construct Validity and Precision of Different Patient-reported Outcome Measures During Recovery After Upper Extremity Fractures. Clinical Orthopaedics and Related Research, 2019, 477, 2521-2530.	0.7	20
112	Study of Peri-Articular Anaesthetic for Replacement of the Knee (SPAARK): study protocol for a patient-blinded, randomised controlled superiority trial of liposomal bupivacaine. Trials, 2019, 20, 732.	0.7	2
113	Relationship Between Magnitude of Limitations and Patient Experience During Recovery from Upper-Extremity Fracture. JBJS Open Access, 2019, 4, e0002.	0.8	9
114	Does Structured Exercise Improve Cognitive Impairment in People with Mild to Moderate Dementia? A Cost-Effectiveness Analysis from a Confirmatory Randomised Controlled Trial: The Dementia and Physical Activity (DAPA) Trial. Pharmacoeconomics - Open, 2019, 3, 215-227.	0.9	11
115	On Being (Not) Old: Agency, Self-care, and Life-course Aspirations in the United States. Medical Anthropology Quarterly, 2019, 33, 263-281.	0.7	15
116	Process evaluation of complex interventions tested in randomised controlled trials in musculoskeletal disorders: a systematic review protocol. BMJ Open, 2019, 9, e028160.	0.8	5
117	Predicting patient-reported and objectively measured functional outcome 6 months after ankle fracture in people aged 60 years or over in the UK: prognostic model development and internal validation. BMJ Open, 2019, 9, e029813.	0.8	6
118	Platelet-rich plasma injection for adults with acute Achilles tendon rupture: the PATH-2 RCT. Efficacy and Mechanism Evaluation, 2019, 6, 1-98.	0.9	8
119	Exercise- and strategy-based physiotherapy-delivered intervention for preventing repeat falls in people with Parkinson's: the PDSAFE RCT. Health Technology Assessment, 2019, 23, 1-150.	1.3	44
120	Exercise or manual physiotherapy compared with a single session of physiotherapy for osteoporotic vertebral fracture: three-arm PROVE RCT. Health Technology Assessment, 2019, 23, 1-318.	1.3	13
121	Protocolised non-invasive compared with invasive weaning from mechanical ventilation for adults in intensive care: the Breathe RCT. Health Technology Assessment, 2019, 23, 1-114.	1.3	4
122	Treatment of first-time traumatic anterior shoulder dislocation: the UK TASH-D cohort study. Health Technology Assessment, 2019, 23, 1-104.	1.3	12
123	Current UK Practices on Health Economics Analysis Plans (HEAPs): Are We Using Heaps of Them?. Pharmacoeconomics, 2018, 36, 253-257.	1.7	11
124	Reproducible and replicable pain research: a critical review. Pain, 2018, 159, 1683-1689.	2.0	80
125	Three-Year Follow-up of a Trial of Close Contact Casting vs Surgery for Initial Treatment of Unstable Ankle Fractures in Older Adults. JAMA - Journal of the American Medical Association, 2018, 319, 1274.	3.8	19
126	Randomised controlled trial of exercise to prevent shoulder problems in women undergoing breast cancer treatment: study protocol for the prevention of shoulder problems trial (UK PROSPER). BMJ Open, 2018, 8, e019078.	0.8	22



#	ARTICLE	IF	CITATIONS
127	Physiotherapist-delivered cognitive-behavioural interventions are effective for low back pain, but can they be replicated in clinical practice? A systematic review. <i>Disability and Rehabilitation</i> , 2018, 40, 1-9.	0.9	105
128	Exploring physiotherapists' experiences of implementing a cognitive behavioural approach for managing low back pain and identifying barriers to long-term implementation. <i>Physiotherapy</i> , 2018, 104, 107-115.	0.2	26
129	Development and delivery of an exercise programme for falls prevention: the Prevention of Falls Injury Trial (PreFIT). <i>Physiotherapy</i> , 2018, 104, 72-79.	0.2	7
130	Cost-Effectiveness of the Pdsafe Home-Based Personalized Physiotherapy Intervention to Prevent Falls Among People with Parkinson's: an Economic Evaluation Alongside a Randomised Controlled Trial. <i>Value in Health</i> , 2018, 21, S93-S94.	0.1	0
131	Development and prospective external validation of a tool to predict poor recovery at 9 months after acute ankle sprain in UK emergency departments: the SPRAINED prognostic model. <i>BMJ Open</i> , 2018, 8, e022802.	0.8	5
132	Effectiveness of cognitive-behavioural therapy: a protocol for an overview of systematic reviews and meta-analyses. <i>BMJ Open</i> , 2018, 8, e025761.	0.8	13
133	Sample size calculations are poorly conducted and reported in many randomized trials of hip and knee osteoarthritis: results of a systematic review. <i>Journal of Clinical Epidemiology</i> , 2018, 104, 52-61.	2.4	22
134	Better Outcomes for Older people with Spinal Trouble (BOOST) Trial: a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication, a protocol. <i>BMJ Open</i> , 2018, 8, e022205.	0.8	16
135	What Factors Are Associated With Disability After Upper Extremity Injuries? A Systematic Review. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 2190-2215.	0.7	92
136	Effect of Protocolized Weaning With Early Extubation to Noninvasive Ventilation vs Invasive Weaning on Time to Liberation From Mechanical Ventilation Among Patients With Respiratory Failure. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1881.	3.8	68
137	Platelet-rich plasma in Achilles tendon healing 2 (PATH-2) trial: statistical analysis plan for a multicentre, double-blinded, parallel-group, placebo-controlled randomised clinical trial. <i>Trials</i> , 2018, 19, 464.	0.7	4
138	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e022488.	0.8	18
139	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. <i>Schizophrenia Research</i> , 2018, 201, 70-78.	1.1	27
140	Dementia And Physical Activity (DAPA) trial of moderate to high intensity exercise training for people with dementia: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2018, 361, k1675.	2.4	258
141	Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REducing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. <i>Gerontology</i> , 2018, 64, 503-512.	1.4	10
142	Out-of-hours discharge from intensive care, in-hospital mortality and intensive care readmission rates: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2018, 44, 1115-1129.	3.9	47
143	The differential influence of high levels of physical activity on knee OA in overweight and obese men and women. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S11-S12.	0.6	1
144	Participation in a trial in the emergency situation: a qualitative study of patient experience in the UK WOLLF trial. <i>Trials</i> , 2018, 19, 328.	0.7	10

#	ARTICLE	IF	CITATIONS
145	Multifactorial and multiple component interventions for preventing falls in older people living in the community. The Cochrane Library, 2018, 2018, CD012221.	1.5	234
146	Development of an exercise intervention for the prevention of musculoskeletal shoulder problems after breast cancer treatment: the prevention of shoulder problems trial (UK PROSPER). BMC Health Services Research, 2018, 18, 463.	0.9	22
147	Exercise for rheumatoid arthritis of the hand. The Cochrane Library, 2018, 2018, CD003832.	1.5	24
148	Anti-Tumour Necrosis Factor Therapy for Dupuytren's Disease: A Randomised Dose Response Proof of Concept Phase 2a Clinical Trial. EBioMedicine, 2018, 33, 282-288.	2.7	39
149	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. Journal of the American Medical Directors Association, 2018, 19, 607-612.	1.2	46
150	Impact evaluation of an online training on the Strengthening And Stretching for Rheumatoid Arthritis of the Hand (SARAH) programme recommended in the NICE guidelines for rheumatoid arthritis. Rheumatology, 2018, 57, .	0.9	0
151	Effect of Negative Pressure Wound Therapy vs Standard Wound Management on 12-Month Disability Among Adults With Severe Open Fracture of the Lower Limb. JAMA - Journal of the American Medical Association, 2018, 319, 2280.	3.8	137
152	A study update newsletter or Post-it® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. F1000Research, 2018, 7, 1083.	0.8	3
153	An Online Hand Exercise Intervention for Adults With Rheumatoid Arthritis (mySARAH): Design, Development, and Usability Testing. Journal of Medical Internet Research, 2018, 20, e10457.	2.1	20
154	Intramedullary nail fixation versus locking plate fixation for adults with a fracture of the distal tibia: the UK FixDT RCT. Health Technology Assessment, 2018, 22, 1-148.	1.3	16
155	Aerobic and strength training exercise programme for cognitive impairment in people with mild to moderate dementia: the DAPA RCT. Health Technology Assessment, 2018, 22, 1-202.	1.3	37
156	Negative-pressure wound therapy versus standard dressings for adults with an open lower limb fracture: the WOLLF RCT. Health Technology Assessment, 2018, 22, 1-162.	1.3	42
157	A nested randomised controlled trial of a newsletter and Post-it® note did not increase postal questionnaire response rates in a falls prevention trial. F1000Research, 2018, 7, 1083.	0.8	3
158	Prognostic models for identifying risk of poor outcome in people with acute ankle sprains: the SPRAINED development and external validation study. Health Technology Assessment, 2018, 22, 1-112.	1.3	124
159	Is Vitamin D Supplementation Effective for Low Back Pain? A Systematic Review and Meta-Analysis. Pain Physician, 2018, 21, 121-145.	0.3	13
160	A qualitative study of older people's experience of living with neurogenic claudication to inform the development of a physiotherapy intervention. Disability and Rehabilitation, 2017, 39, 1009-1017.	0.9	13
161	Relationship Between Low Bone Mineral Density and Fractures With Incident Cardiovascular Disease: A Systematic Review and Meta-Analysis. Journal of Bone and Mineral Research, 2017, 32, 1126-1135.	3.1	109
162	Severity of Hypoxemia and Effect of High-Frequency Oscillatory Ventilation in Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 727-733.	2.5	82

#	ARTICLE	IF	CITATIONS
163	Hand exercises for patients with rheumatoid arthritis: an extended follow-up of the SARAH randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e013121.	0.8	19
164	The design and development of a complex multifactorial falls assessment intervention for falls prevention: The Prevention of Falls Injury Trial (PreFIT). <i>BMC Geriatrics</i> , 2017, 17, 116.	1.1	16
165	Explaining How Cognitive Behavioral Approaches Work for Low Back Pain. <i>Spine</i> , 2017, 42, E1031-E1039.	1.0	37
166	Can Mapping Algorithms Based on Raw Scores Overestimate QALYs Gained by Treatment? A Comparison of Mappings Between the Roland-Morris Disability Questionnaire and the EQ-5D-3L Based on Raw and Differenced Score Data. <i>Pharmacoeconomics</i> , 2017, 35, 549-559.	1.7	5
167	Clinical and cost-effectiveness of progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of rotator cuff disorders: protocol for a 2x2 factorial randomised controlled trial (the GRASP trial). <i>BMJ Open</i> , 2017, 7, e018004.	0.8	20
168	Intrarater reliability and agreement of linear encoder derived heel-rise endurance test outcome measures in healthy adults. <i>Journal of Electromyography and Kinesiology</i> , 2017, 36, 34-39.	0.7	17
169	Measuring physical capacity and performance in older people. <i>Best Practice and Research in Clinical Rheumatology</i> , 2017, 31, 243-254.	1.4	22
170	Incidence of shoulder dislocations in the UK, 1995-2015: a population-based cohort study. <i>BMJ Open</i> , 2017, 7, e016112.	0.8	70
171	Platelet rich Plasma in Achilles Tendon Healing 2 (PATH-2) trial: protocol for a multicentre, participant and assessor-blinded, parallel-group randomised clinical trial comparing platelet-rich plasma (PRP) injection versus placebo injection for Achilles tendon rupture. <i>BMJ Open</i> , 2017, 7, e018135.	0.8	16
172	Effect of Locking Plate Fixation vs Intramedullary Nail Fixation on 6-Month Disability Among Adults With Displaced Fracture of the Distal Tibia. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1767.	3.8	55
173	Cast versus functional brace in the rehabilitation of patients treated non-operatively for a rupture of the Achilles tendon: protocol for the UK study of tendo achilles rehabilitation (UK STAR) multi-centre randomised trial. <i>BMJ Open</i> , 2017, 7, e019628.	0.8	6
174	An empirical evaluation of the SF-12, SF-6D, EQ-5D and Michigan Hand Outcome Questionnaire in patients with rheumatoid arthritis of the hand. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 20.	1.0	50
175	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. <i>Trials</i> , 2017, 18, 144.	0.7	30
176	A longitudinal, qualitative study exploring sustained adherence to a hand exercise programme for rheumatoid arthritis evaluated in the SARAH trial. <i>Disability and Rehabilitation</i> , 2017, 39, 1856-1863.	0.9	12
177	Mediating Effect of Changes in Hand Impairments on Hand Function in Patients With Rheumatoid Arthritis: Exploring the Mechanisms of an Effective Exercise Program. <i>Arthritis Care and Research</i> , 2017, 69, 982-988.	1.5	8
178	Advancing Physical Therapist Interventions by Investigating Causal Mechanisms. <i>Physical Therapy</i> , 2017, 97, 1119-1121.	1.1	13
179	Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). <i>PLoS ONE</i> , 2017, 12, e0168712.	1.1	37
180	Core outcome measures for interventions to prevent or slow the progress of dementia for people living with mild to moderate dementia: Systematic review and consensus recommendations. <i>PLoS ONE</i> , 2017, 12, e0179521.	1.1	48

#	ARTICLE	IF	CITATIONS
181	Prognostic factors for recovery following acute lateral ankle ligament sprain: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 421.	0.8	34
182	A systematic review and meta-analysis of online versus alternative methods for training licensed health care professionals to deliver clinical interventions. <i>BMC Medical Education</i> , 2017, 17, 227.	1.0	74
183	Current practice in methodology and reporting of the sample size calculation in randomised trials of hip and knee osteoarthritis: a protocol for a systematic review. <i>Trials</i> , 2017, 18, 466.	0.7	4
184	United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 614.	0.7	25
185	A Systematic Review of Outcome Measures Assessing Disability Following Upper Extremity Trauma. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2017, 1, e021.	0.4	15
186	Study protocol: A multi-centre, double blind, randomised, placebo-controlled, parallel group, phase II trial (RIDD) to determine the efficacy of intra-nodular injection of anti-TNF to control disease progression in early Dupuytren's disease, with an embedded dose response study.. <i>Wellcome Open Research</i> , 2017, 2, 37.	0.9	13
187	Study protocol: A multi-centre, double blind, randomised, placebo-controlled, parallel group, phase II trial (RIDD) to determine the efficacy of intra-nodular injection of anti-TNF to control disease progression in early Dupuytren's disease, with an embedded dose response study.. <i>Wellcome Open Research</i> , 2017, 2, 37.	0.9	15
188	A Web-Based Training Resource for Therapists to Deliver an Evidence-Based Exercise Program for Rheumatoid Arthritis of the Hand (iSARAH): Design, Development, and Usability Testing. <i>Journal of Medical Internet Research</i> , 2017, 19, e411.	2.1	13
189	Prehospital randomised assessment of a mechanical compression device in out-of-hospital cardiac arrest (PARAMEDIC): a pragmatic, cluster randomised trial and economic evaluation. <i>Health Technology Assessment</i> , 2017, 21, 1-176.	1.3	28
190	Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls) <i>Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 3</i> <i>Health Technology Assessment</i> , 2017, 21, 1-198.	1.3	17
191	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. <i>Health Technology Assessment</i> , 2017, 21, 1-192.	1.3	37
192	Mapping the Association between Vitamin D and Low Back Pain: A Systematic Review and Meta-Analysis of Observational Studies. <i>Pain Physician</i> , 2017, 20, 611-640.	0.3	20
193	Economic and Health-Related Quality of Life Outcomes of Whiplash Associated Disorders. <i>Spine</i> , 2016, 41, 1378-1386.	1.0	21
194	COmmunity-based Rehabilitation after Knee Arthroplasty (CORKA): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 501.	0.7	7
195	Using mixed methods evaluation to assess the feasibility of online clinical training in evidence based interventions: a case study of cognitive behavioural treatment for low back pain. <i>BMC Medical Education</i> , 2016, 16, 163.	1.0	20
196	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). <i>BMJ Open</i> , 2016, 6, e009362.	0.8	24
197	One-year resource utilisation, costs and quality of life in patients with acute respiratory distress syndrome (ARDS): secondary analysis of a randomised controlled trial. <i>Journal of Intensive Care</i> , 2016, 4, 56.	1.3	40
198	Close Contact Casting vs Surgery for Initial Treatment of Unstable Ankle Fractures in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 1455.	3.8	94

#	ARTICLE	IF	CITATIONS
199	A randomized controlled trial on rehabilitation through caregiver-delivered nurse-organized service programs for disabled stroke patients in rural china (the RECOVER trial): design and rationale. <i>International Journal of Stroke</i> , 2016, 11, 823-830.	2.9	17
200	What Value Can Qualitative Research Add to Quantitative Research Design? An Example From an Adolescent Idiopathic Scoliosis Trial Feasibility Study. <i>Qualitative Health Research</i> , 2016, 26, 1838-1850.	1.0	20
201	Pre-hospital Assessment of the Role of Adrenaline: Measuring the Effectiveness of Drug administration In Cardiac arrest (PARAMEDIC-2): Trial protocol. <i>Resuscitation</i> , 2016, 108, 75-81.	1.3	43
202	Dementia and Physical Activity (DAPA) - an exercise intervention to improve cognition in people with mild to moderate dementia: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 165.	0.7	19
203	Appraising the uptake and use of recommendations for a common outcome data set for clinical trials: a case study in fall injury prevention. <i>Trials</i> , 2016, 17, 131.	0.7	23
204	The application of multilevel modelling to account for the influence of walking speed in gait analysis. <i>Gait and Posture</i> , 2016, 43, 216-219.	0.6	12
205	Ageing, Muscle Power and Physical Function: A Systematic Review and Implications for Pragmatic Training Interventions. <i>Sports Medicine</i> , 2016, 46, 1311-1332.	3.1	157
206	The Immediate Effects of Different Types of Ankle Support Introduced 6 Weeks After Surgical Internal Fixation for Ankle Fracture on Gait and Pain: A Randomized Crossover Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 157-167.	1.7	2
207	The Ankle Injury Management (AIM) trial: a pragmatic, multicentre, equivalence randomised controlled trial and economic evaluation comparing close contact casting with open surgical reduction and internal fixation in the treatment of unstable ankle fractures in patients aged over 60 years. <i>Health Technology Assessment</i> , 2016, 20, 1-158.	1.3	73
208	Identifying back pain subgroups: developing and applying approaches using individual patient data collected within clinical trials. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-278.	0.4	9
209	Protocol for a randomised controlled trial of standard wound management versus negative pressure wound therapy in the treatment of adult patients with an open fracture of the lower limb: UK Wound management of Open Lower Limb Fractures (UK WOLFF). <i>BMJ Open</i> , 2015, 5, e009087.	0.8	23
210	A multi-centre, randomised controlled trial of the effectiveness of PDSAFE to prevent falls among people with Parkinson's: study protocol. <i>BMC Neurology</i> , 2015, 15, 81.	0.8	10
211	A randomised controlled trial and cost-effectiveness analysis of high-frequency oscillatory ventilation against conventional artificial ventilation for adults with acute respiratory distress syndrome. The OSCAR (OSCillation in ARDS) study. <i>Health Technology Assessment</i> , 2015, 19, 1-178.	1.3	34
212	Quantitative biomechanical comparison of ankle fracture casting methods. <i>Biomedizinische Technik</i> , 2015, 60, 263-7.	0.9	2
213	Exercises to improve function of the rheumatoid hand (SARAH): a randomised controlled trial. <i>Lancet, The</i> , 2015, 385, 421-429.	6.3	107
214	Comprehensive geriatric care for patients with hip fractures: a prospective, randomised, controlled trial. <i>Lancet, The</i> , 2015, 385, 1623-1633.	6.3	449
215	Patterns of interaction between factors that enhance or inhibit recovery from chronic low back pain. <i>Disability and Rehabilitation</i> , 2015, 37, 194-206.	0.9	3
216	Mechanical versus manual chest compression for out-of-hospital cardiac arrest (PARAMEDIC): a pragmatic, cluster randomised controlled trial. <i>Lancet, The</i> , 2015, 385, 947-955.	6.3	362

#	ARTICLE	IF	CITATIONS
217	Predictors of attendance to group exercise: a cohort study of older adults in long-term care facilities. <i>BMC Geriatrics</i> , 2015, 15, 37.	1.1	19
218	“œf I can get over that, I can get over anything” understanding how individuals with acute whiplash disorders form beliefs about pain and recovery: a qualitative study. <i>Physiotherapy</i> , 2015, 101, 178-186.	0.2	19
219	The case for stepped-wedge studies: a trial of falls prevention. <i>Lancet, The</i> , 2015, 385, 2556-2557.	6.3	6
220	UK Fixation of Distal Tibia Fractures (UK FixDT): protocol for a randomised controlled trial of “locking”™ plate fixation versus intramedullary nail fixation in the treatment of adult patients with a displaced fracture of the distal tibia. <i>BMJ Open</i> , 2015, 5, e009162.	0.8	11
221	Development of an exercise intervention to improve cognition in people with mild to moderate dementia: Dementia And Physical Activity (DAPA) Trial, registration ISRCTN32612072. <i>Physiotherapy</i> , 2015, 101, 126-134.	0.2	22
222	Better balance, fewer falls. <i>BMJ, The</i> , 2015, 351, h3930.	3.0	1
223	The effects of ankle supports on gait in adults: A randomized cross-over study. <i>Journal of Electromyography and Kinesiology</i> , 2015, 25, 973-981.	0.7	2
224	Risk factors for chronic disability in a cohort of patients with acute whiplash associated disorders seeking physiotherapy treatment for persisting symptoms. <i>Physiotherapy</i> , 2015, 101, 34-43.	0.2	33
225	Recommendations for a Core Outcome Set for Measuring Standing Balance in Adult Populations: A Consensus-Based Approach. <i>PLoS ONE</i> , 2015, 10, e0120568.	1.1	66
226	The Effectiveness of Cognitive Behavioural Treatment for Non-Specific Low Back Pain: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0134192.	1.1	149
227	UK DRAFFT: a randomised controlled trial of percutaneous fixation with Kirschner wires versus volar locking-plate fixation in the treatment of adult patients with a dorsally displaced fracture of the distal radius. <i>Health Technology Assessment</i> , 2015, 19, 1-124.	1.3	72
228	Strengthening And stretching for Rheumatoid Arthritis of the Hand (SARAH). A randomised controlled trial and economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-222.	1.3	43
229	Active Treatment for Idiopathic Adolescent Scoliosis (ACTivATeS): a feasibility study. <i>Health Technology Assessment</i> , 2015, 19, 1-242.	1.3	16
230	The Beta Agonist Lung Injury Trial Prevention. A Randomized Controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 189, 674-683.	2.5	64
231	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMJ Open</i> , 2014, 4, e006977.	0.8	21
232	Percutaneous fixation with Kirschner wires versus volar locking plate fixation in adults with dorsally displaced fracture of distal radius: randomised controlled trial. <i>BMJ, The</i> , 2014, 349, g4807-g4807.	3.0	167
233	The administration of intermittent parathyroid hormone affects functional recovery from pertrochanteric fractured neck of femur: a protocol for a prospective mixed method pilot study with randomisation of treatment allocation and blinded assessment (FRACTT). <i>BMJ Open</i> , 2014, 4, e004389.	0.8	5
234	Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. <i>BMJ, The</i> , 2014, 348, g1687-g1687.	3.0	5,661

#	ARTICLE	IF	CITATIONS
235	Case typologies, chronic illness and primary health care. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 513-521.	0.9	3
236	Ankle Injury Management (AIM): design of a pragmatic multi-centre equivalence randomised controlled trial comparing Close Contact Casting (CCC) to Open surgical Reduction and Internal Fixation (ORIF) in the treatment of unstable ankle fractures in patients over 60 years. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 79.	0.8	14
237	High Prevalence of Falls, Fear of Falling, and Impaired Balance in Older Adults with Pain in the United States: Findings from the 2011 National Health and Aging Trends Study. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1844-1852.	1.3	114
238	Properties of patient-reported outcome measures in individuals following acute whiplash injury. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 38.	1.0	16
239	Treatment compliance and effectiveness of a cognitive behavioural intervention for low back pain: a complier average causal effect approach to the BeST data set. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 17.	0.8	24
240	Physiotherapy Rehabilitation for Osteoporotic Vertebral Fracture (PROVE): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 22.	0.7	18
241	Matching patients to an intervention for back pain: classifying patients using a latent class approach. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 544-550.	0.9	10
242	Operative versus non-operative treatment for closed, displaced, intra-articular fractures of the calcaneus: randomised controlled trial. <i>BMJ</i> , The, 2014, 349, g4483-g4483.	3.0	226
243	Mapping between the Roland Morris Questionnaire and Generic Preference-Based Measures. <i>Value in Health</i> , 2014, 17, 686-695.	0.1	20
244	Early Ankle Movement Versus Immobilization in the Postoperative Management of Ankle Fracture in Adults: A Systematic Review and Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 690-C7.	1.7	41
245	Permanent personhood or meaningful decline? Toward a critical anthropology of successful aging. <i>Journal of Aging Studies</i> , 2014, 29, 41-52.	0.7	215
246	Emergency department treatments and physiotherapy for acute whiplash: a pragmatic, two-step, randomised controlled trial. <i>Lancet</i> , The, 2013, 381, 546-556.	6.3	102
247	Factors associated with mobility outcomes in older people post-ankle fracture: An observational cohort study focussing on peripheral vessel function. <i>Injury</i> , 2013, 44, 987-993.	0.7	6
248	Exercise for depression in elderly people – Authors' reply. <i>Lancet</i> , The, 2013, 382, 1325.	6.3	0
249	High-Frequency Oscillation for Acute Respiratory Distress Syndrome. <i>New England Journal of Medicine</i> , 2013, 368, 806-813.	13.9	1,024
250	Exercise for depression in elderly residents of care homes: a cluster-randomised controlled trial. <i>Lancet</i> , The, 2013, 382, 41-49.	6.3	108
251	Change in Vision, Visual Disability, and Health After Cataract Surgery. <i>Optometry and Vision Science</i> , 2013, 90, 392-399.	0.6	15
252	Exercise for depression in care home residents: a randomised controlled trial with cost-effectiveness analysis (OPERA). <i>Health Technology Assessment</i> , 2013, 17, 1-281.	1.3	41

#	ARTICLE	IF	CITATIONS
253	Beta-Agonist Lung injury Trial-2 (BALTI-2): a multicentre, randomised, double-blind, placebo-controlled trial and economic evaluation of intravenous infusion of salbutamol versus placebo in patients with acute respiratory distress syndrome. <i>Health Technology Assessment</i> , 2013, 17, v-vi, 1-87.	1.3	39
254	Managing Injuries of the Neck Trial (MINT): a randomised controlled trial of treatments for whiplash injuries. <i>Health Technology Assessment</i> , 2012, 16, iii-iv, 1-141.	1.3	28
255	Effect of intravenous $\beta_2$ -agonist treatment on clinical outcomes in acute respiratory distress syndrome (BALTI-2): a multicentre, randomised controlled trial. <i>Lancet</i> , 2012, 379, 229-235.	6.3	307
256	Intravenous salbutamol in ARDS and increased mortality – Authors' reply. <i>Lancet</i> , 2012, 379, 1876.	6.3	0
257	Effect of exercise on depression severity in older people: systematic review and meta-analysis of randomised controlled trials. <i>British Journal of Psychiatry</i> , 2012, 201, 180-185.	1.7	324
258	A systematic review of patient-reported outcome measures used to assess Achilles tendon rupture management: What's being used and should we be using it?. <i>British Journal of Sports Medicine</i> , 2012, 46, 1102-1109.	3.1	60
259	Telephone interviews can be used to collect follow-up data subsequent to no response to postal questionnaires in clinical trials. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 90-99.	2.4	14
260	Strengthening and stretching for rheumatoid arthritis of the hand (SARAH): design of a randomised controlled trial of a hand and upper limb exercise intervention - ISRCTN89936343. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 230.	0.8	12
261	Development and delivery of an exercise intervention for rheumatoid arthritis: Strengthening and stretching for rheumatoid arthritis of the hand (SARAH) trial. <i>Physiotherapy</i> , 2012, 98, 121-130.	0.2	45
262	Group cognitive behavioural interventions for low back pain in primary care: Extended follow-up of the Back Skills Training Trial (ISRCTN54717854). <i>Pain</i> , 2012, 153, 494-501.	2.0	43
263	The Achilles tendon total rupture score: a study of responsiveness, internal consistency and convergent validity on patients with acute Achilles tendon ruptures. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 24.	1.0	57
264	Assessment of Physical Activity in Older People With and Without Cognitive Impairment. <i>Journal of Aging and Physical Activity</i> , 2011, 19, 347-372.	0.5	35
265	Exploring the use of the ‘Adapted Miracle Question’™ in the assessment of low back pain. <i>Physiotherapy</i> , 2011, 97, 203-208.	0.2	7
266	Effect of in-hospital comprehensive geriatric assessment (CGA) in older people with hip fracture. The protocol of the Trondheim Hip Fracture Trial. <i>BMC Geriatrics</i> , 2011, 11, 18.	1.1	47
267	UK DRAFFT - A randomised controlled trial of percutaneous fixation with kirschner wires versus volar locking-plate fixation in the treatment of adult patients with a dorsally displaced fracture of the distal radius. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 201.	0.8	22
268	Beta Agonist Lung Injury Trial-2 (BALTI-2) trial protocol: A randomised, double-blind, placebo-controlled of intravenous infusion of salbutamol in the acute respiratory distress syndrome. <i>Trials</i> , 2011, 12, 113.	0.7	17
269	Reporting of complex interventions in clinical trials: development of a taxonomy to classify and describe fall-prevention interventions. <i>Trials</i> , 2011, 12, 125.	0.7	151
270	The OPERA trial: protocol for a randomised trial of an exercise intervention for older people in residential and nursing accommodation. <i>Trials</i> , 2011, 12, 27.	0.7	29



#	ARTICLE	IF	CITATIONS
271	The Beta Agonist Lung Injury Trial (BALTI) - prevention trial protocol. <i>Trials</i> , 2011, 12, 79.	0.7	13
272	Predicting response to a cognitive-behavioral approach to treating low back pain: Secondary analysis of the BeST data set. <i>Arthritis Care and Research</i> , 2011, 63, 1271-1279.	1.5	20
273	In-Shoe Plantar Pressures Within Ankle-Foot Orthoses. <i>American Journal of Sports Medicine</i> , 2011, 39, 2679-2685.	1.9	13
274	Sarcopenia and some simple approaches to modifying the consequence of ageing. <i>Clinical Medicine</i> , 2011, 11, 170-172.	0.8	0
275	Rethinking the Generation Gap: Age and Agency in Middle-Class Kolkata. <i>Journal of Aging, Humanities, and the Arts</i> , 2010, 4, 83-97.	0.0	5
276	Effect of a Statewide Fall Prevention Program on Incidence of Femoral Fractures in Residents of Long-Term Care Facilities. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 70-75.	1.3	22
277	A cognitive-behavioural programme for the management of low back pain in primary care: a description and justification of the intervention used in the Back Skills Training Trial (BeST; ISRCTN 10421484) / Overlooked	0.7	14
278	Prehospital Randomised Assessment of a Mechanical Compression Device In Cardiac Arrest (PaRAMeDIC) Trial Protocol. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010, 18, 58.	1.1	45
279	A multicentred randomised controlled trial of a primary care-based cognitive behavioural programme for low back pain. The Back Skills Training (BeST) trial. <i>Health Technology Assessment</i> , 2010, 14, 1-253, iii-iv.	1.3	122
280	Kognitive Gruppen-Verhaltenstherapie in der primären Gesundheitsversorgung bei LWS-Syndrom: eine randomisierte, kontrollierte Studie und Analyse der Kostenwirksamkeit. <i>Osteopathische Medizin</i> , 2010, 11, 24-26.	0.2	1
281	Recovery of Muscle Strength and Power After Limb-Lengthening Surgery. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 384-388.	0.5	20
282	Group cognitive behavioural treatment for low-back pain in primary care: a randomised controlled trial and cost-effectiveness analysis. <i>Lancet, The</i> , 2010, 375, 916-923.	6.3	347
283	Developing Evidence for How to Tailor Medical Interventions for the Individual Patient. <i>Qualitative Health Research</i> , 2010, 20, 1629-1641.	1.0	39
284	Development and delivery of a physiotherapy intervention for the early management of whiplash injuries: The Managing Injuries of Neck Trial (MINT) Intervention. <i>Physiotherapy</i> , 2009, 95, 15-23.	0.2	13
285	Group versus individual sessions delivered by a physiotherapist for female urinary incontinence: an interview study with women attending group sessions nested within a randomised controlled trial. <i>BMC Women's Health</i> , 2009, 9, 25.	0.8	5
286	Group treatments for sensitive health care problems: a randomised controlled trial of group versus individual physiotherapy sessions for female urinary incontinence. <i>BMC Women's Health</i> , 2009, 9, 26.	0.8	30
287	Does a monetary incentive improve the response to a postal questionnaire in a randomised controlled trial? The MINT incentive study. <i>Trials</i> , 2009, 10, 44.	0.7	30
288	Interventions for preventing falls in older people living in the community. , 2009, , CD007146.		656

#	ARTICLE	IF	CITATIONS
289	Multidisciplinary assessment of elderly people with a history of multiple falls reduces the risk of further falls. <i>Australian Journal of Physiotherapy</i> , 2009, 55, 139.	0.9	4
290	Mechanical supports for acute, severe ankle sprain: a pragmatic, multicentre, randomised controlled trial. <i>Lancet, The</i> , 2009, 373, 575-581.	6.3	191
291	10-day below-knee cast for management of severe ankle sprains – Authors' reply. <i>Lancet, The</i> , 2009, 373, 1602-1603.	6.3	1
292	The Prognostic Value of Symptom Responses in the Conservative Management of Spinal Pain. <i>Spine</i> , 2009, 34, 2686-2699.	1.0	16
293	EuroQol EQ-5D and condition-specific measures of health outcome in women with urinary incontinence: reliability, validity and responsiveness. <i>Quality of Life Research</i> , 2008, 17, 475-483.	1.5	50
294	Hip Fractures in Institutionalized Elderly People: Incidence Rates and Excess Mortality. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 1825-1831.	3.1	131
295	Prevention of Falls in Nursing Homes: Subgroup Analyses of a Randomized Fall Prevention Trial. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1092-1097.	1.3	48
296	Response and non-response to postal questionnaire follow-up in a clinical trial – a qualitative study of the patient's perspective. <i>Journal of Evaluation in Clinical Practice</i> , 2008, 14, 226-235.	0.9	32
297	A national survey of services for the prevention and management of falls in the UK. <i>BMC Health Services Research</i> , 2008, 8, 233.	0.9	23
298	A systematic literature review of psychological factors and the development of late whiplash syndrome. <i>Pain</i> , 2008, 135, 20-30.	2.0	107
299	Chronic disease management programme in people with severe knee osteoarthritis: efficacy and moderators of response. <i>Clinical Rehabilitation</i> , 2008, 22, 169-178.	1.0	17
300	The Optimal Sequence and Selection of Screening Test Items to Predict Fall Risk in Older Disabled Women: The Women's Health and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 1082-1088.	1.7	54
301	Responsiveness of a Patient Specific Outcome Measure Compared With the Oswestry Disability Index v2.1 and Roland and Morris Disability Questionnaire for Patients With Subacute and Chronic Low Back Pain. <i>Spine</i> , 2008, 33, 2450-2457.	1.0	79
302	Leg Extension Power Deficit and Mobility Limitation in Women Recovering from Hip Fracture. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2008, 87, 363-370.	0.7	34
303	Title is missing!. <i>Journal of Rehabilitation Research and Development</i> , 2008, 45, 1105.	1.6	161
304	A Systematic Literature Review of Physical Prognostic Factors for the Development of Late Whiplash Syndrome. <i>Spine</i> , 2007, 32, E764-E780.	1.0	76
305	Design considerations in a clinical trial of a cognitive behavioural intervention for the management of low back pain in primary care: Back Skills Training Trial. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 14.	0.8	15
306	Managing Injuries of the Neck Trial (MINT): design of a randomised controlled trial of treatments for whiplash associated disorders. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 7.	0.8	28

#	ARTICLE	IF	CITATIONS
307	A Validation Study of the New Zealand Score for Hip and Knee Surgery. <i>Clinical Orthopaedics and Related Research</i> , 2007, 464, 190-195.	0.7	11
308	Systematic review of definitions and methods of measuring falls in randomised controlled fall prevention trials. <i>Age and Ageing</i> , 2006, 35, 5-10.	0.7	377
309	Cost-Utility Analysis of Physiotherapy Treatment Compared With Physiotherapy Advice in Low Back Pain. <i>Spine</i> , 2006, 31, 1381-1387.	1.0	59
310	A RESPONSE LETTER TO DRS. HAUSDORFF AND YOGEV. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 865-866.	1.3	12
311	ASYMMETRICAL LOWER EXTREMITY POWER DEFICIT AS A RISK FACTOR FOR INJURIOUS FALLS IN HEALTHY OLDER WOMEN. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 551-553.	1.3	33
312	Personal meanings in the construction of need for total knee replacement surgery. <i>Social Science and Medicine</i> , 2006, 63, 43-53.	1.8	55
313	Maximising response to postal questionnaires – A systematic review of randomised trials in health research. <i>BMC Medical Research Methodology</i> , 2006, 6, 5.	1.4	274
314	Re: 'Falls Definition Validation'. <i>Age and Ageing</i> , 2006, 36, 111-112.	0.7	6
315	Suitability of Physical Activity Questionnaires for Older Adults in Fall-Prevention Trials: A Systematic Review. <i>Journal of Aging and Physical Activity</i> , 2005, 13, 461-481.	0.5	55
316	Measuring the Psychological Outcomes of Falling: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 501-510.	1.3	384
317	Development of a Common Outcome Data Set for Fall Injury Prevention Trials: The Prevention of Falls Network Europe Consensus. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1618-1622.	1.3	1,615
318	A critical appraisal and defence of the Oxfordshire low back pain trial. <i>Physiotherapy</i> , 2005, 91, 1-2.	0.2	3
319	Clinical and cost effectiveness of mechanical support for severe ankle sprains: design of a randomised controlled trial in the emergency department [ISRCTN 37807450]. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 1.	0.8	46
320	Effective Measurement of the Functional Progress of Stroke Clients. <i>British Journal of Occupational Therapy</i> , 2005, 68, 253-259.	0.5	11
321	Randomised controlled trial of physiotherapy compared with advice for low back pain. <i>BMJ: British Medical Journal</i> , 2004, 329, 708.	2.4	163
322	Association between radiographic joint space narrowing, function, pain and muscle power in severe osteoarthritis of the knee. <i>Clinical Rehabilitation</i> , 2004, 18, 793-800.	1.0	109
323	Multi-item outcome measures for lateral ligament injury of the ankle: a structured review. <i>Journal of Evaluation in Clinical Practice</i> , 2004, 10, 339-352.	0.9	26
324	Cryotherapy after total knee replacement: a survey of current practice. <i>Physiotherapy Research International</i> , 2003, 8, 111-120.	0.7	33

#	ARTICLE	IF	CITATIONS
325	Interventions for preventing falls in elderly people. , 2003, , CD000340.		695
326	Recovery of mobility after knee arthroplasty. Journal of Arthroplasty, 2003, 18, 575-582.	1.5	40
327	Risk Factors for Falling in Home-Dwelling Older Women With Stroke. Stroke, 2003, 34, 494-501.	1.0	242
328	Changes in muscle torque following anterior cruciate ligament reconstruction: A comparison between hamstrings and patella tendon graft procedures on 45 patients. Acta Orthopaedica, 2002, 73, 546-552.	1.4	54
329	Neuromuscular stimulation of the quadriceps muscle after hip fracture: A randomized controlled trial. Archives of Physical Medicine and Rehabilitation, 2002, 83, 1087-1092.	0.5	50
330	Being a Widow and Other Life Stories: The Interplay between Lives and Words. Anthropology and Humanism, 2001, 26, 16-34.	0.4	50
331	Loss of Knee Range of Motion in Leg Lengthening. Journal of Orthopaedic and Sports Physical Therapy, 2001, 31, 238-246.	1.7	30
332	HP0035â€...Association between tess functional questionnaire and timed tests of function. , 2001, , .		0
333	HP0012â€...The discriminatory validity of the new zealand score for hip and knee surgery in a uk population. , 2001, , .		0
334	Effects of Neuromuscular Stimulation on the Contractile Efficiency of the First Dorsal Interosseous Muscle of the Hand. Physiotherapy, 2000, 86, 380.	0.2	1
335	How Much Function Do Functional Restoration Programmes Restore?. Physiotherapy, 2000, 86, 496.	0.2	0
336	A Functional Restoration Programme for Chronic Low Back Pain. Physiotherapy, 2000, 86, 285-293.	0.2	32
337	Research Assessment Exercise 2001: what is the big deal?. International Journal of Therapy and Rehabilitation, 2000, 7, 373-373.	0.1	1
338	Physiotherapy Outcome Measures for Rehabilitation of Elderly People. Physiotherapy, 1998, 84, 216-221.	0.2	22
339	Does interferential therapy affect blood flow?. Clinical Rehabilitation, 1994, 8, 213-218.	1.0	8
340	Exercise â€ The Other Root of our Profession. Physiotherapy, 1993, 79, 772.	0.2	13
341	Immobilisation versus early ankle movement for treating acute lateral ankle ligament injuries in adults. The Cochrane Library, 0, , .	1.5	0
342	Multifactorial and multiple component interventions for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	8

#	ARTICLE	IF	CITATIONS
343	Exercise for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	9
344	Environmental interventions for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	23
345	Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. F1000Research, 0, 10, 500.	0.8	2
346	Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. , 0, .		1
347	Can behavioural change interventions improve self-efficacy and exercise adherence among people with Parkinson's? A systematic review protocol. HRB Open Research, 0, 5, 15.	0.3	0
348	Anti-TNF (adalimumab) injection for the treatment of adults with frozen shoulder during the pain predominant stage protocol for a multi-centre, randomised, double blind, parallel group, feasibility trial. NIHR Open Research, 0, 2, 28.	0.0	1