

Amancio Carnero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9267837/publications.pdf>

Version: 2024-02-01

187
papers

9,860
citations

46918

47
h-index

43802

91
g-index

192
all docs

192
docs citations

192
times ranked

15497
citing authors

#	ARTICLE	IF	CITATIONS
1	SPINOPHILIN: A multiplayer tumor suppressor. <i>Genes and Diseases</i> , 2023, 10, 187-198.	1.5	1
2	3D and organoid culture in research: physiology, hereditary genetic diseases and cancer. <i>Cell and Bioscience</i> , 2022, 12, 39.	2.1	23
3	Senotherapeutics in Cancer and HIV. <i>Cells</i> , 2022, 11, 1222.	1.8	7
4	A Six-Gene Prognostic and Predictive Radiotherapy-Based Signature for Early and Locally Advanced Stages in Non-Small-Cell Lung Cancer. <i>Cancers</i> , 2022, 14, 2054.	1.7	4
5	Molecular Radiobiology in Non-Small Cell Lung Cancer: Prognostic and Predictive Response Factors. <i>Cancers</i> , 2022, 14, 2202.	1.7	3
6	Editor's Note: Immortalization of Primary Human Prostate Epithelial Cells by c-Myc. <i>Cancer Research</i> , 2022, 82, 2656-2656.	0.4	0
7	Mutation of SPINOPHILIN (PPP1R9B) found in human tumors promotes the tumorigenic and stemness properties of cells. <i>Theranostics</i> , 2021, 11, 3452-3471.	4.6	3
8	NAD ⁺ metabolism, stemness, the immune response, and cancer. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 2.	7.1	189
9	Role of the Holoenzyme PP1-SPN in the Dephosphorylation of the RB Family of Tumor Suppressors During Cell Cycle. <i>Cancers</i> , 2021, 13, 2226.	1.7	5
10	Regulation of sarcomagenesis by the empty spiracles homeobox genes EMX1 and EMX2. <i>Cell Death and Disease</i> , 2021, 12, 515.	2.7	10
11	Cellular senescence or stemness: hypoxia flips the coin. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 243.	3.5	22
12	Empty spiracles homeobox genes EMX1 and EMX2 regulate WNT pathway activation in sarcomagenesis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 247.	3.5	6
13	Leveraging Genomics, Transcriptomics, and Epigenomics to Understand the Biology and Chemoresistance of Ovarian Cancer. <i>Cancers</i> , 2021, 13, 4029.	1.7	10
14	Role of Mitochondria in Cancer Stem Cell Resistance. <i>Cells</i> , 2020, 9, 1693.	1.8	59
15	Breast tumor cells promotes the horizontal propagation of EMT, stemness, and metastasis by transferring the MAP17 protein between subsets of neoplastic cells. <i>Oncogenesis</i> , 2020, 9, 96.	2.1	12
16	Sarcoma stratification by combined pH2AX and MAP17 (PDZK1IP1) levels for a better outcome on doxorubicin plus olaparib treatment. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 195.	7.1	8
17	Therapeutic Targeting of Signaling Pathways Related to Cancer Stemness. <i>Frontiers in Oncology</i> , 2020, 10, 1533.	1.3	27
18	Targeting Cancer Stem Cells to Overcome Therapy Resistance in Ovarian Cancer. <i>Cells</i> , 2020, 9, 1402.	1.8	46

#	ARTICLE	IF	CITATIONS
19	FGFR1 and FGFR4 oncogenicity depends on n-cadherin and their co-expression may predict FGFR-targeted therapy efficacy. <i>EBioMedicine</i> , 2020, 53, 102683.	2.7	15
20	Downregulation of MYPT1 increases tumor resistance in ovarian cancer by targeting the Hippo pathway and increasing the stemness. <i>Molecular Cancer</i> , 2020, 19, 7.	7.9	72
21	The Tumor Suppressor Roles of MYBBP1A, a Major Contributor to Metabolism Plasticity and Stemness. <i>Cancers</i> , 2020, 12, 254.	1.7	20
22	PAI1 is a Marker of Bad Prognosis in Rectal Cancer but Predicts a Better Response to Treatment with PIM Inhibitor AZD1208. <i>Cells</i> , 2020, 9, 1071.	1.8	7
23	Combined MEK and PI3K/p110 $\hat{2}$ Inhibition as a Novel Targeted Therapy for Malignant Mesothelioma Displaying Sarcomatoid Features. <i>Cancer Research</i> , 2020, 80, 843-856.	0.4	19
24	Tumor Profiling at the Service of Cancer Therapy. <i>Frontiers in Oncology</i> , 2020, 10, 595613.	1.3	9
25	Implications of maraviroc and/or rapamycin in a mouse model of fragility. <i>Aging</i> , 2020, 12, 8565-8582.	1.4	5
26	Impact of Heat Shock Protein 90 Inhibition on the Proteomic Profile of Lung Adenocarcinoma as Measured by Two-Dimensional Electrophoresis Coupled with Mass Spectrometry. <i>Cells</i> , 2019, 8, 806.	1.8	3
27	New markers for human ovarian cancer that link platinum resistance to the cancer stem cell phenotype and define new therapeutic combinations and diagnostic tools. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 234.	3.5	25
28	MYB and PGC1 α -dependent metabolic switch induced by MYBBP1A loss in renal cancer. <i>Molecular Oncology</i> , 2019, 13, 1519-1533.	2.1	15
29	NAMPT as a Dedifferentiation-Inducer Gene: NAD $^{+}$ as Core Axis for Glioma Cancer Stem-Like Cells Maintenance. <i>Frontiers in Oncology</i> , 2019, 9, 292.	1.3	31
30	FGFR1 Cooperates with EGFR in Lung Cancer Oncogenesis, and Their Combined Inhibition Shows Improved Efficacy. <i>Journal of Thoracic Oncology</i> , 2019, 14, 641-655.	0.5	50
31	FGFR4 increases EGFR oncogenic signaling in lung adenocarcinoma, and their combined inhibition is highly effective. <i>Lung Cancer</i> , 2019, 131, 112-121.	0.9	12
32	Loss of MYBBP1A Induces Cancer Stem Cell Activity in Renal Cancer. <i>Cancers</i> , 2019, 11, 235.	1.7	12
33	Tumor cell-secreted PLD increases tumor stemness by senescence-mediated communication with microenvironment. <i>Oncogene</i> , 2019, 38, 1309-1323.	2.6	34
34	The FGFR4-388arg Variant Promotes Lung Cancer Progression by N-Cadherin Induction. <i>Scientific Reports</i> , 2018, 8, 2394.	1.6	26
35	MAP17 (PDZK1IP1) and p $\hat{2}$ AX are potential predictive biomarkers for rectal cancer treatment efficacy. <i>Oncotarget</i> , 2018, 9, 32958-32971.	0.8	15
36	Synthesis, Reactivity Studies, and Cytotoxicity of Two trans-Iodidoplatinum(II) Complexes. Does Photoactivation Work?. <i>Inorganics</i> , 2018, 6, 127.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Dr. Jekyll and Mr. Hyde: MAP17's up-regulation, a crosspoint in cancer and inflammatory diseases. <i>Molecular Cancer</i> , 2018, 17, 80.	7.9	14
38	MAP17 predicts sensitivity to platinum-based therapy, EGFR inhibitors and the proteasome inhibitor bortezomib in lung adenocarcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 195.	3.5	20
39	<i>NAMPT</i> Is a Potent Oncogene in Colon Cancer Progression that Modulates Cancer Stem Cell Properties and Resistance to Therapy through Sirt1 and PARP. <i>Clinical Cancer Research</i> , 2018, 24, 1202-1215.	3.2	106
40	Impact of DLK1-DIO3 imprinted cluster hypomethylation in smoker patients with lung cancer. <i>Oncotarget</i> , 2018, 9, 4395-4410.	0.8	37
41	NUMB and NUMBL differences in gene regulation. <i>Oncotarget</i> , 2018, 9, 9219-9234.	0.8	11
42	Histology-dependent prognostic role of pERK and p53 protein levels in early-stage non-small cell lung cancer. <i>Oncotarget</i> , 2018, 9, 19945-19960.	0.8	6
43	The Cargo Protein MAP17 (PDZK1IP1) Regulates the Cancer Stem Cell Pool Activating the Notch Pathway by Abducting NUMB. <i>Clinical Cancer Research</i> , 2017, 23, 3871-3883.	3.2	53
44	Prognostic relevance of Src activation in stage II-III colon cancer. <i>Human Pathology</i> , 2017, 67, 119-125.	1.1	15
45	Gemcitabine plus sirolimus for relapsed and progressing osteosarcoma patients after standard chemotherapy: a multicenter, single-arm phase II trial of Spanish Group for Research on Sarcoma (GEIS). <i>Annals of Oncology</i> , 2017, 28, 2994-2999.	0.6	45
46	Genome-Wide miRNA Screening for Genes Bypassing Oncogene-Induced Senescence. <i>Methods in Molecular Biology</i> , 2017, 1534, 53-68.	0.4	1
47	NAMPT overexpression induces cancer stemness and defines a novel tumor signature for glioma prognosis. <i>Oncotarget</i> , 2017, 8, 99514-99530.	0.8	67
48	The cargo protein MAP17 (PDZK1IP1) regulates the immune microenvironment. <i>Oncotarget</i> , 2017, 8, 98580-98597.	0.8	19
49	Inflammation and stem markers association to PIM1/PIM2 kinase-induced tumors in breast and uterus. <i>Oncotarget</i> , 2017, 8, 58872-58886.	0.8	24
50	Coordinated downregulation of Spinophilin and the catalytic subunits of PP1, PPP1CA/B/C, contributes to a worse prognosis in lung cancer. <i>Oncotarget</i> , 2017, 8, 105196-105210.	0.8	14
51	Numb-like (NumbL) downregulation increases tumorigenicity, cancer stem cell-like properties and resistance to chemotherapy. <i>Oncotarget</i> , 2016, 7, 63611-63628.	0.8	36
52	Dasatinib, a Src inhibitor, sensitizes liver metastatic colorectal carcinoma to oxaliplatin in tumors with high levels of phospho-Src. <i>Oncotarget</i> , 2016, 7, 33111-33124.	0.8	27
53	The cancer stem-cell signaling network and resistance to therapy. <i>Cancer Treatment Reviews</i> , 2016, 49, 25-36.	3.4	122
54	The role of PIM1/PIM2 kinases in tumors of the male reproductive system. <i>Scientific Reports</i> , 2016, 6, 38079.	1.6	28

#	ARTICLE	IF	CITATIONS
55	The hypoxic microenvironment: A determinant of cancer stem cell evolution. <i>BioEssays</i> , 2016, 38, S65-74.	1.2	164
56	Subcellular localisation of pMEK has a different prognosis in locally advanced head and neck cancer treated with concomitant radiochemotherapy. <i>BMC Cancer</i> , 2016, 16, 829.	1.1	1
57	The Cytoskeletal Adapter Protein Spinophilin Regulates Invadopodia Dynamics and Tumor Cell Invasion in Glioblastoma. <i>Molecular Cancer Research</i> , 2016, 14, 1277-1287.	1.5	20
58	The hypoxic microenvironment: A determinant of cancer stem cell evolution. <i>Inside the Cell</i> , 2016, 1, 96-105.	0.4	7
59	IL-11 and CCL-1: Novel Protein Diagnostic Biomarkers of Lung Adenocarcinoma in Bronchoalveolar Lavage Fluid (BALF). <i>Journal of Thoracic Oncology</i> , 2016, 11, 2183-2192.	0.5	19
60	A genetic view of laryngeal cancer heterogeneity. <i>Cell Cycle</i> , 2016, 15, 1202-1212.	1.3	27
61	Loss of the tumor suppressor spinophilin (PPP1R9B) increases the cancer stem cell population in breast tumors. <i>Oncogene</i> , 2016, 35, 2777-2788.	2.6	31
62	Efficacy of bortezomib in sarcomas with high levels of MAP17 (PDZK1IP1). <i>Oncotarget</i> , 2016, 7, 67033-67046.	0.8	23
63	Phosphorylation of gH2AX as a novel prognostic biomarker for laryngoesophageal dysfunction-free survival. <i>Oncotarget</i> , 2016, 7, 31723-31737.	0.8	15
64	Assessing the carcinogenic potential of low-dose exposures to chemical mixtures in the environment: the challenge ahead. <i>Carcinogenesis</i> , 2015, 36, S254-S296.	1.3	239
65	Senescence in Oncogenesis: From Molecular Mechanisms to Therapeutic Opportunities. , 2015, , 127-155.		0
66	Disruptive chemicals, senescence and immortality. <i>Carcinogenesis</i> , 2015, 36, S19-S37.	1.3	32
67	Therapeutic targeting of replicative immortality. <i>Seminars in Cancer Biology</i> , 2015, 35, S104-S128.	4.3	49
68	MAP17 (PDZKIP1) Expression Determines Sensitivity to the Proteasomal Inhibitor Bortezomib by Preventing Cytoprotective Autophagy and NF κ B Activation in Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 1454-1465.	1.9	26
69	Designing a broad-spectrum integrative approach for cancer prevention and treatment. <i>Seminars in Cancer Biology</i> , 2015, 35, S276-S304.	4.3	220
70	Genetic modification of hypoxia signaling in animal models and its effect on cancer. <i>Clinical and Translational Oncology</i> , 2015, 17, 90-102.	1.2	11
71	Gene expression profile predictive of response to chemotherapy in metastatic colorectal cancer. <i>Oncotarget</i> , 2015, 6, 6151-6159.	0.8	28
72	MAP17 (PDZKIP1) as a novel prognostic biomarker for laryngeal cancer. <i>Oncotarget</i> , 2015, 6, 12625-12636.	0.8	26

#	ARTICLE	IF	CITATIONS
73	High casein kinase 1 epsilon levels are correlated with better prognosis in subsets of patients with breast cancer. <i>Oncotarget</i> , 2015, 6, 30343-30356.	0.8	6
74	Efficacy of CDK4 inhibition against sarcomas depends on their levels of CDK4 and p16ink4 mRNA. <i>Oncotarget</i> , 2015, 6, 40557-40574.	0.8	53
75	Decoding Warburg's hypothesis: tumor-related mutations in the mitochondrial respiratory chain. <i>Oncotarget</i> , 2015, 6, 41582-41599.	0.8	44
76	MAP17 as Biomarker for Cancer Treatment. <i>Biomarkers in Disease</i> , 2015, , 167-178.	0.0	0
77	Prognostic relevance of estrogen receptor- β Ser167 phosphorylation in stage II-III colon cancer patients. <i>Human Pathology</i> , 2014, 45, 2437-2446.	1.1	13
78	MiR-107 and miR-99a-3p predict chemotherapy response in patients with advanced colorectal cancer. <i>BMC Cancer</i> , 2014, 14, 656.	1.1	64
79	The PTEN/PI3K/AKT Pathway in vivo, <i>Cancer Mouse Models</i> . <i>Frontiers in Oncology</i> , 2014, 4, 252.	1.3	166
80	Levels of active tyrosine kinase receptor determine the tumor response to Zalypsis. <i>BMC Cancer</i> , 2014, 14, 281.	1.1	11
81	MicroRNA clusters: dysregulation in lung adenocarcinoma and COPD. <i>European Respiratory Journal</i> , 2014, 43, 1740-1749.	3.1	91
82	The PIM Family of Serine/Threonine Kinases in Cancer. <i>Medicinal Research Reviews</i> , 2014, 34, 136-159.	5.0	191
83	MicroRNA-Dependent Regulation of Transcription in Non-Small Cell Lung Cancer. <i>PLoS ONE</i> , 2014, 9, e90524.	1.1	65
84	MAP17 as Biomarker for Cancer Treatment. , 2014, , 1-10.		0
85	Identification of proteomic signatures associated with lung cancer and COPD. <i>Journal of Proteomics</i> , 2013, 89, 227-237.	1.2	116
86	Inhibition of HSP90 molecular chaperones: moving into the clinic. <i>Lancet Oncology</i> , The, 2013, 14, e358-e369.	5.1	313
87	Proteomic biomarkers in lung cancer. <i>Clinical and Translational Oncology</i> , 2013, 15, 671-682.	1.2	29
88	The second generation of iodido complexes: trans-[PtII(amine)(amine ϵ^2)] bearing different aliphatic amines. <i>Journal of Inorganic Biochemistry</i> , 2013, 127, 182-187.	1.5	15
89	Markers of Cellular Senescence. <i>Methods in Molecular Biology</i> , 2013, 965, 63-81.	0.4	62
90	Oxidation of anticancer Pt(II) complexes with monodentate phosphane ligands: towards stable but active Pt(IV) prodrugs. <i>Chemical Communications</i> , 2013, 49, 4806.	2.2	21

#	ARTICLE	IF	CITATIONS
91	Pim kinases in cancer: Diagnostic, prognostic and treatment opportunities. <i>Biochemical Pharmacology</i> , 2013, 85, 629-643.	2.0	137
92	DNA Methylation Signatures Identify Biologically Distinct Thyroid Cancer Subtypes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2811-2821.	1.8	100
93	Identification of Oxidative Stress Related Proteins as Biomarkers for Lung Cancer and Chronic Obstructive Pulmonary Disease in Bronchoalveolar Lavage. <i>International Journal of Molecular Sciences</i> , 2013, 14, 3440-3455.	1.8	33
94	Spinophilin Loss Correlates with Poor Patient Prognosis in Advanced Stages of Colon Carcinoma. <i>Clinical Cancer Research</i> , 2013, 19, 3925-3935.	3.2	16
95	Conditional Transgenic Expression of PIM1 Kinase in Prostate Induces Inflammation-Dependent Neoplasia. <i>PLoS ONE</i> , 2013, 8, e60277.	1.1	28
96	MAP17 and SGLT1 Protein Expression Levels as Prognostic Markers for Cervical Tumor Patient Survival. <i>PLoS ONE</i> , 2013, 8, e56169.	1.1	45
97	p38 ^{Î±} limits the contribution of MAP17 to cancer progression in breast tumors. <i>Oncogene</i> , 2012, 31, 4447-4459.	2.6	26
98	MAP17, a ROS-dependent oncogene. <i>Frontiers in Oncology</i> , 2012, 2, 112.	1.3	15
99	The essential role of PIM kinases in sarcoma growth and bone invasion. <i>Carcinogenesis</i> , 2012, 33, 1479-1486.	1.3	34
100	PDGFR ^{Î±/Î²} and VEGFR2 polymorphisms in colorectal cancer: incidence and implications in clinical outcome. <i>BMC Cancer</i> , 2012, 12, 514.	1.1	14
101	Association between the miRNA Signatures in Plasma and Bronchoalveolar Fluid in Respiratory Pathologies. <i>Disease Markers</i> , 2012, 32, 221-230.	0.6	37
102	MAP17 and the double-edged sword of ROS. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1826, 44-52.	3.3	22
103	Spinophilin: A New Tumor Suppressor at 17q21. <i>Current Molecular Medicine</i> , 2012, 12, 528-535.	0.6	19
104	Association between the miRNA signatures in plasma and bronchoalveolar fluid in respiratory pathologies. <i>Disease Markers</i> , 2012, 32, 221-30.	0.6	27
105	The preparation and characterization of trans-platinum(iv) complexes with unusually high cytotoxicity. <i>Dalton Transactions</i> , 2011, 40, 344-347.	1.6	29
106	Pim 1 kinase inhibitor ETP-45299 suppresses cellular proliferation and synergizes with PI3K inhibition. <i>Cancer Letters</i> , 2011, 300, 145-153.	3.2	53
107	Cancer, Senescence, and Aging: Translation from Basic Research to Clinics. <i>Journal of Aging Research</i> , 2011, 2011, 1-2.	0.4	1
108	Epigenetic mechanisms in senescence, immortalisation and cancer. <i>Biological Reviews</i> , 2011, 86, 443-455.	4.7	17

#	ARTICLE	IF	CITATIONS
109	Downregulation of <i>spinophilin</i> in lung tumours contributes to tumourigenesis. <i>Journal of Pathology</i> , 2011, 225, 73-82.	2.1	20
110	Spinophilin acts as a tumor suppressor by regulating Rb phosphorylation. <i>Cell Cycle</i> , 2011, 10, 2751-2762.	1.3	40
111	Cellular Senescence as a Target in Cancer Control. <i>Journal of Aging Research</i> , 2011, 2011, 1-12.	0.4	32
112	Spinophilin loss contributes to tumorigenesis in vivo. <i>Cell Cycle</i> , 2011, 10, 1948-1955.	1.3	31
113	Bypassing cellular senescence by genetic screening tools. <i>Clinical and Translational Oncology</i> , 2010, 12, 410-417.	1.2	26
114	The role of p53 in the cellular toxicity by active trans-platinum complexes containing isopropylamine and hydroxymethylpyridine. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 134-141.	2.6	22
115	Human TRIB2 is a repressor of FOXO that contributes to the malignant phenotype of melanoma cells. <i>Oncogene</i> , 2010, 29, 2973-2982.	2.6	85
116	Exploring the Gain of Function Contribution of AKT to Mammary Tumorigenesis in Mouse Models. <i>PLoS ONE</i> , 2010, 5, e9305.	1.1	28
117	The TGF- β co-receptor endoglin modulates the expression and transforming potential of H-Ras. <i>Carcinogenesis</i> , 2010, 31, 2145-2154.	1.3	23
118	Targeting of p53-Transcriptional Dysfunction by Conditionally Replicating Adenovirus Is Not Limited by p53-Homologues. <i>Molecular Therapy</i> , 2010, 18, 936-946.	3.7	7
119	The PKB/AKT Pathway in Cancer. <i>Current Pharmaceutical Design</i> , 2010, 16, 34-44.	0.9	252
120	Understanding FOXO, New Views on Old Transcription Factors. <i>Current Cancer Drug Targets</i> , 2010, 10, 135-146.	0.8	52
121	Between Bench and Bed Side: PI3K Inhibitors. <i>Current Molecular Pharmacology</i> , 2010, 3, 79-90.	0.7	1
122	Chemical Interrogation of FOXO3a Nuclear Translocation Identifies Potent and Selective Inhibitors of Phosphoinositide 3-Kinases. <i>Journal of Biological Chemistry</i> , 2009, 284, 28392-28400.	1.6	77
123	Cold-Inducible RNA-Binding Protein Bypasses Replicative Senescence in Primary Cells through Extracellular Signal-Regulated Kinase 1 and 2 Activation. <i>Molecular and Cellular Biology</i> , 2009, 29, 1855-1868.	1.1	69
124	Using cells devoid of RAS proteins as tools for drug discovery. <i>Molecular Carcinogenesis</i> , 2009, 48, 1038-1047.	1.3	7
125	Inhibiting PI3K as a therapeutic strategy against cancer. <i>Clinical and Translational Oncology</i> , 2009, 11, 572-579.	1.2	28
126	Adding more content to screening: reactivation of FOXO as a therapeutic strategy. <i>Clinical and Translational Oncology</i> , 2009, 11, 651-658.	1.2	6

#	ARTICLE	IF	CITATIONS
127	Using multiplexed regulation of luciferase activity and GFP translocation to screen for FOXO modulators. <i>BMC Cell Biology</i> , 2009, 10, 14.	3.0	41
128	Novel inhibitors of the PI3K family. <i>Expert Opinion on Investigational Drugs</i> , 2009, 18, 1265-1277.	1.9	36
129	Influence of amine ligands on the aquation and cytotoxicity of trans-diamine platinum(ii) anticancer complexes. <i>Dalton Transactions</i> , 2009, , 3457.	1.6	41
130	Mouse Models to Decipher the PI3K Signaling Network in Human Cancer. <i>Current Molecular Medicine</i> , 2009, 9, 612-625.	0.6	19
131	Genetic modelling of the PTEN/AKT pathway in cancer research. <i>Clinical and Translational Oncology</i> , 2008, 10, 618-627.	1.2	19
132	Chemical Genetic Analysis of FOXO Nuclearâ€œCytoplasmic Shuttling by Using Imageâ€œBased Cell Screening. <i>ChemBioChem</i> , 2008, 9, 2229-2237.	1.3	79
133	Isolation of an Intermediate in the Platination of p-Nitroacetophenone 4-Methylthiosemicarbazone: Potential Application as an Antitumor Drug. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 1183-1187.	1.0	17
134	Platinum(IV) Complexes of 3- and 4-Picolinic Acids Containing Ammine or Isopropylamine Ligands - Synthesis, Characterization, X-ray Structures, and Evaluation of Their Cytotoxic Activity against Cancer Cell Lines. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 4762-4769.	1.0	8
135	Influence of (Hydroxymethyl)pyridine and Pyridineâ€œCarboxylic Acids, in <i>trans</i> -Position to the Isopropylamine and Ammine Ligands, on the Cytotoxicity of Platinum Complexes. <i>Chemistry and Biodiversity</i> , 2008, 5, 2090-2100.	1.0	11
136	Cellular senescence bypass screen identifies new putative tumor suppressor genes. <i>Oncogene</i> , 2008, 27, 1961-1970.	2.6	59
137	S-adenosylhomocysteine hydrolase downregulation contributes to tumorigenesis. <i>Carcinogenesis</i> , 2008, 29, 2089-2095.	1.3	65
138	Activation of Phosphatidylinositol 3-Kinase by Membrane Localization of p110 β Predisposes Mammary Glands to Neoplastic Transformation. <i>Cancer Research</i> , 2008, 68, 9643-9653.	0.4	47
139	Loss-of-function genetic screening identifies a cluster of ribosomal proteins regulating p53 function. <i>Carcinogenesis</i> , 2008, 29, 1343-1350.	1.3	24
140	Mitotic catastrophe cell death induced by heat shock protein 90 inhibitor in BRCA1-deficient breast cancer cell lines. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 2358-2366.	1.9	25
141	The PTEN/PI3K/AKT Signalling Pathway in Cancer, Therapeutic Implications. <i>Current Cancer Drug Targets</i> , 2008, 8, 187-198.	0.8	685
142	A Dual-Color Fluorescence-Based Platform to Identify Selective Inhibitors of Akt Signaling. <i>PLoS ONE</i> , 2008, 3, e1823.	1.1	17
143	Characterization of the p53 Response to Oncogene-Induced Senescence. <i>PLoS ONE</i> , 2008, 3, e3230.	1.1	41
144	An HTS Approach to Screen for Antagonists of the Nuclear Export Machinery Using High Content Cell-Based Assays. <i>Assay and Drug Development Technologies</i> , 2007, 5, 333-342.	0.6	45

#	ARTICLE	IF	CITATIONS
145	MAP17 overexpression is a common characteristic of carcinomas. <i>Carcinogenesis</i> , 2007, 28, 1646-1652.	1.3	48
146	PPP1CA contributes to the senescence program induced by oncogenic Ras. <i>Carcinogenesis</i> , 2007, 29, 491-499.	1.3	61
147	MAP17 inhibits Myc-induced apoptosis through PI3K/AKT pathway activation. <i>Carcinogenesis</i> , 2007, 28, 2443-2450.	1.3	30
148	MAP17 enhances the malignant behavior of tumor cells through ROS increase. <i>Carcinogenesis</i> , 2007, 28, 2096-2104.	1.3	55
149	Levels of p27kip1 determine Aplidin sensitivity. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 1310-1316.	1.9	31
150	Mice expressing myrAKT1 in the mammary gland develop carcinogen-induced ER-positive mammary tumors that mimic human breast cancer. <i>Carcinogenesis</i> , 2007, 28, 584-594.	1.3	44
151	Mst1, RanBP2 and eIF4G are new markers for in vivo PI3K activation in murine and human prostate. <i>Carcinogenesis</i> , 2007, 28, 1418-1425.	1.3	25
152	Cellular Senescence as a Target in Cancer Control. <i>Current Cancer Therapy Reviews</i> , 2007, 3, 7-15.	0.2	4
153	Expression of CYP3A4 as a predictor of response to chemotherapy in peripheral T-cell lymphomas. <i>Blood</i> , 2007, 110, 3345-3351.	0.6	42
154	PTEN, more than the AKT pathway. <i>Carcinogenesis</i> , 2007, 28, 1379-1386.	1.3	355
155	Newtrans-Platinum Drugs with Phosphines and Amines as Carrier Ligands Induce Apoptosis in Tumor Cells Resistant to Cisplatin. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 2194-2199.	2.9	61
156	Extreme sensitivity to Yondelis® (Trabectedin, ET-743) in low passaged sarcoma cell lines correlates with mutated p53. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 339-348.	1.2	39
157	Structure-activity relationship of new trans-platinum(II) and (IV) complexes with cyclohexylamine. Interference with cell cycle progression and induction of cell death. <i>Journal of Inorganic Biochemistry</i> , 2007, 101, 551-558.	1.5	12
158	High throughput screening in drug discovery. <i>Clinical and Translational Oncology</i> , 2006, 8, 482-490.	1.2	98
159	Inhibition of phosphatidylinositol-3-kinase synergizes with gemcitabine in low-passage tumor cell lines correlating with Bax translocation to the mitochondria. <i>Anti-Cancer Drugs</i> , 2005, 16, 977-987.	0.7	20
160	CBX7 controls the growth of normal and tumor-derived prostate cells by repressing the Ink4a/Arf locus. <i>Oncogene</i> , 2005, 24, 5543-5551.	2.6	147
161	Identification of transcripts specific for physiological gene activation by platelet-derived growth factor (PDGF)-B in intact brain tissue. <i>Journal of Cellular Biochemistry</i> , 2005, 95, 859-867.	1.2	1
162	Membrane localization of all class I PI 3-kinase isoforms suppresses c-Myc-induced apoptosis in Rat1 fibroblasts via Akt. <i>Journal of Cellular Biochemistry</i> , 2005, 95, 979-989.	1.2	35

#	ARTICLE	IF	CITATIONS
163	Roscovitine Targets, Protein Kinases and Pyridoxal Kinase. <i>Journal of Biological Chemistry</i> , 2005, 280, 31208-31219.	1.6	312
164	Transcriptional signature of Ecteinascidin 743 (Yondelis, Trabectedin) in human sarcoma cells explanted from chemo-naïve patients. <i>Molecular Cancer Therapeutics</i> , 2005, 4, 814-823.	1.9	50
165	Immortalization of Primary Human Prostate Epithelial Cells by c-Myc. <i>Cancer Research</i> , 2005, 65, 2179-2185.	0.4	112
166	Cooperation between Cdk4 and p27kip1 in Tumor Development: A Preclinical Model to Evaluate Cell Cycle Inhibitors with Therapeutic Activity. <i>Cancer Research</i> , 2005, 65, 3846-3852.	0.4	55
167	EMX homeobox genes regulate microphthalmia and alter melanocyte biology. <i>Experimental Cell Research</i> , 2005, 311, 27-38.	1.2	14
168	Glycolytic enzymes can modulate cellular life span. <i>Cancer Research</i> , 2005, 65, 177-85.	0.4	458
169	Absence of p21WAF1 cooperates with c-myc in bypassing Ras-induced senescence and enhances oncogenic cooperation. <i>Oncogene</i> , 2004, 23, 6006-6011.	2.6	37
170	Cellular senescence induced by p53-ras cooperation is independent of p21waf1 in murine embryo fibroblasts. <i>Journal of Cellular Biochemistry</i> , 2004, 92, 514-524.	1.2	19
171	Non-neutral role of replicative senescence in tissue homeostasis and tumorigenesis. <i>Journal of Theoretical Biology</i> , 2004, 230, 333-341.	0.8	6
172	Overexpression of cyclin D1 inhibits TNF-induced growth arrest. <i>Journal of Cellular Biochemistry</i> , 2003, 89, 484-499.	1.2	12
173	Exploring cellular senescence as a tumor suppressor mechanism. , 2003, 5, 249-265.		3
174	Cell cycle deregulation: a common motif in cancer. <i>Progress in Cell Cycle Research</i> , 2003, 5, 5-18.	0.9	62
175	p16INK4A and p19ARF act in overlapping pathways in cellular immortalization. <i>Nature Cell Biology</i> , 2000, 2, 148-155.	4.6	266
176	Cell cycle and cancer. , 2000, 2, 12-22.		3
177	MOLECULAR GENETICS:MaRX: An Approach to Genetics in Mammalian Cells. <i>Science</i> , 1999, 283, 1129-1130.	6.0	92
178	A Proinflammatory Cytokine Inhibits P53 Tumor Suppressor Activity. <i>Journal of Experimental Medicine</i> , 1999, 190, 1375-1382.	4.2	564
179	Wortmannin, an inhibitor of phosphatidyl-inositol 3-kinase, induces oocyte maturation through a MPF-MAPK-dependent pathway. <i>FEBS Letters</i> , 1998, 422, 155-159.	1.3	18
180	Rho proteins induce metastatic properties in vivo. <i>Oncogene</i> , 1997, 15, 3047-3057.	2.6	153

#	ARTICLE	IF	CITATIONS
181	Modulation of cellular chemoresistance in keratinocytes by activation of different oncogenes. International Journal of Cancer, 1995, 60, 235-243.	2.3	26
182	ras-p21 Activates phospholipase D and A2, but not phospholipase C or PKC, in <i>Xenopus laevis</i> Oocytes. Journal of Cellular Biochemistry, 1994, 54, 478-486.	1.2	33
183	Progesterone but not <i>ras</i> requires MPF for in vivo activation of MAPK and S6 KII: MAPK is an essential connexion point of both signaling pathways. Journal of Cellular Biochemistry, 1994, 55, 465-476.	1.2	19
184	Phospholipase-induced maturation of <i>Xenopus laevis</i> oocytes: Mitogenic activity of generated metabolites. Journal of Cellular Biochemistry, 1993, 52, 440-448.	1.2	30
185	Acylphosphatase synergizes with progesterone during maturation of <i>Xenopus laevis</i> oocytes. FEBS Letters, 1993, 327, 265-270.	1.3	6
186	Microinjection of acylphosphatase blocks <i>Xenopus laevis</i> oocytes maturation induced by <i>ras</i> -p21. FEBS Letters, 1993, 326, 167-170.	1.3	7
187	PI3K pathway in cancer. , 0, , 193-203.		0