## Ewa Poleszak

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9268780/publications.pdf

Version: 2024-02-01

155 papers 2,679 citations

201674 27 h-index 243625 44 g-index

156 all docs

156 docs citations

156 times ranked 2817 citing authors

#	Article	IF	CITATIONS
1	The role of microbiota-gut-brain axis in neuropsychiatric and neurological disorders. Pharmacological Research, 2021, 172, 105840.	7.1	201
2	The involvement of serotonergic system in the antidepressant effect of zinc in the forced swim test. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 323-329.	4.8	117
3	Antidepressant-like activity of zinc: further behavioral and molecular evidence. Journal of Neural Transmission, 2008, 115, 1621-1628.	2.8	110
4	Antidepressant activity of zinc and magnesium in view of the current hypotheses of antidepressant action. Pharmacological Reports, 2008, 60, 588-9.	3.3	105
5	Antidepressant- and anxiolytic-like activity of magnesium in mice. Pharmacology Biochemistry and Behavior, 2004, 78, 7-12.	2.9	104
6	Neuroprotective Effects of Coffee Bioactive Compounds: A Review. International Journal of Molecular Sciences, 2021, 22, 107.	4.1	97
7	Magnesium in depression. Pharmacological Reports, 2013, 65, 547-554.	3.3	70
8	NMDA/glutamate mechanism of antidepressant-like action of magnesium in forced swim test in mice. Pharmacology Biochemistry and Behavior, 2007, 88, 158-164.	2.9	69
9	Zinc, magnesium and NMDA receptor alterations in the hippocampus of suicide victims. Journal of Affective Disorders, 2013, 151, 924-931.	4.1	63
10	Zinc signaling and epilepsy., 2019, 193, 156-177.		52
11	Zinc-induced adaptive changes in NMDA/glutamatergic and serotonergic receptors. Pharmacological Reports, 2009, 61, 1184-1191.	3.3	49
12	Magnesium and depression. Magnesium Research, 2016, 29, 112-119.	0.5	47
		0.0	.,
13	A complex interaction between glycine/NMDA receptors and serotonergic/noradrenergic antidepressants in the forced swim test in mice. Journal of Neural Transmission, 2011, 118, 1535-1546.	2.8	46
13	A complex interaction between glycine/NMDA receptors and serotonergic/noradrenergic antidepressants in the forced swim test in mice. Journal of Neural Transmission, 2011, 118, 1535-1546.  Caffeine enhances the antidepressant-like activity of common antidepressant drugs in the forced swim test in mice. Naunyn-Schmiedeberg's Archives of Pharmacology, 2016, 389, 211-221.		
	antidepressants in the forced swim test in mice. Journal of Neural Transmission, 2011, 118, 1535-1546.  Caffeine enhances the antidepressant-like activity of common antidepressant drugs in the forced swim	2.8	46
14	antidepressants in the forced swim test in mice. Journal of Neural Transmission, 2011, 118, 1535-1546.  Caffeine enhances the antidepressant-like activity of common antidepressant drugs in the forced swim test in mice. Naunyn-Schmiedeberg's Archives of Pharmacology, 2016, 389, 211-221.  Immobility stress induces depression-like behavior in the forced swim test in mice: effect of magnesium	2.8	46
14	antidepressants in the forced swim test in mice. Journal of Neural Transmission, 2011, 118, 1535-1546.  Caffeine enhances the antidepressant-like activity of common antidepressant drugs in the forced swim test in mice. Naunyn-Schmiedeberg's Archives of Pharmacology, 2016, 389, 211-221.  Immobility stress induces depression-like behavior in the forced swim test in mice: effect of magnesium and imipramine. Pharmacological Reports, 2006, 58, 746-52.  Investigational NMDA receptor modulators for depression. Expert Opinion on Investigational Drugs,	2.8 3.0 3.3	46 46 45

#	Article	IF	CITATIONS
19	Chronic Variable Stress Is Responsible for Lipid and DNA Oxidative Disorders and Activation of Oxidative Stress Response Genes in the Brain of Rats. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-10.	4.0	40
20	Enhancement of antidepressant-like activity by joint administration of imipramine and magnesium in the forced swim test: Behavioral and pharmacokinetic studies in mice. Pharmacology Biochemistry and Behavior, 2005, 81, 524-529.	2.9	39
21	Involvement of NMDA and AMPA receptors in the antidepressant-like activity of antidepressant drugs in the forced swim test. Pharmacological Reports, 2013, 65, 991-997.	3.3	35
22	Effects of acute and chronic treatment with magnesium in the forced swim test in rats. Pharmacological Reports, 2005, 57, 654-8.	3.3	35
23	Anxiolytic-like activity of zinc in rodent tests. Pharmacological Reports, 2011, 63, 1050-1055.	3.3	32
24	NMDA and AMPA receptors are involved in the antidepressant-like activity of tianeptine in the forced swim test in mice. Pharmacological Reports, 2011, 63, 1526-1532.	3.3	32
25	Caffeine augments the antidepressant-like activity of mianserin and agomelatine in forced swim and tail suspension tests in mice. Pharmacological Reports, 2016, 68, 56-61.	3.3	32
26	Antidepressant-Like Activity of Typical Antidepressant Drugs in the Forced Swim Test and Tail Suspension Test in Mice Is Augmented by DMPX, an Adenosine A2A Receptor Antagonist. Neurotoxicity Research, 2019, 35, 344-352.	2.7	32
27	Antidepressant-like effect of chromium chloride in the mouse forced swim test: involvement of glutamatergic and serotonergic receptors. Pharmacological Reports, 2008, 60, 991-5.	3.3	31
28	Activation of the NMDA/glutamate receptor complex antagonizes the NMDA antagonist-induced antidepressant-like effects in the forced swim test. Pharmacological Reports, 2007, 59, 595-600.	3.3	30
29	Lack of NMDA–AMPA interaction in antidepressant-like effect of CGP 37849, an antagonist of NMDA receptor, in the forced swim test. Journal of Neural Transmission, 2008, 115, 1519-1520.	2.8	25
30	Effects of ifenprodil on the antidepressant-like activity of NMDA ligands in the forced swim test in mice. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 46, 29-35.	4.8	25
31	NMDA/glutamate mechanism of magnesium-induced anxiolytic-like behavior in mice. Pharmacological Reports, 2008, 60, 655-63.	3.3	25
32	Rho kinase inhibition ameliorates cyclophosphamide-induced cystitis in rats. Naunyn-Schmiedeberg's Archives of Pharmacology, 2017, 390, 613-619.	3.0	24
33	The role of magnesium and zinc in depression: similarities and differences. Magnesium Research, 2018, 31, 78-89.	0.5	24
34	Benzodiazepine/GABA(A) receptors are involved in magnesium-induced anxiolytic-like behavior in mice. Pharmacological Reports, 2008, 60, 483-9.	3.3	24
35	D-serine, a selective glycine/N-methyl-D-aspartate receptor agonist, antagonizes the antidepressant-like effects of magnesium and zinc in mice. Pharmacological Reports, 2008, 60, 996-1000.	3.3	24
36	The depressogenic-like effect of acute and chronic treatment with dexamethasone and its influence on the activity of antidepressant drugs in the forced swim test in adult mice. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 243-248.	4.8	23

#	Article	IF	CITATIONS
37	Activity and Safety of Inhaled Itraconazole Nanosuspension in a Model Pulmonary Aspergillus fumigatus Infection in Inoculated Young Quails. Mycopathologia, 2015, 180, 35-42.	3.1	22
38	Traxoprodil, a selective antagonist of the NR2B subunit of the NMDA receptor, potentiates the antidepressant-like effects of certain antidepressant drugs in the forced swim test in mice. Metabolic Brain Disease, 2016, 31, 803-814.	2.9	21
39	DPCPX, a selective adenosine A1 receptor antagonist, enhances the antidepressant-like effects of imipramine, escitalopram, and reboxetine in mice behavioral tests. Naunyn-Schmiedeberg's Archives of Pharmacology, 2018, 391, 1361-1371.	3.0	18
40	Estimation of oxidative stress parameters in rats after simultaneous administration of rosuvastatin with antidepressants. Pharmacological Reports, 2016, 68, 172-176.	3.3	17
41	Attenuating effect of adenosine receptor agonists on the development of behavioral sensitization induced by sporadic treatment with morphine. Pharmacology Biochemistry and Behavior, 2011, 98, 356-361.	2.9	16
42	Involvement of NMDA receptor complex in the anxiolytic-like effects of chlordiazepoxide in mice. Journal of Neural Transmission, 2011, 118, 857-864.	2.8	16
43	Sildenafil, a phosphodiesterase type 5 inhibitor, enhances the antidepressant activity of amitriptyline but not desipramine, in the forced swim test in mice. Journal of Neural Transmission, 2012, 119, 645-652.	2.8	16
44	Fourteen-day administration of corticosterone may induce detrusor overactivity symptoms. International Urogynecology Journal, 2016, 27, 1713-1721.	1.4	16
45	Effects of Magnesium Supplementation on Unipolar Depression: A Placebo-Controlled Study and Review of the Importance of Dosing and Magnesium Status in the Therapeutic Response. Nutrients, 2018, 10, 1014.	4.1	16
46	Agomelatine and tianeptine antidepressant activity in mice behavioral despair tests is enhanced by DMPX, a selective adenosine A2A receptor antagonist, but not DPCPX, a selective adenosine A1 receptor antagonist. Pharmacological Reports, 2019, 71, 676-681.	3.3	16
47	Influence of sildenafil on the antidepressant activity of bupropion and venlafaxine in the forced swim test in mice. Pharmacology Biochemistry and Behavior, 2012, 103, 273-278.	2.9	15
48	The influence of caffeine on the activity of moclobemide, venlafaxine, bupropion and milnacipran in the forced swim test in mice. Life Sciences, 2015, 136, 13-18.	4.3	15
49	Inhibition of Rho kinase by GSK 269962 reverses both corticosterone-induced detrusor overactivity and depression-like behaviour in rats. European Journal of Pharmacology, 2018, 837, 127-136.	3.5	15
50	O-1602, an Agonist of Atypical Cannabinoid Receptors GPR55, Reverses the Symptoms of Depression and Detrusor Overactivity in Rats Subjected to Corticosterone Treatment. Frontiers in Pharmacology, 2020, 11, 1002.	3.5	15
51	Evaluation of the role of NMDA receptor function in antidepressant-like activity. A new study with citalopram and fluoxetine in the forced swim test in mice. Pharmacological Reports, 2015, 67, 490-493.	3.3	14
52	Sildenafil, a phosphodiesterase type 5 inhibitor, reduces antidepressant-like activity of paroxetine in the forced swim test in mice. Pharmacological Reports, 2012, 64, 1259-1266.	3.3	13
53	Assessment of physical properties of granules with paracetamol and caffeine. Saudi Pharmaceutical Journal, 2017, 25, 900-905.	2.7	13
54	Intravesical administration of blebbistatin prevents cyclophosphamideâ€induced toxicity of the urinary bladder in female Wistar rats. Neurourology and Urodynamics, 2019, 38, 1044-1052.	1.5	13

#	Article	IF	CITATIONS
55	Mineral and trace element composition of the roe and muscle tissue of farmed rainbow trout (Oncorhynchus mykiss) with respect to nutrient requirements. Journal of Trace Elements in Medicine and Biology, 2020, 62, 126619.	3.0	13
56	Sildenafil, a phosphodiesterase type 5 inhibitor, enhances the activity of two atypical antidepressant drugs, mianserin and tianeptine, in the forced swim test in mice. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 38, 121-126.	4.8	12
57	The effects of ifenprodil on the activity of antidepressant drugs in the forced swim test in mice. Pharmacological Reports, 2014, 66, 1031-1036.	3.3	12
58	The effect of imipramine, ketamine, and zinc in the mouse model of depression. Metabolic Brain Disease, 2015, 30, 1379-1386.	2.9	12
59	Antidepressant and anxiolytic-like activity of sodium selenite after acute treatment in mice. Pharmacological Reports, 2017, 69, 276-280.	3.3	12
60	Imipramine Influences Body Distribution of Supplemental Zinc Which May Enhance Antidepressant Action. Nutrients, 2020, 12, 2529.	4.1	12
61	A Novel Alternative in the Treatment of Detrusor Overactivity? In Vivo Activity of O-1602, the Newly Synthesized Agonist of GPR55 and GPR18 Cannabinoid Receptors. Molecules, 2020, 25, 1384.	3.8	12
62	Effects of classic antiseizure drugs on seizure activity and anxiety-like behavior in adult zebrafish. Toxicology and Applied Pharmacology, 2021, 415, 115429.	2.8	12
63	Chronic treatment with caffeine and its withdrawal modify the antidepressant-like activity of selective serotonin reuptake inhibitors in the forced swim and tail suspension tests in mice. Effects on Comt, Slc6a15 and Adora1 gene expression. Toxicology and Applied Pharmacology, 2017, 337, 95-103.	2.8	11
64	Influence of the CB1 and CB2 cannabinoid receptor ligands on the activity of atypical antidepressant drugs in the behavioural tests in mice. Pharmacology Biochemistry and Behavior, 2020, 188, 172833.	2.9	11
65	Purinergic transmission in depressive disorders. , 2021, 224, 107821.		11
66	The differential effects of green tea on dose-dependent doxorubicin toxicity. Food and Nutrition Research, 2015, 59, 29754.	2.6	10
67	Synergistic antidepressant-like effect of the joint administration of caffeine and NMDA receptor ligands in the forced swim test in mice. Journal of Neural Transmission, 2016, 123, 463-472.	2.8	10
68	Resveratrol Limits Lipogenesis and Enhance Mitochondrial Activity in HepG2 Cells. Journal of Pharmacy and Pharmaceutical Sciences, 2018, 21, 504-515.	2.1	10
69	The influence of selective A1 and A2A receptor antagonists on the antidepressant-like activity of moclobemide, venlafaxine and bupropion in mice. Journal of Pharmacy and Pharmacology, 2018, 70, 1200-1208.	2.4	10
70	Altered expression of genes involved in brain energy metabolism as adaptive responses in rats exposed to chronic variable stress; changes in cortical level of glucogenic and neuroactive amino acids. Molecular Medicine Reports, 2019, 19, 2386-2396.	2.4	10
71	Ligands of the CB2 cannabinoid receptors augment activity of the conventional antidepressant drugs in the behavioural tests in mice. Behavioural Brain Research, 2020, 378, 112297.	2.2	10
72	Duloxetine reverses the symptoms of overactive bladder co-existing with depression via the central pathways. Pharmacology Biochemistry and Behavior, 2020, 189, 172842.	2.9	10

#	Article	IF	CITATIONS
73	Polyvalent Mechanical Bacterial Lysate Administration Improves the Clinical Course of Grass Pollen–Induced Allergic Rhinitis in Children: A Randomized Controlled Trial. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 453-462.	3.8	10
74	The Potential of Asiatic Acid in the Reversion of Cyclophosphamide-Induced Hemorrhagic Cystitis in Rats. International Journal of Molecular Sciences, 2021, 22, 5853.	4.1	10
75	Influence of the phosphodiesterase type 5 inhibitor, sildenafil, on antidepressant-like activity of magnesium in the forced swim test in mice. Pharmacological Reports, 2012, 64, 205-211.	3.3	9
76	Comparison of physicochemical properties of suppositories containing starch hydrolysates. Saudi Pharmaceutical Journal, 2017, 25, 365-369.	2.7	9
77	Synergistic Action of Sodium Selenite with some Antidepressants and Diazepam in Mice. Pharmaceutics, 2018, 10, 270.	4.5	9
78	Bioaccessibility of phenolic compounds, lutein, and bioelements of preparations containing Chlorella vulgaris in artificial digestive juices. Journal of Applied Phycology, 2018, 30, 1629-1640.	2.8	9
79	Influence of the CB1 cannabinoid receptors on the activity of the monoaminergic system in the behavioural tests in mice. Brain Research Bulletin, 2019, 150, 179-185.	3.0	9
80	New arylpiperazine derivatives with antidepressant-like activity containing isonicotinic and picolinic nuclei: evidence for serotonergic system involvement. Naunyn-Schmiedeberg's Archives of Pharmacology, 2019, 392, 743-754.	3.0	9
81	Effects of new antiseizure drugs on seizure activity and anxiety-like behavior in adult zebrafish. Toxicology and Applied Pharmacology, 2021, 427, 115655.	2.8	9
82	An anti-immobility effect of spermine in the forced swim test in mice. Pharmacological Reports, 2014, 66, 223-227.	3.3	8
83	Influence of the selective antagonist of the NR2B subunit of the NMDA receptor, traxoprodil, on the antidepressant-like activity of desipramine, paroxetine, milnacipran, and bupropion in mice. Journal of Neural Transmission, 2017, 124, 387-396.	2.8	8
84	CB1 cannabinoid receptor ligands augment the antidepressant-like activity of biometals (magnesium) Tj ETQq0	0 0 rgBT /0	Overlock 10 T
85	Influence of the endocannabinoid system on the antidepressant activity of bupropion and moclobemide in the behavioural tests in mice. Pharmacological Reports, 2020, 72, 1562-1572.	3.3	8
86	A botanical and pharmacological description of petasites species. Current Issues in Pharmacy and Medical Sciences, 2015, 28, 151-154.	0.4	7
87	Traxoprodil augments the antidepressant-like activity of agomelatine but not of mianserin or tianeptine in the forced swim test in mice. Pharmacological Reports, 2016, 68, 960-963.	3.3	7
88	Inhibition of the CRF1 receptor influences the activity of antidepressant drugs in the forced swim test in rats. Naunyn-Schmiedeberg's Archives of Pharmacology, 2017, 390, 769-774.	3.0	7
89	Effects of alprazolam treatment on anxiety-like behavior induced by color stimulation in adult zebrafish. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 82, 297-306.	4.8	7
90	8-Cyclopentyl-1,3-dimethylxanthine enhances effectiveness of antidepressant in behavioral tests and modulates redox balance in the cerebral cortex of mice. Saudi Pharmaceutical Journal, 2018, 26, 694-702.	2.7	7
83 84 85 86 87 88	Influence of the selective antagonist of the NR2B subunit of the NMDA receptor, traxoprodil, on the antidepressant-like activity of desipramine, paroxetine, milnacipran, and bupropion in mice. Journal of Neural Transmission, 2017, 124, 387-396.  CB1 cannabinoid receptor ligands augment the antidepressant-like activity of biometals (magnesium) Tj ETQq0  Influence of the endocannabinoid system on the antidepressant activity of bupropion and moclobemide in the behavioural tests in mice. Pharmacological Reports, 2020, 72, 1562-1572.  A botanical and pharmacological description of petasites species. Current Issues in Pharmacy and Medical Sciences, 2015, 28, 151-154.  Traxoprodil augments the antidepressant-like activity of agomelatine but not of mianserin or tianeptine in the forced swim test in mice. Pharmacological Reports, 2016, 68, 960-963.  Inhibition of the CRF1 receptor influences the activity of antidepressant drugs in the forced swim test in rats. Naunyn-Schmiedeberg's Archives of Pharmacology, 2017, 390, 769-774.  Effects of alprazolam treatment on anxiety-like behavior induced by color stimulation in adult zebrafish. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 82, 297-306.  8-Cyclopentyl-1,3-dimethylxanthine enhances effectiveness of antidepressant in behavioral tests and modulates redox balance in the cerebral cortex of mice. Saudi Pharmaceutical Journal, 2018, 26,	2.8 0 OrgBT /0 3.3 0.4 3.3 4.8	8 Overloch 8 7 7

#	Article	IF	Citations
91	The in vitro efficacy of eye drops containing a bacteriophage solution specific for Staphylococcus spp. isolated from dogs with bacterial conjunctivitis. Irish Veterinary Journal, 2020, 73, 21.	2.1	7
92	Anxiogenic- and antidepressant-like behavior in corneally kindled rats. Pharmacological Reports, 2015, 67, 349-352.	3.3	6
93	Withdrawal of caffeine after its chronic administration modifies the antidepressant-like activity of atypical antidepressants in mice. Changes in cortical expression of Comt, Slc6a15 and Adora1 genes. Psychopharmacology, 2018, 235, 2423-2434.	3.1	6
94	Stimulation of atypical cannabinoid receptor GPR55 abolishes the symptoms of detrusor overactivity in spontaneously hypertensive rats. European Journal of Pharmaceutical Sciences, 2020, 150, 105329.	4.0	6
95	Asiatic Acid, a Natural Compound that Exerts Beneficial Effects on the Cystometric and Biochemical Parameters in the Retinyl Acetate-Induced Model of Detrusor Overactivity. Frontiers in Pharmacology, 2020, 11, 574108.	3.5	6
96	Effect of Pork Meat Replacement by Fish Products on Fatty Acid Content, Physicochemical, and Sensory Properties of Pork Pâtés. Applied Sciences (Switzerland), 2021, 11, 188.	2.5	6
97	ADENOSINE RECEPTOR LIGANDS AND DIZOCILPINE-INDUCED ANTINOCICEPTION IN MICE. International Journal of Neuroscience, 2005, 115, 511-522.	1.6	5
98	NMDA receptor activation antagonizes the NMDA antagonist-induced antianxiety effect in the elevated plus-maze test in mice. Pharmacological Reports, 2013, 65, 1124-1131.	3.3	5
99	The application of povidone in the preparation of modified release tablets. Current Issues in Pharmacy and Medical Sciences, 2016, 29, 71-78.	0.4	5
100	The effect of an acute and 7-day administration of magnesium chloride on magnesium concentration in the serum, erythrocytes, and brain of rats. Pharmacological Reports, 2016, 68, 289-291.	3.3	5
101	Effects of NMDA antagonists on the development and expression of tolerance to diazepam-induced motor impairment in mice. Pharmacology Biochemistry and Behavior, 2016, 142, 42-47.	2.9	5
102	Blebbistatin, a Myosin II Inhibitor, Exerts Antidepressant-Like Activity and Suppresses Detrusor Overactivity in an Animal Model of Depression Coexisting with Overactive Bladder. Neurotoxicity Research, 2019, 35, 196-207.	2.7	5
103	The Interaction of Selective A1 and A2A Adenosine Receptor Antagonists with Magnesium and Zinc Ions in Mice: Behavioural, Biochemical and Molecular Studies. International Journal of Molecular Sciences, 2021, 22, 1840.	4.1	5
104	Central Effects of the Designer Drug Mephedrone in Mice—Basic Studies. Brain Sciences, 2022, 12, 189.	2.3	5
105	The effect of a combined choline salicylate and cetalkonium chloride gel on particular strains of Pseudomonas aeruginosa, Staphylococcus spp. and Streptococcus spp Current Issues in Pharmacy and Medical Sciences, 2015, 28, 77-80.	0.4	4
106	Tirapazamine has no Effect on Hepatotoxicity of Cisplatin and 5â€fluorouracil but Interacts with Doxorubicin Leading to Side Changes in Redox Equilibrium. Basic and Clinical Pharmacology and Toxicology, 2016, 119, 330-340.	2.5	4
107	Selenium and manganese in depression – preclinical and clinical studies. Current Issues in Pharmacy and Medical Sciences, 2017, 30, 151-155.	0.4	4
108	Ionic Glutamate Modulators in Depression (Zinc, Magnesium)., 2010,, 21-38.		4

#	Article	IF	CITATIONS
109	The Positive Synergism of CPT and MK-801 in Behavioral Tests and in Reduction of Environmental Stress and Redox Signaling Changes in Mice Cerebral Cortex. CNS and Neurological Disorders - Drug Targets, 2017, 16, 837-845.	1.4	4
110	Nasal carriage of <i>Staphylococcus aureus</i> in children with grass pollenâ€induced allergic rhinitis and the effect of polyvalent mechanical bacterial lysate immunostimulation on carriage status: A randomized controlled trial. Immunity, Inflammation and Disease, 2022, 10, .	2.7	4
111	Effects of Selen on the Antidepressant-like Activity of Agents Affecting the Adenosinergic Neurotransmission. Metabolites, 2022, 12, 586.	2.9	4
112	A bright future of researching AMPA receptor agonists for depression treatment. Expert Opinion on Investigational Drugs, 2012, 21, 583-585.	4.1	3
113	Review on analgesic effect of co-administrated ibuprofen and caffeine. Current Issues in Pharmacy and Medical Sciences, 2014, 27, 10-13.	0.4	3
114	Chemical comparison of the underground parts of Valeriana officinalis and Valeriana turkestanica from Poland and Kazakhstan. Open Chemistry, 2017, 15, 75-81.	1.9	3
115	The influence of nebivolol on the activity of BRL 37344Ââ€" the β3â€adrenergic receptor agonist, in the animal model of detrusor overactivity. Neurourology and Urodynamics, 2019, 38, 1229-1240.	1.5	3
116	Effect of Ellagic Acid on Seizure Threshold in Two Acute Seizure Tests in Mice. Molecules, 2021, 26, 4841.	3.8	3
117	Neurobehavioral properties of Cymbopogon essential oils and its components. Phytochemistry Reviews, 0, , 1.	<b>6.</b> 5	3
118	Kinetics of the decomposition and the estimation of the stability of 10% aqueous and non-aqueous hydrogen peroxide solutions. Current Issues in Pharmacy and Medical Sciences, 2014, 27, 213-216.	0.4	3
119	Physical properties and caffeine release from creams prepared with different oils. Current Issues in Pharmacy and Medical Sciences, 2014, 27, 224-228.	0.4	3
120	Comparative Histochemical analysis of above-ground parts of Filipendula vulgaris and Filipendula ulmaria growing in Central Kazakhstan. Research Journal of Pharmacy and Technology, 2021, , 4863-4867.	0.8	3
121	Influence of Incorporation of Different dn-Electron Metal Cations into Biologically Active System on Its Biological and Physicochemical Properties. International Journal of Molecular Sciences, 2021, 22, 12909.	4.1	3
122	Release Kinetics of Papaverine Hydrochloride from Tablets with Different Excipients. Scientia Pharmaceutica, 2014, 82, 683-696.	2.0	2
123	Influence of the dissolution medium on the release of dehydroepiandrosterone from lipophilic suppositories. Current Issues in Pharmacy and Medical Sciences, 2014, 27, 46-50.	0.4	2
124	The relationship between the physical activity of students from Lublin's universities, and video games. Current Issues in Pharmacy and Medical Sciences, 2016, 29, 21-23.	0.4	2
125	Blebbistatin reveals beneficial effects on the cystometric parameters in an animal model of detrusor overactivity. Naunyn-Schmiedeberg's Archives of Pharmacology, 2019, 392, 843-850.	3.0	2
126	Anxiolyticâ€like effects of the new arylpiperazine derivatives containing isonicotinic and picolinic nuclei: behavioral and biochemical studies. Fundamental and Clinical Pharmacology, 2019, 33, 254-266.	1.9	2

#	Article	IF	CITATIONS
127	Pharmaco-Electroencephalography-Based Assessment of Antidepressant Drug Efficacyâ€"The Use of Magnesium Ions in the Treatment of Depression. Journal of Clinical Medicine, 2021, 10, 3135.	2.4	2
128	Physical and chemical properties of cosmetic cream made of ingredients obtained from Juglans regia L Current Issues in Pharmacy and Medical Sciences, 2012, 25, 190-193.	0.4	2
129	The influence of the eutectic mixtures: salicylic acid – menthol and benzocaine – menthol on physical properties of the creams with fluconazole. Current Issues in Pharmacy and Medical Sciences, 2013, 26, 457-460.	0.4	2
130	Comparison of sensory and rheological properties of green cosmetic creams prepared on different natural, ECOCERT and BDIH certificated self-emulsifying bases. Current Issues in Pharmacy and Medical Sciences, 2021, 34, 218-223.	0.4	2
131	Zinc Deficiency Blunts the Effectiveness of Antidepressants in the Olfactory Bulbectomy Model of Depression in Rats. Nutrients, 2022, 14, 2746.	4.1	2
132	Influence of Smallanthus sonchifolius (Yacon) on the Activity of Antidepressant Drugs in Mice. Life, 2021, 11, 1117.	2.4	1
133	The influence of excipients on dissolution of caffeine from granules. Current Issues in Pharmacy and Medical Sciences, 2012, 25, 194-197.	0.4	1
134	Development of spectrophotometric method for simultaneous estimation of diclofenac sodium and papaverine hydrochloride in tablets based on simultaneous equation method. Current Issues in Pharmacy and Medical Sciences, 2012, 25, 182-186.	0.4	1
135	The inflluence of emulsifiers on physical properties and release parameters of creams with caffeine. Current Issues in Pharmacy and Medical Sciences, 2015, 28, 81-84.	0.4	1
136	RELEASE OF BIOACTIVE SUBSTANCES FROM FORMULATIONS CONTAINING ARTHROSPIRA PLATENSIS (SPIRULINA PLATENSIS). Acta Poloniae Pharmaceutica, 2018, 75, 1187-1199.	0.1	1
137	New perspectives of the treatment of urogenital atrophy in women: intravaginal DHEA therapy. Przeglad Menopauzalny, 2013, 2, 111-114.	1.3	0
138	Influence of different excipients on the properties of hard gelatin capsules with metamizole sodium. Current Issues in Pharmacy and Medical Sciences, 2016, 29, 114-117.	0.4	0
139	Comparative dissolution studies on granules with acetaminophen and caffeine using the basket and paddle methods with simultaneous spectrophotometric determination of active substances. Current Issues in Pharmacy and Medical Sciences, 2019, 32, 219-224.	0.4	0
140	Physical and chemical properties of emulsions made of ingredients obtained from Juglans regia L Current Issues in Pharmacy and Medical Sciences, 2012, 25, 438-442.	0.4	0
141	The release of phenobarbital from parenteral emulsions. Current Issues in Pharmacy and Medical Sciences, 2012, 25, 381-383.	0.4	0
142	Comparison of the physical properties of ointments, creams and gels with ibuprofen obtained with two different methods according to the own compositions. Current Issues in Pharmacy and Medical Sciences, 2012, 25, 384-387.	0.4	0
143	The influence of starch hydrolysates on properties of suspensions. Current Issues in Pharmacy and Medical Sciences, 2012, 25, 187-189.	0.4	0
144	Formulation and evaluation of sulfadimidine and trimethoprim tablets using wet granulation technique. Current Issues in Pharmacy and Medical Sciences, 2012, 25, 202-206.	0.4	0

#	Article	IF	CITATIONS
145	Release kinetics of sulfadimidine sodium and trimethoprim from tablets containing different excipients prepared by wet granulation method. Current Issues in Pharmacy and Medical Sciences, 2013, 26, 183-188.	0.4	0
146	Comparison of fluconazole release from hydrogels with Syntalen MP and Syntalen KP and from hydrophilic cream. Current Issues in Pharmacy and Medical Sciences, 2013, 26, 189-192.	0.4	0
147	Effect of bioadhesive agents on physico-chemical properties of suppositories. Current Issues in Pharmacy and Medical Sciences, 2013, 26, 193-197.	0.4	O
148	Influence of Polymer Type on the Physical Properties and Release Profile of Papaverine Hydrochloride From Hard Gelatin Capsules. Polimery W Medycynie, 2015, 45, 51-55.	1.7	0
149	A brief analysis of patients suffering from stomach or duodenal ulcers in Almaty hospital â,,–1. Current Issues in Pharmacy and Medical Sciences, 2015, 28, 241-243.	0.4	O
150	IMMUNODIAGNOSIS IN MEMBRANOUS NEPHROPATHY. WiadomoÅ·ci Lekarskie, 2020, 73, 1861-1866.	0.3	0
151	DISORDERS OF THE INTESTINAL FLORA AND IT IS EFFECT ON SKELETAL SYSTEM DISEASES. WiadomoÅ·ci Lekarskie, 2020, 73, 1835-1839.	0.3	O
152	DISORDERS OF THE INTESTINAL FLORA AND IT IS EFFECT ON SKELETAL SYSTEM DISEASES. WiadomoÅci Lekarskie, 2020, 73, 1835-1839.	0.3	0
153	IMMUNODIAGNOSIS IN MEMBRANOUS NEPHROPATHY. WiadomoÅci Lekarskie, 2020, 73, 1861-1866.	0.3	O
154	The risk of increasing tumor malignancy after PET diagnosis. Current Issues in Pharmacy and Medical Sciences, 2022, .	0.4	0
155	New Kid on the Block: The Efficacy of Phytomedicine Extracts $Urox\hat{A}^{\otimes}$ in Reducing Overactive Bladder Symptoms in Rats. Frontiers in Molecular Biosciences, 0, 9, .	3.5	O