Pernille Rose Jensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9268999/publications.pdf

Version: 2024-02-01

47 papers

2,437 citations

279798 23 h-index 214800 47 g-index

47 all docs

47 docs citations

47 times ranked

2713 citing authors

#	Article	IF	CITATIONS
1	Versatile Procedures for Reliable NMR Quantification of CO ₂ Electroreduction Products. Journal of Physical Chemistry C, 2022, 126, 11026-11032.	3.1	7
2	Enhanced 13C NMR detects extended reaction networks in living cells. Chemical Communications, 2021, 57, 10572-10575.	4.1	9
3	Classification and biomarker identification of prostate tissue from TRAMP mice with hyperpolarized 13C-SIRA. Talanta, 2021, 235, 122812.	5 . 5	11
4	Pancreatic β-cells respond to fuel pressure with an early metabolic switch. Scientific Reports, 2020, 10, 15413.	3.3	5
5	Visualization of Pathway Usage in an Extended Carbohydrate Conversion Network Reveals the Impact of Solvent-Enabled Proton Transfer. ACS Sustainable Chemistry and Engineering, 2020, 8, 12270-12276.	6.7	4
6	Catalytic cycle of carbohydrate dehydration by Lewis acids: structures and rates from synergism of conventional and DNP NMR. Chemical Communications, 2020, 56, 6245-6248.	4.1	10
7	Stable isotope resolved metabolomics classification of prostate cancer cells using hyperpolarized NMR data. Journal of Magnetic Resonance, 2020, 316, 106750.	2.1	16
8	Discovery and Exploration of the Efficient Acyclic Dehydration of Hexoses in Dimethyl Sulfoxide/Water. ChemSusChem, 2019, 12, 5086-5091.	6.8	11
9	Probing the Lewis Acid Catalyzed Acyclic Pathway of Carbohydrate Conversion in Methanol by <i>In Situ</i> NMR. ChemCatChem, 2019, 11, 5077-5084.	3.7	10
10	Combined In-Cell NMR and Simulation Approach to Probe Redox-Dependent Pathway Control. Analytical Chemistry, 2019, 91, 5395-5402.	6.5	8
11	Targeted Metabolomics with Quantitative Dissolution Dynamic Nuclear Polarization. Methods in Molecular Biology, 2019, 2037, 385-393.	0.9	6
12	Kinetic analysis of hexose conversion to methyl lactate by Sn-Beta: effects of substrate masking and of water. Catalysis Science and Technology, 2018, 8, 2137-2145.	4.1	33
13	Stable Isotope-Resolved Analysis with Quantitative Dissolution Dynamic Nuclear Polarization. Analytical Chemistry, 2018, 90, 674-678.	6. 5	32
14	Detecting Elusive Intermediates in Carbohydrate Conversion: A Dynamic Ensemble of Acyclic Glucose–Catalyst Complexes. ACS Sustainable Chemistry and Engineering, 2017, 5, 5571-5577.	6.7	9
15	Difference between Extra―and Intracellular <i>T</i> ₁ Values of Carboxylic Acids Affects the Quantitative Analysis of Cellular Kinetics by Hyperpolarized NMR. Angewandte Chemie - International Edition, 2016, 55, 13567-13570.	13.8	12
16	Difference between Extra―and Intracellular <i>T</i> ₁ Values of Carboxylic Acids Affects the Quantitative Analysis of Cellular Kinetics by Hyperpolarized NMR. Angewandte Chemie, 2016, 128, 13765-13768.	2.0	4
17	Hyperpolarised organic phosphates as NMR reporters of compartmental pH. Chemical Communications, 2016, 52, 2288-2291.	4.1	6
18	Spectroscopic approaches to resolving ambiguities of hyper-polarized NMR signals from different reaction cascades. Analyst, The, 2016, 141, 823-826.	3.5	7

#	Article	IF	Citations
19	Probing treatment response of glutaminolytic prostate cancer cells to natural drugs with hyperpolarized [5â€≺sup>13C]glutamine. Magnetic Resonance in Medicine, 2015, 73, 2296-2305.	3.0	29
20	Hyperpolarized [1,3â€ ¹³ C ₂]ethyl acetoacetate is a novel diagnostic metabolic marker of liver cancer. International Journal of Cancer, 2015, 136, E117-26.	5.1	27
21	NMR Insights into the Inner Workings of Living Cells. Analytical Chemistry, 2015, 87, 119-132.	6.5	41
22	Hyperpolarized NMR Probes for Biological Assays. Sensors, 2014, 14, 1576-1597.	3.8	46
23	Structural basis and dynamics of multidrug recognition in a minimal bacterial multidrug resistance system. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E5498-507.	7.1	18
24	Non-invasive In-cell Determination of Free Cytosolic [NAD+]/[NADH] Ratios Using Hyperpolarized Glucose Show Large Variations in Metabolic Phenotypes. Journal of Biological Chemistry, 2014, 289, 2344-2352.	3.4	98
25	In vivo and in vitro liver cancer metabolism observed with hyperpolarized [5-13C]glutamine. Journal of Magnetic Resonance, 2013, 232, 45-52.	2.1	51
26	WhiB7, an Fe-S-dependent Transcription Factor That Activates Species-specific Repertoires of Drug Resistance Determinants in Actinobacteria. Journal of Biological Chemistry, 2013, 288, 34514-34528.	3.4	49
27	Realâ€Time DNP NMR Observations of Acetic Acid Uptake, Intracellular Acidification, and of Consequences for Glycolysis and Alcoholic Fermentation in Yeast. Chemistry - A European Journal, 2013, 19, 13288-13293.	3.3	19
28	Sulfite Action in Glycolytic Inhibition: In Vivo Realâ€√lime Observation by Hyperpolarized ¹³ C NMR Spectroscopy. ChemBioChem, 2012, 13, 2265-2269.	2.6	11
29	Development of Dissolution DNP-MR Substrates for Metabolic Research. Applied Magnetic Resonance, 2012, 43, 223-236.	1.2	60
30	Direct Observation of Metabolic Differences in Living <i>Escherichia Coli</i> Strains Kâ€12 and BL21. ChemBioChem, 2012, 13, 308-310.	2.6	34
31	Metabolic pathway visualization in living yeast by DNP-NMR. Molecular BioSystems, 2011, 7, 2834.	2.9	87
32	Real-time detection of central carbon metabolism in living <i>Escherichia coli </i> li>and its response to perturbations. FEBS Letters, 2011, 585, 3133-3138.	2.8	63
33	Quantitative dynamic nuclear polarizationâ€NMR on blood plasma for assays of drug metabolism. NMR in Biomedicine, 2011, 24, 96-103.	2.8	37
34	Study of molecular interactions with 13C DNP-NMR. Journal of Magnetic Resonance, 2010, 203, 52-56.	2.1	59
35	Imaging of branched chain amino acid metabolism in tumors with hyperpolarized ¹³ C ketoisocaproate. International Journal of Cancer, 2010, 127, 729-736.	5.1	63
36	Production of hyperpolarized [1,4- ¹³ C ₂]malate from [1,4- ¹³ C ₂]fumarate is a marker of cell necrosis and treatment response in tumors. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19801-19806.	7.1	328

#	Article	IF	CITATIONS
37	Hyperpolarized Amino Acids for In Vivo Assays of Transaminase Activity. Chemistry - A European Journal, 2009, 15, 10010-10012.	3.3	50
38	Detection of low-populated reaction intermediates with hyperpolarized NMR. Chemical Communications, 2009, , 5168.	4.1	44
39	Tissue-specific Short Chain Fatty Acid Metabolism and Slow Metabolic Recovery after Ischemia from Hyperpolarized NMR in Vivo. Journal of Biological Chemistry, 2009, 284, 36077-36082.	3.4	76
40	Magnetic resonance imaging of pH in vivo using hyperpolarized 13C-labelled bicarbonate. Nature, 2008, 453, 940-943.	27.8	796
41	Sequence–Structure and Structure–Function Analysis in Cysteine-rich Domains Forming the Ultrastable Nematocyst Wall. Journal of Molecular Biology, 2007, 368, 718-728.	4.2	27
42	Continuous Molecular Evolution of Protein-Domain Structures by Single Amino Acid Changes. Current Biology, 2007, 17, 173-178.	3.9	56
43	Nuclear magnetic resonance as a quantitative tool to study interactions in biomacromolecules. Pure and Applied Chemistry, 2005, 77, 1409-1424.	1.9	3
44	Improvement of hydrogen bond geometry in protein NMR structures by residual dipolar couplings $\hat{a}\in$ an assessment of the interrelation of NMR restraints. Journal of Biomolecular NMR, 2004, 28, 31-41.	2.8	3
45	Improved detection of long-range residual dipolar couplings in weakly aligned samples by Lee?Goldburg decoupling of homonuclear dipolar truncation. Journal of Biomolecular NMR, 2004, 30, 443-450.	2.8	6
46	High-Accuracy Residual1HNâ^'13C and1HNâ^'1HNDipolar Couplings in Perdeuterated Proteins. Journal of the American Chemical Society, 2003, 125, 44-45.	13.7	36
47	Synthesis and Structural Properties of 5,17-Bis(N-methyl-N-arylaminocarbonyl)calix[4]arenes. Directing the Substituents toward the Cavity by Use of the Cis-Generating Property of theN-Methylaminocarbonyl Linker. Journal of Organic Chemistry, 1998, 63, 9872-9879.	3.2	20