Gerard Callejo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9272008/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prdm12 modulates pain-related behavior by remodeling gene expression in mature nociceptors. Pain, 2022, 163, e927-e941.	4.2	3
2	Proton Sensing on the Ocular Surface: Implications in Eye Pain. Frontiers in Pharmacology, 2021, 12, 773871.	3.5	8
3	The Background K+ Channel TRESK in Sensory Physiology and Pain. International Journal of Molecular Sciences, 2020, 21, 5206.	4.1	16
4	Human Labor Pain Is Influenced by the Voltage-Gated Potassium Channel KV6.4 Subunit. Cell Reports, 2020, 32, 107941.	6.4	18
5	Intraarticular Adenoâ€Associated Virus Serotype AAVâ€PHP.S–Mediated Chemogenetic Targeting of Kneeâ€Innervating Dorsal Root Ganglion Neurons Alleviates Inflammatory Pain in Mice. Arthritis and Rheumatology, 2020, 72, 1749-1758.	5.6	24
6	Sensitization of knee-innervating sensory neurons by tumor necrosis factor-α-activated fibroblast-like synoviocytes: an in vitro, coculture model of inflammatory pain. Pain, 2020, 161, 2129-2141.	4.2	23
7	In silico screening of GMQ-like compounds reveals guanabenz and sephin1 as new allosteric modulators of acid-sensing ion channel 3. Biochemical Pharmacology, 2020, 174, 113834.	4.4	12
8	TRESK background K ⁺ channel deletion selectively uncovers enhanced mechanical and cold sensitivity. Journal of Physiology, 2020, 598, 1017-1038.	2.9	29
9	Acid and inflammatory sensitisation of naked mole-rat colonic afferent nerves. Molecular Pain, 2020, 16, 174480692090315.	2.1	6
10	Evolution of acid nociception: ion channels and receptors for detecting acid. Philosophical Transactions of the Royal Society B: Biological Sciences, 2019, 374, 20190291.	4.0	45
11	Single-cell RNAseq reveals seven classes of colonic sensory neuron. Gut, 2019, 68, 633-644.	12.1	196
12	Increased hyperpolarized [1â€ ¹³ C] lactate production in a model of joint inflammation is not accompanied by tissue acidosis as assessed using hyperpolarized ¹³ Câ€labelled bicarbonate. NMR in Biomedicine, 2018, 31, e3892.	2.8	21
13	Pyrethroids inhibit K2P channels and activate sensory neurons: basis of insecticide-induced paraesthesias. Pain, 2018, 159, 92-105.	4.2	22
14	Naked mole-rat acid-sensing ion channel 3 forms nonfunctional homomers, but functional heteromers. Journal of Biological Chemistry, 2018, 293, 1756-1766.	3.4	17
15	Acute inflammation sensitizes knee-innervating sensory neurons and decreases mouse digging behavior in a TRPV1-dependent manner. Neuropharmacology, 2018, 143, 49-62.	4.1	42
16	Depolarization causes the formation of a ternary complex between GlialCAM, MLC1 and ClC-2 in astrocytes: implications in megalencephalic leukoencephalopathy. Human Molecular Genetics, 2017, 26, 2436-2450.	2.9	33
17	Functional and Molecular Characterization of Mechanoinsensitive "Silent―Nociceptors. Cell Reports, 2017, 21, 3102-3115.	6.4	123
18	Abnormal activity of corneal cold thermoreceptors underlies the unpleasant sensations in dry eye disease. Pain, 2016, 157, 399-417.	4.2	86

GERARD CALLEJO

#	Article	IF	CITATIONS
19	Acid-sensing ion channels detect moderate acidifications to induce ocular pain. Pain, 2015, 156, 483-495.	4.2	47
20	Insights into MLC pathogenesis: GlialCAM is an MLC1 chaperone required for proper activation of volume-regulated anion currents. Human Molecular Genetics, 2013, 22, 4405-4416.	2.9	50
21	Modulation of TRESK Background K+ Channel by Membrane Stretch. PLoS ONE, 2013, 8, e64471.	2.5	29
22	TRESK Channel Contribution to Nociceptive Sensory Neurons Excitability: Modulation by Nerve Injury. Molecular Pain, 2011, 7, 1744-8069-7-30.	2.1	118
23	Differential regulation of MMP7 in colon cancer cells resistant and sensitive to oxaliplatin-induced cell death. Cancer Biology and Therapy, 2011, 11, 4-13.	3.4	8