
Oliver Hg Wilder-Smith

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9283569/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Measuring sensory and pain thresholds by Semmes-Weinstein monofilaments in patients with leg ulcers: a pilot study. Journal of Wound Care, 2019, 28, 647-655.	1.2	1
2	Qualitative and Quantitative Aspects of Pain in Patients With Myotonic Dystrophy Type 2. Journal of Pain, 2018, 19, 920-930.	1.4	19
3	The added value of bedside examination and screening QST to improve neuropathic pain identification in patients with chronic pain. Journal of Pain Research, 2018, Volume 11, 1307-1318.	2.0	19
4	Influence of exercise on visceral pain: an explorative study in healthy volunteers. Journal of Pain Research, 2017, Volume 10, 37-46.	2.0	7
5	Tetrahydrocannabinol Does Not Reduce Pain in Patients With Chronic Abdominal Pain in a Phase 2 Placebo-controlled Study. Clinical Gastroenterology and Hepatology, 2017, 15, 1079-1086.e4.	4.4	63
6	ls Timing of Medical Therapy Related to Outcome in Painful Chronic Pancreatitis?. Pancreas, 2016, 45, 381-387.	1.1	8
7	The effect of pregabalin and s-ketamine in total knee arthroplasty patients: A randomized trial. Journal of Anaesthesiology Clinical Pharmacology, 2016, 32, 476.	0.7	16
8	Pregabalin and placebo responders show different effects on central pain processing in chronic pancreatitis patients. Journal of Pain Research, 2015, 8, 375.	2.0	17
9	Study protocol for a randomised, double-blinded, placebo-controlled, clinical trial of S-ketamine for pain treatment in patients with chronic pancreatitis (RESET trial). BMJ Open, 2015, 5, e007087-e007087.	1.9	16
10	Presurgical assessment of temporal summation of pain predicts the development of chronic postoperative pain 12 months after total knee replacement. Pain, 2015, 156, 55-61.	4.2	227
11	Risk factors for chronic postsurgical abdominal and pelvic pain. Pain Management, 2015, 5, 107-116.	1.5	26
12	Pain severity reduces life quality in chronic pancreatitis: Implications for design of future outcome trials. Pancreatology, 2014, 14, 497-502.	1.1	82
13	Detecting the neuropathic pain component in the clinical setting: a study protocol for validation of screening instruments for the presence of a neuropathic pain component. BMC Neurology, 2014, 14, 94.	1.8	23
14	Dronabinol and chronic pain: importance of mechanistic considerations. Expert Opinion on Pharmacotherapy, 2014, 15, 1525-1534.	1.8	29
15	Altered resting state EEG in chronic pancreatitis patients: toward a marker for chronic pain. Journal of Pain Research, 2013, 6, 815.	2.0	76
16	A Paradigm-Shift in Pain Medicine. , 2013, , 1-107.		11
17	Reliability of Static and Dynamic Quantitative Sensory Testing in Patients With Painful Chronic Pancreatitis. Regional Anesthesia and Pain Medicine, 2012, 37, 530-536.	2.3	51
18	The neck: a pain generator for the head. Pain Management, 2012, 2, 191-194.	1.5	3

#	Article	IF	CITATIONS
19	Patients with persistent pain after breast cancer surgery show both delayed and enhanced cortical stimulus processing. Journal of Pain Research, 2012, 5, 139.	2.0	4
20	Understanding Cervicogenic Headache. Anesthesiology and Pain Medicine, 2012, 2, 3-4.	1.3	9
21	Has Central Sensitization Become Independent of Nociceptive Input in Chronic Pancreatitis Patients Who Fail Thoracoscopic Splanchnicectomy?. Regional Anesthesia and Pain Medicine, 2011, 36, 531-536.	2.3	35
22	Slowed EEG rhythmicity in patients with chronic pancreatitis. European Journal of Gastroenterology and Hepatology, 2011, 23, 418-424.	1.6	55
23	S-Ketamine Modulates Hyperalgesia in Patients With Chronic Pancreatitis Pain. Regional Anesthesia and Pain Medicine, 2011, 36, 303-307.	2.3	52
24	Long-Term Potentiation in Spinal Nociceptive Pathways as a Novel Target for Pain Therapy. Molecular Pain, 2011, 7, 1744-8069-7-20.	2.1	184
25	Neural Correlates of Heterotopic Facilitation Induced after High Frequency Electrical Stimulation of Nociceptive Pathways. Molecular Pain, 2011, 7, 1744-8069-7-28.	2.1	20
26	Chronic Pain and Surgery: A Review of New Insights from Sensory Testing. Journal of Pain and Palliative Care Pharmacotherapy, 2011, 25, 146-159.	0.8	32
27	Neurodegenerative Properties of Chronic Pain: Cognitive Decline in Patients with Chronic Pancreatitis. PLoS ONE, 2011, 6, e23363.	2.5	48
28	Recommendations on terminology and practice of psychophysical DNIC testing. European Journal of Pain, 2010, 14, 339-339.	2.8	415
29	Sensory testing of the human gastrointestinal tract. World Journal of Gastroenterology, 2009, 15, 151.	3.3	24
30	Limited effect of thoracoscopic splanchnicectomy in the treatment of severe chronic pancreatitis pain: a prospective long-term analysis of 75 cases. Surgery, 2008, 143, 715-722.	1.9	32
31	Predicting outcome of TENS in chronic pain: A prospective, randomized, placebo controlled trial. Pain, 2008, 136, 11-20.	4.2	37
32	Only Half of the Chronic Pain After Thoracic Surgery Shows a Neuropathic Component. Journal of Pain, 2008, 9, 955-961.	1.4	221
33	Dysmenorrhoea is associated with hypersensitivity in the sigmoid colon and rectum. Pain, 2007, 132, S46-S51.	4.2	66
34	The Role of Angina Pectoris in Chronic Pain After Coronary Artery Bypass Graft Surgery. Journal of Pain, 2007, 8, 667-673.	1.4	24
35	Chronic pancreatitis patients show hyperalgesia of central origin: A pilot study. European Journal of Pain, 2006, 10, 363-363.	2.8	105
36	Impairments as measured by ISS do not greatly change between one and eight years after CRPS 1 diagnosis. European Journal of Pain, 2006, 10, 639-639.	2.8	37

5

#	Article	IF	CITATIONS
37	Opioid use in the elderly. European Journal of Pain, 2005, 9, 137-140.	2.8	91
38	Letter to the editor in response to the article of Dekkers and SÃ,balle (Activities and impairments in) Tj ETQq0 0 0 Rehabilitation, 2005, 27, 535-536.	rgBT /Ove 1.8	rlock 10 Tf 0
39	Diagnosis of chronic radiating lower back pain without overt focal neurologic deficits: what is the value of segmental nerve blocks?. Therapy: Open Access in Clinical Medicine, 2005, 2, 577-585.	0.2	7
40	Patients initially diagnosed as â€~warm' or â€~cold' CRPS 1 show differences in central sensory processing some eight years after diagnosis: a quantitative sensory testing study. Pain, 2005, 115, 204-211.	4.2	57
41	Diagnosis of chronic radiating lower back pain without overt focal neurologic deficits: what is the value of segmental nerve blocks?. Therapy: Open Access in Clinical Medicine, 2005, 2, 577-585.	0.2	2
42	Preoperative back pain is associated with diverse manifestations of central neuroplasticity. Pain, 2002, 97, 189-194.	4.2	93
43	The management of chronic pain in Switzerland: A comparative survey of Swiss medical specialists treating chronic pain. European Journal of Pain, 2001, 5, 285-298.	2.8	10
44	General Anaesthesia for Supratentorial Neurosurgery. CNS Drugs, 2001, 15, 527-535.	5.9	3
45	Pre-emptive analgesia and surgical pain. Progress in Brain Research, 2000, 129, 505-524.	1.4	40
46	Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 1997, 84, 826-831.	2.2	13
47	Adjuvant propofol enables better control of nausea and emesis secondary to chemotherapy for breast cancer. Canadian Journal of Anaesthesia, 1994, 41, 1117-1119.	1.6	37
48	The effect of nalbuphine and droperidol on spontaneous movements during induction of anesthesia with propofol in children. Journal of Clinical Anesthesia, 1993, 5, 12-15.	1.6	15
49	Subhypnotic doses of propofol relieve pruritus associated with liver disease. Gastroenterology, 1993, 104, 244-247.	1.3	75
50	Induction Dose of Propofol in Infants and Children. Anesthesiology, 1991, 75, 550-550.	2.5	0