

Ya-Qin Chai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9284871/publications.pdf>

Version: 2024-02-01

378
papers

16,891
citations

13827

67
h-index

37111

96
g-index

379
all docs

379
docs citations

379
times ranked

10253
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrochemical sensing of hydrogen peroxide using metal nanoparticles: a review. <i>Mikrochimica Acta</i> , 2013, 180, 15-32.	2.5	453
2	In Situ Hybridization Chain Reaction Amplification for Universal and Highly Sensitive Electrochemiluminescent Detection of DNA. <i>Analytical Chemistry</i> , 2012, 84, 7750-7755.	3.2	272
3	Highly Ordered and Field-Free 3D DNA Nanostructure: The Next Generation of DNA Nanomachine for Rapid Single-Step Sensing. <i>Journal of the American Chemical Society</i> , 2018, 140, 9361-9364.	6.6	192
4	An "Off-On" Electrochemiluminescent Biosensor Based on DNAzyme-Assisted Target Recycling and Rolling Circle Amplifications for Ultrasensitive Detection of microRNA. <i>Analytical Chemistry</i> , 2015, 87, 3202-3207.	3.2	182
5	In Situ Electrochemical Generation of Electrochemiluminescent Silver Nanoclusters on Target-Cycling Synchronized Rolling Circle Amplification Platform for MicroRNA Detection. <i>Analytical Chemistry</i> , 2016, 88, 3203-3210.	3.2	174
6	A multifunctional hemin-metal-organic framework and its application to construct an electrochemical aptasensor for thrombin detection. <i>Nanoscale</i> , 2015, 7, 18232-18238.	2.8	165
7	Cu-Based Metal-Organic Frameworks as a Catalyst To Construct a Ratiometric Electrochemical Aptasensor for Sensitive Lipopolysaccharide Detection. <i>Analytical Chemistry</i> , 2015, 87, 11345-11352.	3.2	163
8	Signal-off Electrochemiluminescence Biosensor Based on Phi29 DNA Polymerase Mediated Strand Displacement Amplification for MicroRNA Detection. <i>Analytical Chemistry</i> , 2015, 87, 6328-6334.	3.2	152
9	Strong Electrochemiluminescence from MOF Accelerator Enriched Quantum Dots for Enhanced Sensing of Trace cTnI. <i>Analytical Chemistry</i> , 2018, 90, 3995-4002.	3.2	150
10	Near-infrared aggregation-induced enhanced electrochemiluminescence from tetraphenylethylene nanocrystals: a new generation of ECL emitters. <i>Chemical Science</i> , 2019, 10, 4497-4501.	3.7	148
11	Electrochemiluminescence Resonance Energy Transfer System: Mechanism and Application in Ratiometric Aptasensor for Lead Ion. <i>Analytical Chemistry</i> , 2015, 87, 7787-7794.	3.2	147
12	Ceria Doped Zinc Oxide Nanoflowers Enhanced Luminol-Based Electrochemiluminescence Immunosensor for Amyloid- β^2 Detection. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 12968-12975.	4.0	143
13	In Situ DNA-Templated Synthesis of Silver Nanoclusters for Ultrasensitive and Label-Free Electrochemical Detection of MicroRNA. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 1188-1193.	4.0	142
14	New Signal Amplification Strategy Using Semicarbazide as Co-reaction Accelerator for Highly Sensitive Electrochemiluminescent Aptasensor Construction. <i>Analytical Chemistry</i> , 2015, 87, 11389-11397.	3.2	135
15	Multiplexed and Amplified Electronic Sensor for the Detection of MicroRNAs from Cancer Cells. <i>Analytical Chemistry</i> , 2014, 86, 11913-11918.	3.2	123
16	"Off-to-On" Surface-Enhanced Raman Spectroscopy Platform with Padlock Probe-Based Exponential Rolling Circle Amplification for Ultrasensitive Detection of MicroRNA 155. <i>Analytical Chemistry</i> , 2017, 89, 2866-2872.	3.2	123
17	Ultrasensitive Apurinic/Apyrimidinic Endonuclease 1 Immunosensing Based on Self-Enhanced Electrochemiluminescence of a Ru(II) Complex. <i>Analytical Chemistry</i> , 2014, 86, 1053-1060.	3.2	121
18	Electrochemiluminescent Graphene Quantum Dots as a Sensing Platform: A Dual Amplification for MicroRNA Assay. <i>Analytical Chemistry</i> , 2015, 87, 10385-10391.	3.2	121

#	ARTICLE	IF	CITATIONS
19	Ultrasensitive simultaneous detection of four biomarkers based on hybridization chain reaction and biotin-streptavidin signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2015, 68, 42-48.	5.3	119
20	Ultrasensitive Electrochemiluminescence Biosensor for MicroRNA Detection by 3D DNA Walking Machine Based Target Conversion and Distance-Controllable Signal Quenching and Enhancing. <i>Analytical Chemistry</i> , 2017, 89, 8282-8287.	3.2	119
21	DNA-Fueled Molecular Machine Enables Enzyme-Free Target Recycling Amplification for Electronic Detection of MicroRNA from Cancer Cells with Highly Minimized Background Noise. <i>Analytical Chemistry</i> , 2015, 87, 8578-8583.	3.2	117
22	Bi-directional DNA Walking Machine and Its Application in an Enzyme-Free Electrochemiluminescence Biosensor for Sensitive Detection of MicroRNAs. <i>Analytical Chemistry</i> , 2017, 89, 5036-5042.	3.2	117
23	Porous carbon-coated CuCo ₂ O ₄ concave polyhedrons derived from metal-organic frameworks as anodes for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12038-12043.	5.2	115
24	Electrochemiluminescence Biosensor Based on 3-D DNA Nanomachine Signal Probe Powered by Protein-Aptamer Binding Complex for Ultrasensitive Mucin 1 Detection. <i>Analytical Chemistry</i> , 2017, 89, 4280-4286.	3.2	110
25	Metal Organic Frameworks Combining CoFe ₂ O ₄ Magnetic Nanoparticles as Highly Efficient SERS Sensing Platform for Ultrasensitive Detection of N-Terminal Pro-Brain Natriuretic Peptide. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 7683-7690.	4.0	109
26	Switchable Target-Responsive 3D DNA Hydrogels As a Signal Amplification Strategy Combining with SERS Technique for Ultrasensitive Detection of miRNA 155. <i>Analytical Chemistry</i> , 2017, 89, 8538-8544.	3.2	107
27	Sensitive electrochemiluminescence detection for CA15-3 based on immobilizing luminol on dendrimer functionalized ZnO nanorods. <i>Biosensors and Bioelectronics</i> , 2015, 63, 33-38.	5.3	106
28	Functional Three-Dimensional Porous Conductive Polymer Hydrogels for Sensitive Electrochemiluminescence in Situ Detection of H ₂ O ₂ Released from Live Cells. <i>Analytical Chemistry</i> , 2018, 90, 8462-8469.	3.2	106
29	Ultrasensitive Photoelectrochemical Biosensor Based on DNA Tetrahedron as Nanocarrier for Efficient Immobilization of CdTe QDs-Methylene Blue as Signal Probe with Near-Zero Background Noise. <i>Analytical Chemistry</i> , 2018, 90, 8211-8216.	3.2	104
30	Ultrasensitive Lipopolysaccharides Detection Based on Doxorubicin Conjugated N-(Aminobutyl)-N-(ethylisoluminol) as Electrochemiluminescence Indicator and Self-Assembled Tetrahedron DNA Dendrimers as Nanocarriers. <i>Analytical Chemistry</i> , 2016, 88, 5218-5224.	3.2	99
31	Morphology-Controlled 9,10-Diphenylanthracene Nanoblocks as Electrochemiluminescence Emitters for MicroRNA Detection with One-Step DNA Walker Amplification. <i>Analytical Chemistry</i> , 2018, 90, 5298-5305.	3.2	98
32	Highly sensitive impedimetric immunosensor based on single-walled carbon nanohorns as labels and bienzyme biocatalyzed precipitation as enhancer for cancer biomarker detection. <i>Biosensors and Bioelectronics</i> , 2014, 55, 360-365.	5.3	97
33	Highly Efficient Electrochemiluminescent Silver Nanoclusters/Titanium Oxide Nanomaterials as a Signal Probe for Ferrocene-Driven Light Switch Bioanalysis. <i>Analytical Chemistry</i> , 2017, 89, 3732-3738.	3.2	97
34	Electrochemical Peptide Biosensor Based on in Situ Silver Deposition for Detection of Prostate Specific Antigen. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 13360-13366.	4.0	96
35	Self-Enhanced Electrochemiluminescence Nanorods of Tris(bipyridine) Ruthenium(II) Derivative and Its Sensing Application for Detection of N-Acetyl-L-glucosaminidase. <i>Analytical Chemistry</i> , 2016, 88, 2258-2265.	3.2	95
36	Ultrasensitive Assay for Telomerase Activity via Self-Enhanced Electrochemiluminescent Ruthenium Complex Doped Metal-Organic Frameworks with High Emission Efficiency. <i>Analytical Chemistry</i> , 2017, 89, 3222-3227.	3.2	95

#	ARTICLE	IF	CITATIONS
37	Development of an electrochemical method for Ochratoxin A detection based on aptamer and loop-mediated isothermal amplification. <i>Biosensors and Bioelectronics</i> , 2014, 55, 324-329.	5.3	94
38	Cu Nanoclusters: Novel Electrochemiluminescence Emitters for Bioanalysis. <i>Analytical Chemistry</i> , 2016, 88, 11527-11532.	3.2	94
39	MoS ₂ Quantum Dots as New Electrochemiluminescence Emitters for Ultrasensitive Bioanalysis of Lipopolysaccharide. <i>Analytical Chemistry</i> , 2017, 89, 8335-8342.	3.2	94
40	Signal-Switchable Electrochemiluminescence System Coupled with Target Recycling Amplification Strategy for Sensitive Mercury Ion and Mucin 1 Assay. <i>Analytical Chemistry</i> , 2016, 88, 9243-9250.	3.2	93
41	SnS ₂ Quantum Dots as New Emitters with Strong Electrochemiluminescence for Ultrasensitive Antibody Detection. <i>Analytical Chemistry</i> , 2018, 90, 12270-12277.	3.2	93
42	A target responsive aptamer machine for label-free and sensitive non-enzymatic recycling amplification detection of ATP. <i>Chemical Communications</i> , 2016, 52, 3673-3676.	2.2	92
43	A signal-on electrochemical aptasensor for ultrasensitive detection of endotoxin using three-way DNA junction-aided enzymatic recycling and graphene nanohybrid for amplification. <i>Nanoscale</i> , 2014, 6, 2902.	2.8	91
44	Silver Ions as Novel Coreaction Accelerator for Remarkably Enhanced Electrochemiluminescence in a PTCA@S ₂ O ₈ ²⁻ System and Its Application in an Ultrasensitive Assay for Mercury Ions. <i>Analytical Chemistry</i> , 2018, 90, 6851-6858.	3.2	91
45	Versatile and Ultrasensitive Electrochemiluminescence Biosensor for Biomarker Detection Based on Nonenzymatic Amplification and Aptamer-Triggered Emitter Release. <i>Analytical Chemistry</i> , 2019, 91, 3452-3458.	3.2	91
46	Electrochemiluminescence of luminol enhanced by the synergetic catalysis of hemin and silver nanoparticles for sensitive protein detection. <i>Biosensors and Bioelectronics</i> , 2014, 54, 20-26.	5.3	90
47	Ultrasensitive electrochemical immunosensor for carbohydrate antigen 19-9 using Au/porous graphene nanocomposites as platform and Au@Pd core/shell bimetallic functionalized graphene nanocomposites as signal enhancers. <i>Biosensors and Bioelectronics</i> , 2015, 66, 356-362.	5.3	90
48	Ternary Electrochemiluminescence System Based on Rubrene Microrods as Luminophore and Pt Nanomaterials as Coreaction Accelerator for Ultrasensitive Detection of MicroRNA from Cancer Cells. <i>Analytical Chemistry</i> , 2017, 89, 9108-9115.	3.2	90
49	Anodic Electrochemiluminescence of Carbon Dots Promoted by Nitrogen Doping and Application to Rapid Cancer Cell Detection. <i>Analytical Chemistry</i> , 2020, 92, 1379-1385.	3.2	88
50	One DNA circle capture probe with multiple target recognition domains for simultaneous electrochemical detection of miRNA-21 and miRNA-155. <i>Biosensors and Bioelectronics</i> , 2020, 149, 111848.	5.3	86
51	Electrochemiluminescence Peptide-Based Biosensor with Hetero-Nanostructures as Coreaction Accelerator for the Ultrasensitive Determination of Tryptase. <i>Analytical Chemistry</i> , 2018, 90, 2263-2270.	3.2	85
52	Novel 2D-DNA-Nanoprobe-Mediated Enzyme-Free-Target-Recycling Amplification for the Ultrasensitive Electrochemical Detection of MicroRNA. <i>Analytical Chemistry</i> , 2018, 90, 9538-9544.	3.2	83
53	Highly Efficient Electrochemiluminescence Resonance Energy Transfer System in One Nanostructure: Its Application for Ultrasensitive Detection of MicroRNA in Cancer Cells. <i>Analytical Chemistry</i> , 2017, 89, 6029-6035.	3.2	81
54	Cu/Mn Double-Doped CeO ₂ Nanocomposites as Signal Tags and Signal Amplifiers for Sensitive Electrochemical Detection of Procalcitonin. <i>Analytical Chemistry</i> , 2017, 89, 13349-13356.	3.2	81

#	ARTICLE	IF	CITATIONS
55	Ternary Electrochemiluminescence Nanostructure of Au Nanoclusters as a Highly Efficient Signal Label for Ultrasensitive Detection of Cancer Biomarkers. <i>Analytical Chemistry</i> , 2018, 90, 10024-10030.	3.2	81
56	Universal Ratiometric Photoelectrochemical Bioassay with Target-Nucleotide Transduction-Amplification and Electron-Transfer Tunneling Distance Regulation Strategies for Ultrasensitive Determination of microRNA in Cells. <i>Analytical Chemistry</i> , 2017, 89, 9445-9451.	3.2	79
57	An amplified electrochemical immunosensor based on in situ-produced 1-naphthol as electroactive substance and graphene oxide and Pt nanoparticles functionalized CeO ₂ nanocomposites as signal enhancer. <i>Biosensors and Bioelectronics</i> , 2015, 69, 321-327.	5.3	78
58	DNA nanomachine-based regenerated sensing platform: a novel electrochemiluminescence resonance energy transfer strategy for ultra-high sensitive detection of microRNA from cancer cells. <i>Nanoscale</i> , 2017, 9, 2310-2316.	2.8	77
59	In Situ Formation of Multifunctional DNA Nanospheres for a Sensitive and Accurate Dual-Mode Biosensor for Photoelectrochemical and Electrochemical Assay. <i>Analytical Chemistry</i> , 2020, 92, 8364-8370.	3.2	77
60	In situ electro-polymerization of nitrogen doped carbon dots and their application in an electrochemiluminescence biosensor for the detection of intracellular lead ions. <i>Chemical Communications</i> , 2016, 52, 5589-5592.	2.2	76
61	Using p-type PbS Quantum Dots to Quench Photocurrent of Fullerene@Au NP@MoS ₂ Composite Structure for Ultrasensitive Photoelectrochemical Detection of ATP. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 42111-42120.	4.0	75
62	Electrochemiluminescence Enhanced by Restriction of Intramolecular Motions (RIM): Tetraphenylethylene Microcrystals as a Novel Emitter for Mucin 1 Detection. <i>Analytical Chemistry</i> , 2019, 91, 3710-3716.	3.2	75
63	In Situ Electrodeposited Synthesis of Electrochemiluminescent Ag Nanoclusters as Signal Probe for Ultrasensitive Detection of Cyclin-D1 from Cancer Cells. <i>Analytical Chemistry</i> , 2017, 89, 6787-6793.	3.2	74
64	A highly sensitive VEGF165 photoelectrochemical biosensor fabricated by assembly of aptamer bridged DNA networks. <i>Biosensors and Bioelectronics</i> , 2018, 101, 213-218.	5.3	74
65	A Sensitive Electrochemical Aptasensor for Thrombin Detection Based on Electroactive Co-Based Metal-Organic Frameworks with Target-Triggering NESA Strategy. <i>Analytical Chemistry</i> , 2017, 89, 11636-11640.	3.2	72
66	Dynamical Regulation of Enzyme Cascade Amplification by a Regenerated DNA Nanotweezer for Ultrasensitive Electrochemical DNA Detection. <i>Analytical Chemistry</i> , 2018, 90, 10701-10706.	3.2	72
67	Coupling hybridization chain reaction with catalytic hairpin assembly enables non-enzymatic and sensitive fluorescent detection of microRNA cancer biomarkers. <i>Biosensors and Bioelectronics</i> , 2016, 77, 416-420.	5.3	70
68	Dual microRNAs-Fueled DNA Nanogears: A Case of Regenerated Strategy for Multiple Electrochemiluminescence Detection of microRNAs with Single Luminophore. <i>Analytical Chemistry</i> , 2017, 89, 1338-1345.	3.2	70
69	Luminescence-Functionalized Metal-Organic Frameworks Based on a Ruthenium(II) Complex: A Signal Amplification Strategy for Electrogenerated Chemiluminescence Immunosensors. <i>Chemistry - A European Journal</i> , 2015, 21, 9825-9832.	1.7	69
70	Hollow Porous Polymeric Nanospheres of a Self-Enhanced Ruthenium Complex with Improved Electrochemiluminescent Efficiency for Ultrasensitive Aptasensor Construction. <i>Analytical Chemistry</i> , 2017, 89, 9232-9238.	3.2	69
71	Novel Ru(bpy) ₂ (cpaphen) ²⁺ /TPrA/TiO ₂ Ternary ECL System: An Efficient Platform for the Detection of Glutathione with Mn ²⁺ as Substitute Target. <i>Analytical Chemistry</i> , 2019, 91, 3681-3686.	3.2	69
72	An ultrasensitive electrochemiluminescence biosensor for detection of MicroRNA by in-situ electrochemically generated copper nanoclusters as luminophore and TiO ₂ as coreaction accelerator. <i>Biosensors and Bioelectronics</i> , 2018, 114, 10-14.	5.3	68

#	ARTICLE	IF	CITATIONS
73	A Janus 3D DNA nanomachine for simultaneous and sensitive fluorescence detection and imaging of dual microRNAs in cancer cells. <i>Chemical Science</i> , 2020, 11, 8482-8488.	3.7	68
74	Ce-based metal-organic frameworks and DNAzyme-assisted recycling as dual signal amplifiers for sensitive electrochemical detection of lipopolysaccharide. <i>Biosensors and Bioelectronics</i> , 2016, 83, 287-292.	5.3	67
75	An ultrasensitive electrochemiluminescence biosensor for MicroRNA detection based on luminol-functionalized Au NPs@ZnO nanomaterials as signal probe and dissolved O ₂ as coreactant. <i>Biosensors and Bioelectronics</i> , 2019, 135, 8-13.	5.3	66
76	In Situ Controllable Generation of Copper Nanoclusters Confined in a Poly-L-Cysteine Porous Film with Enhanced Electrochemiluminescence for Alkaline Phosphatase Detection. <i>Analytical Chemistry</i> , 2020, 92, 13581-13587.	3.2	66
77	Au nanoparticles decorated C60 nanoparticle-based label-free electrochemiluminescence aptasensor via a novel "on-off-on" switch system. <i>Biomaterials</i> , 2015, 52, 476-483.	5.7	65
78	Highly sensitive electrochemiluminescence assay of acetylcholinesterase activity based on dual biomarkers using Pd-Au nanowires as immobilization platform. <i>Biosensors and Bioelectronics</i> , 2016, 79, 34-40.	5.3	65
79	PtNPs as Scaffolds to Regulate Interenzyme Distance for Construction of Efficient Enzyme Cascade Amplification for Ultrasensitive Electrochemical Detection of MMP-2. <i>Analytical Chemistry</i> , 2017, 89, 9383-9387.	3.2	65
80	Programmable Modulation of Copper Nanoclusters Electrochemiluminescence via DNA Nanocranes for Ultrasensitive Detection of microRNA. <i>Analytical Chemistry</i> , 2018, 90, 3543-3549.	3.2	65
81	Amperometric Hydrogen Peroxide Biosensor Based on the Immobilization of Horseradish Peroxidase (HRP) on the Layer-by-Layer Assembly Films of Gold Colloidal Nanoparticles and Tolidine Blue. <i>Electroanalysis</i> , 2006, 18, 471-477.	1.5	63
82	A Novel Nonenzymatic Hydrogen Peroxide Sensor Based on a Polypyrrole Nanowire-Copper Nanocomposite Modified Gold Electrode. <i>Sensors</i> , 2008, 8, 5141-5152.	2.1	63
83	Perylene Derivative/Luminol Nanocomposite as a Strong Electrochemiluminescence Emitter for Construction of an Ultrasensitive MicroRNA Biosensor. <i>Analytical Chemistry</i> , 2019, 91, 1516-1523.	3.2	63
84	Ultrasensitive Cytosensor Based on Self-Enhanced Electrochemiluminescent Ruthenium-Silica Composite Nanoparticles for Efficient Drug Screening with Cell Apoptosis Monitoring. <i>Analytical Chemistry</i> , 2015, 87, 12363-12371.	3.2	62
85	A sensitive electrochemical aptasensor based on palladium nanoparticles decorated graphene-molybdenum disulfide flower-like nanocomposites and enzymatic signal amplification. <i>Analytica Chimica Acta</i> , 2015, 853, 234-241.	2.6	62
86	Self-Enhanced Ultrasensitive Photoelectrochemical Biosensor Based on Nanocapsule Packaging Both Donor-Acceptor-Type Photoactive Material and Its Sensitizer. <i>Analytical Chemistry</i> , 2016, 88, 8698-8705.	3.2	61
87	An ultrasensitive "off-on" photoelectrochemical aptasensor based on signal amplification of a fullerene/CdTe quantum dots sensitized structure and efficient quenching by manganese porphyrin. <i>Chemical Communications</i> , 2016, 52, 8138-8141.	2.2	61
88	A highly sensitive electrochemiluminescence biosensor for the detection of organophosphate pesticides based on cyclodextrin functionalized graphitic carbon nitride and enzyme inhibition. <i>Chemical Communications</i> , 2016, 52, 5049-5052.	2.2	61
89	Enzyme-free Target Recycling and Double-Output Amplification System for Electrochemiluminescent Assay of Mucin 1 with MoS ₂ Nanoflowers as Co-reaction Accelerator. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14483-14490.	4.0	61
90	An enzyme-free electrochemical biosensor combining target recycling with Fe ₃ O ₄ /CeO ₂ @Au nanocatalysts for microRNA-21 detection. <i>Biosensors and Bioelectronics</i> , 2018, 119, 170-175.	5.3	61

#	ARTICLE	IF	CITATIONS
91	Tracing Phosphate Ions Generated during Loop-Mediated Isothermal Amplification for Electrochemical Detection of <i>Nosema bombycis</i> Genomic DNA PTP1. <i>Analytical Chemistry</i> , 2015, 87, 10268-10274.	3.2	60
92	Hemin as electrochemically regenerable co-reaction accelerator for construction of an ultrasensitive PTCA-based electrochemiluminescent aptasensor. <i>Biosensors and Bioelectronics</i> , 2018, 100, 490-496.	5.3	60
93	Ultrasensitive Electrochemiluminescence Biosensor for Speedy Detection of microRNA Based on a DNA Rolling Machine and Target Recycling. <i>Analytical Chemistry</i> , 2019, 91, 4883-4888.	3.2	60
94	Highly Sensitive Photoelectrochemical Biosensor Based on Quantum Dots Sensitizing Bi ₂ Te ₃ Nanosheets and DNA-Amplifying Strategies. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 22624-22629.	4.0	60
95	Dual amplified and ultrasensitive electrochemical detection of mutant DNA Biomarkers based on nuclease-assisted target recycling and rolling circle amplifications. <i>Biosensors and Bioelectronics</i> , 2014, 55, 266-271.	5.3	59
96	Toehold strand displacement-driven assembly of G-quadruplex DNA for enzyme-free and non-label sensitive fluorescent detection of thrombin. <i>Biosensors and Bioelectronics</i> , 2015, 64, 306-310.	5.3	59
97	High-Efficiency CNNS@NH ₂ -MIL(Fe) Electrochemiluminescence Emitters Coupled with Ti ₃ C ₂ Nanosheets as a Matrix for a Highly Sensitive Cardiac Troponin I Assay. <i>Analytical Chemistry</i> , 2020, 92, 8992-9000.	3.2	59
98	Simultaneous determination of dopamine, ascorbic acid and uric acid using a multi-walled carbon nanotube and reduced graphene oxide hybrid functionalized by PAMAM and Au nanoparticles. <i>Analytical Methods</i> , 2015, 7, 1471-1477.	1.3	58
99	Ultrasensitive Electrochemiluminescence Biosensing Platform for Detection of Multiple Types of Biomarkers toward Identical Cancer on a Single Interface. <i>Analytical Chemistry</i> , 2017, 89, 12821-12827.	3.2	56
100	Ti ₃ C ₂ /BiVO ₄ Schottky junction as a signal indicator for ultrasensitive photoelectrochemical detection of VEGF ₁₆₅ . <i>Chemical Communications</i> , 2019, 55, 13729-13732.	2.2	56
101	A photoelectrochemical biosensor based on fullerene with methylene blue as a sensitizer for ultrasensitive DNA detection. <i>Biosensors and Bioelectronics</i> , 2019, 142, 111579.	5.3	55
102	Simply Constructed and Highly Efficient Classified Cargo-Discharge DNA Robot: A DNA Walking Nanomachine Platform for Ultrasensitive Multiplexed Sensing. <i>Analytical Chemistry</i> , 2019, 91, 8123-8128.	3.2	55
103	Covalent organic frameworks as micro-reactors: confinement-enhanced electrochemiluminescence. <i>Chemical Science</i> , 2020, 11, 5410-5414.	3.7	55
104	Non-enzymatic hydrogen peroxide amperometric sensor based on a glassy carbon electrode modified with an MWCNT/polyaniline composite film and platinum nanoparticles. <i>Mikrochimica Acta</i> , 2012, 176, 389-395.	2.5	54
105	Ultrasensitive electrochemiluminescent aptasensor for ochratoxin A detection with the loop-mediated isothermal amplification. <i>Analytica Chimica Acta</i> , 2014, 811, 70-75.	2.6	54
106	A microRNA-activated molecular machine for non-enzymatic target recycling amplification detection of microRNA from cancer cells. <i>Chemical Communications</i> , 2015, 51, 11084-11087.	2.2	54
107	Target-catalyzed hairpin assembly and intramolecular/intermolecular co-reaction for signal amplified electrochemiluminescent detection of microRNA. <i>Biosensors and Bioelectronics</i> , 2016, 77, 442-450.	5.3	54
108	Precise Regulation of Enzyme Cascade Catalytic Efficiency with DNA Tetrahedron as Scaffold for Ultrasensitive Electrochemical Detection of DNA. <i>Analytical Chemistry</i> , 2019, 91, 3561-3566.	3.2	54

#	ARTICLE	IF	CITATIONS
109	Self-Assembly of Gold Nanoclusters into a Metal-Organic Framework with Efficient Electrochemiluminescence and Their Application for Sensitive Detection of Rutin. <i>Analytical Chemistry</i> , 2021, 93, 3445-3451.	3.2	54
110	In situ formation of flower-like CuCo ₂ S ₄ nanosheets/graphene composites with enhanced lithium storage properties. <i>RSC Advances</i> , 2016, 6, 38321-38327.	1.7	53
111	A sensitive electrochemiluminescence immunosensor based on luminophore capped Pd@Au core-shell nanoparticles as signal tracers and ferrocenyl compounds as signal enhancers. <i>Biosensors and Bioelectronics</i> , 2016, 81, 334-340.	5.3	53
112	A Highly Sensitive Photoelectrochemical Assay with Donor-Acceptor-Type Material as Photoactive Material and Polyaniline as Signal Enhancer. <i>Analytical Chemistry</i> , 2018, 90, 6096-6101.	3.2	53
113	Three-Dimensional Cadmium Telluride Quantum Dots-DNA Nanoreticulation as a Highly Efficient Electrochemiluminescent Emitter for Ultrasensitive Detection of MicroRNA from Cancer Cells. <i>Analytical Chemistry</i> , 2019, 91, 7765-7773.	3.2	53
114	Sensitive Electrochemiluminescence Immunosensor for Detection of <i>N</i> -Acetyl- β -D-glucosaminidase Based on a Light-Switchable Molecule Combined with DNA Dendrimer. <i>Analytical Chemistry</i> , 2016, 88, 5797-5803.	3.2	52
115	A sensitive electrochemiluminescent aptasensor based on perylene derivatives as a novel co-reaction accelerator for signal amplification. <i>Biosensors and Bioelectronics</i> , 2016, 85, 8-15.	5.3	52
116	An ultrasensitive electrochemiluminescence immunosensor for NT-proBNP based on self-catalyzed luminescence emitter coupled with PdCu@carbon nanohorn hybrid. <i>Biosensors and Bioelectronics</i> , 2017, 87, 779-785.	5.3	52
117	Gold nanoparticle-graphene nanohybrid bridged 3-amino-5-mercapto-1,2,4-triazole-functionalized multiwall carbon nanotubes for the simultaneous determination of hydroquinone, catechol, resorcinol and nitrite. <i>Analytical Methods</i> , 2013, 5, 666-672.	1.3	51
118	Quadratic recycling amplification for label-free and sensitive visual detection of HIV DNA. <i>Biosensors and Bioelectronics</i> , 2014, 55, 220-224.	5.3	51
119	Target-Induced 3D DNA Network Structure as a Novel Signal Amplifier for Ultrasensitive Electrochemiluminescence Detection of MicroRNAs. <i>Analytical Chemistry</i> , 2019, 91, 14368-14374.	3.2	51
120	An Affinity-Enhanced DNA Intercalator with Intense ECL Embedded in DNA Hydrogel for Biosensing Applications. <i>Analytical Chemistry</i> , 2020, 92, 11044-11052.	3.2	51
121	Wavelength-resolved simultaneous photoelectrochemical bifunctional sensor on single interface: A newly in vitro approach for multiplexed DNA monitoring in cancer cells. <i>Biosensors and Bioelectronics</i> , 2016, 81, 423-430.	5.3	50
122	Ultrasensitive Photoelectrochemical Assay for DNA Detection Based on a Novel SnS ₂ /Co ₃ O ₄ Sensitized Structure. <i>Analytical Chemistry</i> , 2020, 92, 14769-14774.	3.2	50
123	Electrochemiluminescence recovery-based aptasensor for sensitive Ochratoxin A detection via exonuclease-catalyzed target recycling amplification. <i>Talanta</i> , 2014, 125, 45-50.	2.9	49
124	Electrochemiluminescence of Supramolecular Nanorods and Their Application in the Off-On Detection of Copper Ions. <i>Chemistry - A European Journal</i> , 2016, 22, 8207-8214.	1.7	49
125	DNA Enzyme-Decorated DNA Nanoladders as Enhancer for Peptide Cleavage-Based Electrochemical Biosensor. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 22869-22874.	4.0	49
126	Thrombin aptasensor enabled by Pt nanoparticles-functionalized Co-based metal organic frameworks assisted electrochemical signal amplification. <i>Talanta</i> , 2017, 169, 44-49.	2.9	49

#	ARTICLE	IF	CITATIONS
127	p^{n} -Sensitized Heterostructure $\text{Co}_3\text{O}_4/\text{Fullerene}$ with Highly Efficient Photoelectrochemical Performance for Ultrasensitive DNA Detection. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 23765-23772.	4.0	49
128	An electrochemical aptasensor for thrombin using synergetic catalysis of enzyme and porous Au@Pd core-shell nanostructures for signal amplification. <i>Biosensors and Bioelectronics</i> , 2015, 64, 423-428.	5.3	48
129	Highly Effective Protein Converting Strategy for Ultrasensitive Electrochemical Assay of Cystatin C. <i>Analytical Chemistry</i> , 2016, 88, 5189-5196.	3.2	48
130	Stimuli-Responsive DNA Microcapsules for SERS Sensing of Trace MicroRNA. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 12491-12496.	4.0	48
131	N-(aminobutyl)-N-(ethylisoluminol) functionalized Fe-based metal-organic frameworks with intrinsic mimic peroxidase activity for sensitive electrochemiluminescence mucin1 determination. <i>Biosensors and Bioelectronics</i> , 2018, 121, 250-256.	5.3	48
132	Electrochemiluminescence biosensing based on different modes of switching signals. <i>Analyst</i> , The, 2018, 143, 3230-3248.	1.7	48
133	Simultaneous determination of hydroquinone, catechol, resorcinol and nitrite using gold nanoparticles loaded on poly-3-amino-5-mercapto-1,2,4-triazole-MWNTs film modified electrode. <i>Analytical Methods</i> , 2012, 4, 1626.	1.3	47
134	Electrochemical immunosensor for detecting the spore wall protein of <i>Nosema bombycis</i> based on the amplification of hemin/G-quadruplex DNAzyme concatamers functionalized Pt@Pd nanowires. <i>Biosensors and Bioelectronics</i> , 2014, 60, 118-123.	5.3	47
135	Highly effective molecule converting strategy based on enzyme-free dual recycling amplification for ultrasensitive electrochemical detection of ATP. <i>Chemical Communications</i> , 2017, 53, 8368-8371.	2.2	47
136	Amplified amperometric aptasensor for selective detection of protein using catalase-functional DNA@PtNPs dendrimer as a synergetic signal amplification label. <i>Biosensors and Bioelectronics</i> , 2014, 60, 224-230.	5.3	46
137	An electrochemiluminescence immunosensor for thyroid stimulating hormone based on polyamidoamine-norfloxacin functionalized Pd@Au core-shell hexoctahedrons as signal enhancers. <i>Biosensors and Bioelectronics</i> , 2015, 71, 164-170.	5.3	46
138	Ultrasensitive Photoelectrochemical Detection of Multiple Metal Ions Based on Wavelength-Resolved Dual-Signal Output Triggered by Click Reaction. <i>Analytical Chemistry</i> , 2019, 91, 2861-2868.	3.2	46
139	Programming a Target-Initiated Bifunctional DNAzyme Nanodevice for Sensitive Ratiometric Electrochemical Biosensing. <i>Analytical Chemistry</i> , 2019, 91, 6127-6133.	3.2	46
140	A self-enhanced electrochemiluminescence immunosensor based on H-Lys-Ru $\text{xmlns:mml}="http://www.w3.org/1998/Math/MathML" \text{ altimg}="si0002.gif" \text{ overflow}="scroll">< \text{mml:mrow}>< \text{mml:msubsup subscriptshift}="90\%"$		

#	ARTICLE	IF	CITATIONS
145	A new hybrid signal amplification strategy for ultrasensitive electrochemical detection of DNA based on enzyme-assisted target recycling and DNA supersandwich assemblies. <i>Chemical Communications</i> , 2013, 49, 2052.	2.2	43
146	Electrochemiluminescence immunosensor based on multifunctional luminol-capped AuNPs@Fe ₃ O ₄ nanocomposite for the detection of mucin-1. <i>Biosensors and Bioelectronics</i> , 2015, 71, 407-413.	5.3	43
147	Highly Efficient Intramolecular Electrochemiluminescence Energy Transfer for Ultrasensitive Bioanalysis of Aflatoxin M1. <i>Chemistry - A European Journal</i> , 2017, 23, 1853-1859.	1.7	43
148	Sensitive electrochemiluminescent immunosensor for diabetic nephropathy analysis based on tris(bipyridine) ruthenium(II) derivative with binary intramolecular self-catalyzed property. <i>Biosensors and Bioelectronics</i> , 2018, 100, 35-40.	5.3	43
149	Biomimetic 3D DNA Nanomachine via Free DNA Walker Movement on Lipid Bilayers Supported by Hard SiO ₂ @CdTe Nanoparticles for Ultrasensitive MicroRNA Detection. <i>Analytical Chemistry</i> , 2019, 91, 14920-14926.	3.2	43
150	Construction of a Z-scheme g-C ₃ N ₄ /Ag/AgI heterojunction for highly selective photoelectrochemical detection of hydrogen sulfide. <i>Chemical Communications</i> , 2019, 55, 11940-11943.	2.2	43
151	A restriction enzyme-powered autonomous DNA walking machine: its application for a highly sensitive electrochemiluminescence assay of DNA. <i>Nanoscale</i> , 2015, 7, 981-986.	2.8	42
152	A novel solid-state Ru(bpy) ₃ ²⁺ electrochemiluminescence immunosensor based on poly(ethylenimine) and polyamidoamine dendrimers as co-reactants. <i>Talanta</i> , 2015, 131, 192-197.	2.9	42
153	Novel Single-Enzyme-Assisted Dual Recycle Amplification Strategy for Sensitive Photoelectrochemical MicroRNA Assay. <i>Analytical Chemistry</i> , 2020, 92, 14550-14557.	3.2	42
154	Versatile Luminol/Dissolved Oxygen/Fe@Fe ₂ O ₃ Nanowire Ternary Electrochemiluminescence System Combined with Highly Efficient Strand Displacement Amplification for Ultrasensitive microRNA Detection. <i>Analytical Chemistry</i> , 2021, 93, 13334-13341.	3.2	42
155	Nonenzymatic glucose sensor based on a glassy carbon electrode modified with chains of platinum hollow nanoparticles and porous gold nanoparticles in a chitosan membrane. <i>Mikrochimica Acta</i> , 2011, 172, 163-169.	2.5	41
156	Amplified Thrombin Aptasensor Based on Alkaline Phosphatase and Hemin/G-Quadruplex-Catalyzed Oxidation of 1-Naphthol. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 10308-10315.	4.0	41
157	A label-free electrochemical aptasensor based on the catalysis of manganese porphyrins for detection of thrombin. <i>Biosensors and Bioelectronics</i> , 2015, 66, 585-589.	5.3	41
158	Highly Efficient Dual-Polar Electrochemiluminescence from Au ₂₅ Nanoclusters: The Next Generation of Multibiomarker Detection in a Single Step. <i>Analytical Chemistry</i> , 2019, 91, 14618-14623.	3.2	41
159	Ag/TiO ₂ nanocomposites as a novel SERS substrate for construction of sensitive biosensor. <i>Sensors and Actuators B: Chemical</i> , 2021, 339, 129843.	4.0	41
160	Sandwiched Electrochemiluminescent Peptide Biosensor for the Detection of Prognostic Indicator in Early-Stage Cancer Based on Hollow, Magnetic, and Self-Enhanced Nanosheets. <i>Small</i> , 2015, 11, 3703-3709.	5.2	40
161	A robust, magnetic, and self-accelerated electrochemiluminescent nanosensor for ultrasensitive detection of copper ion. <i>Biosensors and Bioelectronics</i> , 2018, 109, 109-115.	5.3	40
162	An efficient target-intermediate recycling amplification strategy for ultrasensitive fluorescence assay of intracellular lead ions. <i>Chemical Communications</i> , 2017, 53, 7525-7528.	2.2	39

#	ARTICLE	IF	CITATIONS
163	Homogeneous Entropy Catalytic-Driven DNA Hydrogel as Strong Signal Blocker for Highly Sensitive Electrochemical Detection of Platelet-Derived Growth Factor. <i>Analytical Chemistry</i> , 2018, 90, 8241-8247.	3.2	39
164	Reversible and Distance-Controllable DNA Scissor: A Regenerated Electrochemiluminescence Biosensing Platform for Ultrasensitive Detection of MicroRNA. <i>Analytical Chemistry</i> , 2019, 91, 3239-3245.	3.2	39
165	Multiparameter Analysis-Based Electrochemiluminescent Assay for Simultaneous Detection of Multiple Biomarker Proteins on a Single Interface. <i>Analytical Chemistry</i> , 2016, 88, 4940-4948.	3.2	38
166	Electrochemical synthesis of silver nanoclusters on electrochemiluminescent resonance energy transfer amplification platform for Apo-A1 detection. <i>Talanta</i> , 2018, 181, 32-37.	2.9	38
167	A synergistic promotion strategy remarkably accelerated electrochemiluminescence of SnO ₂ QDs for MicroRNA detection using 3D DNA walker amplification. <i>Biosensors and Bioelectronics</i> , 2021, 173, 112820.	5.3	38
168	Electron-Transfer Mediator Microbiosensor Fabrication Based on Immobilizing HRP-Labeled Au Colloids on Gold Electrode Surface by 11-Mercaptoundecanoic Acid Monolayer. <i>Electroanalysis</i> , 2006, 18, 259-266.	1.5	37
169	A Reagentless Amperometric Immunosensor for Alpha-Fetoprotein Based on Gold Nanoparticles/TiO ₂ Colloids/Prussian Blue Modified Platinum Electrode. <i>Electroanalysis</i> , 2007, 19, 1402-1410.	1.5	37
170	Two (3,10)-Connected 2D Networks Based on Pentanuclear Metal Clusters as Building Blocks. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 2610-2615.	1.0	37
171	Dendritic Silver/Silicon Dioxide Nanocomposite Modified Electrodes for Electrochemical Sensing of Hydrogen Peroxide. <i>Electroanalysis</i> , 2008, 20, 1839-1844.	1.5	37
172	A cathodic electrogenerated chemiluminescence biosensor based on luminol and hemin-graphene nanosheets for cholesterol detection. <i>RSC Advances</i> , 2012, 2, 4639.	1.7	37
173	Self-enhanced N-(aminobutyl)-N-(ethylisoluminol) derivative-based electrochemiluminescence immunosensor for sensitive laminin detection using PdIr cubes as a mimic peroxidase. <i>Nanoscale</i> , 2016, 8, 8017-8023.	2.8	37
174	Ultrasensitive Fluorescent Assay Based on a Rolling-Circle-Amplification-Assisted Multisite-Strand-Displacement-Reaction Signal-Amplification Strategy. <i>Analytical Chemistry</i> , 2018, 90, 7474-7479.	3.2	37
175	Lattice-Like DNA Tetrahedron Nanostructure as Scaffold to Locate GOx and HRP Enzymes for Highly Efficient Enzyme Cascade Reaction. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 2871-2877.	4.0	37
176	Construction of Fast-Walking Tetrahedral DNA Walker with Four Arms for Sensitive Detection and Intracellular Imaging of Apurinic/Apyrimidinic Endonuclease 1. <i>Analytical Chemistry</i> , 2022, 94, 8732-8739.	3.2	37
177	Coupling of a Reagentless Electrochemical DNA Biosensor with Conducting Polymer Film and Nanocomposite as Matrices for the Detection of the HIV DNA Sequences. <i>Analytical Letters</i> , 2006, 39, 467-482.	1.0	36
178	Hydrogen peroxide sensor based on horseradish peroxidase immobilized on an electrode modified with DNA-L-cysteine-gold-platinum nanoparticles in polypyrrole film. <i>Mikrochimica Acta</i> , 2009, 167, 159-165.	2.5	36
179	Sensitive pseudobioenzyme electrocatalytic DNA biosensor for mercury(II) ion by using the autonomously assembled hemin/G-quadruplex DNAzyme nanowires for signal amplification. <i>Analytica Chimica Acta</i> , 2014, 811, 23-28.	2.6	36
180	Self-enhanced electrochemiluminescence immunosensor based on nanowires obtained by a green approach. <i>Biosensors and Bioelectronics</i> , 2015, 68, 72-77.	5.3	36

#	ARTICLE	IF	CITATIONS
181	Enzyme-assisted cycling amplification and DNA-templated in-situ deposition of silver nanoparticles for the sensitive electrochemical detection of Hg ²⁺ . <i>Biosensors and Bioelectronics</i> , 2016, 86, 630-635.	5.3	36
182	Highly Efficient Target Recycling-Based Netlike Y-DNA for Regulation of Electrocatalysis toward Methylene Blue for Sensitive DNA Detection. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 25213-25218.	4.0	36
183	Porous Fe ₃ O ₄ @COF-Immobilized gold nanoparticles with excellent catalytic performance for sensitive electrochemical detection of ATP. <i>Biosensors and Bioelectronics</i> , 2022, 197, 113758.	5.3	36
184	A Novel Ratiometric Electrochemical Biosensor Using Only One Signal Tag for Highly Reliable and Ultrasensitive Detection of miRNA-21. <i>Analytical Chemistry</i> , 2022, 94, 5167-5172.	3.2	36
185	A pseudo triple-enzyme cascade amplified aptasensor for thrombin detection based on hemin/G-quadruplex as signal label. <i>Biosensors and Bioelectronics</i> , 2014, 54, 415-420.	5.3	35
186	Highly efficient electrogenerated chemiluminescence quenching of PEI enhanced Ru(bpy) ₃ ²⁺ nanocomposite by hemin and Au@CeO ₂ nanoparticles. <i>Biosensors and Bioelectronics</i> , 2015, 63, 392-398.	5.3	35
187	High-Sensitive Electrochemiluminescence C-Peptide Biosensor via the Double Quenching of Dopamine to the Novel Ru(II)-Organic Complex with Dual Intramolecular Self-Catalysis. <i>Analytical Chemistry</i> , 2017, 89, 11076-11082.	3.2	35
188	A label-free electrochemical biosensor for microRNA detection based on catalytic hairpin assembly and in situ formation of molybdophosphate. <i>Talanta</i> , 2017, 163, 65-71.	2.9	35
189	The combination of ternary electrochemiluminescence system of g-C ₃ N ₄ nanosheet/TEA/Cu@Cu ₂ O and G-quadruplex-driven regeneration strategy for ultrasensitive bioanalysis. <i>Biosensors and Bioelectronics</i> , 2020, 152, 112006.	5.3	35
190	High-Efficient Electrochemiluminescence of BCNO Quantum Dot-Equipped Boron Active Sites with Unexpected Catalysis for Ultrasensitive Detection of MicroRNA. <i>Analytical Chemistry</i> , 2020, 92, 14723-14729.	3.2	35
191	A novel strategy for synthesis of hollow gold nanosphere and its application in electrogenerated chemiluminescence glucose biosensor. <i>Talanta</i> , 2014, 128, 9-14.	2.9	34
192	Intramolecular Self-Enhanced Nanochains Functionalized by an Electrochemiluminescence Reagent and Its Immunosensing Application for the Detection of Urinary β 2-Microglobulin. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 36239-36246.	4.0	34
193	Host-Guest Recognition-Assisted Electrochemical Release: Its Reusable Sensing Application Based on DNA Cross Configuration-Fueled Target Cycling and Strand Displacement Reaction Amplification. <i>Analytical Chemistry</i> , 2017, 89, 8266-8272.	3.2	34
194	Self-accelerated electrochemiluminescence emitters of Ag@SnO ₂ nanoflowers for sensitive detection of cardiac troponin T. <i>Electrochimica Acta</i> , 2018, 271, 464-471.	2.6	34
195	A Dynamic DNA Machine via Free Walker Movement on Lipid Bilayer for Ultrasensitive Electrochemiluminescent Bioassay. <i>Analytical Chemistry</i> , 2019, 91, 14125-14132.	3.2	34
196	Ultrasensitive electrochemiluminescent detection of cardiac troponin I based on a self-enhanced Ru(II) complex. <i>Talanta</i> , 2014, 129, 219-226.	2.9	33
197	Triple Quenching of a Novel Self-Enhanced Ru(II) Complex by Hemin/G-Quadruplex DNAzymes and Its Potential Application to Quantitative Protein Detection. <i>Analytical Chemistry</i> , 2015, 87, 7602-7609.	3.2	33
198	A sensitive immunosensor via in situ enzymatically generating efficient quencher for electrochemiluminescence of iridium complexes doped SiO ₂ nanoparticles. <i>Biosensors and Bioelectronics</i> , 2017, 94, 568-574.	5.3	33

#	ARTICLE	IF	CITATIONS
199	Pore Confinement-Enhanced Electrochemiluminescence on SnO ₂ Nanocrystal Xerogel with NO ₃ ⁻ As Co-Reactant and Its Application in Facile and Sensitive Bioanalysis. <i>Analytical Chemistry</i> , 2020, 92, 2839-2846.	3.2	33
200	A core-brush 3D DNA nanostructure: the next generation of DNA nanomachine for ultrasensitive sensing and imaging of intracellular microRNA with rapid kinetics. <i>Chemical Science</i> , 2021, 12, 15953-15959.	3.7	33
201	A nanohybrid of platinum nanoparticles-porous ZnO-hemin with electrocatalytic activity to construct an amplified immunosensor for detection of influenza. <i>Biosensors and Bioelectronics</i> , 2016, 78, 321-327.	5.3	32
202	In situ generation of electrochemiluminescent DNA nanoflowers as a signal tag for mucin 1 detection based on a strategy of target and mimic target synchronous cycling amplification. <i>Chemical Communications</i> , 2017, 53, 9624-9627.	2.2	32
203	Electrocatalytic Efficiency Regulation between Target-Induced HRP-Mimicking DNAzyme and GOx with Low Background for Ultrasensitive Detection of Thrombin. <i>Analytical Chemistry</i> , 2019, 91, 10289-10294.	3.2	32
204	Amplified impedimetric aptasensor combining target-induced DNA hydrogel formation with pH-stimulated signal amplification for the heparanase assay. <i>Nanoscale</i> , 2017, 9, 2556-2562.	2.8	31
205	Ultrasensitive Photoelectrochemical Assay with PTB7-Th/CdTe Quantum Dots Sensitized Structure as Signal Tag and Benzo-4-chlorohexadienone Precipitate as Efficient Quencher. <i>Analytical Chemistry</i> , 2018, 90, 14521-14526.	3.2	31
206	Application of Antibody-Powered Triplex-DNA Nanomachine to Electrochemiluminescence Biosensor for the Detection of Anti-Digoxigenin with Improved Sensitivity Versus Cycling Strand Displacement Reaction. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 38648-38655.	4.0	31
207	An ultrasensitive photoelectrochemical biosensor based on [Ru(dcbpy) ₂ dppz] ²⁺ /Rose Bengal dyes co-sensitized fullerene for DNA detection. <i>Biosensors and Bioelectronics</i> , 2018, 120, 71-76.	5.3	31
208	DNA Structure-Stabilized Liquid-Liquid Self-Assembled Ordered Au Nanoparticle Interface for Sensitive Detection of MiRNA 155. <i>Analytical Chemistry</i> , 2021, 93, 11019-11024.	3.2	31
209	Kill Three Birds with One Stone: Poly(3,4-ethylenedioxythiophene)-Hosted Ag Nanoclusters with Boosted Cathodic Electrochemiluminescence for Biosensing Application. <i>Analytical Chemistry</i> , 2021, 93, 1120-1125.	3.2	30
210	Boron and Nitrogen-Codoped Carbon Dots as Highly Efficient Electrochemiluminescence Emitters for Ultrasensitive Detection of Hepatitis B Virus DNA. <i>Analytical Chemistry</i> , 2022, 94, 7601-7608.	3.2	30
211	Highly sensitive electrochemical assay for <i>Nosema bombycis</i> gene DNA PTP1 via conformational switch of DNA nanostructures regulated by H ⁺ from LAMP. <i>Biosensors and Bioelectronics</i> , 2018, 106, 186-192.	5.3	29
212	A novel fluorescent assay for the ultrasensitive detection of miRNA-21 with the use of G-quadruplex structures as an immobilization material for a signal indicator. <i>Chemical Communications</i> , 2019, 55, 6453-6456.	2.2	29
213	Engineering a Rolling-Circle Strand Displacement Amplification Mediated Label-Free Ultrasensitive Electrochemical Biosensing Platform. <i>Analytical Chemistry</i> , 2021, 93, 9568-9574.	3.2	29
214	Photoelectrochemical Assay Based on SnO ₂ /BiOBr ⁿ Heterojunction for Ultrasensitive DNA Detection. <i>Analytical Chemistry</i> , 2021, 93, 12995-13000.	3.2	29
215	Target recycling amplification for label-free and sensitive colorimetric detection of adenosine triphosphate based on un-modified aptamers and DNAzymes. <i>Analytica Chimica Acta</i> , 2014, 828, 80-84.	2.6	28
216	Amplified electrochemiluminescent aptasensor using mimicking bi-enzyme nanocomplexes as signal enhancement. <i>Analytica Chimica Acta</i> , 2014, 809, 47-53.	2.6	28

#	ARTICLE	IF	CITATIONS
217	A novel electrochemical aptasensor for highly sensitive detection of thrombin based on the autonomous assembly of hemin/G-quadruplex horseradish peroxidase-mimicking DNAzyme nanowires. <i>Analytica Chimica Acta</i> , 2014, 832, 51-57.	2.6	28
218	Organic Dots Embedded in Mesostructured Silica Xerogel as High-Performance ECL Emitters: Preparation and Application for MicroRNA-126 Detection. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 3945-3952.	4.0	28
219	A SERS biosensor constructed by calcined ZnO substrate with high-efficiency charge transfer for sensitive detection of Pb ²⁺ . <i>Sensors and Actuators B: Chemical</i> , 2021, 343, 130142.	4.0	28
220	An amplified electrochemiluminescent aptasensor using Au nanoparticles capped by 3,4,9,10-perylene tetracarboxylic acid-thiosemicarbazide functionalized C ₆₀ nanocomposites as a signal enhancement tag. <i>Nanoscale</i> , 2015, 7, 2085-2092.	2.8	27
221	Competitive method-based electrochemiluminescent assay with protein nucleotide conversion for ratio detection to efficiently monitor the drug resistance of cancer cells. <i>Chemical Science</i> , 2016, 7, 7094-7100.	3.7	27
222	Efficient Electrochemical Self-Catalytic Platform Based on β -Cys-hemin/G-quadruplex and Its Application for Bioassay. <i>Analytical Chemistry</i> , 2018, 90, 9109-9116.	3.2	27
223	An ultrasensitive electrochemiluminescence biosensor for multiple detection of microRNAs based on a novel dual circuit catalyzed hairpin assembly. <i>Chemical Communications</i> , 2018, 54, 10148-10151.	2.2	27
224	3D Matrix-Arranged AuAg Nanoclusters As Electrochemiluminescence Emitters for Click Chemistry-Driven Signal Switch Bioanalysis. <i>Analytical Chemistry</i> , 2020, 92, 2566-2572.	3.2	27
225	Programmable mismatch-fueled high-efficiency DNA signal converter. <i>Chemical Science</i> , 2020, 11, 148-153.	3.7	27
226	Study on an immunosensor based on gold nanoparticles and a nano-calcium carbonate/Prussian blue modified glassy carbon electrode. <i>Mikrochimica Acta</i> , 2009, 165, 53-58.	2.5	26
227	Deposited gold nanocrystals enhanced porous PTCA-Cys layer for simultaneous detection of ascorbic acid, dopamine and uric acid. <i>Sensors and Actuators B: Chemical</i> , 2013, 183, 157-162.	4.0	26
228	β -Cysteine induced hemin/G-quadruplex concatemers electrocatalytic amplification with Pt-Pd supported on fullerene as a nanocarrier for sensing the spore wall protein of <i>Nosema bombycis</i> . <i>Chemical Communications</i> , 2015, 51, 1255-1258.	2.2	26
229	High throughput immunosensor based on multi-label strategy and a novel array electrode. <i>Scientific Reports</i> , 2014, 4, 4747.	1.6	26
230	Highly sensitive electrochemiluminescence immunosensor based on ABEI/H ₂ O ₂ system with PFO dots as enhancer for detection of kidney injury molecule-1. <i>Biosensors and Bioelectronics</i> , 2018, 116, 16-22.	5.3	26
231	Novel D-A-D-Type Supramolecular Aggregates with High Photoelectric Activity for Construction of Ultrasensitive Photoelectrochemical Biosensor. <i>Analytical Chemistry</i> , 2019, 91, 12468-12475.	3.2	26
232	Bipedal DNA walker mediated enzyme-free exponential isothermal signal amplification for rapid detection of microRNA. <i>Chemical Communications</i> , 2019, 55, 13932-13935.	2.2	26
233	High-Efficient Electrochemiluminescence of Au Nanoclusters Induced by the Electrosensitizer Cu ₂ O: The Mechanism Insights from the Electrogenerated Process. <i>Analytical Chemistry</i> , 2021, 93, 10212-10219.	3.2	26
234	DNA Three-Way Junction with Multiple Recognition Regions Mediated an Unconfined DNA Walker for Electrochemical Ultrasensitive Detection of miRNA-182-5p. <i>Analytical Chemistry</i> , 2021, 93, 12981-12986.	3.2	26

#	ARTICLE	IF	CITATIONS
235	Highly Efficient Electrochemiluminescence of MnS:CdS@ZnS Core-Shell Quantum Dots for Ultrasensitive Detection of MicroRNA. <i>Analytical Chemistry</i> , 2022, 94, 6874-6881.	3.2	26
236	An amplified electrochemical proximity immunoassay for the total protein of <i>Nosema bombycis</i> based on the catalytic activity of Fe ₃ O ₄ NPs towards methylene blue. <i>Biosensors and Bioelectronics</i> , 2016, 81, 382-387.	5.3	25
237	Polyacrylamide Gel-Contained Zinc Finger Peptide as the "Lock" and Zinc Ions as the "Key" for Construction of Ultrasensitive Prostate-Specific Antigen SERS Immunosensor. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 15200-15206.	4.0	25
238	Dual triggers induced disassembly of DNA polymer decorated silver nanoparticle for ultrasensitive electrochemical Pb ²⁺ detection. <i>Analytica Chimica Acta</i> , 2018, 1034, 56-62.	2.6	25
239	DNA Cascade Reaction with High-Efficiency Target Conversion for Ultrasensitive Electrochemiluminescence microRNA Detection. <i>Analytical Chemistry</i> , 2019, 91, 10258-10265.	3.2	25
240	A pseudo triple-enzyme electrochemical aptasensor based on the amplification of Pt-Pd nanowires and hemin/G-quadruplex. <i>Analytica Chimica Acta</i> , 2014, 834, 45-50.	2.6	24
241	Electrochemical Biosensor for Organophosphate Pesticides and Huperzine A Detection Based on Pd Wormlike Nanochains/Graphitic Carbon Nitride Nanocomposites and Acetylcholinesterase. <i>Electroanalysis</i> , 2016, 28, 304-311.	1.5	24
242	L-cysteine induced manganese porphyrin electrocatalytic amplification with 3D DNA-Au@Pt nanoparticles as nanocarriers for sensitive electrochemical aptasensor. <i>Biosensors and Bioelectronics</i> , 2016, 79, 86-91.	5.3	24
243	A Peptide Cleavage-Based Ultrasensitive Electrochemical Biosensor with an Ingenious Two-Stage DNA Template for Highly Efficient DNA Exponential Amplification. <i>Analytical Chemistry</i> , 2017, 89, 8951-8956.	3.2	24
244	BSA stabilized tetraphenylethylene nanocrystals as aggregation-induced enhanced electrochemiluminescence emitters for ultrasensitive microRNA assay. <i>Chemical Communications</i> , 2019, 55, 9959-9962.	2.2	24
245	Double Hairpin DNAs Recognition Induced a Novel Cascade Amplification for Highly Specific and Ultrasensitive Electrochemiluminescence Detection of DNA. <i>Analytical Chemistry</i> , 2021, 93, 7987-7992.	3.2	24
246	Synthesis and application of a new copper(II) complex containing oflox and leof. <i>Russian Journal of Inorganic Chemistry</i> , 2008, 53, 704-706.	0.3	23
247	A novel immunosensor for carcinoembryonic antigen based on poly(diallyldimethylammonium) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Mikrochimica Acta, 2010, 171, 297-304.	2.5	23
248	Functionalized graphene oxide-based carbon paste electrode for potentiometric detection of copper ion(ii). <i>Analytical Methods</i> , 2012, 4, 3332.	1.3	23
249	3,4,9,10-Perylenetetracarboxylic Acid/Hemin Nanocomposites Act as Redox Probes and Electrocatalysts for Constructing a Pseudobienzyme-Channeling Amplified Electrochemical Aptasensor. <i>Chemistry - A European Journal</i> , 2012, 18, 14186-14191.	1.7	23
250	Novel ABEI/Dissolved O ₂ /Ag ₃ BiO ₃ Nanocrystals ECL Ternary System with High Luminous Efficiency for Ultrasensitive Determination of MicroRNA. <i>Analytical Chemistry</i> , 2019, 91, 11447-11454.	3.2	23
251	Crystallization-Induced Enhanced Electrochemiluminescence from Tetraphenyl Alkene Nanocrystals for Ultrasensitive Sensing. <i>Analytical Chemistry</i> , 2021, 93, 10890-10897.	3.2	23
252	Amperometric biosensor for nitrite and hydrogen peroxide based on hemoglobin immobilized on gold nanoparticles/polythionine/platinum nanoparticles modified glassy carbon electrode. <i>Journal of Chemical Technology and Biotechnology</i> , 2012, 87, 570-574.	1.6	22

#	ARTICLE	IF	CITATIONS
253	Click chemistry-mediated catalytic hairpin self-assembly for amplified and sensitive fluorescence detection of Cu ²⁺ in human serum. <i>Chemical Communications</i> , 2015, 51, 12637-12640.	2.2	22
254	Electrochemiluminescent Pb ²⁺ -Driven Circular Etching Sensor Coupled to a DNA Micronet-Carrier. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 39812-39820.	4.0	22
255	A zirconium-based metal-organic framework sensitized by thioflavin-T for sensitive photoelectrochemical detection of C-reactive protein. <i>Chemical Communications</i> , 2019, 55, 10772-10775.	2.2	22
256	Amperometric Immunosensor for the Determination of β - α -fetoprotein Based on Core-shell Prussian Blue-BSA-Nanogold Functionalized Interface. <i>Electroanalysis</i> , 2008, 20, 2185-2191.	1.5	21
257	Ultrasensitive amperometric immunosensor for the determination of carcinoembryonic antigen based on a porous chitosan and gold nanoparticles functionalized interface. <i>Mikrochimica Acta</i> , 2009, 167, 217-224.	2.5	21
258	A Solid-state Electrochemiluminescence Immunosensor Based on MWCNTs-Nafion and Ru(bpy) ₃ ²⁺ /NanoPt Nanocomposites for Detection of α -fetoprotein. <i>Electroanalysis</i> , 2011, 23, 1418-1426.	1.5	21
259	The Ru complex and hollow gold nanoparticles branched-hydrogel as signal probe for construction of electrochemiluminescent aptasensor. <i>Biosensors and Bioelectronics</i> , 2016, 77, 7-12.	5.3	21
260	Self-enhanced PEI-Ru(II) complex with polyamino acid as booster to construct ultrasensitive electrochemiluminescence immunosensor for carcinoembryonic antigen detection. <i>Analytica Chimica Acta</i> , 2018, 1001, 112-118.	2.6	21
261	Defect engineering of In ₂ S ₃ nanoflowers through tungsten doping for ultrasensitive visible-light-excited photoelectrochemical sensors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7384-7391.	2.7	21
262	Modular engineering of gold-silver nanocluster supermolecular structure endow strong electrochemiluminescence for ultrasensitive bioanalysis. <i>Biosensors and Bioelectronics</i> , 2021, 190, 113449.	5.3	21
263	Determination of carcinoembryonic antigen using a novel amperometric enzyme-electrode based on layer-by-layer assembly of gold nanoparticles and thionine. <i>Science in China Series B: Chemistry</i> , 2007, 50, 97-104.	0.8	20
264	Horseradish peroxidase-loaded nanospheres attached to hollow gold nanoparticles as signal enhancers in an ultrasensitive immunoassay for alpha-fetoprotein. <i>Mikrochimica Acta</i> , 2014, 181, 679-685.	2.5	20
265	A novel ECL biosensor for β -lactamase detection: Using Ru(II) linked-ampicillin complex as the recognition element. <i>Biosensors and Bioelectronics</i> , 2015, 70, 221-225.	5.3	20
266	RNA-regulated molecular tweezers for sensitive fluorescent detection of microRNA from cancer cells. <i>Biosensors and Bioelectronics</i> , 2015, 71, 98-102.	5.3	20
267	Intense electrochemiluminescence from an organic microcrystal accelerated H ₂ O ₂ -free luminol system for microRNA detection. <i>Chemical Communications</i> , 2020, 56, 9000-9003.	2.2	20
268	A DNA nanopillar as a scaffold to regulate the ratio and distance of mimic enzymes for an efficient cascade catalytic platform. <i>Chemical Science</i> , 2021, 12, 407-411.	3.7	20
269	A novel electrochemiluminescence aptasensor based on in situ generated proline and matrix polyamidoamine dendrimers as coreactants for signal amplification. <i>Biosensors and Bioelectronics</i> , 2014, 55, 313-317.	5.3	19
270	Sensing glucose based on its affinity for concanavalin A on a glassy carbon electrode modified with a C60 fullerene nanocomposite. <i>Mikrochimica Acta</i> , 2015, 182, 2215-2221.	2.5	19

#	ARTICLE	IF	CITATIONS
271	Preparation of porous MoP-C microspheres without a hydrothermal process as a high capacity anode for lithium ion batteries. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1432-1437.	3.0	19
272	Highly-efficient luminol immobilization approach and exponential strand displacement reaction based electrochemiluminescent strategy for monitoring microRNA expression in cell. <i>Biosensors and Bioelectronics</i> , 2019, 132, 62-67.	5.3	19
273	Programming a "Crab Claw"-like DNA Nanomachine as a Super Signal Amplifier for Ultrasensitive Electrochemical Assay of Hg ²⁺ . <i>Analytical Chemistry</i> , 2021, 93, 12075-12080.	3.2	19
274	Simple construction of an enzymatic glucose biosensor based on a nanocomposite film prepared in one step from iron oxide, gold nanoparticles, and chitosan. <i>Mikrochimica Acta</i> , 2011, 173, 369-374.	2.5	18
275	Ultrasensitive electrochemical immunosensors for clinical immunoassay using gold nanoparticle coated multi-walled carbon nanotubes as labels and horseradish peroxidase as an enhancer. <i>Analytical Methods</i> , 2013, 5, 5279.	1.3	18
276	An efficient electrochemiluminescence amplification strategy via bis-co-reaction accelerator for sensitive detection of laminin to monitor overnutrition associated liver damage. <i>Biosensors and Bioelectronics</i> , 2017, 98, 317-324.	5.3	18
277	Combining Porous Magnetic Ni@C Nanospheres and CaCO ₃ Microcapsule as Surface-Enhanced Raman Spectroscopy Sensing Platform for Hypersensitive C-Reactive Protein Detection. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 33707-33712.	4.0	18
278	Wavelength distinguishable signal quenching and enhancing toward photoactive material 3,4,9,10-perylenetetracarboxylic dianhydride for simultaneous assay of dual metal ions. <i>Biosensors and Bioelectronics</i> , 2019, 145, 111702.	5.3	18
279	A highly sensitive photoelectrochemical VEGF ₁₆₅ biosensor with a dual signal amplification strategy by using AgVO ₃ as a photoactive material. <i>Chemical Communications</i> , 2019, 55, 8076-8078.	2.2	18
280	DNA Structure Transition-Induced Affinity Switch for Biosensing Based on the Strong Electrochemiluminescence Platform from Organic Microcrystals. <i>Analytical Chemistry</i> , 2020, 92, 3940-3948.	3.2	18
281	Multiregion Linear DNA Walker-Mediated Ultrasensitive Electrochemical Biosensor for miRNA Detection. <i>Analytical Chemistry</i> , 2022, 94, 10524-10530.	3.2	18
282	Multilayer Assembly of Hemoglobin and Colloidal Gold Nanoparticles on Multiwall Carbon Nanotubes/Chitosan Composite for Detecting Hydrogen Peroxide. <i>Electroanalysis</i> , 2008, 20, 2141-2147.	1.5	17
283	A signal-on electrochemiluminescence aptasensor based on the quenching effect of manganese dioxide for sensitive detection of carcinoembryonic antigen. <i>RSC Advances</i> , 2014, 4, 56756-56761.	1.7	17
284	A biosensor based on a 3D-DNA walking machine network and distance-controlled electrochemiluminescence energy transfer for ultrasensitive detection of tenascin C and lead ions. <i>Chemical Communications</i> , 2018, 54, 8741-8744.	2.2	17
285	Electrochemiluminescent carbon dot-based determination of microRNA-21 by using a hemin/G-wire supramolecular nanostructure as co-reaction accelerator. <i>Mikrochimica Acta</i> , 2018, 185, 432.	2.5	17
286	A dynamic 3D DNA nanostructure based on silicon-supported lipid bilayers: a highly efficient DNA nanomachine for rapid and sensitive sensing. <i>Chemical Communications</i> , 2019, 55, 13414-13417.	2.2	17
287	Enhanced cathodic photocurrent derived from N-type S doped-Bi ₂ WO ₆ nanoparticles through an antenna-like strategy for photoelectrochemical biosensor. <i>Biosensors and Bioelectronics</i> , 2022, 207, 114176.	5.3	17
288	Tetrahedral DNA Nanostructure with Multiple Target-Recognition Domains for Ultrasensitive Electrochemical Detection of Mucin 1. <i>Analytical Chemistry</i> , 2022, 94, 6860-6865.	3.2	17

#	ARTICLE	IF	CITATIONS
289	Potentiometric Immunosensor Based on Immobilization of Hepatitis B Surface Antibody on Platinum Electrode Modified Silver Colloids and Polyvinyl Butyral as Matrixes. <i>Electroanalysis</i> , 2005, 17, 155-161.	1.5	16
290	Dual-Amplification of Antigen-Antibody Interactions via Backfilling Gold Nanoparticles on (3-Mercaptopropyl) Trimethoxysilane Sol-Gel Functionalized Interface. <i>Electroanalysis</i> , 2007, 19, 479-486.	1.5	16
291	Intercalation of quantum dots as the new signal acquisition and amplification platform for sensitive electrochemiluminescent detection of microRNA. <i>Analytica Chimica Acta</i> , 2015, 891, 130-135.	2.6	16
292	Electrochemical Aptamer Biosensor Based on ATP-Induced 2D DNA Structure Switching for Rapid and Ultrasensitive Detection of ATP. <i>Analytical Chemistry</i> , 2022, 94, 6819-6826.	3.2	16
293	Highly Efficient Electrochemiluminescence Based on Luminol/MoS ₂ Quantum Dots@Zeolitic Imidazolate Framework-8 as an Emitter for Ultrasensitive Detection of MicroRNA. <i>Analytical Chemistry</i> , 2022, 94, 9106-9113.	3.2	16
294	Electrochemical Immunoanalysis for Carcinoembryonic Antigen Based on Multilayer Architectures of Gold Nanoparticles and Polycation Biomimetic Interface on Glassy Carbon Electrode. <i>Electroanalysis</i> , 2006, 18, 2451-2457.	1.5	15
295	Electrochemical sensor based on Prussian blue nanorods and gold nanochains for the determination of H ₂ O ₂ . <i>European Food Research and Technology</i> , 2011, 232, 87-95.	1.6	15
296	A nitrite and hydrogen peroxide sensor based on Hb adsorbed on Au nanorods and graphene oxide coated by polydopamine. <i>Analytical Methods</i> , 2014, 6, 758-765.	1.3	15
297	Highly enhanced electrochemiluminescence based on pseudo triple-enzyme cascade catalysis and in situ generation of co-reactant for thrombin detection. <i>Analyst</i> , 2014, 139, 1030-1036.	1.7	15
298	Enhancing photoelectrochemical performance of ZnIn ₂ S ₄ by phosphorus doping for sensitive detection of miRNA-155. <i>Chemical Communications</i> , 2020, 56, 14275-14278.	2.2	15
299	Fullerenol as a photoelectrochemical nanoprobe for discrimination and ultrasensitive detection of amplification-free single-stranded DNA. <i>Biosensors and Bioelectronics</i> , 2021, 173, 112802.	5.3	15
300	Engineering a high-efficient DNA amplifier for biosensing application based on perylene decorated Ag microflowers as novel electrochemiluminescence indicators. <i>Biosensors and Bioelectronics</i> , 2021, 182, 113178.	5.3	15
301	Discrimination between Cancer Cells and DNA-Damaged Cells: Pre-miRNA Region Recognition Based on Hyperbranched Hybrid Chain Reaction Amplification for Simultaneous Sensitive Detection and Imaging of miRNA and Pre-miRNA. <i>Analytical Chemistry</i> , 2022, 94, 9911-9918.	3.2	15
302	A Highly Selective Salicylate Electrode Based on Schiff Base Complexes of Cobalt(III). <i>Analytical Letters</i> , 2003, 36, 2379-2392.	1.0	14
303	A New Enzyme Immobilization Technique Based on Thionine-Bovine Serum Albumin Conjugate and Gold Colloidal Nanoparticles for Reagentless Amperometric Biosensor Applications. <i>Electroanalysis</i> , 2008, 20, 418-425.	1.5	14
304	Gold nanolabels and enzymatic recycling dual amplification-based electrochemical immunosensor for the highly sensitive detection of carcinoembryonic antigen. <i>Science China Chemistry</i> , 2011, 54, 1770-1776.	4.2	14
305	A well-directional three-dimensional DNA walking nanomachine that runs in an orderly manner. <i>Chemical Science</i> , 2020, 11, 2193-2199.	3.7	14
306	Electrochemical biomolecule detection based on the regeneration of high-efficiency cascade catalysis for bifunctional nanozymes. <i>Chemical Communications</i> , 2020, 56, 2276-2279.	2.2	14

#	ARTICLE	IF	CITATIONS
307	Cu-doped In ₂ S ₃ based DNA nanocluster for ultrasensitive photoelectrochemical detection of VEGF165. <i>Sensors and Actuators B: Chemical</i> , 2021, 340, 129942.	4.0	14
308	Programmable High-Speed and Hyper-Efficiency DNA Signal Magnifier. <i>Advanced Science</i> , 2022, 9, e2104084.	5.6	14
309	Reagentless Immunosensing Assay via Electrochemical Impedance for Hepatitis B Surface Antigen Monitoring Based on Polypyrrole and Gold Nanoparticles as Matrices. <i>Chinese Journal of Chemistry</i> , 2006, 24, 59-64.	2.6	13
310	On-Off PVC Membrane Based Potentiometric Immunosensor for Label-Free Detection of Alpha-Fetoprotein. <i>Electroanalysis</i> , 2007, 19, 1131-1138.	1.5	13
311	Electrochemiluminescence Sensor Based on Multiwalled Carbon Nanotubes Doped Polyvinyl Butyral Film Containing Ru(bpy) ₃ ²⁺ as Chemiluminescence Reagent. <i>Electroanalysis</i> , 2009, 21, 1636-1640.	1.5	13
312	Cyclovoltammetric acetylcholinesterase activity assay after inhibition and subsequent reactivation by using a glassy carbon electrode modified with palladium nanorods composited with functionalized C60 fullerene. <i>Mikrochimica Acta</i> , 2016, 183, 2403-2409.	2.5	13
313	Potentiometric Iodide Selectivity of Polymer-Membrane Sensors Based on Co(II) Triazole Derivative. <i>Electroanalysis</i> , 2008, 20, 1434-1439.	1.5	12
314	Nanostructured multi-walled carbon nanotubes derivate based on carbon paste electrode for potentiometric detection of Ag ⁺ ions. <i>Analytical Methods</i> , 2012, 4, 454.	1.3	12
315	Terminal protection of small molecule-linked ssDNA for label-free and sensitive fluorescent detection of folate receptor. <i>Talanta</i> , 2014, 128, 237-241.	2.9	12
316	An electrochemiluminescence biosensor for dopamine based on the recognition of fullerene-derivative and the quenching of cuprous oxide nanocrystals. <i>RSC Advances</i> , 2015, 5, 58019-58023.	1.7	12
317	Label-free and homogeneous aptamer proximity binding assay for fluorescent detection of protein biomarkers in human serum. <i>Talanta</i> , 2015, 141, 230-234.	2.9	12
318	RNA responsive and catalytic self-assembly of DNA nanostructures for highly sensitive fluorescence detection of microRNA from cancer cells. <i>Chemical Communications</i> , 2015, 51, 16494-16497.	2.2	12
319	New Signal Probe Integrated with ABEI as ECL Luminophore and Ag Nanoparticles Decorated CoS Nanoflowers as Bis-Co-Reaction Accelerator to Develop a Ultrasensitive cTnT Immunosensor. <i>Journal of the Electrochemical Society</i> , 2018, 165, B686-B693.	1.3	12
320	Highly sensitive biosensor based on target induced dual signal amplification to electrochemiluminescent nanoneedles of Ru(II) complex. <i>Biosensors and Bioelectronics</i> , 2019, 140, 111344.	5.3	12
321	FeS ₂ @AuNPs Nanocomposite as Mimicking Enzyme for Constructing Signal-Off Sandwich-Type Electrochemical Immunosensor Based on Electroactive Nickel Hexacyanoferrate as Matrix. <i>Electroanalysis</i> , 2019, 31, 1019-1025.	1.5	12
322	Ladder-Like DNA Nanostructure-Mediated Cascade Catalytic Nanomachine for Construction of Ultrasensitive Biosensors. <i>Analytical Chemistry</i> , 2022, 94, 1264-1270.	3.2	12
323	A capacitive sensor based on molecularly imprinted polymers and poly(p-aminobenzene sulfonic acid) film for detection of pazufloxacin mesilate. <i>Science in China Series B: Chemistry</i> , 2007, 50, 547-553.	0.8	11
324	Biomolecule-Doped Organic/Inorganic Hybrid Nanocomposite Film for Label-Free Electrochemical Immunoassay of α -Fetoprotein. <i>Electroanalysis</i> , 2008, 20, 989-995.	1.5	11

#	ARTICLE	IF	CITATIONS
325	A novel "signal on" photoelectrochemical strategy based on dual functional hemin for microRNA assay. <i>Chemical Communications</i> , 2019, 55, 9721-9724.	2.2	11
326	Photoelectrochemical aptamer-based sensing of the vascular endothelial growth factor by adjusting the light harvesting efficiency of g-C ₃ N ₄ via porous carbon spheres. <i>Mikrochimica Acta</i> , 2019, 186, 275.	2.5	11
327	Simple and Regulable DNA Dimer Nanodevice to Arrange Cascade Enzymes for Sensitive Electrochemical Biosensing. <i>Analytical Chemistry</i> , 2020, 92, 14197-14202.	3.2	11
328	Co-catalytic Fc/HGQs/Fe ₃ O ₄ nanocomposite mediated enzyme-free electrochemical biosensor for ultrasensitive detection of MicroRNA. <i>Chemical Communications</i> , 2021, 57, 5179-5182.	2.2	11
329	A sensitive label-free photoelectrochemical aptasensor based on a novel PTB7-Th/H ₂ O ₂ system with unexpected photoelectric performance for C-reactive protein analysis. <i>Biosensors and Bioelectronics</i> , 2021, 181, 113162.	5.3	11
330	Ultrasensitive Fluorescence Detection and Accurate Colocalization Visualization of Dual-miRNAs in Cancer Cells Based on the Conjugated Chain Reaction of Multifunctional Pentagon DNA Nanostructures. <i>Analytical Chemistry</i> , 2022, 94, 9026-9032.	3.2	11
331	An Amperometric Immunosensor Based on Layer-by-Layer Assembly of L-Cysteine and Nanosized Prussian Blue on Gold Electrode for Determination of Human Chorionic Gonadotrophin. <i>Electroanalysis</i> , 2009, 21, 707-714.	1.5	10
332	Ion exchange for synthesis of porous Cu _x O/SnO ₂ /ZnSnO ₃ microboxes as a high-performance lithium-ion battery anode. <i>New Journal of Chemistry</i> , 2018, 42, 12008-12012.	1.4	10
333	Two kinds of DNA enzyme-powered bidirectional one-dimensional DNA walking nanomachine for payload release and biosensing. <i>Biosensors and Bioelectronics</i> , 2021, 175, 112848.	5.3	10
334	Dual catalytic hairpin assembly and enzyme cascade catalysis amplification based sensitive dual-mode biosensor with significantly enhanced opposite signal readout. <i>Sensors and Actuators B: Chemical</i> , 2021, 348, 130676.	4.0	10
335	An Amperometric Biosensor for Glucose Based on Self-Assembling Nanoparticles and Electrosynthesis of Poly(2,6-diaminobenzene) on the Prussian Blue-Modified Gold Electrode. <i>Analytical Letters</i> , 2005, 38, 1085-1097.	1.0	9
336	A Novel Amperometric Biosensor for Determination of Hydrogen Peroxide Based on Nafion and Polythionine as Well as Gold Nanoparticles and Gelatin as Matrixes. <i>Analytical Letters</i> , 2006, 39, 483-494.	1.0	9
337	[Ru(dcbpy) ₂ dppz] ²⁺ /Fullerene Cosensitized PTB7-Th for Ultrasensitive Photoelectrochemical MicroRNA Assay. <i>Chemistry - A European Journal</i> , 2019, 25, 4087-4092.	1.7	9
338	Efficient electrochemiluminescence of perylene nanocrystal entrapped in hierarchical porous Au nanoparticle-graphene oxide film for bioanalysis based on one-pot DNA amplification. <i>Electrochimica Acta</i> , 2020, 332, 135389.	2.6	9
339	A noncovalent Ru(phen) ₃ ²⁺ @CNTs nanocomposite and its application as a solid-state electrochemiluminescence signal probe. <i>RSC Advances</i> , 2014, 4, 1955-1960.	1.7	8
340	An Electrochemical Assay Based on Acid-Induced Dissolution of Nanoparticles to Trigger Enzyme-Free Cleavage for Target Detection. <i>Journal of the Electrochemical Society</i> , 2018, 165, B223-B226.	1.3	8
341	MnO _x MFs as a coreaction accelerator for the construction of a novel ternary electrochemiluminescence system: ultrasensitive detection of microRNA. <i>Chemical Communications</i> , 2020, 56, 976-979.	2.2	8
342	Rapid self-disassembly of DNA diblock copolymer micelles via target induced hydrophilic-hydrophobic regulation for sensitive MiRNA detection. <i>Chemical Communications</i> , 2020, 56, 10215-10218.	2.2	8

#	ARTICLE	IF	CITATIONS
343	Mismatch-fueled catalytic hairpin assembly mediated ultrasensitive biosensor for rapid detection of MicroRNA. <i>Analytica Chimica Acta</i> , 2022, 1204, 339663.	2.6	8
344	Novel Membrane Potentiometric Thiocyanate Sensor Based on Tribenzyltin(IV) Dithiocarbamate. <i>Electroanalysis</i> , 2005, 17, 1003-1007.	1.5	7
345	Double layer enzyme modified carbon nanotubes as label for sandwich-type immunoassay of tumor markers. <i>Mikrochimica Acta</i> , 2011, 172, 373-378.	2.5	7
346	Terminal protection of small molecule-linked ssDNA for label-free and highly sensitive colorimetric detection of folate receptor biomarkers. <i>RSC Advances</i> , 2015, 5, 6100-6105.	1.7	7
347	An ATP-fueled nucleic acid signal amplification strategy for highly sensitive microRNA detection. <i>Chemical Communications</i> , 2018, 54, 10897-10900.	2.2	7
348	High-sensitive electrochemiluminescent analysis based on co-reactive high-molecular polymer and dual catalysis to generate oxygen in situ. <i>Analytica Chimica Acta</i> , 2019, 1081, 65-71.	2.6	7
349	Sensitive immunosensor based on high effective resonance energy transfer of lucigenin to the cathodic electrochemiluminescence of tris(bipyridine) Ru(II) complex. <i>Biosensors and Bioelectronics</i> , 2020, 150, 111915.	5.3	7
350	P3HT-PbS nanocomposites with mimicking enzyme as bi-enhancer for ultrasensitive photocathodic biosensor. <i>Biosensors and Bioelectronics</i> , 2022, 197, 113806.	5.3	7
351	Highly sensitive photoelectrochemical biosensor based on Au nanoparticles sensitized zinc selenide quantum dots for DNA detection. <i>Sensors and Actuators B: Chemical</i> , 2022, 357, 131255.	4.0	7
352	Highly Thiocyanate-Selective PVC Membrane Electrode Based on Lipophilic Ferrocene Derivative. <i>Electroanalysis</i> , 2005, 17, 1865-1869.	1.5	6
353	Highly enhanced electrochemiluminescent strategy for tumor biomarkers detection with in situ generation of l-homocysteine for signal amplification. <i>Analytica Chimica Acta</i> , 2014, 815, 16-21.	2.6	6
354	Graphene nanosensor for highly sensitive fluorescence turn-on detection of Hg ²⁺ -based on target recycling amplification. <i>RSC Advances</i> , 2014, 4, 39082.	1.7	6
355	An Electrochemical Biosensor for Detection of DNA Species Related to Oral Cancer Based on a Particular Host-Guest Recognition-Assisted Strategy for Signal Tag In Situ. <i>Journal of the Electrochemical Society</i> , 2018, 165, B289-B295.	1.3	6
356	A near-infrared light-controlled, ultrasensitive one-step photoelectrochemical detection of dual cell apoptosis indicators in living cancer cells. <i>Chemical Communications</i> , 2020, 56, 8488-8491.	2.2	6
357	New Ni(II) Ion-Selective Electrode Based on the N-S Schiff Base Ligand as Neutral Carrier in PVC Matrix. <i>Analytical Letters</i> , 2009, 42, 2411-2429.	1.0	5
358	Potentiometric Membrane Electrode for Cr(III) Ion Based on a New Aryl Amide Bifunctional Bridging Ligand as a Neutral Carrier. <i>Journal of the Chinese Chemical Society</i> , 2009, 56, 676-682.	0.8	5
359	Amperometric sensor for nitrite using a glassy carbon electrode modified with thionine functionalized MWCNTs/Au nanorods/SDS nanohybrids. <i>Surface and Interface Analysis</i> , 2012, 44, 1233-1237.	0.8	5
360	Hemin Functionalized Multiwalled Carbon Nanotubes as a Matrix for Sensitive Electrogenerated Chemiluminescence Cholesterol Biosensor. <i>Electroanalysis</i> , 2013, 25, 2700-2706.	1.5	5

#	ARTICLE	IF	CITATIONS
361	K-junction structure mediated exponential signal amplification strategy for microRNA detection in electrochemiluminescence biosensor. <i>Analyst, The</i> , 2017, 142, 2185-2190.	1.7	5
362	Highly sensitive potentiometric immunosensor for hepatitis B surface antigen diagnosis. <i>Science in China Series B: Chemistry</i> , 2005, 48, 49-57.	0.8	4
363	Electrochemical Immunosensing Strategies Based on Immobilization of Anti-IgC on Mixed Self-Assembly Monolayers Carrying Surface Amide or Carboxyl Groups. <i>Analytical Letters</i> , 2006, 39, 1809-1821.	1.0	4
364	Salicylate-selective Potential Response of an Electrode Based on a Copper(II)-phthalocyanine Derivative as an Ionophore. <i>Chinese Journal of Chemistry</i> , 2009, 27, 99-104.	2.6	4
365	Electrochemiluminescence from a biocatalysis accelerated N-(aminobutyl)-N-(ethylisoluminol)/dissolved O ₂ system for microRNA detection. <i>Mikrochimica Acta</i> , 2021, 188, 205.	2.5	4
366	Direct electrochemistry and enzymatic activity of hemoglobin in positively charged colloid Au nanoparticles and hemoglobin layer-by-layer self-assembly films. <i>Science in China Series B: Chemistry</i> , 2007, 50, 620-628.	0.8	3
367	Electrochemical immunoassay for human chorionic gonadotrophin based on Pt hollow nanospheres and silver/titanium dioxide nanocomposite matrix. <i>Journal of Chemical Technology and Biotechnology</i> , 2010, 85, 577-582.	1.6	3
368	Aptamer-based competitive electrochemical assay of small biomolecules. <i>Science China Chemistry</i> , 2011, 54, 822-826.	4.2	3
369	Simultaneous Determination of Ascorbic Acid, Dopamine and Uric Acid Based on Gold Nanoparticles-PTCA-Cys Composites Modified Electrodes. <i>Journal of the Chinese Chemical Society</i> , 2015, 62, 739-746.	0.8	3
370	An amperometric immunosensor for detection of <i>Streptococcus suis</i> serotype 2 using a nickel-gold nanocomposite as a tracer matrix. <i>RSC Advances</i> , 2015, 5, 79323-79328.	1.7	3
371	Aggregation-Induced Synergism by Hydrophobic-Driven Self-Assembly of Amphiphilic Oligonucleotides. <i>Chemistry - A European Journal</i> , 2020, 26, 8767-8773.	1.7	3
372	Pyrenecarboxaldehyde encapsulated porous TiO ₂ nanoreactors for monitoring cellular GSH levels. <i>Nanoscale</i> , 2022, 14, 5751-5757.	2.8	3
373	One-Step Digital Droplet Auto-Catalytic Nucleic Acid Amplification with High-Throughput Fluorescence Imaging and Droplet Tracking Computation. <i>Analytical Chemistry</i> , 2022, 94, 9166-9175.	3.2	3
374	Glucose oxidase as a blocking agent-based signal amplification strategy for the fabrication of label-free amperometric immunosensors. <i>Science China Chemistry</i> , 2011, 54, 536-544.	4.2	2
375	A novel self-enhancement NCNDs-BPEI-Ru nanocomposite with highly efficient electrochemiluminescence as signal probe for ultrasensitive detection of MTB. <i>Sensors and Actuators B: Chemical</i> , 2022, 354, 131252.	4.0	2
376	An orbitron-like 3D DNA clip-based nanomachine and its application for sensitive fluorescent bioassay of MicroRNA. <i>Analytica Chimica Acta</i> , 2020, 1126, 24-30.	2.6	1
377	Facile Synthesis of Amino Shell-Magnetic Core Nanoparticles and Application for Direct Electrochemistry. <i>Analytical Letters</i> , 2012, 45, 2697-2706.	1.0	0
378	Tetrakis(4-aminophenyl) ethene-doped perylene microcrystals with strong electrochemiluminescence for biosensing applications. <i>Analyst, The</i> , 2020, 145, 5260-5265.	1.7	0