

# Barry P Rand

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9292898/publications.pdf>

Version: 2024-02-01

184  
papers

17,228  
citations

21215

62  
h-index

15698

129  
g-index

188  
all docs

188  
docs citations

188  
times ranked

19929  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Efficient perovskite light-emitting diodes featuring nanometre-sized crystallites. <i>Nature Photonics</i> , 2017, 11, 108-115.  | 15.6 | 1,175     |
| 2  | Offset energies at organic semiconductor heterojunctions and their influence on the open-circuit voltage of thin-film solar cells. <i>Physical Review B</i> , 2007, 75, .                  | 1.1  | 689       |
| 3  | Perovskites for Next-Generation Optical Sources. <i>Chemical Reviews</i> , 2019, 119, 7444-7477.   | 23.0 | 640       |
| 4  | Long-range absorption enhancement in organic tandem thin-film solar cells containing silver nanoclusters. <i>Journal of Applied Physics</i> , 2004, 96, 7519-7526.                         | 1.1  | 569       |
| 5  | Asymmetric tandem organic photovoltaic cells with hybrid planar-mixed molecular heterojunctions. <i>Applied Physics Letters</i> , 2004, 85, 5757-5759.                                     | 1.5  | 555       |
| 6  | 4.2% efficient organic photovoltaic cells with low series resistances. <i>Applied Physics Letters</i> , 2004, 84, 3013-3015.   | 1.5  | 535       |
| 7  | 8.4% efficient fullerene-free organic solar cells exploiting long-range exciton energy transfer. <i>Nature Communications</i> , 2014, 5, 3406.   | 5.8  | 506       |
| 8  | A Hybrid Planar-Mixed Molecular Heterojunction Photovoltaic Cell. <i>Advanced Materials</i> , 2005, 17, 66-71.   | 11.1 | 485       |
| 9  | Enhanced Open-Circuit Voltage in Subphthalocyanine/C60 Organic Photovoltaic Cells. <i>Journal of the American Chemical Society</i> , 2006, 128, 8108-8109.                                 | 6.6  | 454       |
| 10 | Solar cells utilizing small molecular weight organic semiconductors. <i>Progress in Photovoltaics: Research and Applications</i> , 2007, 15, 659-676.                                      | 4.4  | 439       |
| 11 | 3D Printed Quantum Dot Light-Emitting Diodes. <i>Nano Letters</i> , 2014, 14, 7017-7023.   | 4.5  | 371       |
| 12 | Strategies for Increasing the Efficiency of Heterojunction Organic Solar Cells: Material Selection and Device Architecture. <i>Accounts of Chemical Research</i> , 2009, 42, 1740-1747.    | 7.6  | 367       |
| 13 | Continuous-wave lasing in an organic-inorganic lead halide perovskite semiconductor. <i>Nature Photonics</i> , 2017, 11, 784-788.  | 15.6 | 356       |
| 14 | Valence and Conduction Band Densities of States of Metal Halide Perovskites: A Combined Experimental-Theoretical Study. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 2722-2729. | 2.1  | 333       |
| 15 | The Impact of Molecular Orientation on the Photovoltaic Properties of a Phthalocyanine/Fullerene Heterojunction. <i>Advanced Functional Materials</i> , 2012, 22, 2987-2995.               | 7.8  | 298       |
| 16 | Extremely Low Operating Current Resistive Memory Based on Exfoliated 2D Perovskite Single Crystals for Neuromorphic Computing. <i>ACS Nano</i> , 2017, 11, 12247-12256.                    | 7.3  | 286       |
| 17 | Solution-Processed MoO <sub>3</sub> Thin Films As a Hole-Injection Layer for Organic Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 3244-3247.                      | 4.0  | 280       |
| 18 | Organic small molecule solar cells with a homogeneously mixed copper phthalocyanine: C60 active layer. <i>Applied Physics Letters</i> , 2004, 84, 4218-4220.                               | 1.5  | 252       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Effect of Fluorination on the Properties of a Donor–Acceptor Copolymer for Use in Photovoltaic Cells and Transistors. <i>Chemistry of Materials</i> , 2013, 25, 277-285.    | 3.2  | 218       |
| 20 | Design of Transparent Anodes for Resonant Cavity Enhanced Light Harvesting in Organic Solar Cells. <i>Advanced Materials</i> , 2012, 24, 728-732.                           | 11.1 | 216       |
| 21 | Delocalization and dielectric screening of charge transfer states in organic photovoltaic cells. <i>Nature Communications</i> , 2014, 5, 3245.                              | 5.8  | 212       |
| 22 | Analytical model for the open-circuit voltage and its associated resistance in organic planar heterojunction solar cells. <i>Physical Review B</i> , 2008, 77, .            | 1.1  | 198       |
| 23 | Improved Outcoupling Efficiency and Stability of Perovskite Light-Emitting Diodes using Thin Emitting Layers. <i>Advanced Materials</i> , 2019, 31, e1805836.               | 11.1 | 198       |
| 24 | High-Performance Organic Solar Cells with Spray-Coated Hole-Transport and Active Layers. <i>Advanced Functional Materials</i> , 2011, 21, 64-72.                            | 7.8  | 197       |
| 25 | Redox Chemistry Dominates the Degradation and Decomposition of Metal Halide Perovskite Optoelectronic Devices. <i>ACS Energy Letters</i> , 2016, 1, 595-602.                | 8.8  | 196       |
| 26 | Diode-Pumped Organo-Lead Halide Perovskite Lasing in a Metal-Clad Distributed Feedback Resonator. <i>Nano Letters</i> , 2016, 16, 4624-4629.                                | 4.5  | 194       |
| 27 | Mixed donor-acceptor molecular heterojunctions for photovoltaic applications. II. Device performance. <i>Journal of Applied Physics</i> , 2005, 98, 124903.                 | 1.1  | 184       |
| 28 | Exploring spray coating as a deposition technique for the fabrication of solution-processed solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2009, 93, 454-458. | 3.0  | 181       |
| 29 | Mixed donor-acceptor molecular heterojunctions for photovoltaic applications. I. Material properties. <i>Journal of Applied Physics</i> , 2005, 98, 124902.                 | 1.1  | 177       |
| 30 | Mixed-Halide Perovskites with Stabilized Bandgaps. <i>Nano Letters</i> , 2017, 17, 6863-6869.   | 4.5  | 165       |
| 31 | On the Role of Bathocuproine in Organic Photovoltaic Cells. <i>Advanced Functional Materials</i> , 2008, 18, 3686-3691.   | 7.8  | 155       |
| 32 | <i>In Situ</i> Preparation of Metal Halide Perovskite Nanocrystal Thin Films for Improved Light-Emitting Devices. <i>ACS Nano</i> , 2017, 11, 3957-3964.                    | 7.3  | 151       |
| 33 | Hybrid perovskite light emitting diodes under intense electrical excitation. <i>Nature Communications</i> , 2018, 9, 4893.  | 5.8  | 146       |
| 34 | A Transparent, Smooth, Thermally Robust, Conductive Polyimide for Flexible Electronics. <i>Advanced Functional Materials</i> , 2015, 25, 7428-7434.                         | 7.8  | 140       |
| 35 | Organic solar cells with sensitivity extending into the near infrared. <i>Applied Physics Letters</i> , 2005, 87, 233508.   | 1.5  | 139       |
| 36 | Beating the thermodynamic limit with photo-activation of n-doping in organic semiconductors. <i>Nature Materials</i> , 2017, 16, 1209-1215.                                 | 13.3 | 139       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Near-infrared sensitive small molecule organic photovoltaic cells based on chloroaluminum phthalocyanine. <i>Applied Physics Letters</i> , 2007, 91, .  | 1.5  | 129       |
| 38 | Thermal Management Enables Bright and Stable Perovskite Light-Emitting Diodes. <i>Advanced Materials</i> , 2020, 32, e2000752.  | 11.1 | 126       |
| 39 | Organic Double-Heterostructure Photovoltaic Cells Employing Thick Tris(acetylacetonato)ruthenium(III) Exciton-Blocking Layers. <i>Advanced Materials</i> , 2005, 17, 2714-2718.                         | 11.1 | 124       |
| 40 | The effects of copper phthalocyanine purity on organic solar cell performance. <i>Organic Electronics</i> , 2005, 6, 242-246.   | 1.4  | 121       |
| 41 | Semitransparent organic photovoltaic cells. <i>Applied Physics Letters</i> , 2006, 88, 233502.  | 1.5  | 118       |
| 42 | Interfacial charge-transfer doping of metal halide perovskites for high performance photovoltaics. <i>Energy and Environmental Science</i> , 2019, 12, 3063-3073.                                       | 15.6 | 111       |
| 43 | A 4% Efficient Organic Solar Cell Using a Fluorinated Fused Subphthalocyanine Dimer as an Electron Acceptor. <i>Advanced Energy Materials</i> , 2011, 1, 565-568.                                       | 10.2 | 110       |
| 44 | Electrical Stress Influences the Efficiency of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite Light Emitting Devices. <i>Advanced Materials</i> , 2017, 29, 1605317.                       | 11.1 | 105       |
| 45 | Nanoparticle-based, spray-coated silver top contacts for efficient polymer solar cells. <i>Organic Electronics</i> , 2009, 10, 735-740.   | 1.4  | 103       |
| 46 | Enhanced Outcoupling in Organic Light-Emitting Diodes via a High-Index Contrast Scattering Layer. <i>ACS Photonics</i> , 2015, 2, 1366-1372.  | 3.2  | 103       |
| 47 | Roadmap on organic-inorganic hybrid perovskite semiconductors and devices. <i>APL Materials</i> , 2021, 9, .  | 2.2  | 102       |
| 48 | Organic tandem solar cells with complementary absorbing layers and a high open-circuit voltage. <i>Applied Physics Letters</i> , 2010, 97, 033301.  | 1.5  | 101       |
| 49 | Electronic structure of the CsPbBr <sub>3</sub> /polytriarylamine (PTAA) system. <i>Journal of Applied Physics</i> , 2017, 121, .   | 1.1  | 93        |
| 50 | Device Performance of Emerging Photovoltaic Materials (Version 1). <i>Advanced Energy Materials</i> , 2021, 11, 2002774.  | 10.2 | 93        |
| 51 | X-ray imager using solution processed organic transistor arrays and bulk heterojunction photodiodes on thin, flexible plastic substrate. <i>Organic Electronics</i> , 2013, 14, 2602-2609.              | 1.4  | 89        |
| 52 | The role of halide oxidation in perovskite halide phase separation. <i>Joule</i> , 2021, 5, 2273-2295.  | 11.7 | 86        |
| 53 | Engineering Perovskite Nanocrystal Surface Termination for Light-Emitting Diodes with External Quantum Efficiency Exceeding 15%. <i>Advanced Functional Materials</i> , 2019, 29, 1807284.              | 7.8  | 80        |
| 54 | Thieno[3,2- <i>b</i> ]thiophene-diketopyrrolopyrrole Containing Polymers for Inverted Solar Cells Devices with High Short Circuit Currents. <i>Advanced Functional Materials</i> , 2013, 23, 5647-5654. | 7.8  | 78        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Plasmonic Efficiency Enhancement of High Performance Organic Solar Cells with a Nanostructured Rear Electrode. <i>Advanced Energy Materials</i> , 2013, 3, 145-150.                                 | 10.2 | 76        |
| 56 | Influence of Bulky Organoammonium Halide Additive Choice on the Flexibility and Efficiency of Perovskite Light-Emitting Devices. <i>Advanced Functional Materials</i> , 2018, 28, 1802060.          | 7.8  | 76        |
| 57 | Novel bis-C60 derivative compared to other fullerene bis-adducts in high efficiency polymer photovoltaic cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 17345.                            | 6.7  | 75        |
| 58 | Decreased Recombination Through the Use of a Nonfullerene Acceptor in a 6.4% Efficient Organic Planar Heterojunction Solar Cell. <i>Advanced Energy Materials</i> , 2014, 4, 1301413.               | 10.2 | 75        |
| 59 | The Impact of Local Morphology on Organic Donor/Acceptor Charge Transfer States. <i>Advanced Energy Materials</i> , 2018, 8, 1702816.   | 10.2 | 75        |
| 60 | Reactions at noble metal contacts with methylammonium lead triiodide perovskites: Role of underpotential deposition and electrochemistry. <i>APL Materials</i> , 2019, 7, .                         | 2.2  | 74        |
| 61 | Thin Film Metal Nanocluster Light-Emitting Devices. <i>Advanced Materials</i> , 2014, 26, 1446-1449.  | 11.1 | 71        |
| 62 | Electrode Considerations for the Optical Enhancement of Organic Bulk Heterojunction Solar Cells. <i>Advanced Energy Materials</i> , 2011, 1, 930-935.   | 10.2 | 70        |
| 63 | Mixed Lead-Tin Halide Perovskites for Efficient and Wavelength-Tunable Near-Infrared Light-Emitting Diodes. <i>Advanced Materials</i> , 2019, 31, e1806105.   | 11.1 | 66        |
| 64 | Device Performance of Emerging Photovoltaic Materials (Version 2). <i>Advanced Energy Materials</i> , 2021, 11, .   | 10.2 | 66        |
| 65 | Consensus statement: Standardized reporting of power-producing luminescent solar concentrator performance. <i>Joule</i> , 2022, 6, 8-15.  | 11.7 | 66        |
| 66 | Ultrasoother metal halide perovskite thin films via sol-gel processing. <i>Journal of Materials Chemistry A</i> , 2016, 4, 8308-8315.   | 5.2  | 64        |
| 67 | Structural Evolution of Evaporated Lead Phthalocyanine Thin Films for Near-Infrared Sensitive Solar Cells. <i>Chemistry of Materials</i> , 2011, 23, 886-895.                                       | 3.2  | 61        |
| 68 | Polariton Transitions in Femtosecond Transient Absorption Studies of Ultrastrong Light-Molecule Coupling. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 2667-2674.                       | 2.1  | 60        |
| 69 | Enhanced photocurrent and open-circuit voltage in a 3-layer cascade organic solar cell. <i>Applied Physics Letters</i> , 2012, 101, 143301.   | 1.5  | 59        |
| 70 | Best practices for measuring emerging light-emitting diode technologies. <i>Nature Photonics</i> , 2019, 13, 818-821.   | 15.6 | 59        |
| 71 | The characterization of chloroboron (iii) subnaphthalocyanine thin films and their application as a donor material for organic solar cells. <i>Journal of Materials Chemistry</i> , 2009, 19, 5295. | 6.7  | 58        |
| 72 | Triplet Energy Transfer Governs the Dissociation of the Correlated Triplet Pair in Exothermic Singlet Fission. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 4087-4095.                   | 2.1  | 58        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Organic solar cells with sensitized phosphorescent absorbing layers. <i>Organic Electronics</i> , 2009, 10, 1015-1019.   | 1.4  | 56        |
| 74 | Amine additive reactions induced by the soft Lewis acidity of Pb <sup>2+</sup> in halide perovskites. Part I: evidence for Pb <sup>2+</sup> -alkylamide formation. <i>Journal of Materials Chemistry C</i> , 2019, 7, 5251-5259. | 2.7  | 56        |
| 75 | Isostructural, Deeper Highest Occupied Molecular Orbital Analogues of Poly(3-hexylthiophene) for High-Open Circuit Voltage Organic Solar Cells. <i>Chemistry of Materials</i> , 2013, 25, 4239-4249.                             | 3.2  | 55        |
| 76 | Determination of Energy Level Alignment within an Energy Cascade Organic Solar Cell. <i>Chemistry of Materials</i> , 2016, 28, 794-801.  | 3.2  | 54        |
| 77 | Enhanced sub-bandgap efficiency of a solid-state organic intermediate band solar cell using triplet-triplet annihilation. <i>Energy and Environmental Science</i> , 2017, 10, 1465-1475.   | 15.6 | 54        |
| 78 | Controlling the Texture and Crystallinity of Evaporated Lead Phthalocyanine Thin Films for Near-Infrared Sensitive Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 8505-8515.                              | 4.0  | 53        |
| 79 | Perovskite Light-Emitting Diodes with Improved Outcoupling Using a High-Index Contrast Nanoarray. <i>Small</i> , 2019, 15, e1900135.   | 5.2  | 53        |
| 80 | Microcrystalline Organic Thin-Film Solar Cells. <i>Advanced Materials</i> , 2013, 25, 5504-5507.   | 11.1 | 50        |
| 81 | Optically Pumped Lasing from Hybrid Perovskite Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2020, 8, 1901297.  | 3.6  | 49        |
| 82 | Efficient truxenone-based acceptors for organic photovoltaics. <i>Journal of Materials Chemistry A</i> , 2013, 1, 73-76.   | 5.2  | 48        |
| 83 | Linking Chemistry at the TiO <sub>2</sub> /CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Interface to Current-Voltage Hysteresis. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 2298-2303.                          | 2.1  | 46        |
| 84 | Electrically driven lasing in metal halide perovskites: Challenges and outlook. <i>APL Materials</i> , 2020, 8, .  | 2.2  | 46        |
| 85 | A benzotrithiophene-based low band gap polymer for polymer solar cells with high open-circuit voltage. <i>Journal of Materials Chemistry</i> , 2011, 21, 17642.  | 6.7  | 44        |
| 86 | Concurrently pumped ultrasonic spray coating for donor:acceptor and thickness optimization of organic solar cells. <i>Organic Electronics</i> , 2013, 14, 1002-1008.   | 1.4  | 44        |
| 87 | Low Threshold Voltages Electrochemically Drive Gold Migration in Halide Perovskite Devices. <i>ACS Energy Letters</i> , 2020, 5, 3352-3356.  | 8.8  | 43        |
| 88 | Correlating the Polymorphism of Titanyl Phthalocyanine Thin Films with Solar Cell Performance. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 2395-2400.  | 2.1  | 42        |
| 89 | Light-Induced Degradation of Polymer:Fullerene Photovoltaic Devices: An Intrinsic or Material-Dependent Failure Mechanism?. <i>Advanced Energy Materials</i> , 2014, 4, 1400848.   | 10.2 | 40        |
| 90 | Enhanced outcoupling in flexible organic light-emitting diodes on scattering polyimide substrates. <i>Organic Electronics</i> , 2017, 51, 471-476.   | 1.4  | 40        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | The angular response of ultrathin film organic solar cells. <i>Applied Physics Letters</i> , 2008, 92, 243310.   | 1.5  | 39        |
| 92  | Ionic Electronic Ambipolar Transport in Metal Halide Perovskites: Can Electronic Conductivity Limit Ionic Diffusion?. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 132-137.   | 2.1  | 39        |
| 93  | Ultrasensitive Heterojunctions of Graphene and 2D Perovskites Reveal Spontaneous Iodide Loss. <i>Joule</i> , 2018, 2, 2133-2144.   | 11.7 | 39        |
| 94  | Electrochemical and Thermal Etching of Indium Tin Oxide by Solid-State Hybrid Organic-Inorganic Perovskites. <i>ACS Applied Energy Materials</i> , 2019, 2, 6097-6101.   | 2.5  | 39        |
| 95  | Metal nanocluster light-emitting devices with suppressed parasitic emission and improved efficiency: exploring the impact of photophysical properties. <i>Nanoscale</i> , 2015, 7, 9140-9146.  | 2.8  | 38        |
| 96  | Hall Effect in Polycrystalline Organic Semiconductors: The Effect of Grain Boundaries. <i>Advanced Functional Materials</i> , 2020, 30, 1903617.   | 7.8  | 37        |
| 97  | Structural templating of chloro-aluminum phthalocyanine layers for planar and bulk heterojunction organic solar cells. <i>Organic Electronics</i> , 2011, 12, 2131-2139.   | 1.4  | 36        |
| 98  | Contorted Hexabenzocoronenes with Extended Heterocyclic Moieties Improve Visible-Light Absorption and Performance in Organic Solar Cells. <i>Chemistry of Materials</i> , 2016, 28, 673-681.   | 3.2  | 34        |
| 99  | Use of an Underlayer for Large Area Crystallization of Rubrene Thin Films. <i>Chemistry of Materials</i> , 2017, 29, 6666-6673.  | 3.2  | 34        |
| 100 | Donor/Acceptor Charge-Transfer States at Two-Dimensional Metal Halide Perovskite and Organic Semiconductor Interfaces. <i>ACS Energy Letters</i> , 2018, 3, 2708-2712.   | 8.8  | 34        |
| 101 | Revealing the Full Charge Transfer State Absorption Spectrum of Organic Solar Cells. <i>Advanced Energy Materials</i> , 2016, 6, 1601001.  | 10.2 | 33        |
| 102 | Ultraviolet Photoemission Spectroscopy and Kelvin Probe Measurements on Metal Halide Perovskites: Advantages and Pitfalls. <i>Advanced Energy Materials</i> , 2020, 10, 1903252.   | 10.2 | 33        |
| 103 | Engineering Charge-Transfer States for Efficient, Low-Energy-Loss Organic Photovoltaics. <i>Trends in Chemistry</i> , 2019, 1, 815-829.  | 4.4  | 32        |
| 104 | Widely Tunable, Room Temperature, Single-Mode Lasing Operation from Mixed-Halide Perovskite Thin Films. <i>ACS Photonics</i> , 2019, 6, 3331-3337.   | 3.2  | 31        |
| 105 | Photocurrent enhancement in polymer:fullerene bulk heterojunction solar cells doped with a phosphorescent molecule. <i>Applied Physics Letters</i> , 2009, 95, 173304.   | 1.5  | 30        |
| 106 | Amine additive reactions induced by the soft Lewis acidity of Pb <sup>2+</sup> in halide perovskites. Part II: impacts of amido Pb impurities in methylammonium lead triiodide thin films. <i>Journal of Materials Chemistry C</i> , 2019, 7, 5244-5250. | 2.7  | 30        |
| 107 | Excitation of Charge Transfer States and Low-Driving Force Triplet Exciton Dissociation at Planar Donor/Acceptor Interfaces. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 2064-2068.  | 2.1  | 29        |
| 108 | Exciton dynamics in an energy up-converting solid state system based on diphenylanthracene doped with platinum octaethylporphyrin. <i>Chemical Physics</i> , 2014, 429, 57-62.   | 0.9  | 28        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Organic Hole Transport Material Ionization Potential Dictates Diffusion Kinetics of Iodine Species in Halide Perovskite Devices. ACS Energy Letters, 2021, 6, 501-508.              | 8.8  | 28        |
| 110 | Homoepitaxy of Crystalline Rubrene Thin Films. Nano Letters, 2017, 17, 3040-3046.   | 4.5  | 27        |
| 111 | Reduced Recombination and Capacitor-like Charge Buildup in an Organic Heterojunction. Journal of the American Chemical Society, 2020, 142, 2562-2571.                               | 6.6  | 27        |
| 112 | Ultrasonic Spray Coating of 6.5% Efficient Diketopyrrolopyrrole-Based Organic Photovoltaics. IEEE Journal of Photovoltaics, 2014, 4, 1538-1544.                                     | 1.5  | 26        |
| 113 | Factors that Limit Continuous-Wave Lasing in Hybrid Perovskite Semiconductors. Advanced Optical Materials, 2020, 8, 1901514.  | 3.6  | 26        |
| 114 | Nanosecond-Pulsed Perovskite Light-Emitting Diodes at High Current Density. Advanced Materials, 2021, 33, e2104867.   | 11.1 | 26        |
| 115 | Phototriggered Depolymerization of Flexible Poly(phthalaldehyde) Substrates by Integrated Organic Light-Emitting Diodes. ACS Applied Materials & Interfaces, 2018, 10, 28062-28068. | 4.0  | 25        |
| 116 | Solar fuels and feedstocks: the quest for renewable black gold. Energy and Environmental Science, 2021, 14, 1402-1419.  | 15.6 | 25        |
| 117 | Organoammonium-Ion-based Perovskites Can Degrade to Pb <sup>0</sup> via Amine-Pb(II) Coordination. ACS Energy Letters, 2021, 6, 2262-2267.  | 8.8  | 25        |
| 118 | Iodine Electrochemistry Dictates Voltage-Induced Halide Segregation Thresholds in Mixed-Halide Perovskite Devices. Advanced Functional Materials, 2022, 32, .                       | 7.8  | 25        |
| 119 | Morphological Tuning of the Energetics in Singlet Fission Organic Solar Cells. Advanced Functional Materials, 2016, 26, 6489-6494.  | 7.8  | 24        |
| 120 | Complexities of Contact Potential Difference Measurements on Metal Halide Perovskite Surfaces. Journal of Physical Chemistry Letters, 2019, 10, 890-896.                            | 2.1  | 24        |
| 121 | Real-Time Tracking of Singlet Exciton Diffusion in Organic Semiconductors. Physical Review Letters, 2016, 116, 057402.  | 2.9  | 23        |
| 122 | Interfacial Depletion Regions: Beyond the Space Charge Limit in Thick Bulk Heterojunctions. ACS Applied Materials & Interfaces, 2016, 8, 2211-2219.                                 | 4.0  | 23        |
| 123 | Band-Like Charge Photogeneration at a Crystalline Organic Donor/Acceptor Interface. Advanced Energy Materials, 2018, 8, 1701494.  | 10.2 | 23        |
| 124 | n-Doping of a Low-Electron-Affinity Polymer Used as an Electron-Transport Layer in Organic Light-Emitting Diodes. Advanced Functional Materials, 2020, 30, 2000328.                 | 7.8  | 22        |
| 125 | Polariton Decay in Donor-Acceptor Cavity Systems. Journal of Physical Chemistry Letters, 2021, 12, 9774-9782.   | 2.1  | 22        |
| 126 | Thin-film organic position sensitive detectors. IEEE Photonics Technology Letters, 2003, 15, 1279-1281.   | 1.3  | 21        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Improved cathode buffer layer to decrease exciton recombination in organic planar heterojunction solar cells. <i>Applied Physics Letters</i> , 2013, 102, .  | 1.5 | 21        |
| 128 | Structure induced conductivity enhancement in metal-doped molybdenum oxide thin films. <i>Journal of Applied Physics</i> , 2013, 113, .  | 1.1 | 21        |
| 129 | Multiple Charge Transfer States in Donor-acceptor Heterojunctions with Large Frontier Orbital Energy Offsets. <i>Chemistry of Materials</i> , 2019, 31, 6808-6817.   | 3.2 | 20        |
| 130 | The efficacy of Lewis affinity scale metrics to represent solvent interactions with reagent salts in all-inorganic metal halide perovskite solutions. <i>Journal of Materials Chemistry A</i> , 2021, 9, 13087-13099.                | 5.2 | 19        |
| 131 | Near-Field Interactions between Metal Nanoparticle Surface Plasmons and Molecular Excitons in Thin-Films. Part I: Absorption. <i>Journal of Physical Chemistry C</i> , 2012, 116, 24206-24214.                                       | 1.5 | 18        |
| 132 | Comprehensive method for analyzing the power conversion efficiency of organic solar cells under different spectral irradiances considering both photonic and electrical characteristics. <i>Applied Energy</i> , 2016, 180, 516-523. | 5.1 | 18        |
| 133 | Two temperature regimes of triplet transfer in the dissociation of the correlated triplet pair after singlet fission. <i>Canadian Journal of Chemistry</i> , 2019, 97, 465-473.  | 0.6 | 18        |
| 134 | Accurate spectral response measurements of a complementary absorbing organic tandem cell with fill factor exceeding the subcells. <i>Applied Physics Letters</i> , 2014, 104, .  | 1.5 | 17        |
| 135 | Excitation of multiple dipole surface plasmon resonances in spherical silver nanoparticles. <i>Optics Express</i> , 2010, 18, 19032.   | 1.7 | 15        |
| 136 | Understanding metal doping for organic electron transport layers. <i>Applied Physics Letters</i> , 2012, 100, 053305.  | 1.5 | 14        |
| 137 | Reducing exciton-polaron annihilation in organic planar heterojunction solar cells. <i>Physical Review B</i> , 2014, 90, .   | 1.1 | 14        |
| 138 | Variable charge transfer state energies at nanostructured pentacene/C60 interfaces. <i>Applied Physics Letters</i> , 2018, 112, 213302.  | 1.5 | 12        |
| 139 | Tuning Laser Threshold within the Large Optical Gain Bandwidth of Halide Perovskite Thin Films. <i>ACS Photonics</i> , 2021, 8, 2548-2554.   | 3.2 | 12        |
| 140 | Role of Electron- and Hole-Collecting Buffer Layers on the Stability of Inverted Polymer: Fullerene Photovoltaic Devices. <i>IEEE Journal of Photovoltaics</i> , 2014, 4, 265-270.   | 1.5 | 11        |
| 141 | Thermal Properties, Molecular Structure, and Thin-Film Organic Semiconductor Crystallization. <i>Journal of Physical Chemistry C</i> , 2020, 124, 27213-27221.   | 1.5 | 11        |
| 142 | Role of Photon Recycling and Band Filling in Halide Perovskite Photoluminescence under Focussed Excitation Conditions. <i>Journal of Physical Chemistry C</i> , 2021, 125, 2240-2249.  | 1.5 | 11        |
| 143 | Light-trapping in polymer solar cells by processing with nanostructured diatomaceous earth. <i>Organic Electronics</i> , 2017, 51, 422-427.  | 1.4 | 10        |
| 144 | Time-resolved imaging of carrier transport in halide perovskite thin films and evidence for nondiffusive transport. <i>Physical Review Materials</i> , 2019, 3, .  | 0.9 | 10        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Improved Charge Balance in Green Perovskite Light-Emitting Diodes with Atomic-Layer-Deposited Al <sub>2</sub> O <sub>3</sub> . ACS Applied Materials & Interfaces, 2022, 14, 34247-34252.          | 4.0  | 10        |
| 146 | Near-Field Interactions between Metal Nanoparticle Surface Plasmons and Molecular Excitons in Thin-Films. Part II: Emission. Journal of Physical Chemistry C, 2012, 116, 24215-24223.              | 1.5  | 9         |
| 147 | Resonant cavity enhanced light harvesting in flexible thin-film organic solar cells. Optics Letters, 2013, 38, 1431.   | 1.7  | 9         |
| 148 | Fate of Low-Lying Charge-Transfer Excited States in a Donor:Acceptor Blend with a Large Energy Offset. Journal of Physical Chemistry Letters, 2020, 11, 10219-10226.                               | 2.1  | 9         |
| 149 | Influence of Disorder and State Filling on Charge-Transfer-State Absorption and Emission Spectra. Physical Review Applied, 2021, 16, .   | 1.5  | 9         |
| 150 | Absorptive carbon nanotube electrodes: Consequences of optical interference loss in thin film solar cells. Nanoscale, 2015, 7, 7259-7266.  | 2.8  | 8         |
| 151 | Organic photovoltaics (OPVs): Device physics. , 2019, , 665-693.   |      | 8         |
| 152 | Electrochemically n-Doped CsPbBr <sub>3</sub> Nanocrystal Thin Films. ACS Energy Letters, 2022, 7, 211-216.  | 8.8  | 8         |
| 153 | Green Lithography for Delicate Materials. Advanced Functional Materials, 2021, 31, 2101533.  | 7.8  | 7         |
| 154 | Methods for Conducting Electron Backscattered Diffraction (EBSD) on Polycrystalline Organic Molecular Thin Films. Microscopy and Microanalysis, 2018, 24, 420-423.                                 | 0.2  | 6         |
| 155 | Controlling Microring Resonator Extinction Ratio via Metal-Halide Perovskite Nonlinearity. Advanced Optical Materials, 2021, 9, 2100783.   | 3.6  | 6         |
| 156 | Powerful Organic Molecular Oxidants and Reductants Enable Ambipolar Injection in a Large-Gap Organic Homojunction Diode. ACS Applied Materials & Interfaces, 2022, 14, 2381-2389.                  | 4.0  | 5         |
| 157 | Nonradiative Recombination via Charge-Transfer-Exciton to Polaron Energy Transfer Limits Photocurrent in Organic Solar Cells. Advanced Energy Materials, 2022, 12, .                               | 10.2 | 5         |
| 158 | Origin of the open-circuit voltage in organic solar cells. , 2006, , .   |      | 4         |
| 159 | High-Voltage Photogeneration Exclusively via Aggregation-Induced Triplet States in a Heavy-Atom-Free Nonplanar Organic Semiconductor. Advanced Energy Materials, 2019, 9, 1901649.                 | 10.2 | 4         |
| 160 | Alleviating halide perovskite surface defects. Matter, 2021, 4, 2104-2105.   | 5.0  | 4         |
| 161 | Morphological Requirements for Nanoscale Electric Field Buildup in a Bulk Heterojunction Solar Cell. Journal of Physical Chemistry Letters, 2021, 12, 537-545.                                     | 2.1  | 4         |
| 162 | Untying the Cesium -Not- Cesium-Iodoplumbate Complexation in Perovskite Solution-Processing Inks Has Implications for Crystallization. Journal of Physical Chemistry Letters, 2022, 13, 6130-6137. | 2.1  | 4         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Introduction to the Issue on Next-Generation Organic and Hybrid Solar Cells. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 1512-1513.  | 1.9  | 3         |
| 164 | Flexible Electronics: A Transparent, Smooth, Thermally Robust, Conductive Polyimide for Flexible Electronics (Adv. Funct. Mater. 48/2015). Advanced Functional Materials, 2015, 25, 7547-7547.   | 7.8  | 3         |
| 165 | Organic-Flow: An Open-Source Organic Standard Cell Library and Process Development Kit. , 2020, , .  |      | 3         |
| 166 | Benchmarking organic thin film transistor inverter design styles. Synthetic Metals, 2021, 278, 116825.   | 2.1  | 3         |
| 167 | Comparing the Expense and Accuracy of Methods to Simulate Atomic Vibrations in Rubrene. Journal of Chemical Theory and Computation, 2021, , .  | 2.3  | 3         |
| 168 | Editorial for "special issue on advanced solar cell technology"™. Journal of Optics (United Kingdom), 2017, 19, 120401.  | 1.0  | 2         |
| 169 | Study of local structure at crystalline rubrene grain boundaries via scanning transmission X-ray microscopy. Organic Electronics, 2019, 74, 315-320.   | 1.4  | 2         |
| 170 | Crystalline order offers access to high speeds for organic transistors. Nature, 2022, 606, 661-662.  | 13.7 | 2         |
| 171 | Efficient polymer solar cells via an all-spray-coated deposition. , 2010, , .  |      | 1         |
| 172 | 18: Invited Paper: Color Tunable, Flexible, and Efficient Light Emitting Diodes Composed of Metal Halide Perovskites. Digest of Technical Papers SID International Symposium, 2018, 49, 212-213. | 0.1  | 1         |
| 173 | Efficient Perovskite LEDs Featuring Nanometer Sized Crystallites. , 2017, , .  |      | 0         |
| 174 | Metal Halide Perovskites: Emerging Light Emitting Materials. Information Display, 2018, 34, 18-22.   | 0.1  | 0         |
| 175 | 33-1: Invited Paper: Exploring the Formation and Growth of Organic Semiconductors with mm-Scale Grains. Digest of Technical Papers SID International Symposium, 2018, 49, 413-414.               | 0.1  | 0         |
| 176 | Unlocking Efficient Perovskite-based Light Emitting Devices. , 2016, , .   |      | 0         |
| 177 | Unlocking Efficient Perovskite-based Light Emitting Devices. , 2016, , .   |      | 0         |
| 178 | ITO-free Flexible Organic Light Emitting Diodes with Enhanced Light Outcoupling. , 2016, , .   |      | 0         |
| 179 | Outcoupling Enhancement in White Organic Light-Emitting Diodes on Scattering Polyimide Substrates. , 2017, , .   |      | 0         |
| 180 | Metal Halide Perovskites: Processing, Interfaces, and Light Emitting Devices. , 2017, , .  |      | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Light emitting devices and lasers from metal halide perovskites. , 0, , .   |     | 0         |
| 182 | Efficient, Color Tunable, and Flexible Thin Film Perovskite Light Emitting Devices. , 2019, , .                                 |     | 0         |
| 183 | Halide Perovskites for Photonics and Optoelectronics: introduction to special issue. Optical Materials Express, 2022, 12, 1764. | 1.6 | 0         |
| 184 | Flexible and color tunable metal halide perovskite light emitting diodes using bulky organoammonium additives. , 0, , .         |     | 0         |