
## Anke Hannemann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9298065/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence of Primary Aldosteronism in Patient's Cohorts and in Population-based Studies - A Review of the Current Literature. Hormone and Metabolic Research, 2012, 44, 157-162.	1.5	283
2	Age-Specific Reference Ranges for Serum Testosterone and Androstenedione Concentrations in Women Measured by Liquid Chromatography-Tandem Mass Spectrometry. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 408-415.	3.6	148
3	Increased prevalence of diabetes mellitus and the metabolic syndrome in patients with primary aldosteronism of the German Conn's Registry. European Journal of Endocrinology, 2015, 173, 665-675.	3.7	115
4	Reference intervals for serum concentrations of three bone turnover markers for men and women. Bone, 2013, 57, 399-404.	2.9	100
5	Targeting sphingosine-1-phosphate lyase as an anabolic therapy for bone loss. Nature Medicine, 2018, 24, 667-678.	30.7	93
6	Screening for primary aldosteronism in hypertensive subjects: results from two German epidemiological studies. European Journal of Endocrinology, 2012, 167, 7-15.	3.7	92
7	Association between serum vitamin D concentrations and inflammatory markers in the general adult population. Metabolism: Clinical and Experimental, 2014, 63, 1056-1062.	3.4	71
8	Association of plasma aldosterone with the metabolic syndrome in two German populations. European Journal of Endocrinology, 2011, 164, 751-758.	3.7	51
9	Reference Intervals for Aldosterone, Renin, and the Aldosterone-to-Renin Ratio in the Population-based Study of Health in Pomerania (SHIP-1). Hormone and Metabolic Research, 2010, 42, 392-399.	1.5	45
10	Reference intervals for serum osteocalcin concentrations in adult men and women from the study of health in Pomerania. BMC Endocrine Disorders, 2013, 13, 11.	2.2	42
11	Osteocalcin is associated with testosterone in the general population and selected patients with bone disorders. Andrology, 2013, 1, 469-474.	3.5	37
12	A High Aldosterone to Renin Ratio Is Associated With High Serum Parathyroid Hormone Concentrations in the General Population. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 965-971.	3.6	35
13	Fracture Risk and Risk Factors for Osteoporosis. Deutsches Ärzteblatt International, 2015, 112, 365-71.	0.9	28
14	Associations of trauma exposure and post-traumatic stress disorder with the activity of the renin–angiotensin–aldosterone-system in the general population. Psychological Medicine, 2019, 49, 843-851.	4.5	27
15	Plasma aldosterone levels and aldosterone-to-renin ratios are associated with endothelial dysfunction in young to middle-aged subjects. Atherosclerosis, 2011, 219, 875-879.	0.8	26
16	Positive Association Between Adipose Tissue and Bone Stiffness. Calcified Tissue International, 2015, 97, 40-49.	3.1	25
17	Genome-Wide Meta-Analyses of Plasma Renin Activity and Concentration Reveal Association With the Kininogen 1 and Prekallikrein Genes. Circulation: Cardiovascular Genetics, 2015, 8, 131-140.	5.1	24
18	Thyroid function tests in patients taking thyroid medication in Germany: Results from the population-based Study of Health in Pomerania (SHIP). BMC Research Notes, 2010, 3, 227.	1.4	21

Anke Hannemann

#	Article	IF	CITATIONS
19	Lower bone turnover markers in metabolic syndrome and diabetes: The population-based Study of Health in Pomerania. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 458-463.	2.6	21
20	Age- and sex-specific reference limits for creatinine, cystatin C and the estimated glomerular filtration rate. Clinical Chemistry and Laboratory Medicine, 2012, 50, 919-26.	2.3	20
21	Association of Brain-Derived Neurotrophic Factor and Vitamin D with Depression and Obesity: A Population-Based Study. Neuropsychobiology, 2017, 76, 171-181.	1.9	20
22	Aldosterone and glomerular filtration – observations in the general population. BMC Nephrology, 2014, 15, 44.	1.8	18
23	Differential activation of the renin-angiotensin-aldosterone-system in response to childhood and adulthood trauma. Psychoneuroendocrinology, 2019, 107, 232-240.	2.7	17
24	Physiological Aldosterone Concentrations Are Associated with Alterations of Lipid Metabolism: Observations from the General Population. International Journal of Endocrinology, 2018, 2018, 1-6.	1.5	16
25	Reduced Bone Stiffness in Women Is Associated with Clinical Attachment and Tooth Loss. Journal of Dental Research, 2016, 95, 1464-1471.	5.2	11
26	Vitamin D and health care costs: Results from two independent population-based cohort studies. Clinical Nutrition, 2018, 37, 2149-2155.	5.0	11
27	Confirmatory testing of primary aldosteronism with saline infusion test and LC-MS/MS. European Journal of Endocrinology, 2021, 184, 167-178.	3.7	11
28	SHIP-MR and Radiology: 12 Years of Whole-Body Magnetic Resonance Imaging in a Single Center. Healthcare (Switzerland), 2022, 10, 33.	2.0	11
29	Associations of aldosterone and renin concentrations with inflammation—the Study of Health in Pomerania and the German Conn's Registry. Endocrine, 2017, 57, 298-307.	2.3	9
30	Associations between plasma chemerin concentrations and bone quality in adults from the general population. Endocrinology, 2018, 159, 2378-2385.	2.8	9
31	Prevalence of Malignancies in Patients With Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 1656-1663.	3.6	8
32	Reference intervals for serum concentrations of three bone turnover markers for men and women. Bone, 2016, 93, 216.	2.9	8
33	Living alone and activation of the renin-angiotensin-aldosterone-system: Differential effects depending on alexithymic personality features. Journal of Psychosomatic Research, 2017, 96, 42-48.	2.6	7
34	Associations of insulinâ€like growth factorâ€l and insulinâ€like growth factor binding proteinâ€3 with bone quality in the general adult population. Clinical Endocrinology, 2018, 88, 830-837.	2.4	7
35	Sex differences in the association between basal serum cortisol concentrations and cortical thickness. Neurobiology of Stress, 2021, 15, 100416.	4.0	7
36	Broad Metabolome Alterations Associated with the Intake of Oral Contraceptives Are Mediated by Cortisol in Premenopausal Women. Metabolites, 2021, 11, 193.	2.9	6

Anke Hannemann

#	Article	IF	CITATIONS
37	The Association between Bone Quality and Atherosclerosis: Results from Two Large Population-Based Studies. International Journal of Endocrinology, 2017, 2017, 1-9.	1.5	4
38	The neurobiology of childhood trauma—aldosterone and blood pressure changes in a community sample. World Journal of Biological Psychiatry, 2021, , 1-9.	2.6	4
39	Association of IGF-I and the IGF-I/IGFBP-3 Ratio with Plasma Aldosterone Levels in the General Population. Hormone and Metabolic Research, 2012, 44, 228-233.	1.5	2
40	Associations of plasma YKL-40 concentrations with heel ultrasound parameters and bone turnover markers in the general adult population. Bone, 2020, 141, 115675.	2.9	2
41	Lack of Significant Association between Sex Hormone Concentrations and Atopic Dermatitis in Adolescents and Adults in Two Population-Based Studies. Journal of Investigative Dermatology, 2021, ,	0.7	2
42	No mediating effects of glycemic control and inflammation on the association between vitamin D and lung function in the general population. Respiratory Medicine, 2017, 125, 1-7.	2.9	1
43	Target Range Was Missed. Deutsches Ärzteblatt International, 2011, 108, 134; author reply 134.	0.9	1
44	In Reply. Deutsches Ärzteblatt International, 2016, 113, 99-100.	0.9	0
45	Comprehensive metabolic characterization of serum osteocalcin action in a large non-diabetic sample. PLoS ONE, 2017, 12, e0184721.	2.5	0