Anke Hannemann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9298065/publications.pdf

Version: 2024-02-01

45 papers

1,496 citations

394421 19 h-index 315739 38 g-index

45 all docs 45 docs citations

45 times ranked

2639 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | SHIP-MR and Radiology: 12 Years of Whole-Body Magnetic Resonance Imaging in a Single Center. Healthcare (Switzerland), 2022, 10, 33. | 2.0 | 11 |
| 2 | Broad Metabolome Alterations Associated with the Intake of Oral Contraceptives Are Mediated by Cortisol in Premenopausal Women. Metabolites, 2021, 11, 193. | 2.9 | 6 |
| 3 | Lack of Significant Association between Sex Hormone Concentrations and Atopic Dermatitis in Adolescents and Adults in Two Population-Based Studies. Journal of Investigative Dermatology, 2021, , . | 0.7 | 2 |
| 4 | Confirmatory testing of primary aldosteronism with saline infusion test and LC-MS/MS. European Journal of Endocrinology, 2021, 184, 167-178. | 3.7 | 11 |
| 5 | Sex differences in the association between basal serum cortisol concentrations and cortical thickness. Neurobiology of Stress, 2021, 15, 100416. | 4.0 | 7 |
| 6 | The neurobiology of childhood traumaâ€"aldosterone and blood pressure changes in a community sample. World Journal of Biological Psychiatry, 2021, , 1-9. | 2.6 | 4 |
| 7 | Associations of plasma YKL-40 concentrations with heel ultrasound parameters and bone turnover markers in the general adult population. Bone, 2020, 141, 115675. | 2.9 | 2 |
| 8 | Associations of trauma exposure and post-traumatic stress disorder with the activity of the renin–angiotensin–aldosterone-system in the general population. Psychological Medicine, 2019, 49, 843-851. | 4.5 | 27 |
| 9 | Differential activation of the renin-angiotensin-aldosterone-system in response to childhood and adulthood trauma. Psychoneuroendocrinology, 2019, 107, 232-240. | 2.7 | 17 |
| 10 | Associations of insulinâ€like growth factorâ€l and insulinâ€like growth factor binding proteinâ€3 with bone quality in the general adult population. Clinical Endocrinology, 2018, 88, 830-837. | 2.4 | 7 |
| 11 | Targeting sphingosine-1-phosphate lyase as an anabolic therapy for bone loss. Nature Medicine, 2018, 24, 667-678. | 30.7 | 93 |
| 12 | Vitamin D and health care costs: Results from two independent population-based cohort studies. Clinical Nutrition, 2018, 37, 2149-2155. | 5.0 | 11 |
| 13 | Physiological Aldosterone Concentrations Are Associated with Alterations of Lipid Metabolism: Observations from the General Population. International Journal of Endocrinology, 2018, 2018, 1-6. | 1.5 | 16 |
| 14 | Associations between plasma chemerin concentrations and bone quality in adults from the general population. Endocrinology, 2018, 159, 2378-2385. | 2.8 | 9 |
| 15 | Living alone and activation of the renin-angiotensin-aldosterone-system: Differential effects depending on alexithymic personality features. Journal of Psychosomatic Research, 2017, 96, 42-48. | 2.6 | 7 |
| 16 | No mediating effects of glycemic control and inflammation on the association between vitamin D and lung function in the general population. Respiratory Medicine, 2017, 125, 1-7. | 2.9 | 1 |
| 17 | Associations of aldosterone and renin concentrations with inflammation—the Study of Health in Pomerania and the German Conn's Registry. Endocrine, 2017, 57, 298-307. | 2.3 | 9 |
| 18 | The Association between Bone Quality and Atherosclerosis: Results from Two Large Population-Based Studies. International Journal of Endocrinology, 2017, 2017, 1-9. | 1.5 | 4 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 19 | Association of Brain-Derived Neurotrophic Factor and Vitamin D with Depression and Obesity: A Population-Based Study. Neuropsychobiology, 2017, 76, 171-181. | 1.9 | 20 |
| 20 | Comprehensive metabolic characterization of serum osteocalcin action in a large non-diabetic sample. PLoS ONE, 2017, 12, e0184721. | 2.5 | 0 |
| 21 | Prevalence of Malignancies in Patients With Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 1656-1663. | 3.6 | 8 |
| 22 | Reduced Bone Stiffness in Women Is Associated with Clinical Attachment and Tooth Loss. Journal of Dental Research, 2016, 95, 1464-1471. | 5.2 | 11 |
| 23 | Reference intervals for serum concentrations of three bone turnover markers for men and women. Bone, 2016, 93, 216. | 2.9 | 8 |
| 24 | In Reply. Deutsches Ärzteblatt International, 2016, 113, 99-100. | 0.9 | 0 |
| 25 | Fracture Risk and Risk Factors for Osteoporosis. Deutsches Ärzteblatt International, 2015, 112, 365-71. | 0.9 | 28 |
| 26 | Positive Association Between Adipose Tissue and Bone Stiffness. Calcified Tissue International, 2015, 97, 40-49. | 3.1 | 25 |
| 27 | Increased prevalence of diabetes mellitus and the metabolic syndrome in patients with primary aldosteronism of the German Conn's Registry. European Journal of Endocrinology, 2015, 173, 665-675. | 3.7 | 115 |
| 28 | Lower bone turnover markers in metabolic syndrome and diabetes: The population-based Study of Health in Pomerania. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 458-463. | 2.6 | 21 |
| 29 | Genome-Wide Meta-Analyses of Plasma Renin Activity and Concentration Reveal Association With the Kininogen 1 and Prekallikrein Genes. Circulation: Cardiovascular Genetics, 2015, 8, 131-140. | 5.1 | 24 |
| 30 | A High Aldosterone to Renin Ratio Is Associated With High Serum Parathyroid Hormone Concentrations in the General Population. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 965-971. | 3.6 | 35 |
| 31 | Aldosterone and glomerular filtration $\hat{a} \in \text{``observations in the general population. BMC Nephrology,} 2014, 15, 44.$ | 1.8 | 18 |
| 32 | Association between serum vitamin D concentrations and inflammatory markers in the general adult population. Metabolism: Clinical and Experimental, 2014, 63, 1056-1062. | 3 . 4 | 71 |
| 33 | Reference intervals for serum osteocalcin concentrations in adult men and women from the study of health in Pomerania. BMC Endocrine Disorders, 2013, 13, 11. | 2.2 | 42 |
| 34 | Reference intervals for serum concentrations of three bone turnover markers for men and women. Bone, 2013, 57, 399-404. | 2.9 | 100 |
| 35 | Osteocalcin is associated with testosterone in the general population and selected patients with bone disorders. Andrology, 2013, 1, 469-474. | 3.5 | 37 |
| 36 | Prevalence of Primary Aldosteronism in Patient's Cohorts and in Population-based Studies - A Review of the Current Literature. Hormone and Metabolic Research, 2012, 44, 157-162. | 1.5 | 283 |

3

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Screening for primary aldosteronism in hypertensive subjects: results from two German epidemiological studies. European Journal of Endocrinology, 2012, 167, 7-15. | 3.7 | 92 |
| 38 | Association of IGF-I and the IGF-I/IGFBP-3 Ratio with Plasma Aldosterone Levels in the General Population. Hormone and Metabolic Research, 2012, 44, 228-233. | 1.5 | 2 |
| 39 | Age-Specific Reference Ranges for Serum Testosterone and Androstenedione Concentrations in Women Measured by Liquid Chromatography-Tandem Mass Spectrometry. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 408-415. | 3.6 | 148 |
| 40 | Age- and sex-specific reference limits for creatinine, cystatin C and the estimated glomerular filtration rate. Clinical Chemistry and Laboratory Medicine, 2012, 50, 919-26. | 2.3 | 20 |
| 41 | Plasma aldosterone levels and aldosterone-to-renin ratios are associated with endothelial dysfunction in young to middle-aged subjects. Atherosclerosis, 2011, 219, 875-879. | 0.8 | 26 |
| 42 | Association of plasma aldosterone with the metabolic syndrome in two German populations. European Journal of Endocrinology, 2011, 164, 751-758. | 3.7 | 51 |
| 43 | Target Range Was Missed. Deutsches Ärzteblatt International, 2011, 108, 134; author reply 134. | 0.9 | 1 |
| 44 | Thyroid function tests in patients taking thyroid medication in Germany: Results from the population-based Study of Health in Pomerania (SHIP). BMC Research Notes, 2010, 3, 227. | 1.4 | 21 |
| 45 | Reference Intervals for Aldosterone, Renin, and the Aldosterone-to-Renin Ratio in the Population-based Study of Health in Pomerania (SHIP-1). Hormone and Metabolic Research, 2010, 42, 392-399. | 1.5 | 45 |