

# Colin Greaves

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9300335/publications.pdf>

Version: 2024-02-01

117  
papers

6,407  
citations

126708

33  
h-index

71532

76  
g-index

120  
all docs

120  
docs citations

120  
times ranked

9574  
citing authors

#	ARTICLE	IF	CITATIONS
1	Planning implementation and scale-up of physical activity interventions for people with walking difficulties: study protocol for the process evaluation of the ComeBACK trial. <i>Trials</i> , 2022, 23, 40.	0.7	1
2	Quantity and specificity of action-plans as predictors of weight loss: analysis of data from the Norfolk Diabetes Prevention Study (NDPS). <i>Psychology and Health</i> , 2022, , 1-26.	1.2	0
3	Effect of a physical activity and behaviour maintenance programme on functional mobility decline in older adults: the REACT (Retirement in Action) randomised controlled trial. <i>Lancet Public Health</i> , The, 2022, 7, e316-e326.	4.7	26
4	Brief physical activity counselling by physiotherapists (BEHAVIOUR): protocol for an effectiveness-implementation hybrid type II cluster randomised controlled trial. <i>Implementation Science Communications</i> , 2022, 3, 39.	0.8	2
5	Cost-effectiveness of a physical activity and behaviour maintenance programme on functional mobility decline in older adults: an economic evaluation of the REACT (Retirement in Action) trial. <i>Lancet Public Health</i> , The, 2022, 7, e327-e334.	4.7	10
6	Delivery fidelity of the REACT (REtirement in ACTion) physical activity and behaviour maintenance intervention for community dwelling older people with mobility limitations. <i>BMC Public Health</i> , 2022, 22, .	1.2	8
7	A pragmatic effectiveness-implementation study comparing trial evidence with routinely collected outcome data for patients receiving the REACH-HF home-based cardiac rehabilitation programme. <i>BMC Cardiovascular Disorders</i> , 2022, 22, .	0.7	1
8	Barriers and facilitators to implementation of a home-based cardiac rehabilitation programme for patients with heart failure in the NHS: a mixed-methods study. <i>BMJ Open</i> , 2022, 12, e060221.	0.8	4
9	Correspondence to the <i>EJPC</i> in response to position paper by Ambrosetti M et al. 2020: Cardiovascular rehabilitation and COVID-19: The need to maintain access to evidence-based services from the safety of home. <i>European Journal of Preventive Cardiology</i> , 2021, 28, e23-e24.	0.8	7
10	Lifestyle Intervention With or Without Lay Volunteers to Prevent Type 2 Diabetes in People With Impaired Fasting Glucose and/or Nondiabetic Hyperglycemia. <i>JAMA Internal Medicine</i> , 2021, 181, 168.	2.6	33
11	Digital interventions for promoting exercise adherence in chronic musculoskeletal pain: a systematic review and meta-analysis. <i>Physiotherapy</i> , 2021, 111, 23-30.	0.2	15
12	Process evaluation of a randomised pilot trial of home-based rehabilitation compared to usual care in patients with heart failure with preserved ejection fraction and their caregivers'™s. <i>Pilot and Feasibility Studies</i> , 2021, 7, 11.	0.5	9
13	A facilitated home-based cardiac rehabilitation intervention for people with heart failure and their caregivers: a research programme including the REACH-HF RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-100.	0.4	8
14	A novel method for assessing design fidelity in web-based behavioral interventions.. <i>Health Psychology</i> , 2021, 40, 217-225.	1.3	9
15	Current Practice of Physical Activity Counselling within Physiotherapy Usual Care and Influences on Its Use: A Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4762.	1.2	2
16	Effects of the Norfolk diabetes prevention lifestyle intervention (NDPS) on glycaemic control in screen-detected type 2 diabetes: a randomised controlled trial. <i>BMC Medicine</i> , 2021, 19, 183.	2.3	4
17	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. <i>British Journal of Sports Medicine</i> , 2021, 55, 444-450.	3.1	10
18	ImpulsePal: The systematic development of a smartphone app to manage food temptations using intervention mapping. <i>Digital Health</i> , 2021, 7, 205520762110576.	0.9	6

#	ARTICLE	IF	CITATIONS
19	A systematic review of provider-and system-level factors influencing the delivery of cardiac rehabilitation for heart failure. BMC Health Services Research, 2021, 21, 1267.	0.9	11
20	Feasibility Trial Evaluation of a Peer Volunteering Active Aging Intervention: ACE (Active, Connected,) Tj ETQq0 0 0 rBT /Overlock 10 Tf 2.3	2.3	22
21	Getting evidence into clinical practice: protocol for evaluation of the implementation of a home-based cardiac rehabilitation programme for patients with heart failure. BMJ Open, 2020, 10, e036137.	0.8	6
22	The Tribulations of Trials: Lessons Learnt Recruiting 777 Older Adults Into REtirement in ACTION (REACT), a Trial of a Community, Group-Based Active Aging Intervention Targeting Mobility Disability. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2387-2395.	1.7	13
23	Systematic review of the effect of training interventions on the skills of health professionals in promoting health behaviour, with meta-analysis of subsequent effects on patient health behaviours. BMC Health Services Research, 2020, 20, 593.	0.9	16
24	The value of social practice theory for implementation science: learning from a theory-based mixed methods process evaluation of a randomised controlled trial. BMC Medical Research Methodology, 2020, 20, 181.	1.4	9
25	A novel behavioural INTERvention to REduce Sitting Time in older adults undergoing orthopaedic surgery (INTEREST): results of a randomised-controlled feasibility study. Aging Clinical and Experimental Research, 2020, 32, 2565-2585.	1.4	6
26	The dynamics of decision-making in weight loss and maintenance: a qualitative enquiry. BMC Public Health, 2020, 20, 573.	1.2	6
27	Ecological momentary assessment of mood and physical activity in people with depression. Journal of Affective Disorders, 2020, 271, 293-299.	2.0	12
28	Randomised controlled trial of tailored support to increase physical activity and reduce smoking in smokers not immediately ready to quit: protocol for the Trial of physical Activity-assisted Reduction of Smoking (TARS) Study. BMJ Open, 2020, 10, e043331.	0.8	6
29	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. Health Technology Assessment, 2020, 24, 1-106.	1.3	10
30	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. BMJ Open, 2020, 10, e034696.	0.8	1
31	Physical activity coaching for adults with mobility limitations: protocol for the ComeBACK pragmatic hybrid effectiveness-implementation type 1 randomised controlled trial. BMJ Open, 2020, 10, e034696.	0.8	4
32	â€˜We're all in the same boatâ€™™: A qualitative study on how groups work in a diabetes prevention and management programme. British Journal of Health Psychology, 2019, 24, 787-805.	1.9	17
33	Caregiver outcomes of the REACH-HF multicentre randomized controlled trial of home-based rehabilitation for heart failure with reduced ejection fraction. European Journal of Cardiovascular Nursing, 2019, 18, 611-620.	0.4	35
34	Identifying change processes in group-based health behaviour-change interventions: development of the mechanisms of action in group-based interventions (MAGI) framework. Health Psychology Review, 2019, 13, 227-247.	4.4	111
35	The cost effectiveness of REACH-HF and home-based cardiac rehabilitation compared with the usual medical care for heart failure with reduced ejection fraction: A decision model-based analysis. European Journal of Preventive Cardiology, 2019, 26, 1252-1261.	0.8	36
36	Recruitment, retention, and training of people with type 2 diabetes as diabetes prevention mentors (DPM) to support a healthcare professional-delivered diabetes prevention program: the Norfolk Diabetes Prevention Study (NDPS). BMJ Open Diabetes Research and Care, 2019, 7, e000619.	1.2	8

#	ARTICLE	IF	CITATIONS
37	Home-based rehabilitation for heart failure with reduced ejection fraction: mixed methods process evaluation of the REACH-HF multicentre randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e026039.	0.8	24
38	The community-based prevention of diabetes (ComPoD) study: a randomised, waiting list controlled trial of a voluntary sector-led diabetes prevention programme. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 112.	2.0	10
39	The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: The REACH-HF multicentre randomized controlled trial. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 262-272.	0.8	96
40	Feasibility Randomized Controlled Trial of ImpulsePal: Smartphone App-Based Weight Management Intervention to Reduce Impulsive Eating in Overweight Adults. <i>JMIR Formative Research</i> , 2019, 3, e11586.	0.7	18
41	Developing and applying a framework to understand mechanisms of action in group-based, behaviour change interventions: the MAGI mixed-methods study. <i>Efficacy and Mechanism Evaluation</i> , 2019, 6, 1-162.	0.9	7
42	Group-Based Diet and Physical Activity Weight-Loss Interventions: A Systematic Review and Meta-Analysis of Randomised Controlled Trials. <i>Applied Psychology: Health and Well-Being</i> , 2018, 10, 62-86.	1.6	106
43	Informing the development of online weight management interventions: a qualitative investigation of primary care patient perceptions. <i>BMC Obesity</i> , 2018, 5, 7.	3.1	13
44	47...Rehabilitation enablement in chronic heart failure (reach-HF) a multicentre randomised controlled trial of facilitated self-care rehabilitation intervention in heart failure with reduced ejection fraction. , 2018, , .		0
45	Reprint of: Blood Sugar Regulation for Cardiovascular Health Promotion and Disease Prevention. <i>Journal of the American College of Cardiology</i> , 2018, 72, 3071-3086.	1.2	2
46	Blood Sugar Regulation for Cardiovascular Health Promotion and Disease Prevention. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1829-1844.	1.2	32
47	Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. <i>BMJ Open</i> , 2018, 8, e022382.	0.8	6
48	A community-based physical activity intervention to prevent mobility-related disability for retired older people (REtirement in ACTION (REACT)): study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 228.	0.7	26
49	Intervention delivery fidelity assessment of a counseling-based intervention for promoting smoking reduction and increasing physical activity.. <i>Health Psychology</i> , 2018, 37, 627-637.	1.3	13
50	A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. <i>BMJ Open</i> , 2018, 8, e019649.	0.8	66
51	Web-Based Intervention Using Behavioral Activation and Physical Activity for Adults With Depression (The eMotion Study): Pilot Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e10112.	2.1	62
52	Metformin in non-diabetic hyperglycaemia: the GLINT feasibility RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-64.	1.3	28
53	Study Protocol: The Norfolk Diabetes Prevention Study [NDPS]: a 46-month multi - centre, randomised, controlled parallel group trial of a lifestyle intervention [with or without additional support from lay lifestyle mentors with Type 2 diabetes] to prevent transition to Type 2 diabetes in high risk groups with non - diabetic hyperglycaemia. or impaired fasting glucose. <i>BMC Public Health</i> , 2017, 17, 31.	1.2	16
54	The impact of Type 2 diabetes prevention programmes based on risk-identification and lifestyle intervention intensity strategies: a cost-effectiveness analysis. <i>Diabetic Medicine</i> , 2017, 34, 632-640.	1.2	29

#	ARTICLE	IF	CITATIONS
55	Understanding the challenge of weight loss maintenance: a systematic review and synthesis of qualitative research on weight loss maintenance. <i>Health Psychology Review</i> , 2017, 11, 145-163.	4.4	126
56	Cost-effectiveness of population-based, community, workplace and individual policies for diabetes prevention in the UK. <i>Diabetic Medicine</i> , 2017, 34, 1136-1144.	1.2	30
57	Development of a web-based intervention (eMotion) based on behavioural activation to promote physical activity in people with depression. <i>Mental Health and Physical Activity</i> , 2017, 13, 120-136.	0.9	13
58	P91...Mechanisms of action in group-based interventions (magi) study: a framework of change processes in group-based health interventions. , 2017, , .		0
59	Assessment of fidelity in individual level behaviour change interventions promoting physical activity among adults: a systematic review. <i>BMC Public Health</i> , 2017, 17, 765.	1.2	64
60	Preference for different relaxation techniques by COPD patients: comparison between six techniques. <i>International Journal of COPD</i> , 2016, Volume 11, 2315-2319.	0.9	16
61	Factors associated with study attrition in a pilot randomised controlled trial to explore the role of exercise-assisted reduction to stop (EARS) smoking in disadvantaged groups. <i>Trials</i> , 2016, 17, 524.	0.7	14
62	Optimising self-care support for people with heart failure and their caregivers: development of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) intervention using intervention mapping. <i>Pilot and Feasibility Studies</i> , 2016, 2, 37.	0.5	51
63	Rehabilitation Enablement in Chronic Heart Failure "a facilitated self-care rehabilitation intervention in patients with heart failure with preserved ejection fraction (REACH-HFpEF) and their caregivers: rationale and protocol for a single-centre pilot randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e012853.	0.8	15
64	Self-directed interventions to promote weight loss: a systematic review and meta-analysis. <i>Health Psychology Review</i> , 2016, 10, 358-372.	4.4	30
65	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. <i>Nicotine and Tobacco Research</i> , 2016, 18, 289-297.	1.4	20
66	Techniques for modifying impulsive processes associated with unhealthy eating: A systematic review.. <i>Health Psychology</i> , 2016, 35, 793-806.	1.3	80
67	Clinical effectiveness and cost-effectiveness of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) facilitated self-care rehabilitation intervention in heart failure patients and caregivers: rationale and protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e009994.	0.8	29
68	Combining behavioural activation with physical activity promotion for adults with depression: findings of a parallel-group pilot randomised controlled trial (BACPAc). <i>Trials</i> , 2015, 16, 367.	0.7	30
69	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. <i>Trials</i> , 2015, 16, 1.	0.7	108
70	A checklist to improve reporting of group-based behaviour-change interventions. <i>BMC Public Health</i> , 2015, 15, 963.	1.2	111
71	Needs of caregivers in heart failure management: A qualitative study. <i>Chronic Illness</i> , 2015, 11, 304-319.	0.6	62
72	Understanding fear and anxiety in patients at the time of an exacerbation of chronic obstructive pulmonary disease: a qualitative study. <i>JRSM Open</i> , 2015, 6, 205427041561454.	0.2	23

#	ARTICLE	IF	CITATIONS
73	Waste the waist: a pilot randomised controlled trial of a primary care based intervention to support lifestyle change in people with high cardiovascular risk. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 1.	2.0	307
74	Processes of behavior change and weight loss in a theory-based weight loss intervention program: a test of the process model for lifestyle behavior change. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 2.	2.0	100
75	How can weight loss app designers' best engage and support users? A qualitative investigation. <i>British Journal of Health Psychology</i> , 2015, 20, 151-171.	1.9	131
76	Uptake of Behavior Change Techniques - a Key Focus for Process Analysis and for Intervention Delivery: a Comment on Hankonen et al.. <i>Annals of Behavioral Medicine</i> , 2015, 49, 1-2.	1.7	25
77	Diabetes Prevention in the Real World: Effectiveness of Pragmatic Lifestyle Interventions for the Prevention of Type 2 Diabetes and of the Impact of Adherence to Guideline Recommendations: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> 2014;37:922-933. <i>Diabetes Care</i> , 2014, 37, 1775-1776.	4.3	14
78	Weight loss maintenance: An agenda for health psychology. <i>British Journal of Health Psychology</i> , 2014, 19, 459-464.	1.9	24
79	A written self-help intervention for depressed adults comparing behavioural activation combined with physical activity promotion with a self-help intervention based upon behavioural activation alone: study protocol for a parallel group pilot randomised controlled trial (BACPAc). <i>Trials</i> , 2014, 15, 196.	0.7	21
80	Diabetes Prevention in the Real World: Effectiveness of Pragmatic Lifestyle Interventions for the Prevention of Type 2 Diabetes and of the Impact of Adherence to Guideline Recommendations. <i>Diabetes Care</i> , 2014, 37, 922-933.	4.3	448
81	Effective behavior change techniques in asthma self-care interventions: Systematic review and meta-regression.. <i>Health Psychology</i> , 2014, 33, 577-587.	1.3	37
82	Self-Directed Interventions to Promote Weight Loss: A Systematic Review of Reviews. <i>Journal of Medical Internet Research</i> , 2014, 16, e58.	2.1	74
83	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. <i>Health Technology Assessment</i> , 2014, 18, 1-324.	1.3	36
84	Processes of Change in an Asthma Self-Care Intervention. <i>Qualitative Health Research</i> , 2013, 23, 1419-1429.	1.0	14
85	GPs prescribing of strong opioid drugs for patients with chronic non-cancer pain: a qualitative study. <i>British Journal of General Practice</i> , 2013, 63, e821-e828.	0.7	20
86	Nonpharmacological interventions for the prevention of type 2 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2012, 8, 363-373.	4.3	108
87	Is hospitalisation for COPD an opportunity for advance care planning? A qualitative study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2012, 21, 261-266.	2.5	35
88	Frequency of non-asthma GP visits predicts asthma exacerbations: an observational study in general practice. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2012, 21, 405-411.	2.5	11
89	Waste the waist™: The development of an intervention to promote changes in diet and physical activity for people with high cardiovascular risk. <i>British Journal of Health Psychology</i> , 2012, 17, 327-345.	1.9	28
90	Supporting Health Behavior Change in General Practice. , 2012, , 157-170.		2

#	ARTICLE	IF	CITATIONS
91	An evaluation of the effectiveness of a community mentoring service for socially isolated older people: a controlled trial. BMC Public Health, 2011, 11, 218.	1.2	43
92	Evidence, theory and context - using intervention mapping to develop a school-based intervention to prevent obesity in children. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 73.	2.0	52
93	The impact of social isolation on the health status and health-related quality of life of older people. Quality of Life Research, 2011, 20, 57-67.	1.5	284
94	Systematic review of reviews of intervention components associated with increased effectiveness in dietary and physical activity interventions. BMC Public Health, 2011, 11, 119.	1.2	929
95	Interventions targeting social isolation in older people: a systematic review. BMC Public Health, 2011, 11, 647.	1.2	537
96	IMAGE: Development of a European curriculum for the training of prevention managers. British Journal of Diabetes and Vascular Disease, 2011, 11, 163-167.	0.6	13
97	Take Action to Prevent Diabetes – The IMAGE Toolkit for the Prevention of Type 2 Diabetes in Europe. Hormone and Metabolic Research, 2010, 42, S37-S55.	0.7	197
98	A European Evidence-Based Guideline for the Prevention of Type 2 Diabetes. Hormone and Metabolic Research, 2010, 42, S3-S36.	0.7	385
99	New guidance on diabetes prevention: will it make a difference?. British Journal of Diabetes and Vascular Disease, 2010, 10, 105-106.	0.6	0
100	Structural and Magnetic Characterisation of $\text{La}_{1-x}\text{Sr}_x\text{Co}_{0.5}\text{Mn}_{0.5}\text{O}_{4\pm\delta}$ ( $M = \text{Cr}, \text{Mn}$ ). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2009, 635, 1856-1862.	0.6	5
101	Inter-arm blood pressure difference in type 2 diabetes: a barrier to effective management?. British Journal of General Practice, 2009, 59, 428-432.	0.7	38
102	Exploration of the validity of weak magnets as a suitable placebo in trials of magnetic therapy. Complementary Therapies in Medicine, 2008, 16, 177-180.	1.3	5
103	Motivational interviewing for modifying diabetes risk: a randomised controlled trial. British Journal of General Practice, 2008, 58, 535-540.	0.7	93
104	Guidelines versus practice: UK asthma nurses often recommend intermittent, symptom-driven use of inhaled corticosteroids. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2008, 18, 114-117.	2.5	6
105	Development of an educational toolkit for health professionals and their patients with prediabetes: The WAKEUP study (Ways of Addressing Knowledge Education and Understanding in Pre-diabetes). Diabetic Medicine, 2007, 24, 770-777.	1.2	40
106	Supporting self-care in general practice. British Journal of General Practice, 2007, 57, 814-21.	0.7	43
107	Johrei Family Healing: A Pilot Study. Evidence-based Complementary and Alternative Medicine, 2006, 3, 533-540.	0.5	12
108	MARMA THERAPY FOR STROKE REHABILITATION – A PILOT STUDY. Journal of Rehabilitation Medicine, 2006, 38, 268-271.	0.8	16

#	ARTICLE	IF	CITATIONS
109	Effects of creative and social activity on the health and well-being of socially isolated older people: outcomes from a multi-method observational study. <i>Perspectives in Public Health</i> , 2006, 126, 134-142.	0.5	174
110	Patterns of corticosteroid medication use: non-adherence can be effective in milder asthma. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2005, 14, 99-105.	2.5	20
111	A simple pragmatic system for detecting new cases of type 2 diabetes and impaired fasting glycaemia in primary care. <i>Family Practice</i> , 2004, 21, 57-62.	0.8	29
112	Developing research management and governance capacity in primary care organizations: transferable learning from a qualitative evaluation of UK pilot sites. <i>Family Practice</i> , 2004, 21, 92-98.	0.8	20
113	Randomised controlled trial of magnetic bracelets for relieving pain in osteoarthritis of the hip and knee. <i>BMJ: British Medical Journal</i> , 2004, 329, 1450-1454.	2.4	78
114	Converting to insulin in primary care: an exploration of the needs of practice nurses. <i>Journal of Advanced Nursing</i> , 2003, 42, 487-496.	1.5	28
115	The use of interface workers to facilitate child and adolescent mental health services in primary care: a qualitative assessment. <i>Primary Health Care Research and Development</i> , 2003, 4, 169-176.	0.5	1
116	Attack context: an important mediator of the relationship between psychological status and asthma outcomes. <i>Thorax</i> , 2002, 57, 217-221.	2.7	30
117	Is targeted early detection for melanoma feasible? Self assessments of risk and attitudes to screening. <i>Journal of Medical Screening</i> , 2000, 7, 199-202.	1.1	31