

Alieta Eyles

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9303899/publications.pdf>

Version: 2024-02-01

63
papers

1,950
citations

218677

26
h-index

254184

43
g-index

64
all docs

64
docs citations

64
times ranked

2452
citing authors

#	ARTICLE	IF	CITATIONS
1	Feasibility of Mechanical Pollination in Tree Fruit and Nut Crops: A Review. <i>Agronomy</i> , 2022, 12, 1113.	3.0	6
2	Effect of peroxyacetic acid treatment and bruising on the bacterial community and shelf-life of baby spinach. <i>International Journal of Food Microbiology</i> , 2021, 343, 109086.	4.7	4
3	Suberin deposition in potato periderm: a novel resistance mechanism against tuber greening. <i>New Phytologist</i> , 2020, 225, 1273-1284.	7.3	18
4	Quantifying risk factors associated with light-induced potato tuber greening in retail stores. <i>PLoS ONE</i> , 2020, 15, e0235522.	2.5	6
5	Effect of harvest residue management on soil properties of Eucalyptus hybrid and Acacia mangium plantations planted on steep slopes in northern Vietnam. <i>Southern Forests</i> , 2020, 82, 159-169.	0.7	0
6	Potato Tuber Greening Risk is Associated with Tuber Nitrogen Content. <i>American Journal of Potato Research</i> , 2020, 97, 360-366.	0.9	5
7	Prediction of starch reserves in intact and ground grapevine cane wood tissues using near-infrared reflectance spectroscopy. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 2418-2424.	3.5	4
8	Effect of Storage Conditions on Shelf Stability of Undiluted Neutral Electrolyzed Water. <i>Journal of Food Protection</i> , 2020, 83, 1838-1843.	1.7	6
9	Quantifying risk factors associated with light-induced potato tuber greening in retail stores. , 2020, 15, e0235522.		0
10	Quantifying risk factors associated with light-induced potato tuber greening in retail stores. , 2020, 15, e0235522.		0
11	Quantifying risk factors associated with light-induced potato tuber greening in retail stores. , 2020, 15, e0235522.		0
12	Quantifying risk factors associated with light-induced potato tuber greening in retail stores. , 2020, 15, e0235522.		0
13	Removal of Grit from Baby Leafy Salad Vegetables by Combinations of Sanitiser and Surfactant. <i>Journal of Food Quality</i> , 2019, 2019, 1-8.	2.6	2
14	Recent advances in postharvest technologies to extend the shelf life of blueberries (<i>Vaccinium</i> sp.), raspberries (<i>Rubus idaeus</i> L.) and blackberries (<i>Rubus</i> sp.). <i>Journal of Berry Research</i> , 2019, 9, 687-707.	1.4	32
15	Maximising growth and sawlog production from Acacia hybrid plantations in Vietnam. <i>New Forests</i> , 2019, 50, 785-804.	1.7	5
16	Innovative processes and technologies for modified atmosphere packaging of fresh and fresh-cut fruits and vegetables. <i>Critical Reviews in Food Science and Nutrition</i> , 2019, 59, 411-422.	10.3	117
17	Potato Tuber Greening: a Review of Predisposing Factors, Management and Future Challenges. <i>American Journal of Potato Research</i> , 2018, 95, 248-257.	0.9	35
18	Screening for host responses in <i>Acacia</i> to a canker and wilt pathogen, <i>Ceratocystis manginecans</i> . <i>Forest Pathology</i> , 2018, 48, e12390.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Impact of management regimes on fruit quality of sweet cherry (<i>Prunus avium</i> L.). <i>Agroecology and Sustainable Food Systems</i> , 2018, 42, 493-503.	1.9	5
20	Contribution of Harvest Residues to Nutrient Cycling in a Tropical <i>Acacia mangium</i> Willd. Plantation. <i>Forests</i> , 2018, 9, 577.	2.1	15
21	Impact of enhanced efficiency fertilizers on potato productivity in a temperate cropping system. <i>Soil Use and Management</i> , 2018, 34, 439-448.	4.9	3
22	Impact of biochar application on the productivity of a temperate vegetable cropping system. <i>New Zealand Journal of Crop and Horticultural Science</i> , 2017, 45, 277-288.	1.3	12
23	Quantifying stem discoloration and decay following pruning and thinning an <i>Acacia</i> hybrid plantation. <i>Forest Pathology</i> , 2017, 47, e12312.	1.1	3
24	Comparison of soil properties under tropical <i>Acacia</i> hybrid plantation and shifting cultivation land use in northern Vietnam. <i>Southern Forests</i> , 2017, 79, 9-18.	0.7	11
25	Structural host responses of <i>Acacia mangium</i> and <i>Eucalyptus pellita</i> to artificial infection with the root rot pathogen, <i>Ganoderma philippii</i> . <i>Forest Pathology</i> , 2016, 46, 369-375.	1.1	4
26	Growth and physiology of <i>Hopea odorata</i> planted within gaps in an acacia plantation acting as a nurse crop. <i>Plant Ecology and Diversity</i> , 2016, 9, 549-562.	2.4	4
27	Recovery after defoliation in <i>Eucalyptus globulus</i> saplings: respiration and growth. <i>Trees - Structure and Function</i> , 2016, 30, 1543-1555.	1.9	2
28	Evaluating relative contribution of osmotolerance and tissue tolerance mechanisms toward salinity stress tolerance in three <i>Brassica</i> species. <i>Physiologia Plantarum</i> , 2016, 158, 135-151.	5.2	58
29	Predicting productivity of <i>Acacia</i> hybrid plantations for a range of climates and soils in Vietnam. <i>Forest Ecology and Management</i> , 2016, 367, 97-111.	3.2	27
30	Soil carbon sequestration in cool-temperate dryland pastures: mechanisms and management options. <i>Soil Research</i> , 2015, 53, 349.	1.1	14
31	Impact of biochar amendment on the growth, physiology and fruit of a young commercial apple orchard. <i>Trees - Structure and Function</i> , 2015, 29, 1817-1826.	1.9	40
32	Ecophysiology of <i>Acacia</i> species in wet-dry tropical plantations. <i>Southern Forests</i> , 2015, 77, 287-296.	0.7	5
33	Crown damage by the aphid <i>Essigella californica</i> in a <i>Pinus radiata</i> plantation in southern New South Wales: causality and related management issues. <i>Australian Forestry</i> , 2013, 76, 16-24.	0.9	4
34	Impact of defoliation in temperate eucalypt plantations: Physiological perspectives and management implications. <i>Forest Ecology and Management</i> , 2013, 304, 49-64.	3.2	28
35	Whole-plant versus leaf-level regulation of photosynthetic responses after partial defoliation in <i>Eucalyptus globulus</i> saplings. <i>Journal of Experimental Botany</i> , 2013, 64, 1625-1636.	4.8	49
36	Consequences of resource limitation for recovery from repeated defoliation in <i>Eucalyptus globulus</i> Labillardiere. <i>Tree Physiology</i> , 2012, 32, 24-35.	3.1	27

#	ARTICLE	IF	CITATIONS
37	Ecophysiological responses of a young blue gum (<i>Eucalyptus globulus</i>) plantation to weed control. <i>Tree Physiology</i> , 2012, 32, 1008-1020.	3.1	22
38	Quantifying stem growth loss at the tree-level in a <i>Pinus radiata</i> plantation to repeated attack by the aphid, <i>Essigella californica</i> . <i>Forest Ecology and Management</i> , 2011, 261, 120-127.	3.2	21
39	Differential effects of nutrient availability on the secondary metabolism of Austrian pine (<i>Pinus</i>) Tj ETQq1 1 0.784314 rgBT /Overlo 1.1 26	1.1	26
40	Are gas exchange responses to resource limitation and defoliation linked to source:sink relationships?. <i>Plant, Cell and Environment</i> , 2011, 34, 1652-1665.	5.7	49
41	Photosynthetic responses of field-grown <i>Pinus radiata</i> trees to artificial and aphid-induced defoliation. <i>Tree Physiology</i> , 2011, 31, 592-603.	3.1	41
42	Stable and Extreme Resistance to Common Scab of Potato Obtained Through Somatic Cell Selection. <i>Phytopathology</i> , 2010, 100, 460-467.	2.2	44
43	Induced resistance to pests and pathogens in trees. <i>New Phytologist</i> , 2010, 185, 893-908.	7.3	256
44	Seasonal patterns of foliage respiration in dominant and suppressed <i>Eucalyptus globulus</i> canopies. <i>Tree Physiology</i> , 2010, 30, 957-968.	3.1	15
45	Shifts in biomass and resource allocation patterns following defoliation in <i>Eucalyptus globulus</i> growing with varying water and nutrient supplies. <i>Tree Physiology</i> , 2009, 29, 753-764.	3.1	110
46	Role of cortical photosynthesis following defoliation in <i>Eucalyptus globulus</i> . <i>Plant, Cell and Environment</i> , 2009, 32, 1004-1014.	5.7	38
47	Enhanced resistance to common scab of potato through somatic cell selection in cv. Iwa with the phytotoxin thaxtomin A. <i>Plant Pathology</i> , 2009, 58, 137-144.	2.4	34
48	Phenolic Metabolites in Leaves of the Invasive Shrub, <i>Lonicera maackii</i> , and Their Potential Phytotoxic and Anti-Herbivore Effects. <i>Journal of Chemical Ecology</i> , 2008, 34, 144-152.	1.8	133
49	Effects of Fertilization and Fungal and Insect Attack on Systemic Protein Defenses of Austrian Pine. <i>Journal of Chemical Ecology</i> , 2008, 34, 1392-1400.	1.8	16
50	Systemic induction of phloem secondary metabolism and its relationship to resistance to a canker pathogen in Austrian pine. <i>New Phytologist</i> , 2008, 177, 767-778.	7.3	106
51	Management of fungal root rot pathogens in tropical <i>Acacia mangium</i> plantations. <i>Forest Pathology</i> , 2008, 38, 332-355.	1.1	33
52	Organ-dependent induction of systemic resistance and systemic susceptibility in <i>Pinus nigra</i> inoculated with <i>Sphaeropsis sapinea</i> and <i>Diplodia scrobiculata</i> . <i>Tree Physiology</i> , 2007, 27, 511-517.	3.1	65
53	Comparative Phloem Chemistry of Manchurian (<i>Fraxinus mandshurica</i>) and Two North American Ash Species (<i>Fraxinus americana</i> and <i>Fraxinus pennsylvanica</i>). <i>Journal of Chemical Ecology</i> , 2007, 33, 1430-1448.	1.8	110
54	Phenolic Chemistry of Coast Live Oak Response to <i>Phytophthora ramorum</i> Infection. <i>Journal of Chemical Ecology</i> , 2007, 33, 1721-1732.	1.8	36

#	ARTICLE	IF	CITATIONS
55	Cross-induction of systemic induced resistance between an insect and a fungal pathogen in Austrian pine over a fertility gradient. <i>Oecologia</i> , 2007, 153, 365-374.	2.0	40
56	Systemic aspects of host-pathogen interactions in Austrian pine (<i>Pinus nigra</i>): A proteomics approach. <i>Physiological and Molecular Plant Pathology</i> , 2006, 68, 149-157.	2.5	27
57	Role of <i>Eucalyptus globulus</i> wound wood extractives: evidence of superoxide dismutase-like activity. <i>Forest Pathology</i> , 2004, 34, 225-232.	1.1	15
58	Traumatic oil glands induced by pruning in the wound-associated phloem of <i>Eucalyptus globulus</i> : chemistry and histology. <i>Trees - Structure and Function</i> , 2004, 18, 204-210.	1.9	11
59	Novel detection of formylated phloroglucinol compounds (FPCs) in the wound wood of <i>Eucalyptus globulus</i> and <i>E. nitens</i> . <i>Journal of Chemical Ecology</i> , 2003, 29, 881-898.	1.8	37
60	Host responses to natural infection by <i>Cytospora</i> sp. in the aerial bark of <i>Eucalyptus globulus</i> . <i>Forest Pathology</i> , 2003, 33, 317-331.	1.1	31
61	Wound wood formation in <i>Eucalyptus globulus</i> and <i>Eucalyptus nitens</i> : anatomy and chemistry. <i>Canadian Journal of Forest Research</i> , 2003, 33, 2331-2339.	1.7	38
62	Kino vein formation in <i>Eucalyptus globulus</i> and <i>E. nitens</i> . <i>Australian Forestry</i> , 2003, 66, 206-212.	0.9	18
63	COMPARISON OF CEPA (2-CHLOROETHYL PHOSPHONIC ACID) INDUCED RESPONSES IN JUVENILE <i>EUCALYPTUS NITENS</i> , <i>E. GLOBULUS</i> AND <i>E. OBLIQUA</i> : A HISTOCHEMICAL AND ANATOMICAL STUDY. <i>IAWA Journal</i> , 2002, 23, 419-430.	2.7	10