

James P Tam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9304165/publications.pdf>

Version: 2024-02-01

329
papers

20,208
citations

9786

73
h-index

13771

129
g-index

341
all docs

341
docs citations

341
times ranked

13686
citing authors

#	ARTICLE	IF	CITATIONS
1	Asparaginyl Endopeptidase-Mediated Protein C-Terminal Hydrazinolysis for the Synthesis of Bioconjugates. <i>Bioconjugate Chemistry</i> , 2022, 33, 238-247.	3.6	6
2	Vypal2: A Versatile Peptide Ligase for Precision Tailoring of Proteins. <i>International Journal of Molecular Sciences</i> , 2022, 23, 458.	4.1	5
3	Hololectin Interdomain Linker Determines Asparaginyl Endopeptidase-Mediated Maturation of Antifungal Hevein-Like Peptides in Oats. <i>Frontiers in Plant Science</i> , 2022, 13, .	3.6	10
4	PAL-Mediated Ligation for Protein and Cell-Surface Modification. <i>Methods in Molecular Biology</i> , 2022, , 177-193.	0.9	3
5	Characterization and application of natural and recombinant butelase-1 to improve industrial enzymes by end-to-end circularization. <i>RSC Advances</i> , 2021, 11, 23105-23112.	3.6	12
6	Discovery of Hyperstable Noncanonical Plant-Derived Epidermal Growth Factor Receptor Agonist and Analogs. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 7746-7759.	6.4	13
7	pH-Controlled Protein Orthogonal Ligation Using Asparaginyl Peptide Ligases. <i>Journal of the American Chemical Society</i> , 2021, 143, 8704-8712.	13.7	25
8	Identification and characterization of a wolfberry carboxypeptidase inhibitor from <i>Lycium barbarum</i> . <i>Food Chemistry</i> , 2021, 351, 129338.	8.2	7
9	Anti-Fungal Hevein-like Peptides Biosynthesized from Quinoa Cleavable Hololectins. <i>Molecules</i> , 2021, 26, 5909.	3.8	18
10	N ¹³ â€Hydroxyasparagine: A Multifunctional Unnatural Amino Acid That is a Good P1 Substrate of Asparaginyl Peptide Ligases. <i>Angewandte Chemie</i> , 2021, 133, 22381-22385.	2.0	1
11	N ¹³ â€Hydroxyasparagine: A Multifunctional Unnatural Amino Acid That is a Good P1 Substrate of Asparaginyl Peptide Ligases. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 22207-22211.	13.8	5
12	Engineering protein theranostics using bio-orthogonal asparaginyl peptide ligases. <i>Theranostics</i> , 2021, 11, 5863-5875.	10.0	17
13	Site-Specific Protein Modifications by an Engineered Asparaginyl Endopeptidase from <i>Viola canadensis</i> . <i>Frontiers in Chemistry</i> , 2021, 9, 768854.	3.6	3
14	The legumain McPAL1 from <i>Momordica cochinchinensis</i> is a highly stable Asx-specific splicing enzyme. <i>Journal of Biological Chemistry</i> , 2021, 297, 101325.	3.4	9
15	Immobilized Peptide Asparaginyl Ligases Enhance Stability and Facilitate Macrocyclization and Site-Specific Ligation. <i>Journal of Organic Chemistry</i> , 2020, 85, 1504-1512.	3.2	19
16	Cyclization of a G4-specific peptide enhances its stability and G-quadruplex binding affinity. <i>Chemical Communications</i> , 2020, 56, 1082-1084.	4.1	22
17	Construction of Fe ₃ O ₄ @Î±-glucosidase magnetic nanoparticles for ligand fishing of Î±-glucosidase inhibitors from a natural tonic <i>Epimedium Folium</i> . <i>International Journal of Biological Macromolecules</i> , 2020, 165, 1361-1372.	7.5	22
18	Tagging Transferrin Receptor with a Disulfide FRET Probe To Gauge the Redox State in Endosomal Compartments. <i>Analytical Chemistry</i> , 2020, 92, 12460-12466.	6.5	20

#	ARTICLE	IF	CITATIONS
19	Turning an Asparaginyl Endopeptidase into a Peptide Ligase. <i>ACS Catalysis</i> , 2020, 10, 8825-8834.	11.2	29
20	Peptide asparaginyl ligasesâ€”renegade peptide bond makers. <i>Science China Chemistry</i> , 2020, 63, 296-307.	8.2	19
21	Hyperstable Cellâ€”Penetrating Peptides from Medicinal Plants. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0
22	Cysteine-Rich Peptide Fingerprinting as a General Method for Herbal Analysis to Differentiate Radix Astragali and Radix Hedysarum. <i>Frontiers in Plant Science</i> , 2019, 10, 973.	3.6	8
23	LIR Motif-Containing Hyperdisulfide Î²-Ginkgotide is Cytoprotective, Adaptogenic, and Scaffold-Ready. <i>Molecules</i> , 2019, 24, 2417.	3.8	4
24	Prooxidant modifications in the cryptome of beef jerky, the deleterious post-digestion composition of processed meat snacks. <i>Food Research International</i> , 2019, 125, 108569.	6.2	3
25	Eco-efficient biphasic enzymatic hydrolysis for the green production of rare baohuoside I. <i>Enzyme and Microbial Technology</i> , 2019, 131, 109431.	3.2	14
26	Plant-derived mitochondria-targeting cysteine-rich peptide modulates cellular bioenergetics. <i>Journal of Biological Chemistry</i> , 2019, 294, 4000-4011.	3.4	30
27	Self-powered, on-demand transdermal drug delivery system driven by triboelectric nanogenerator. <i>Nano Energy</i> , 2019, 62, 610-619.	16.0	99
28	Butelase 1-Mediated Ligation of Peptides and Proteins. <i>Methods in Molecular Biology</i> , 2019, 2012, 83-109.	0.9	11
29	Structural determinants for peptide-bond formation by asparaginyl ligases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 11737-11746.	7.1	81
30	Hypoxia-induced tumor exosomes promote M2-like macrophage polarization of infiltrating myeloid cells and microRNA-mediated metabolic shift. <i>Oncogene</i> , 2019, 38, 5158-5173.	5.9	212
31	Potentides: New Cysteineâ€”Rich Peptides with Unusual Disulfide Connectivity from <i>Potentilla anserina</i> . <i>ChemBioChem</i> , 2019, 20, 1995-2004.	2.6	10
32	Astratides: Insulin-Modulating, Insecticidal, and Antifungal Cysteine-Rich Peptides from <i>Astragalus membranaceus</i> . <i>Journal of Natural Products</i> , 2019, 82, 194-204.	3.0	21
33	Ligase-Controlled Cyclo-oligomerization of Peptides. <i>Organic Letters</i> , 2019, 21, 2029-2032.	4.6	13
34	Roseltide rT7 is a disulfide-rich, anionic, and cell-penetrating peptide that inhibits proteasomal degradation. <i>Journal of Biological Chemistry</i> , 2019, 294, 19604-19615.	3.4	21
35	Convenient preparation of sagittatoside B, a rare bioactive secondary flavonol glycoside, by recyclable and integrated biphasic enzymatic hydrolysis. <i>Enzyme and Microbial Technology</i> , 2019, 121, 51-58.	3.2	12
36	A novel PCR-based technology for rapid and non-sequencing authentication of <i>Bombyx batryticatus</i> using species-specific primers. <i>Natural Product Research</i> , 2019, 33, 1251-1256.	1.8	7

#	ARTICLE	IF	CITATIONS
37	Pulsed SILAC-based proteomic analysis unveils hypoxia- and serum starvation-induced <i>de novo</i> protein synthesis with PHD finger protein 14 (PHF14) as a hypoxia sensitive epigenetic regulator in cell cycle progression. <i>Oncotarget</i> , 2019, 10, 2136-2150.	1.8	19
38	Identification of a Naturally-occurring Heparin-binding Peptide Preferentially Targeting the Nucleolus. <i>FASEB Journal</i> , 2019, 33, 471.13.	0.5	0
39	Discovery of a Plant-derived Cell-penetrating Proteasome Inhibitor. <i>FASEB Journal</i> , 2019, 33, 634.6.	0.5	0
40	Butelase: Linkage-specific Ligase. <i>FASEB Journal</i> , 2019, 33, 783.4.	0.5	0
41	Peptidomic Identification of Cysteine-Rich Peptides from Plants. <i>Methods in Molecular Biology</i> , 2018, 1719, 379-393.	0.9	7
42	Establishment of a rapid method to quantify eight flavonol glycosides for quality assessment of red toon using UPLC. <i>Acta Chromatographica</i> , 2018, 30, 31-37.	1.3	7
43	Construction of a novel catalysis system for clean and efficient preparation of Baohuoside I from Icaria based on biphasic enzymatic hydrolysis. <i>Journal of Cleaner Production</i> , 2018, 170, 727-734.	9.3	12
44	Ginsentides: Cysteine and Glycine-rich Peptides from the Ginseng Family with Unusual Disulfide Connectivity. <i>Scientific Reports</i> , 2018, 8, 16201.	3.3	26
45	Vascular Bed Molecular Profiling by Differential Systemic Decellularization In Vivo. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 2396-2409.	2.4	16
46	One-Pot Dual Labeling of IgG 1 and Preparation of C-to-C Fusion Proteins Through a Combination of Sortase A and Butelase 1. <i>Bioconjugate Chemistry</i> , 2018, 29, 3245-3249.	3.6	72
47	Identification and application of self-binding zipper-like sequences in SARS-CoV spike protein. <i>International Journal of Biochemistry and Cell Biology</i> , 2018, 101, 103-112.	2.8	6
48	Molecular diversity and function of jasmintides from <i>Jasminum sambac</i> . <i>BMC Plant Biology</i> , 2018, 18, 144.	3.6	8
49	Immobilization and Intracellular Delivery of Circular Proteins by Modifying a Genetically Incorporated Unnatural Amino Acid. <i>Bioconjugate Chemistry</i> , 2018, 29, 2170-2175.	3.6	22
50	Mitochondria-targeting peptide from <i>Hibiscus sabdariffa</i> . <i>FASEB Journal</i> , 2018, 32, 530.10.	0.5	0
51	DNA-binding peptide dendrimer for efficient and selective intracellular delivery. <i>FASEB Journal</i> , 2018, 32, 530.30.	0.5	0
52	Dietary phytochemical PEITC restricts tumor development via modulation of epigenetic writers and erasers. <i>Scientific Reports</i> , 2017, 7, 40569.	3.3	29
53	Engineering a Catalytically Efficient Recombinant Protein Ligase. <i>Journal of the American Chemical Society</i> , 2017, 139, 5351-5358.	13.7	153
54	Enzymatic Engineering of Live Bacterial Cell Surfaces Using Butelase...1. <i>Angewandte Chemie</i> , 2017, 129, 7930-7933.	2.0	12

#	ARTICLE	IF	CITATIONS
55	Enzymatic Engineering of Live Bacterial Cell Surfaces Using Butelaseâ€¦1. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 7822-7825.	13.8	63
56	An Orally Active Bradykinin B ₁ Receptor Antagonist Engineered as a Bifunctional Chimera of Sunflower Trypsin Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 504-510.	6.4	39
57	Î²-Ginkgotides: Hyperdisulfide-constrained peptides from <i>Ginkgo biloba</i> . <i>Scientific Reports</i> , 2017, 7, 6140.	3.3	11
58	Lybatides from <i>Lycium barbarum</i> Contain An Unusual Cystine-stapled Helical Peptide Scaffold. <i>Scientific Reports</i> , 2017, 7, 5194.	3.3	13
59	Morintides: cargo-free chitin-binding peptides from <i>Moringa oleifera</i> . <i>BMC Plant Biology</i> , 2017, 17, 68.	3.6	33
60	Vaccatides: Antifungal Glutamine-Rich Hevein-Like Peptides from <i>Vaccaria hispanica</i> . <i>Frontiers in Plant Science</i> , 2017, 8, 1100.	3.6	23
61	Bleogens: Cactus-Derived Anti-Candida Cysteine-Rich Peptides with Three Different Precursor Arrangements. <i>Frontiers in Plant Science</i> , 2017, 8, 2162.	3.6	30
62	Macrocyclic Antimicrobial Peptides Engineered from Î‰-Conotoxin. <i>Current Pharmaceutical Design</i> , 2017, 23, 2131-2138.	1.9	21
63	Human Coronaviruses: A Review of Virusâ€œHost Interactions. <i>Diseases (Basel, Switzerland)</i> , 2016, 4, 26.	2.5	474
64	Ginkgotides: Proline-Rich Hevein-Like Peptides from Gymnosperm <i>Ginkgo biloba</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 1639.	3.6	29
65	Immunostimulating and Gramâ€negativeâ€specific antibacterial cyclotides from the butterfly pea (<i>Clitoria ternatea</i>). <i>FEBS Journal</i> , 2016, 283, 2067-2090.	4.7	49
66	Identification and Characterization of Roseltide, a Knottin-type Neutrophil Elastase Inhibitor Derived from <i>Hibiscus sabdariffa</i> . <i>Scientific Reports</i> , 2016, 6, 39401.	3.3	35
67	A more ecological and efficient approach for producing diosgenin from <i>Dioscorea zingiberensis</i> tubers via pressurized biphasic acid hydrolysis. <i>Journal of Cleaner Production</i> , 2016, 131, 10-19.	9.3	38
68	Butelase-mediated cyclization and ligation of peptides and proteins. <i>Nature Protocols</i> , 2016, 11, 1977-1988.	12.0	95
69	Butelaseâ€Mediated Macrocyclization of <sc>d</sc>â€Aminoâ€Acidâ€Containing Peptides. <i>Angewandte Chemie</i> , 2016, 128, 12994-12998.	2.0	17
70	Commercial processed soy-based food product contains glycosylated and glycosylated lunasin proteoforms. <i>Scientific Reports</i> , 2016, 6, 26106.	3.3	22
71	Butelaseâ€Mediated Macrocyclization of <sc>d</sc>â€Aminoâ€Acidâ€Containing Peptides. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 12802-12806.	13.8	82
72	Butelase-Mediated Ligation as an Efficient Bioconjugation Method for the Synthesis of Peptide Dendrimers. <i>Bioconjugate Chemistry</i> , 2016, 27, 2592-2596.	3.6	40

#	ARTICLE	IF	CITATIONS
73	A high-throughput peptidomic strategy to decipher the molecular diversity of cyclic cysteine-rich peptides. <i>Scientific Reports</i> , 2016, 6, 23005.	3.3	48
74	Total Synthesis of Circular Bacteriocins by Butelase 1. <i>Journal of the American Chemical Society</i> , 2016, 138, 6968-6971.	13.7	90
75	Dementia-linked amyloidosis is associated with brain protein deamidation as revealed by proteomic profiling of human brain tissues. <i>Molecular Brain</i> , 2016, 9, 20.	2.6	30
76	Plasma proteome coverage is increased by unique peptide recovery from sodium deoxycholate precipitate. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1963-1973.	3.7	20
77	Quantitative analysis and comparison of four major flavonol glycosides in the leaves of <i>Toona sinensis</i> (A. Juss.) roemer (chinese toon) from various origins by high-performance liquid chromatography-diode array detector and hierarchical clustering analysis. <i>Pharmacognosy Magazine</i> , 2016, 12, 270.	0.6	11
78	Site-specific N-terminal Labeling of Peptides and Proteins using Butelase 1 and Thiodepsipeptide. <i>Angewandte Chemie</i> , 2015, 127, 15920-15924.	2.0	18
79	Site-specific N-terminal Labeling of Peptides and Proteins using Butelase 1 and Thiodepsipeptide. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 15694-15698.	13.8	82
80	A novel strategy for the discrimination of gelatinous Chinese medicines based on enzymatic digestion followed by nano-flow liquid chromatography in tandem with orbitrap mass spectrum detection. <i>International Journal of Nanomedicine</i> , 2015, 10, 4947.	6.7	35
81	Antimicrobial Peptides from Plants. <i>Pharmaceuticals</i> , 2015, 8, 711-757.	3.8	343
82	Membrane-Active Sequences within gp41 Membrane Proximal External Region (MPER) Modulate MPER-Containing Peptidyl Fusion Inhibitor Activity and the Biosynthesis of HIV-1 Structural Proteins. <i>PLoS ONE</i> , 2015, 10, e0134851.	2.5	3
83	Allotides: Proline-Rich Cystine Knot β -Amylase Inhibitors from <i>Allamanda cathartica</i> . <i>Journal of Natural Products</i> , 2015, 78, 695-704.	3.0	29
84	Cysteine-Rich Peptide Family with Unusual Disulfide Connectivity from <i>Jasminum sambac</i> . <i>Journal of Natural Products</i> , 2015, 78, 2791-2799.	3.0	13
85	Butelase 1: A Versatile Ligase for Peptide and Protein Macrocyclization. <i>Journal of the American Chemical Society</i> , 2015, 137, 15398-15401.	13.7	147
86	Antiviral Cystine Knot β -Amylase Inhibitors from <i>Alstonia scholaris</i> . <i>Journal of Biological Chemistry</i> , 2015, 290, 31138-31150.	3.4	38
87	Tryptophan-Dependent Membrane Interaction and Heteromerization with the Internal Fusion Peptide by the Membrane Proximal External Region of SARS-CoV Spike Protein. <i>Biochemistry</i> , 2015, 54, 1819-1830.	2.5	35
88	Studies on the Chitin Binding Property of Novel Cysteine-Rich Peptides from <i>Alternanthera sessilis</i> . <i>Biochemistry</i> , 2015, 54, 6639-6649.	2.5	38
89	Butelase-mediated synthesis of protein thioesters and its application for tandem chemoenzymatic ligation. <i>Chemical Communications</i> , 2015, 51, 17289-17292.	4.1	68
90	Evaluation of the Effect of Trypsin Digestion Buffers on Artificial Deamidation. <i>Journal of Proteome Research</i> , 2015, 14, 1308-1314.	3.7	46

#	ARTICLE	IF	CITATIONS
91	Butelase 1: A Versatile and Multi-Purpose Ligase. , 2015, , .		0
92	Discovery and characterization of pseudocyclic cysteineâ€not Î±â€amylase inhibitors with high resistance to heat and proteolytic degradation. FEBS Journal, 2014, 281, 4351-4366.	4.7	34
93	Quantitative Profiling of Chromatome Dynamics Reveals a Novel Role for HP1BP3 in Hypoxia-induced Oncogenesis. Molecular and Cellular Proteomics, 2014, 13, 3236-3249.	3.8	38
94	Profiling of the Chromatin-associated Proteome Identifies HP1BP3 as a Novel Regulator of Cell Cycle Progression. Molecular and Cellular Proteomics, 2014, 13, 2183-2197.	3.8	36
95	Quantitative profiling of the rat heart myoblast secretome reveals differential responses to hypoxia and re-oxygenation stress. Journal of Proteomics, 2014, 98, 138-149.	2.4	31
96	Selective Biâ€directional Amide Bond Cleavage of <i>N</i>â€Methylcysteinyl Peptide. European Journal of Organic Chemistry, 2014, 2014, 4370-4380.	2.4	5
97	Butelase 1 is an Asx-specific ligase enabling peptide macrocyclization and synthesis. Nature Chemical Biology, 2014, 10, 732-738.	8.0	348
98	Peptide macrocyclization through amide-to-amide transpeptidation. Tetrahedron, 2014, 70, 7707-7713.	1.9	6
99	Biomimetic synthesis of cyclic peptides using novel thioester surrogates. Biopolymers, 2013, 100, 492-501.	2.4	36
100	A Thioethylalkylamido (TEA) Thioester Surrogate in the Synthesis of a Cyclic Peptide via a Tandem Acyl Shift. Organic Letters, 2013, 15, 2620-2623.	4.6	54
101	Correction of Errors in Tandem Mass Spectrum Extraction Enhances Phosphopeptide Identification. Journal of Proteome Research, 2013, 12, 5548-5557.	3.7	10
102	Discovery of Linear Cyclotides in Monocot Plant Panicum laxum of Poaceae Family Provides New Insights into Evolution and Distribution of Cyclotides in Plants. Journal of Biological Chemistry, 2013, 288, 3370-3380.	3.4	99
103	Design and Synthesis of Peptide Biologics by Deconstruction of Proteins. , 2013, , .		0
104	Novel Cyclotides and Uncyclotides with Highly Shortened Precursors from Chassalia chartacea and Effects of Methionine Oxidation on Bioactivities. Journal of Biological Chemistry, 2012, 287, 17598-17607.	3.4	72
105	A universal description for the experimental behavior of salt-(in)dependent oligocation-induced DNA condensation. Nucleic Acids Research, 2012, 40, 2807-2821.	14.5	25
106	Chemical Synthesis of Circular Proteins. Journal of Biological Chemistry, 2012, 287, 27020-27025.	3.4	59
107	The effect of salt on oligocation-induced chromatin condensation. Biochemical and Biophysical Research Communications, 2012, 418, 205-210.	2.1	18
108	Biophysical Properties and Supramolecular Structure of Self-Assembled Liposome/Î¼-Peptide/DNA Nanoparticles: Correlation with Gene Delivery. Biomacromolecules, 2012, 13, 124-131.	5.4	15

#	ARTICLE	IF	CITATIONS
109	Orally Active Peptidic Bradykinin B ₁ Receptor Antagonists Engineered from a Cyclotide Scaffold for Inflammatory Pain Treatment. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 5620-5624.	13.8	208
110	Up-Regulation of Mcl-1 and Bak by Coronavirus Infection of Human, Avian and Animal Cells Modulates Apoptosis and Viral Replication. <i>PLoS ONE</i> , 2012, 7, e30191.	2.5	36
111	Acid-Catalyzed Tandem Thiol Switch for Preparing Peptide Thioesters from Mercaptoethyl Esters. <i>Organic Letters</i> , 2011, 13, 2610-2613.	4.6	29
112	Optimal Oxidative Folding of the Novel Antimicrobial Cyclotide from <i>Hedyotis biflora</i> Requires High Alcohol Concentrations. <i>Biochemistry</i> , 2011, 50, 7275-7283.	2.5	52
113	Discovery of a Linear Cyclotide from the Bracelet Subfamily and Its Disulfide Mapping by Top-down Mass Spectrometry. <i>Journal of Biological Chemistry</i> , 2011, 286, 44833-44844.	3.4	65
114	Tandem Thiol Switch Synthesis of Peptide Thioesters via N-S Acyl Shift on Thiazolidine. <i>Organic Letters</i> , 2011, 13, 5176-5179.	4.6	25
115	Regulation of the p38 mitogen-activated protein kinase and dual-specificity phosphatase 1 feedback loop modulates the induction of interleukin 6 and 8 in cells infected with coronavirus infectious bronchitis virus. <i>Virology</i> , 2011, 420, 106-116.	2.4	50
116	Discovery and Characterization of Novel Cyclotides Originated from Chimeric Precursors Consisting of Albumin-1 Chain a and Cyclotide Domains in the Fabaceae Family. <i>Journal of Biological Chemistry</i> , 2011, 286, 24275-24287.	3.4	153
117	Simultaneous Characterization of Glyco- and Phosphoproteomes of Mouse Brain Membrane Proteome with Electrostatic Repulsion Hydrophilic Interaction Chromatography. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 635-647.	3.8	90
118	Phenotyping of an <i>In Vitro</i> Model of Ischemic Penumbra by iTRAQ-Based Shotgun Quantitative Proteomics. <i>Journal of Proteome Research</i> , 2010, 9, 472-484.	3.7	63
119	Interaction of the Coronavirus Infectious Bronchitis Virus Membrane Protein with β -Actin and Its Implication in Virion Assembly and Budding. <i>PLoS ONE</i> , 2009, 4, e4908.	2.5	49
120	Inhibition of Protein Kinase R Activation and Upregulation of GADD34 Expression Play a Synergistic Role in Facilitating Coronavirus Replication by Maintaining De Novo Protein Synthesis in Virus-Infected Cells. <i>Journal of Virology</i> , 2009, 83, 12462-12472.	3.4	85
121	A universal description for the experimental behavior of salt-(in)dependent oligocation-induced DNA condensation. <i>Nucleic Acids Research</i> , 2009, 37, 7137-7150.	14.5	58
122	Formation of stable homodimer via the C-terminal α -helical domain of coronavirus nonstructural protein 9 is critical for its function in viral replication. <i>Virology</i> , 2009, 383, 328-337.	2.4	18
123	KLF4 suppresses HDACi induced caspase activation and the SAPK pathway by targeting p57Kip2. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 1095-1107.	4.9	15
124	Elucidating the Structure of Cyclotides by Partial Acid Hydrolysis and LC-MS/MS Analysis. <i>Analytical Chemistry</i> , 2009, 81, 1079-1088.	6.5	33
125	Anti-HIV dendrimeric peptides. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 539-540.	1.6	0
126	μ -Peptide Chimeras as Novel Antimicrobials. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 393-394.	1.6	0

#	ARTICLE	IF	CITATIONS
127	Quaternary protein mimetics of gp41 elicit neutralizing antibodies against HIV fusion active intermediate state. <i>Biopolymers</i> , 2008, 90, 320-329.	2.4	7
128	Lipid rafts are involved in SARS-CoV entry into Vero E6 cells. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 344-349.	2.1	221
129	Importance of SARS-CoV spike protein Trp-rich region in viral infectivity. <i>Biochemical and Biophysical Research Communications</i> , 2008, 371, 356-360.	2.1	24
130	Design and Biophysical Characterization of Novel Polycationic β -Peptides for DNA Compaction and Delivery. <i>Biomacromolecules</i> , 2008, 9, 321-330.	5.4	35
131	A Novel Approach for Development and Implementation of an Emergency Response Plan for the BSL-3 Laboratory Service in Singapore. <i>Applied Biosafety</i> , 2008, 13, 158-163.	0.5	2
132	Biological Agents and Toxins Act: Development and Enforcement of Biosafety and Biosecurity in Singapore. <i>Applied Biosafety</i> , 2007, 12, 39-43.	0.5	2
133	Cell cycle arrest and apoptosis induced by the coronavirus infectious bronchitis virus in the absence of p53. <i>Virology</i> , 2007, 365, 435-445.	2.4	90
134	Folding, Misfolding, and Amyloid Protofibril Formation of WW Domain FBP28. <i>Biophysical Journal</i> , 2006, 90, 3983-3992.	0.5	48
135	Biochemical evidence for the presence of mixed membrane topologies of the severe acute respiratory syndrome coronavirus envelope protein expressed in mammalian cells. <i>FEBS Letters</i> , 2006, 580, 3192-3200.	2.8	58
136	Peptide Dendrimers as Immunogens. , 2006, , 541-546.		2
137	Molecular Simulation of an α -Peptide Dendrimer. , 2006, , 585-586.		0
138	A Long Range S,N-Acyl Migration by Silver Ion Assistance in Thioester Ligation. , 2006, , 84-85.		0
139	Implementation of a Biosafety Level 3 (BSL-3) Facility in Singapore: Requirements, Work Practices, and Procedures. <i>Applied Biosafety</i> , 2006, 11, 15-23.	0.5	6
140	Biochemical and functional characterization of Epstein-Barr virus-encoded BARF1 protein: interaction with human hTid1 protein facilitates its maturation and secretion. <i>Oncogene</i> , 2006, 25, 4320-4331.	5.9	19
141	Biochemical and functional characterization of the membrane association and membrane permeabilizing activity of the severe acute respiratory syndrome coronavirus envelope protein. <i>Virology</i> , 2006, 349, 264-275.	2.4	127
142	Viroporin Activity of SARS-CoV E Protein. <i>Advances in Experimental Medicine and Biology</i> , 2006, 581, 199-202.	1.6	23
143	Sumoylation of the Nucleocapsid Protein of Severe Acute Respiratory Syndrome Coronavirus by Interaction with UBC9. <i>Advances in Experimental Medicine and Biology</i> , 2006, 581, 121-126.	1.6	9
144	Mimicking Reverse Protein Splicing by Three-Segment Tandem Peptide Ligation. <i>Protein and Peptide Letters</i> , 2005, 12, 743-749.	0.9	1

#	ARTICLE	IF	CITATIONS
145	Peptide Ligation by a Reversible and Reusable C-Terminal Thiol Handle. <i>Organic Letters</i> , 2005, 7, 5003-5006.	4.6	22
146	Sumoylation of the nucleocapsid protein of severe acute respiratory syndrome coronavirus. <i>FEBS Letters</i> , 2005, 579, 2387-2396.	2.8	85
147	Ninhydrin as a reversible protecting group of amino-terminal cysteine. <i>Chemical Biology and Drug Design</i> , 2004, 63, 223-234.	1.1	16
148	Shape-mimetics of G-protein-coupled receptors in therapeutic drug design and screening. <i>Drug Development Research</i> , 2004, 62, 336-348.	2.9	0
149	Selection of Active ScFv to G-Protein-Coupled Receptor CCR5 Using Surface Antigen-Mimicking Peptides. <i>Biochemistry</i> , 2004, 43, 12575-12584.	2.5	28
150	Expression of SARS-coronavirus envelope protein in <i>Escherichia coli</i> cells alters membrane permeability. <i>Biochemical and Biophysical Research Communications</i> , 2004, 325, 374-380.	2.1	82
151	Tandem Ligation of Multipartite Peptides with Cell-Permeable Activity. <i>Journal of the American Chemical Society</i> , 2003, 125, 73-82.	13.7	31
152	Correlations of Cationic Charges with Salt Sensitivity and Microbial Specificity of Cystine-stabilized β -Strand Antimicrobial Peptides. <i>Journal of Biological Chemistry</i> , 2002, 277, 50450-50456.	3.4	55
153	Novel concepts for the synthesis of cyclic peptide libraries. , 2002, , 19-21.		0
154	A Facile Ligation Approach to Prepare Three-Helix Bundles of HIV Fusion-State Protein Mimetics. <i>Organic Letters</i> , 2002, 4, 4167-4170.	4.6	25
155	Translocating Proline-Rich Peptides from the Antimicrobial Peptide Bactenecin 7. <i>Biochemistry</i> , 2002, 41, 14150-14157.	2.5	173
156	Peptide dendrimers: applications and synthesis. <i>Reviews in Molecular Biotechnology</i> , 2002, 90, 195-229.	2.8	288
157	Antimicrobial dendrimeric peptides. <i>FEBS Journal</i> , 2002, 269, 923-932.	0.2	208
158	Sequential orthogonal ligation for the synthesis of β defensin. , 2002, , 247-248.		0
159	A facile metal ion-assisted amidation on solid supports. , 2002, , 249-250.		0
160	Mild methods for the synthesis of peptide aldehydes directly from thioester resin. , 2002, , 263-264.		0
161	Retention of a cis-proline rotamer in a small fragment of RNase a containing a non-natural proline analog - an NMR study. , 2002, , 422-423.		0
162	Synthesis of cyclopsychotride by orthogonal ligation using unprotected peptide precursor. , 2002, , 229-230.		0

#	ARTICLE	IF	CITATIONS
163	Methionine as the ligation site in the orthogonal ligation of unprotected peptides. , 2002, , 231-232.		0
164	Intramolecular orthogonal ligation for the synthesis of cyclic peptides. , 2002, , 235-236.		0
165	Orthogonal ligation of free peptides. , 2002, , 3-13.		0
166	Design, synthesis and NMR structure of a rigid cyclic peptide template. , 2002, , 43-47.		0
167	Design and synthesis of salt-insensitive cyclic $\hat{\pm}$ -defensins. , 2002, , 521-522.		0
168	De novo design of small cyclic antimicrobial peptides. , 2002, , 748-749.		0
169	Orthogonal segment ligation. , 2002, , 115-117.		0
170	Use of orthogonal ligation methods for the synthesis of a hetero peptide dendrimer. , 2002, , 118-119.		0
171	Design of Gram-Negative Selective Antimicrobial Peptides. <i>Biochemistry</i> , 2001, 40, 5777-5785.	2.5	78
172	Tandem Ligation of Unprotected Peptides through Thiaproyl and Cysteinyll Bonds in Water. <i>Journal of the American Chemical Society</i> , 2001, 123, 2487-2494.	13.7	34
173	Subtilisin-Catalyzed Synthesis of Amino Acid and Peptide Esters. Application in a Two-Step Enzymatic Ligation Strategy. <i>Organic Letters</i> , 2001, 3, 4157-4159.	4.6	20
174	A Thioester Ligation Approach to Amphipathic Bicyclic Peptide Library. <i>Organic Letters</i> , 2001, 3, 1681-1684.	4.6	21
175	Methods and strategies of peptide ligation. <i>Biopolymers</i> , 2001, 60, 194-205.	2.4	182
176	Tandem Peptide Ligation for Synthetic and Natural Biologicals. <i>Biologicals</i> , 2001, 29, 189-196.	1.4	12
177	Functional and Structural Comparisons of Linear and Dendritic Arrays of Polypeptides. , 2001, , 470-471.		1
178	Design of Cyclic $\hat{\pm}$ -Defensin Dimers as Channel Forming BuildingBlocks. , 2001, , 752-753.		0
179	Ninhydrin as a Reversible Protecting Group of N-Terminal Cysteine. , 2001, , 65-66.		0
180	A Novel Design and Synthesis of Bicyclic Peptide Library. , 2001, , 138-139.		0

#	ARTICLE	IF	CITATIONS
181	Design of Novel Cell Penetrating Peptides. , 2001, , 933-934.		0
182	Antimicrobial and Chemotactic Activities of β -Conotoxin Cyclic Analogues. , 2001, , 487-488.		1
183	Membranolytic selectivity of cystine-stabilized cyclic protegrins. FEBS Journal, 2000, 267, 3289-3300.	0.2	69
184	A new ligation method for N-terminal tryptophan-containing peptides using the Pictet-Spengler reaction. Tetrahedron Letters, 2000, 41, 4069-4073.	1.4	75
185	Engineered Salt-insensitive β -Defensins with End-to-end Circularized Structures. Journal of Biological Chemistry, 2000, 275, 3943-3949.	3.4	58
186	Dissecting G Protein-coupled Receptor Signaling Pathways with Membrane-permeable Blocking Peptides. Journal of Biological Chemistry, 2000, 275, 7021-7029.	3.4	80
187	Marked Increase in Membranolytic Selectivity of Novel Cyclic Tachyplesins Constrained with an Antiparallel Two- β Strand Cystine Knot Framework. Biochemical and Biophysical Research Communications, 2000, 267, 783-790.	2.1	47
188	Bidirectional Tandem Pseudoproline Ligations of Proline-Rich Helical Peptides. Journal of the American Chemical Society, 2000, 122, 4253-4260.	13.7	31
189	Solid-Phase Synthesis of 1,2,3,4-Tetrahydro- β -carboline-Containing Peptidomimetics. Organic Letters, 2000, 2, 3075-3078.	4.6	27
190	Dehydropeptides from Orthogonal Ligation of Unprotected Peptides. Organic Letters, 2000, 2, 3711-3713.	4.6	13
191	Design of Salt-Insensitive Glycine-Rich Antimicrobial Peptides with Cyclic Tricystine Structures. Biochemistry, 2000, 39, 7159-7169.	2.5	31
192	An unusual structural motif of antimicrobial peptides containing end-to-end macrocycle and cystine-knot disulfides. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 8913-8918.	7.1	442
193	Solvent assistance in regiospecific disulfide formation in dimethylsulfoxide. International Journal of Peptide Research and Therapeutics, 1999, 6, 265-273.	0.1	0
194	Solvent assistance in regiospecific disulfide formation in dimethylsulfoxide. International Journal of Peptide Research and Therapeutics, 1999, 6, 265-273.	0.1	10
195	Editorial: Ligation and splicing of peptides and proteins. , 1999, 51, 309-310.		0
196	Orthogonal ligation strategies for peptide and protein. , 1999, 51, 311-332.		136
197	Stereospecific Pseudoproline Ligation of N-Terminal Serine, Threonine, or Cysteine-Containing Unprotected Peptides. Journal of the American Chemical Society, 1999, 121, 9013-9022.	13.7	81
198	Synthesis and Application of Peptide Dendrimers As Protein Mimetics. Current Protocols in Immunology, 1999, 34, Unit 9.6.	3.6	8

#	ARTICLE	IF	CITATIONS
199	Retention of the Cis Proline Conformation in Tripeptide Fragments of Bovine Pancreatic Ribonuclease A Containing a Non-natural Proline Analogue, 5,5-Dimethylproline. <i>Journal of the American Chemical Society</i> , 1999, 121, 11558-11566.	13.7	96
200	Synthesis and Application of Peptide Dendrimers As Protein Mimetics. <i>Current Protocols in Protein Science</i> , 1999, 17, Unit18.5.	2.8	6
201	Thia Zip Reaction for Synthesis of Large Cyclic Peptides: Mechanisms and Applications. <i>Journal of the American Chemical Society</i> , 1999, 121, 4316-4324.	13.7	139
202	Lactone and Lactam Library Synthesis by Silver Ion-Assisted Orthogonal Cyclization of Unprotected Peptides. <i>Journal of the American Chemical Society</i> , 1999, 121, 3311-3320.	13.7	85
203	Methionine ligation strategy in the biomimetic synthesis of parathyroid hormones. , 1998, 46, 319-327.		112
204	A novel on-resin synthesis of C-terminally amidated peptides. <i>Tetrahedron Letters</i> , 1998, 39, 9327-9330.	1.4	15
205	A biomimetic strategy in the synthesis and fragmentation of cyclic protein. <i>Protein Science</i> , 1998, 7, 1583-1592.	7.6	120
206	Preparation of functionally active cell-permeable peptides by single-step ligation of two peptide modules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 9184-9189.	7.1	99
207	Production of Antipeptide Antisera. <i>Current Protocols in Neuroscience</i> , 1997, 00, 5.6.1-5.6.21.	2.6	9
208	Synthesis of a symmetric branched peptide. Assembly of a cyclic peptide on a small tetraacetate template. <i>Chemical Communications</i> , 1997, , 1619-1620.	4.1	5
209	Synthesis and Application of Unprotected Cyclic Peptides as Building Blocks for Peptide Dendrimers. <i>Journal of the American Chemical Society</i> , 1997, 119, 2363-2370.	13.7	197
210	[28] Multiple antigen peptide system. <i>Methods in Enzymology</i> , 1997, 289, 612-637.	1.0	30
211	Orthogonal coupling of unprotected peptide segments through histidyl amino terminus. <i>Tetrahedron Letters</i> , 1997, 38, 3-6.	1.4	61
212	Metal ion-assisted peptide cyclization. <i>Tetrahedron Letters</i> , 1997, 38, 4375-4378.	1.4	41
213	Synthesis of large cyclic cystine-knot peptide by orthogonal coupling strategy using unprotected peptide precursor. <i>Tetrahedron Letters</i> , 1997, 38, 5599-5602.	1.4	87
214	Orthogonal Ligation of Unprotected Peptide Segments through Pseudoproline Formation for the Synthesis of HIV-1 Protease Analogs. <i>Journal of the American Chemical Society</i> , 1996, 118, 307-312.	13.7	86
215	Cyclic Peptides from Linear Unprotected Peptide Precursors through Thiazolidine Formation. <i>Journal of the American Chemical Society</i> , 1996, 118, 10018-10024.	13.7	106
216	Assembly of cyclic peptide dendrimers from unprotected linear building blocks in aqueous solution. <i>Chemical Communications</i> , 1996, , 1345.	4.1	14

#	ARTICLE	IF	CITATIONS
217	Recent advances in multiple antigen peptides. <i>Journal of Immunological Methods</i> , 1996, 196, 17-32.	1.4	153
218	Thiazolidine Formation as a General and Site-Specific Conjugation Method for Synthetic Peptides and Proteins. <i>Analytical Biochemistry</i> , 1996, 233, 87-93.	2.4	87
219	Acyl disulfide-mediated intramolecular acylation for orthogonal coupling between unprotected peptide segments. Mechanism and application. <i>Tetrahedron Letters</i> , 1996, 37, 933-936.	1.4	57
220	Peptide synthesis using unprotected peptides through orthogonal coupling methods.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 12485-12489.	7.1	249
221	Characterization of a side reaction using stepwise detection in peptide synthesis with Fmoc chemistry. <i>Techniques in Protein Chemistry</i> , 1995, 6, 555-562.	0.3	0
222	Synthesis and Applications of Branched Peptides in Immunological Methods and Vaccines. , 1995, , 455-500.		19
223	Coupling Difficulty Associated with Interchain Clustering and Phase Transition in Solid Phase Peptide Synthesis. <i>Journal of the American Chemical Society</i> , 1995, 117, 12058-12063.	13.7	100
224	Cyclisation of totally unprotected peptides in aqueous solution by oxime formation. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 2021.	2.0	27
225	Unprotected Peptides as Building Blocks for the Synthesis of Peptide Dendrimers with Oxime, Hydrazone, and Thiazolidine Linkages. <i>Journal of the American Chemical Society</i> , 1995, 117, 3893-3899.	13.7	333
226	Specificity and formation of unusual amino acids of an amide ligation strategy for unprotected peptides. <i>International Journal of Peptide and Protein Research</i> , 1995, 45, 209-216.	0.1	24
227	Unprotected peptides as building blocks for branched peptides and peptide dendrimers. <i>International Journal of Peptide and Protein Research</i> , 1995, 45, 78-85.	0.1	76
228	The MAP System. <i>Pharmaceutical Biotechnology</i> , 1995, , 803-819.	0.3	12
229	Synthesis of a fully active HIV-1 protease analogue by a chemical ligation approach. , 1995, , 23-27.		0
230	Selective formation of three disulfide bridges in EGF-like peptides. , 1995, , 44-47.		0
231	Two-step selective formation of three disulfide bridges in the synthesis of the C-terminal epidermal growth factor-like domain in human blood coagulation factor IX. <i>Protein Science</i> , 1994, 3, 1267-1275.	7.6	57
232	Aspartimide formation in base-driven 9-fluorenylmethoxycarbonyl chemistry. <i>Tetrahedron Letters</i> , 1994, 35, 9689-9692.	1.4	62
233	Synthesis of Peptide Dendrimer. <i>Journal of the American Chemical Society</i> , 1994, 116, 6975-6976.	13.7	145
234	Alanine scan of endothelin: Importance of aromatic residues. <i>Peptides</i> , 1994, 15, 703-708.	2.4	47

#	ARTICLE	IF	CITATIONS
235	Oral administration of an antigenic synthetic lipopeptide (MAP-P3C) evokes salivary antibodies and systemic humoral and cellular responses. <i>Vaccine</i> , 1994, 12, 1335-1339.	3.8	45
236	Lipophilic multiple antigen peptide system for peptide immunogen and synthetic vaccine. <i>Molecular Immunology</i> , 1994, 31, 1191-1199.	2.2	39
237	Chemical Ligation Approach To Form a Peptide Bond between Unprotected Peptide Segments. Concept and Model Study. <i>Journal of the American Chemical Society</i> , 1994, 116, 4149-4153.	13.7	176
238	Peptide segment ligation strategy without use of protecting groups.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 6584-6588.	7.1	202
239	A novel strategy for the synthesis of the cysteine-rich protective antigen of the malaria merozoite surface protein (MSP-1). <i>International Journal of Peptide and Protein Research</i> , 1994, 43, 351-358.	0.1	18
240	Selective deprotection of the N.alpha.-tert-butyloxycarbonyl group in solid phase peptide synthesis with chlorotrimethylsilane in phenol. <i>Journal of Organic Chemistry</i> , 1993, 58, 5167-5175.	3.2	52
241	Solvent chaperone in protein folding: Selective enhancement of disulfide isomers of endothelin. , 1993, , 24-26.		1
242	Mechanisms of mouse spleen dendritic cell function in the generation of influenza-specific, cytolytic T lymphocytes.. <i>Journal of Experimental Medicine</i> , 1992, 176, 519-529.	8.5	135
243	Decreased expression of transforming growth factor β during differentiation of human pancreatic cancer cells. <i>Gastroenterology</i> , 1992, 103, 1851-1859.	1.3	16
244	Design of a Complete Synthetic Peptide-Based AIDS Vaccine with a Built-in Adjuvant. <i>AIDS Research and Human Retroviruses</i> , 1992, 8, 1405-1407.	1.1	17
245	Macromolecular assemblage in the design of a synthetic AIDS vaccine.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 3879-3883.	7.1	89
246	Infertility induced in rats by immunization with synthetic peptide segments of a sperm protein. <i>Biochemical and Biophysical Research Communications</i> , 1992, 183, 538-543.	2.1	28
247	Epitopic mapping of linear and conformation-dependent antigenic determinants on GP5 of five U.S. bluetongue viruses. <i>Virology</i> , 1992, 188, 530-536.	2.4	14
248	A rational design of synthetic peptide vaccine with a built-in adjuvant. <i>International Journal of Peptide and Protein Research</i> , 1992, 40, 214-221.	0.1	57
249	Efficient approach to synthesis of two-chain asymmetric cysteine analogs of receptor-binding region of transforming growth factor β . <i>International Journal of Peptide and Protein Research</i> , 1992, 39, 464-471.	0.1	9
250	¹ H-NMR studies of the structure and calcium binding behavior of the first EGF-like domain in blood coagulation factor IX. , 1992, , 241-242.		0
251	Does the most stable conformation correlate with the highest biological potency? A case study of human transforming growth factor type β . , 1992, , 217-218.		0
252	Chemically unambiguous peptide immunogen: Preparation, orientation and antigenicity of purified peptide conjugated to the multiple antigen peptide system. <i>Molecular Immunology</i> , 1991, 28, 623-630.	2.2	79

#	ARTICLE	IF	CITATIONS
253	Disulfide bond formation in peptides by dimethyl sulfoxide. Scope and applications. Journal of the American Chemical Society, 1991, 113, 6657-6662.	13.7	482
254	Synthesis and structure-activity study of myxoma virus growth factor. Biochemistry, 1991, 30, 3310-3314.	2.5	27
255	Sequence-specific ¹ H NMR assignments, secondary structure, and location of the calcium binding site in the first epidermal growth factor like domain of blood coagulation factor IX. Biochemistry, 1991, 30, 7402-7409.	2.5	43
256	Long-term high-titer neutralizing activity induced by octameric synthetic HIV-1 antigen. Science, 1991, 254, 285-288.	12.6	126
257	Mapping the receptor recognition site of human transforming growth factor- β . International Journal of Peptide and Protein Research, 1991, 38, 204-211.	0.1	18
258	Preparation of Site-Specific Peptide Immunogens Using Multiple Antigen Peptide Approach System. Methods in Neurosciences, 1991, , 85-107.	0.5	1
259	Immunogenicity of MAPs containing B and T cell epitopes of a malarial antigen, the circumsporozoite protein. , 1991, , 839-842.		0
260	D-Amino acid and alanine scans of endothelin: An approach to study refolding intermediates. , 1991, , 160-163.		1
261	Tumorigenic poxviruses: Characterization of the expression of an epidermal growth factor related gene in Shope fibroma virus. Virology, 1990, 179, 926-930.	2.4	17
262	Incorporation of T and B epitopes of the circumsporozoite protein in a chemically defined synthetic vaccine against malaria.. Journal of Experimental Medicine, 1990, 171, 299-306.	8.5	218
263	Synthesis and properties of cholecystokinin-releasing peptide (monitor peptide), a 61-residue trypsin inhibitor. International Journal of Peptide and Protein Research, 1990, 36, 433-439.	0.1	10
264	[46] Multiple antigenic peptide method for producing antipeptide site-specific antibodies. Methods in Enzymology, 1989, 178, 739-746.	1.0	60
265	Long-chain polystyrene-grafted polyethylene film matrix: a new support for solid-phase peptide synthesis. Journal of the American Chemical Society, 1989, 111, 8024-8026.	13.7	80
266	Calcium binding and putative activity of the epidermal growth factor domain of blood coagulation Factor IX. Biochemical and Biophysical Research Communications, 1989, 160, 133-139.	2.1	42
267	Multiple antigen peptide. Journal of Immunological Methods, 1989, 124, 53-61.	1.4	153
268	Vaccine engineering: enhancement of immunogenicity of synthetic peptide vaccines related to hepatitis in chemically defined models consisting of T- and B-cell epitopes.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 9084-9088.	7.1	177
269	Hydroxylation of aspartic acid in domains homologous to the epidermal growth factor precursor is catalyzed by a 2-oxoglutarate-dependent dioxygenase.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 444-447.	7.1	84
270	High-density multiple antigen-peptide system for preparation of antipeptide antibodies. Methods in Enzymology, 1989, 168, 7-15.	1.0	26

#	ARTICLE	IF	CITATIONS
271	High-Density Multiple Antigenâ€“Peptide System for Preparation of Antipeptide Antibodies. , 1989, , 619-627.		0
272	Multiple T helper cell epitopes of the circumsporozoite protein of Plasmodium berghei. European Journal of Immunology, 1988, 18, 1951-1957.	2.9	54
273	Chlorotrimethylsilane-phenol as a mild deprotection reagent for the tert-butyl based protecting groups in peptide synthesis. Tetrahedron Letters, 1988, 29, 303-306.	1.4	65
274	Shope fibroma virus growth factor exhibits epidermal growth factor activities in newborn mice. Biochemical and Biophysical Research Communications, 1988, 154, 497-501.	2.1	16
275	Synthesis of a biological active tumor growth factor from the predicted DNA sequence of Shope fibroma virus. Biochemistry, 1988, 27, 5640-5645.	2.5	48
276	Expression of Transforming Growth Factor β and its Messenger Ribonucleic Acid in Human Breast Cancer: Its Regulation by Estrogen and its Possible Functional Significance. Molecular Endocrinology, 1988, 2, 543-555.	3.7	413
277	Detection of transforming growth factor alpha in normal, malignant, and hyperproliferative human keratinocytes.. Journal of Experimental Medicine, 1988, 167, 670-675.	8.5	220
278	Synthetic peptide vaccine design: synthesis and properties of a high-density multiple antigenic peptide system.. Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 5409-5413.	7.1	1,233
279	Structure-activity studies of transforming growth factor. , 1988, , 561-565.		3
280	Chlorotrimethylsilane-phenol as a selective deprotection reagent for the tert-butyloxycarbonyl group. , 1988, , 236-238.		1
281	A comparative study of strategy and cleavage and methods by HF and trifluoromethanesulfonic acid: Synthesis of Shope fibroma growth factor and proteoglycan growth factor. , 1988, , 584-586.		0
282	Substrates of tyrosine-specific protein kinase: Synthetic peptides derived from lipocortins. , 1988, , 587-589.		0
283	A mild and novel approach to sulfation of serine- and threonine-containing peptides during the SN2 deprotection step. , 1988, , 184-186.		0
284	Synthetic peptide vaccine confers protection against murine malaria.. Journal of Experimental Medicine, 1987, 166, 1591-1596.	8.5	121
285	[12] Solid-phase synthesis of type- β transforming growth factor. Methods in Enzymology, 1987, 146, 127-143.	1.0	3
286	Loss of growth responsiveness to epidermal growth factor and enhanced production of alpha-transforming growth factors inras-transformed mouse mammary epithelial cells. Journal of Cellular Physiology, 1987, 130, 397-409.	4.1	101
287	Synthesis of biologically active transforming growth factor alpha. International Journal of Peptide and Protein Research, 1987, 29, 421-431.	0.1	49
288	Synthetic peptides as antigens for the detection of humoral immunity to Plasmodium falciparum sporozoites. Journal of Immunological Methods, 1986, 93, 55-61.	1.4	58

#	ARTICLE	IF	CITATIONS
289	Transforming growth factor alpha inhibits secretion of gastric acid.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 3844-3846.	7.1	85
290	Mechanisms for the removal of benzyl protecting groups in synthetic peptides by trifluoromethanesulfonic acid-trifluoroacetic acid-dimethyl sulfide. Journal of the American Chemical Society, 1986, 108, 5242-5251.	13.7	183
291	Immunological detection and quantitation of alpha transforming growth factors in human breast carcinoma cells. Breast Cancer Research and Treatment, 1986, 7, 201-210.	2.5	110
292	Synthetic peptides from the circumsporozoite proteins of Plasmodium falciparum and Plasmodium knowlesi recognize the human hepatoma cell line HepG2-A16 in vitro.. Journal of Experimental Medicine, 1986, 164, 1915-1922.	8.5	76
293	Improved deprotection of cysteine-containing peptides in HF. International Journal of Peptide and Protein Research, 1986, 28, 498-507.	0.1	21
294	Physiological Effects of Transforming Growth Factor β , 1986, , 407-420.		0
295	Specific expression of the human cellular fps/fes-encoded protein NCP92 in normal and leukemic myeloid cells.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 2379-2383.	7.1	148
296	Physiological effects of transforming growth factor in the newborn mouse. Science, 1985, 229, 673-675.	12.6	106
297	Rationale for development of a synthetic vaccine against Plasmodium falciparum malaria. Science, 1985, 228, 1436-1440.	12.6	376
298	Circumsporozoite protein of Plasmodium vivax: gene cloning and characterization of the immunodominant epitope. Science, 1985, 230, 815-818.	12.6	238
299	A gradative deprotection strategy for the solid-phase synthesis of peptide amide using p-(acyloxy)benzhydrylamine resin and the SN2 deprotection method. Journal of Organic Chemistry, 1985, 50, 5291-5298.	3.2	45
300	Transforming growth factor is a potent stimulator of testicular ornithine decarboxylase in immature mouse. Biochemical and Biophysical Research Communications, 1985, 132, 1180-1186.	2.1	13
301	Solid phase synthesis of gastrin I. International Journal of Peptide and Protein Research, 1985, 26, 262-273.	0.1	21
302	Synthesis of biologically active rat transforming growth factor I. Nature, 1984, 309, 376-378.	27.8	96
303	A new base-catalyzed cleavage reaction for the preparation of protected peptides. Tetrahedron, 1984, 40, 4237-4244.	1.9	25
304	An SN2 deprotection of synthetic peptides with a low concentration of hydrofluoric acid in dimethyl sulfide: evidence and application in peptide synthesis. Journal of the American Chemical Society, 1983, 105, 6442-6455.	13.7	606
305	Synthesis of the protected tridecapeptide (56-68) of the VH domain of mouse myeloma immunoglobulin M603 and its reattachment to resin supports. International Journal of Peptide and Protein Research, 1983, 22, 204-213.	0.1	9
306	S _N 1 and S _N 2 mechanisms for the deprotection of synthetic peptides by hydrogen fluoride. International Journal of Peptide and Protein Research, 1983, 21, 57-65.	0.1	84

#	ARTICLE	IF	CITATIONS
307	Improved deprotection in solid phase peptide synthesis: deprotection of N _i -formyl-tryptophan to tryptophan in low concentrations of HF in Me ₂ S- <i>p</i> -thiocresol mixtures. <i>Journal of the Chemical Society Chemical Communications</i> , 1982, , 896-897.	2.0	10
308	Improved deprotection in solid phase peptide synthesis: removal of protecting groups from synthetic peptides by an S _N 2 mechanism with low concentrations of HF in dimethylsulfide. <i>Tetrahedron Letters</i> , 1982, 23, 4435-4438.	1.4	26
309	Improved deprotection in solid phase peptide synthesis: quantitative reduction of methionine sulfoxide to methionine during HF cleavage. <i>Tetrahedron Letters</i> , 1982, 23, 2939-2942.	1.4	28
310	Weak acid-catalyzed pyrrolidone carboxylic acid formation from glutamine during solid phase peptide synthesis. <i>International Journal of Peptide and Protein Research</i> , 1982, 19, 88-93.	0.1	71
311	Solid phase synthesis of the protected 43-55 tridecapeptide of the heavy chain of myeloma immunoglobulin M603, employing cyclohexyl ester protection for glutamic acid. <i>International Journal of Peptide and Protein Research</i> , 1982, 19, 270-279.	0.1	11
312	Improved synthesis of 4-alkoxybenzyl alcohol resin. <i>Journal of Organic Chemistry</i> , 1981, 46, 3433-3436.	3.2	82
313	Quantitative monitoring of solid-phase peptide synthesis by the ninhydrin reaction. <i>Analytical Biochemistry</i> , 1981, 117, 147-157.	2.4	1,068
314	Design and synthesis of a multi-detachable benzhydrylamine-resin for solid phase peptide synthesis. <i>Tetrahedron Letters</i> , 1981, 22, 2851-2854.	1.4	24
315	Enhancement of peptide coupling reactions by 4-dimethylaminopyridine. <i>International Journal of Peptide and Protein Research</i> , 1981, 18, 459-467.	0.1	58
316	Design and synthesis of multidetachable resin supports for solid-phase peptide synthesis. <i>Journal of the American Chemical Society</i> , 1980, 102, 6117-6127.	13.7	62
317	PHOTOLABILE MULTIDETACHABLE 4-ALKOXYBENZYL ALCOHOL RESIN SUPPORTS FOR PEPTIDE FRAGMENT OR SEMI-SYNTHESIS. <i>International Journal of Peptide and Protein Research</i> , 1980, 16, 412-425.	0.1	20
318	Improved Synthesis of 4-(Boc-aminoacyloxymethyl)-phenylacetic Acids for use in Solid Phase Peptide Synthesis. <i>Synthesis</i> , 1979, 1979, 955-957.	2.3	59
319	Multi-detachable resin supports for solid phase fragment synthesis. <i>Tetrahedron Letters</i> , 1979, 20, 4935-4938.	1.4	10
320	Cyclohexyl ester as a new protecting group for aspartyl peptides to minimize aspartimide formation in acidic and basic treatments. <i>Tetrahedron Letters</i> , 1979, 20, 4033-4036.	1.4	69
321	SOLID PHASE SYNTHESIS OF THE PROTECTED 27-42 HEXADECAPEPTIDE OF THE HEAVY CHAIN FROM MYELOMA IMMUNOGLOBULIN M603 Elimination of Side Reactions Associated with Glycylglyoxypropionyl-resin. <i>International Journal of Peptide and Protein Research</i> , 1979, 14, 262-274.	0.1	16
322	Synthesis of tentoxin and related dehydro cyclic tetrapeptides. <i>Journal of Organic Chemistry</i> , 1978, 43, 296-302.	3.2	58
323	Selective cleavage of protected amino acids and peptides from oxyacyl resins by an 18-crown-6 complex of potassium cyanide. <i>Tetrahedron Letters</i> , 1977, 18, 4001-4004.	1.4	19
324	A method for introducing secondary amide bonds into strained cyclic peptides. <i>Tetrahedron Letters</i> , 1977, 18, 749-750.	1.4	6

#	ARTICLE	IF	CITATIONS
325	Synthesis of didehydropeptides from peptides containing 3-alkylthio-amino acid residues. Tetrahedron Letters, 1975, 16, 211-212.	1.4	18
326	Selective N-Methylation of Dehydroamino Acids and Peptides. Synthesis, 1975, 1975, 402-404.	2.3	13
327	General synthesis of didehydroamino-acids and peptides. Journal of the Chemical Society Chemical Communications, 1974, , 897.	2.0	20
328	The sequence and optical configuration of the amino acids in tentoxin. Biochemical and Biophysical Research Communications, 1973, 53, 653-658.	2.1	31
329	Advances in Site-specific and Linkage-specific Ligation. , 0, , .		2