
## Jennifer H Steel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9306941/publications.pdf Version: 2024-02-01



IENNIEED H STEEL

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Nuclear receptor corepressor RIP140 regulates fat accumulation. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 8437-8442.  | 7.1  | 337       |
| 2  | Bacteria and Inflammatory Cells in Fetal Membranes Do Not Always Cause Preterm Labor. Pediatric<br>Research, 2005, 57, 404-411.   | 2.3  | 281       |
| 3  | Uterine Selection of Human Embryos at Implantation. Scientific Reports, 2014, 4, 3894.  | 3.3  | 232       |
| 4  | Disordered IL-33/ST2 Activation in Decidualizing Stromal Cells Prolongs Uterine Receptivity in Women with Recurrent Pregnancy Loss. PLoS ONE, 2012, 7, e52252.  | 2.5  | 185       |
| 5  | The Transcriptional Corepressor RIP140 Regulates Oxidative Metabolism in Skeletal Muscle. Cell<br>Metabolism, 2007, 6, 236-245.   | 16.2 | 174       |
| 6  | Deregulation of the serum- and glucocorticoid-inducible kinase SGK1 in the endometrium causes reproductive failure. Nature Medicine, 2011, 17, 1509-1513.   | 30.7 | 157       |
| 7  | Increased nitric oxide synthase immunoreactivity in rat dorsal root ganglia in a neuropathic pain<br>model. Neuroscience Letters, 1994, 169, 81-84.   | 2.1  | 124       |
| 8  | Occurrence and developmental pattern of neuromedin U-immunoreactive nerves in the gastrointestinal tract and brain of the rat. Neuroscience, 1988, 25, 797-816.   | 2.3  | 122       |
| 9  | The RNA-binding protein LARP1 is a post-transcriptional regulator of survival and tumorigenesis in ovarian cancer. Nucleic Acids Research, 2016, 44, 1227-1246.   | 14.5 | 120       |
| 10 | Localization of 7B2, Neuromedin B, and Neuromedin U in Specific Cell Types of Rat, Mouse, and Human<br>Pituitary, in Rat Hypothalamus, and in 30 Human Pituitary and Extrapituitary Tumors. Endocrinology,<br>1988, 122, 270-282.               | 2.8  | 119       |
| 11 | Role of the RIP140 corepressor in ovulation and adipose biology. Journal of Endocrinology, 2005, 185, 1-9.  | 2.6  | 118       |
| 12 | Differential epigenetic reprogramming in response to specific endocrine therapies promotes cholesterol biosynthesis and cellular invasion. Nature Communications, 2015, 6, 10044.   | 12.8 | 108       |
| 13 | Galanin and vasoactive intestinal polypeptide are colocalised with classical pituitary hormones and show plasticity of expression. Histochemistry, 1989, 93, 183-189.   | 1.9  | 92        |
| 14 | Impaired Mammary Gland Development in Cyl-1â^'/â^' Mice during Pregnancy and Lactation Is Epithelial<br>Cell Autonomous. Developmental Biology, 1999, 212, 1-11.  | 2.0  | 83        |
| 15 | Biomarker Assessment of HR Deficiency, Tumor <i>BRCA1/2</i> Mutations, and <i>CCNE1</i> Copy<br>Number in Ovarian Cancer: Associations with Clinical Outcome Following Platinum Monotherapy.<br>Molecular Cancer Research, 2018, 16, 1103-1111. | 3.4  | 83        |
| 16 | Down-Regulation of the Histone Methyltransferase EZH2 Contributes to the Epigenetic Programming of Decidualizing Human Endometrial Stromal Cells. Molecular Endocrinology, 2011, 25, 1892-1903.   | 3.7  | 82        |
| 17 | Effect of Endocrine Manipulation on Anterior Pituitary Galanin in the Rat. Endocrinology, 1990, 127, 467-475.   | 2.8  | 81        |
| 18 | Maternal origin of inflammatory leukocytes in preterm fetal membranes, shown by fluorescence in situ hybridisation. Placenta, 2005, 26, 672-677.  | 1.5  | 71        |

JENNIFER H STEEL

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Expression of CDK7, Cyclin H, and MAT1 Is Elevated in Breast Cancer and Is Prognostic in Estrogen<br>Receptor–Positive Breast Cancer. Clinical Cancer Research, 2016, 22, 5929-5938.  | 7.0  | 66        |
| 20 | The Thyroid Hormone Receptor-Associated Protein TRAP220 Is Required at Distinct Embryonic Stages in Placental, Cardiac, and Hepatic Development. Molecular Endocrinology, 2003, 17, 2418-2435.  | 3.7  | 58        |
| 21 | Increased hypothalamic neuropeptide Y concentrations in diabetic rat. Diabetes, 1988, 37, 763-772.  | 0.6  | 58        |
| 22 | RIP140 Expression Is Stimulated by Estrogen-related Receptor α during Adipogenesis*. Journal of<br>Biological Chemistry, 2006, 281, 32140-32147.  | 3.4  | 57        |
| 23 | Localization of Immunoreactivity for Calcitonin Gene- Related Peptide in the Rat Anterior Pituitary<br>during Ontogeny and Gonadal Steroid Manipulations and Detection of its Messenger Ribonucleic Acid.<br>Endocrinology, 1990, 127, 2618-2629. | 2.8  | 52        |
| 24 | The pioneer factor PBX1 is a novel driver of metastatic progression in ERα-positive breast cancer.<br>Oncotarget, 2015, 6, 21878-21891.   | 1.8  | 45        |
| 25 | The transcriptional co-factor RIP140 regulates mammary gland development by promoting the generation of key mitogenic signals. Development (Cambridge), 2013, 140, 1079-1089.   | 2.5  | 44        |
| 26 | Observer variation in quantification of immunocytochemistry by image analysis. The Histochemical Journal, 1991, 23, 541-547.  | 0.6  | 43        |
| 27 | Protective effect of stromal Dickkopf-3 in prostate cancer: opposing roles for TGFBI and ECM-1.<br>Oncogene, 2018, 37, 5305-5324.   | 5.9  | 42        |
| 28 | SREBP1 drives Keratin-80-dependent cytoskeletal changes and invasive behavior in endocrine-resistant<br>ERα breast cancer. Nature Communications, 2019, 10, 2115.   | 12.8 | 42        |
| 29 | Elevated expression of the metabolic regulator receptor-interacting protein 140 results in cardiac hypertrophy and impaired cardiac function. Cardiovascular Research, 2010, 86, 443-451.   | 3.8  | 38        |
| 30 | Multiple Signaling Defects in the Absence of RIP140 Impair Both Cumulus Expansion and Follicle<br>Rupture. Endocrinology, 2005, 146, 4127-4137.   | 2.8  | 37        |
| 31 | Activation of SGK1 in Endometrial Epithelial Cells in Response to PI3K/AKT Inhibition Impairs Embryo<br>Implantation. Cellular Physiology and Biochemistry, 2016, 39, 2077-2087.  | 1.6  | 35        |
| 32 | The Nuclear Receptor Cofactor Receptor-Interacting Protein 140 Is a Positive Regulator of<br>Amphiregulin Expression and Cumulus Cell-Oocyte Complex Expansion in the Mouse Ovary.<br>Endocrinology, 2010, 151, 2923-2932.                        | 2.8  | 33        |
| 33 | DMXL2 drives epithelial to mesenchymal transition in hormonal therapy resistant breast cancer through notch hyper-activation. Oncotarget, 2015, 6, 22467-22479.   | 1.8  | 33        |
| 34 | Novel peptide pancreastatin: Its occurrence and codistribution with chromogranin a in the central nervous system of the pig. Journal of Comparative Neurology, 1989, 288, 627-639.  | 1.6  | 31        |
| 35 | Complex Formation and Function of Estrogen Receptor $\hat{I}\pm$ in Transcription Requires RIP140. Cancer Research, 2014, 74, 5469-5479.  | 0.9  | 28        |
| 36 | Combined use of in situ hybridisation and immunocytochemistry for the investigation of prolactin<br>gene expression in immature, pubertal, pregnant, lactating and ovariectomised rats. Histochemistry,<br>1988, 89, 75-80.                       | 1.9  | 27        |

JENNIFER H STEEL

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Absence of RIP140 Reveals a Pathway Regulating glut4-Dependent Glucose Uptake in Oxidative Skeletal<br>Muscle through UCP1-Mediated Activation of AMPK. PLoS ONE, 2012, 7, e32520.  | 2.5 | 27        |
| 38 | Peptidylglycine ?-amidating monooxygenase (PAM) immunoreactivity and messenger RNA in human pituitary and increased expression in pituitary tumours. Cell and Tissue Research, 1994, 276, 197-207.  | 2.9 | 22        |
| 39 | The distribution of GAWK-like immunoreactivity in neuroendocrine cells of the human gut, pancreas,<br>adrenal and pituitary glands and its co-localisation with chromogranin B. Histochemistry, 1989, 90,<br>475-483.                               | 1.9 | 20        |
| 40 | A progesterone-brown fat axis is involved in regulating fetal growth. Scientific Reports, 2017, 7, 10671.   | 3.3 | 14        |
| 41 | The anterior pituitary content of neuromedin U-like immunoreactivity is altered by<br>thyrotrophin-releasing hormone and thyroid hormone status in the rat. Journal of Endocrinology,<br>1989, 122, 471-NP.   | 2.6 | 13        |
| 42 | Localization of Calcitonin Gene?Related Peptide in the Rat and Human Pituitary Gland Using<br>Immunocytochemistry and in Situ Hybridization Annals of the New York Academy of Sciences, 1992,<br>657, 135-154.                                      | 3.8 | 13        |
| 43 | LEFTY2 inhibits endometrial receptivity by downregulating Orai1 expression and store-operated Ca2+<br>entry. Journal of Molecular Medicine, 2018, 96, 173-182.  | 3.9 | 13        |
| 44 | Identification of RIP140 as a nuclear receptor cofactor with a role in female reproduction. FEBS Letters, 2003, 546, 149-153.   | 2.8 | 11        |
| 45 | The nuclear cofactor receptor interacting protein-140 (RIP140) regulates the expression of genes involved in Al <sup>2</sup> generation. Neurobiology of Aging, 2016, 47, 180-191.  | 3.1 | 9         |
| 46 | Combined use of immunocytochemistry and in situ hybridization to study β thyroid-stimulating<br>hormone gene expression in pituitaries of hypothyroid rats. Molecular and Cellular Probes, 1990, 4,<br>385-396.                                     | 2.1 | 8         |
| 47 | Advantages of in situ hybridisation over direct or indirect in situ reverse transcriptase-polymerase chain reaction for localisation of galanin mRNA expression in rat small intestine and pituitary. The Histochemical Journal, 2001, 33, 201-211. | 0.6 | 8         |
| 48 | 667C>T and 1298A>C polymorphisms of MTHFR do not predict response to methotrexate in patients with gestational trophoblastic neoplasia. Gynecologic Oncology, 2011, 123, 605-609.   | 1.4 | 6         |
| 49 | The effect of ovariectomy and oestrogen replacement on the anterior pituitary peptides 7B2 and galanin in the rat. Regulatory Peptides, 1988, 22, 425.  | 1.9 | 4         |
| 50 | Peptidylglycine ?-amidating monooxygenase (PAM) immunoreactivity and messenger RNA in human pituitary and increased expression in pituitary tumours. Cell and Tissue Research, 1994, 276, 197-207.  | 2.9 | 4         |
| 51 | Molecular approaches to neuroendocrine pathology. , 1997, 16, 179-205.  |     | 3         |
| 52 | MAKING SENSE OUT OFIN SITU PCR. , 1997, 182, 11-12.   |     | 3         |
| 53 | Pancreastatin, a novel neuropeptide, is widely distributed throughout porcine brain, pituitary, spinal cord and dorsal root ganglia. Regulatory Peptides, 1987, 18, 376.  | 1.9 | 2         |
| 54 | Neuropeptide Y and the Anterior Pituitary. Annals of the New York Academy of Sciences, 1990, 611, 329-335.  | 3.8 | 1         |

JENNIFER H STEEL

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The role of intrauterine bacteria in brain injury. Acta Paediatrica, International Journal of Paediatrics,<br>2004, 93, 4-5.   | 1.5 | 1         |
| 56 | Dynamic endocrinology of the pituitary; Combined use of hybridisation and immunocytochemistry for<br>the study of prolactin and proopiomelanocortin gene expression, synthesis and secretion. Regulatory<br>Peptides, 1987, 18, 375. | 1.9 | 0         |
| 57 | Localisation of calcitonin gene-related peptide immunoreactivity and messenger RNA in the rat<br>anterior pituitary and the effect of gonadal steroid manipulations. Regulatory Peptides, 1989, 26, 72.                              | 1.9 | 0         |
| 58 | Thyroid and adrenal hormone status influences the pituitary expression of galanin -ir and mRNA.<br>Regulatory Peptides, 1989, 26, 73.  | 1.9 | 0         |
| 59 | Introduction to functional anatomy of the pituitary gland and alterations in disease. , 1997, 39, 97-97.   |     | 0         |