
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9310007/publications.pdf Version: 2024-02-01



DETED C INNIS

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | High-Performance Multifunctional Graphene Yarns: Toward Wearable All-Carbon Energy Storage Textiles. ACS Nano, 2014, 8, 2456-2466. | 14.6 | 331 |
| 2 | Graphene oxide dispersions: tuning rheology to enable fabrication. Materials Horizons, 2014, 1, 326-331. | 12.2 | 276 |
| 3 | Knitted Strain Sensor Textiles of Highly Conductive All-Polymeric Fibers. ACS Applied Materials & Interfaces, 2015, 7, 21150-21158. | 8.0 | 267 |
| 4 | Strainâ€Responsive Polyurethane/PEDOT:PSS Elastomeric Composite Fibers with High Electrical Conductivity. Advanced Functional Materials, 2014, 24, 2957-2966. | 14.9 | 238 |
| 5 | Monolithic Actuators from Flashâ€Welded Polyaniline Nanofibers. Advanced Materials, 2008, 20, 155-158. | 21.0 | 167 |
| 6 | One‣tep Wet‣pinning Process of Poly(3,4â€ethylenedioxythiophene):Poly(styrenesulfonate) Fibers and the Origin of Higher Electrical Conductivity. Advanced Functional Materials, 2011, 21, 3363-3370. | 14.9 | 158 |
| 7 | Fibronectin and Bovine Serum Albumin Adsorption and Conformational Dynamics on Inherently Conducting Polymers: A QCM-D Study. Langmuir, 2012, 28, 8433-8445. | 3.5 | 134 |
| 8 | Polymerisation and characterisation of conducting polyaniline nanoparticle dispersions. Current Applied Physics, 2004, 4, 402-406. | 2.4 | 100 |
| 9 | Achieving Outstanding Mechanical Performance in Reinforced Elastomeric Composite Fibers Using Large Sheets of Graphene Oxide. Advanced Functional Materials, 2015, 25, 94-104. | 14.9 | 93 |
| 10 | Three-Dimensional Printing of Abrasive, Hard, and Thermally Conductive Synthetic Microdiamond–Polymer Composite Using Low-Cost Fused Deposition Modeling Printer. ACS Applied Materials & Interfaces, 2019, 11, 4353-4363. | 8.0 | 73 |
| 11 | Wholly printed polypyrrole nanoparticle-based biosensors on flexible substrate. Journal of Materials Chemistry B, 2014, 2, 793-799. | 5.8 | 70 |
| 12 | Inherently Conducting Polymer Nanostructures. Journal of Nanoscience and Nanotechnology, 2002, 2, 441-451. | 0.9 | 68 |
| 13 | TITAN: a conducting polymer based microfluidic pump. Smart Materials and Structures, 2005, 14, 1511-1516. | 3.5 | 67 |
| 14 | Electrochemical Formation of Chiral Polyaniline Colloids Codoped with (+)- or (â^')-10-Camphorsulfonic Acid and Polystyrene Sulfonate. Macromolecules, 1998, 31, 6521-6528. | 4.8 | 66 |
| 15 | Enhanced electrochemical stability of polyaniline in ionic liquids. Current Applied Physics, 2004, 4, 389-393. | 2.4 | 60 |
| 16 | Putting function into fashion: Organic conducting polymer fibres and textiles. Fibers and Polymers, 2007, 8, 135-142. | 2.1 | 60 |
| 17 | Technical Review : Conducting Polymer Electronics. Journal of Intelligent Material Systems and Structures, 1992, 3, 380-395. | 2.5 | 56 |
| 18 | Electronic interactions within composites of polyanilines formed under acidic and alkaline conditions. Conductivity, ESR, Raman, UV-vis and fluorescence studies. Physical Chemistry Chemical Physics, 2011, 13, 3303. | 2.8 | 52 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | EPR characterisation of platinum nanoparticle functionalised carbon nanotube hybrid materials. Physical Chemistry Chemical Physics, 2010, 12, 4135. | 2.8 | 49 |
| 20 | Optically Active Polymer Carbon Nanotube Composite. Journal of Physical Chemistry B, 2005, 109, 22725-22729. | 2.6 | 47 |
| 21 | A facile approach to spinning multifunctional conductive elastomer fibres with nanocarbon fillers. Smart Materials and Structures, 2016, 25, 035015. | 3.5 | 45 |
| 22 | Conducting Polymer Electrochemistry in Ionic Liquids Synthetic Metals, 2003, 135-136, 31-32. | 3.9 | 44 |
| 23 | The influence of electrolyte pH on the surface morphology of polypyrrole. Synthetic Metals, 1992, 53, 59-69. | 3.9 | 43 |
| 24 | Determination of the thermal conductivity of polypyrrole over the temperature range 280–335 K. Journal of Materials Science, 1993, 28, 5092-5098. | 3.7 | 40 |
| 25 | Enhanced physicochemical properties of polydimethylsiloxane based microfluidic devices and thin films by incorporating synthetic micro-diamond. Scientific Reports, 2017, 7, 15109. | 3.3 | 39 |
| 26 | Nanocomposites of Polyaniline/Poly(2-methoxyaniline-5-sulfonic acid). Macromolecular Rapid Communications, 2006, 27, 1995-2000. | 3.9 | 38 |
| 27 | Biocompatibility of Immobilized Aligned Carbon Nanotubes. Small, 2011, 7, 1035-1042. | 10.0 | 38 |
| 28 | Facile Development of a Fiber-Based Electrode for Highly Selective and Sensitive Detection of Dopamine. ACS Sensors, 2019, 4, 2599-2604. | 7.8 | 38 |
| 29 | Life-Saving Threads: Advances in Textile-Based Analytical Devices. ACS Combinatorial Science, 2019, 21, 229-240. | 3.8 | 38 |
| 30 | Electrohydrodynamic polymerization of 2-methoxyaniline-5-sulfonic acid. Synthetic Metals, 2000, 114, 267-272. | 3.9 | 37 |
| 31 | A new twist: controlled shape-shifting of silver nanoparticles from prisms to discs. Journal of Materials Chemistry, 2009, 19, 8294. | 6.7 | 37 |
| 32 | Compositional Effects of Large Graphene Oxide Sheets on the Spinnability and Properties of Polyurethane Composite Fibers. Advanced Materials Interfaces, 2016, 3, 1500672. | 3.7 | 37 |
| 33 | Colouration efficiency measurements in electrochromic polymers: The importance of charge density. Electrochemistry Communications, 2007, 9, 2032-2036. | 4.7 | 34 |
| 34 | The citrate-mediated shape evolution of transforming photomorphic silver nanoparticles. Chemical Communications, 2010, 46, 7807. | 4.1 | 34 |
| 35 | Electrosynthesis and characterisation of poly(2-methoxyaniline-5-sulfonic acid)-effect of pH control. Synthetic Metals, 2000, 114, 287-293. | 3.9 | 33 |
| 36 | Purification and characterisation of poly(2-methoxyaniline-5-sulfonicacid acid). Synthetic Metals, 2005, 153, 181-184. | 3.9 | 33 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Gel electrolytes with ionic liquid plasticiser for electrochromic devices. Electrochimica Acta, 2011, 56, 4408-4413. | 5.2 | 33 |
| 38 | Preparation of chiral conducting polymer colloids. Synthetic Metals, 1997, 84, 181-182. | 3.9 | 31 |
| 39 | The mechanism of conductivity enhancement in poly(3,4-ethylenedioxythiophene)–poly(styrenesulfonic) acid using linear-diol additives: Its effect on electrochromic performance. Thin Solid Films, 2008, 516, 7828-7835. | 1.8 | 29 |
| 40 | The influence of poly(2-methoxyaniline-5-sulfonic acid) on the electrochemical and photochemical properties of a highly luminescent ruthenium complex. Electrochimica Acta, 2008, 53, 4599-4605. | 5.2 | 29 |
| 41 | Reversible Photoinduced Electron Transfer in a Ruthenium Poly(2-methoxyaniline-5-sulfonic acid) Composite Film. Journal of Physical Chemistry B, 2008, 112, 12907-12912. | 2.6 | 26 |
| 42 | Processable polyaniline-HCSA/poly(vinyl acetate-co-butyl acrylate) corrosion protection coatings for aluminium alloy 2024-T3: A SVET and Raman study. Electrochimica Acta, 2009, 54, 1483-1490. | 5.2 | 26 |
| 43 | Polyterthiophene as an electrostimulated controlled drug release material of therapeutic levels of dexamethasone. Synthetic Metals, 2010, 160, 1107-1114. | 3.9 | 26 |
| 44 | ESR, Raman, and Conductivity Studies on Fractionated Poly(2-methoxyaniline-5-sulfonic acid). Journal of Physical Chemistry B, 2010, 114, 2337-2341. | 2.6 | 25 |
| 45 | Electrically conductive coatings of nickel and polypyrrole/poly(2-methoxyaniline-5-sulfonic acid) on nylon Lycra® textiles. Progress in Organic Coatings, 2013, 76, 1296-1301. | 3.9 | 24 |
| 46 | Processable Thermally Conductive Polyurethane Composite Fibers. Macromolecular Materials and Engineering, 2019, 304, 1800542. | 3.6 | 24 |
| 47 | Ion effects in REDOX cycling of conducting polymer based electrochromic materials. Electrochemistry Communications, 2010, 12, 1505-1508. | 4.7 | 22 |
| 48 | X-ray attenuation properties of electrically insulating barytes/epoxy composites. Journal of Materials Science Letters, 1993, 12, 132-134. | 0.5 | 21 |
| 49 | Comparative displacement study of bilayer actuators comprising of conducting polymers, fabricated from polypyrrole, poly(3,4-ethylenedioxythiophene) or poly(3,4-propylenedioxythiophene). Sensors and Actuators A: Physical, 2013, 193, 48-53. | 4.1 | 20 |
| 50 | Conducting Polymers: Properties and Applications. Journal of Intelligent Material Systems and Structures, 1994, 5, 595-604. | 2.5 | 18 |
| 51 | Faradaic charge corrected colouration efficiency measurements for electrochromic devices. Electrochimica Acta, 2008, 53, 2250-2257. | 5.2 | 18 |
| 52 | Exploiting Intermolecular Interactions between Alkyl-Functionalized Redox-Active Molecule Pairs to Enhance Interfacial Electron Transfer. Journal of the American Chemical Society, 2018, 140, 13935-13944. | 13.7 | 18 |
| 53 | Chemical and Photoluminescence Properties of Purified Poly(2-methoxyaniline-5-sulfonic acid) and Oligomer. Journal of Physical Chemistry B, 2007, 111, 12738-12747. | 2.6 | 17 |
| 54 | Electrohydrodynamic synthesis, characterisation and metal uptake studies on polypyrrole colloids stabilised by polyvinylphosphate dopant. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2000, 175, 291-301. | 4.7 | 15 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Stabilization of Single-Wall Carbon Nanotubes in Fully Sulfonated Polyaniline. Journal of Nanoscience and Nanotechnology, 2004, 4, 976-981. | 0.9 | 15 |
| 56 | Electrochemical synthesis and characterisation of polyaniline/poly(2-methoxyaniline-5-sulfonic acid) composites. Electrochimica Acta, 2008, 53, 4146-4155. | 5.2 | 15 |
| 57 | 3D printing of highly flexible, cytocompatible nanocomposites for thermal management. Journal of Materials Science, 2021, 56, 6385-6400. | 3.7 | 14 |
| 58 | Applications of nanomaterials in ambient ionization mass spectrometry. TrAC - Trends in Analytical Chemistry, 2021, 136, 116202. | 11.4 | 14 |
| 59 | Development and characterisation of polypyrrole/metal junctions for electronic applications. Polymer International, 1991, 26, 245-249. | 3.1 | 13 |
| 60 | Photolithographic patterning of conducting polyaniline films via flash welding. Synthetic Metals, 2010, 160, 1405-1409. | 3.9 | 13 |
| 61 | Novel approach to the synthesis of polyaniline possessing electroactivity at neutral pH. Synthetic Metals, 2019, 250, 121-130. | 3.9 | 13 |
| 62 | Characterisation of graphene fibres and graphene coated fibres using capacitively coupled contactless conductivity detector. Analyst, The, 2016, 141, 2774-2782. | 3.5 | 12 |
| 63 | Thread-based isoelectric focusing coupled with desorption electrospray ionization mass spectrometry. Analyst, The, 2020, 145, 6928-6936. | 3.5 | 12 |
| 64 | Influence of biopolymer loading on the physiochemical and electrochemical properties of inherently conducting polymer biomaterials. Synthetic Metals, 2015, 200, 40-47. | 3.9 | 11 |
| 65 | Thermally drawn biodegradable fibers with tailored topography for biomedical applications. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2021, 109, 733-743. | 3.4 | 11 |
| 66 | Factors affecting the electrochemical formation of polypyrrole-nitrate colloids. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1998, 137, 295-300. | 4.7 | 10 |
| 67 | Solid State Photochemistry of Novel Composites Containing Luminescent Metal Centers and Poly(2-methoxyaniline-5-sulfonic acid). Journal of Physical Chemistry B, 2009, 113, 7443-7448. | 2.6 | 10 |
| 68 | Novel Approach toward Electrofluidic Substrates Utilizing Textile-Based Braided Structure. ACS Applied Materials & Interfaces, 2020, 12, 45618-45628. | 8.0 | 10 |
| 69 | Significant Effect of Electronic Coupling on Electron Transfer between Surface-Bound Porphyrins and Co ^{2+/3+} Complex Electrolytes. Journal of Physical Chemistry C, 2020, 124, 9178-9190. | 3.1 | 10 |
| 70 | Thread-based isotachophoresis coupled with desorption electrospray ionization mass spectrometry for clean-up, preconcentration, and determination of alkaloids in biological fluids. Analytica Chimica Acta, 2022, 1193, 338810. | 5.4 | 10 |
| 71 | Wireless bipolar electrode-based textile electrofluidics: towards novel micro-total-analysis systems. Lab on A Chip, 2021, 21, 3979-3990. | 6.0 | 10 |
| 72 | Asymmetric proliferation with optically active polyanilines. Chemical Communications, 2005, , 4539. | 4.1 | 9 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | 3D textile structures with integrated electroactive electrodes for wearable electrochemical sensors. Journal of the Textile Institute, 2020, 111, 1587-1595. | 1.9 | 9 |
| 74 | Substrate-Dependent Electron-Transfer Rate of Mixed-Ligand Electrolytes: Tuning Electron-Transfer Rate without Changing Driving Force. Journal of the American Chemical Society, 2021, 143, 488-495. | 13.7 | 9 |
| 75 | Inherently Conducting Polymer Nanostructures. Journal of Nanoscience and Nanotechnology, 2002, 2, 441-451. | 0.9 | 9 |
| 76 | Electrohydrodynamic synthesis of polypyrrole coated polyurethane colloidal dispersions using the electrocatalyst Tiron. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2002, 207, 1-12. | 4.7 | 8 |
| 77 | Asymmetry and rectification in the tunnel current of a nanometer-sized metal-conjugated polymer–metal junction. Journal of Chemical Physics, 2000, 112, 6774-6778. | 3.0 | 7 |
| 78 | Colour tunable electrochromic devices based on PProDOT-(Hx)2 and PProDOT-(EtHx)2 polymers. Journal of Materials Chemistry C, 2013, 1, 7430. | 5.5 | 7 |
| 79 | Fused filament fabrication 3D printed polylactic acid electroosmotic pumps. Lab on A Chip, 2021, 21, 3338-3351. | 6.0 | 7 |
| 80 | Electrohydrodynamic polymerisation of water-soluble poly((4-(3-pyrrolyl))butane sulfonate). Polymer, 2000, 41, 4065-4076. | 3.8 | 5 |
| 81 | Nanomaterial-assisted thread-based isotachophoresis with on-thread solute trapping. Analyst, The, 2022, 147, 1944-1951. | 3.5 | 5 |
| 82 | Design of selfâ€assembled TiO ₂ architectures: Towards hybrid nanotubular interfaces. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 938-945. | 1.8 | 4 |
| 83 | Microstructures of conducting polymers: Patterning and actuation study. Sensors and Actuators A: Physical, 2013, 197, 106-110. | 4.1 | 3 |
| 84 | The impact of insufficient time resolution on dye regeneration lifetime determined using transient absorption spectroscopy. Physical Chemistry Chemical Physics, 2021, 23, 13001-13010. | 2.8 | 3 |
| 85 | Controlled Continuous Production of Conducting Polypyrrole Tapes I: Process Control Development. Polymers for Advanced Technologies, 1996, 7, 442-450. | 3.2 | 2 |
| 86 | Sensors: Strain-Responsive Polyurethane/PEDOT:PSS Elastomeric Composite Fibers with High Electrical Conductivity (Adv. Funct. Mater. 20/2014). Advanced Functional Materials, 2014, 24, 3104-3104. | 14.9 | 2 |
| 87 | Field-Cycling NMR Relaxometry Study of Dynamic Processes in Conducting Polyaniline. Journal of Physical Chemistry C, 2008, 112, 17688-17693. | 3.1 | 1 |
| 88 | Melt polymer drawn single and multi-capillary fibre-based electroosmotic pumps. Microfluidics and Nanofluidics, 2022, 26, . | 2.2 | 1 |
| 89 | Graphene Oxide: Achieving Outstanding Mechanical Performance in Reinforced Elastomeric Composite Fibers Using Large Sheets of Graphene Oxide (Adv. Funct. Mater. 1/2015). Advanced Functional Materials, 2015, 25, 168-168. | 14.9 | 0 |
| 90 | Tunable flow rate in textile-based materials utilising composite fibres. Journal of the Textile Institute, 2021, 112, 568-577. | 1.9 | 0 |