

Damian Kawecki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9310248/publications.pdf>

Version: 2024-02-01

64
papers

1,146
citations

516710

16
h-index

414414

32
g-index

65
all docs

65
docs citations

65
times ranked

1795
citing authors

#	ARTICLE	IF	CITATIONS
1	Direct Comparison of 4 Very Early Rule-Out Strategies for Acute Myocardial Infarction Using High-Sensitivity Cardiac Troponin I. <i>Circulation</i> , 2017, 135, 1597-1611.	1.6	138
2	Clinical Validation of a Novel High-Sensitivity Cardiac Troponin I Assay for Early Diagnosis of Acute Myocardial Infarction. <i>Clinical Chemistry</i> , 2018, 64, 1347-1360.	3.2	110
3	Effect of Definition on Incidence and Prognosis of Type 2 Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2017, 70, 1558-1568.	2.8	94
4	Impact of age on the performance of the ESC 0/1h-algorithms for early diagnosis of myocardial infarction. <i>European Heart Journal</i> , 2018, 39, 3780-3794.	2.2	78
5	High-Sensitivity Cardiac Troponin I Assay for Early Diagnosis of Acute Myocardial Infarction. <i>Clinical Chemistry</i> , 2019, 65, 893-904.	3.2	59
6	Combining High-Sensitivity Cardiac Troponin I and Cardiac Troponin T in the Early Diagnosis of Acute Myocardial Infarction. <i>Circulation</i> , 2018, 138, 989-999.	1.6	56
7	Direct Admission Versus Interhospital Transfer for Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 438-447.	2.9	48
8	Direct Comparison of the 0/1h and 0/3h Algorithms for Early Rule-Out of Acute Myocardial Infarction. <i>Circulation</i> , 2018, 137, 2536-2538.	1.6	48
9	Clinical Use of a New High-Sensitivity Cardiac Troponin I Assay in Patients with Suspected Myocardial Infarction. <i>Clinical Chemistry</i> , 2019, 65, 1426-1436.	3.2	41
10	B-Type Natriuretic Peptides and Cardiac Troponins for Diagnosis and Risk-Stratification of Syncope. <i>Circulation</i> , 2019, 139, 2403-2418.	1.6	40
11	Two-Hour Algorithm for Rapid Triage of Suspected Acute Myocardial Infarction Using a High-Sensitivity Cardiac Troponin I Assay. <i>Clinical Chemistry</i> , 2019, 65, 1437-1447.	3.2	36
12	Early diagnosis of acute myocardial infarction in patients with mild elevations of cardiac troponin. <i>Clinical Research in Cardiology</i> , 2017, 106, 457-467.	3.3	35
13	Copeptin. <i>Journal of Cardiovascular Medicine</i> , 2013, 14, 19-25.	1.5	27
14	Prevalence of Pulmonary Embolism in Patients With Syncope. <i>Journal of the American College of Cardiology</i> , 2019, 74, 744-754.	2.8	26
15	Cardiovascular Biomarkers in the Early Discrimination of Type 2 Myocardial Infarction. <i>JAMA Cardiology</i> , 2021, 6, 771.	6.1	24
16	Acute Responses of Novel Cardiac Biomarkers to a 24-h Ultra-Marathon. <i>Journal of Clinical Medicine</i> , 2019, 8, 57.	2.4	19
17	Prospective validation of prognostic and diagnostic syncope scores in the emergency department. <i>International Journal of Cardiology</i> , 2018, 269, 114-121.	1.7	18
18	Prohormones in the Early Diagnosis of Cardiac Syncope. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	16

#	ARTICLE	IF	CITATIONS
19	Diagnostic Contribution of Cardiac Magnetic Resonance in Patients with Acute Coronary Syndrome and Culprit-Free Angiograms. <i>Medical Science Monitor</i> , 2015, 21, 171-180.	1.1	16
20	Effect of a Proposed Modification of the Type 1 and Type 2 Myocardial Infarction Definition on Incidence and Prognosis. <i>Circulation</i> , 2020, 142, 2083-2085.	1.6	14
21	Diagnostic and prognostic value of QRS duration and QTc interval in patients with suspected myocardial infarction. <i>Cardiology Journal</i> , 2018, 25, 601-610.	1.2	13
22	Clinical Significance of Viral Genome Persistence in the Myocardium of Patients with Dilated Cardiomyopathy. <i>Intervirology</i> , 2015, 58, 350-356.	2.8	12
23	Characteristics and Outcomes of Type 2 Myocardial Infarction. <i>JAMA Cardiology</i> , 2022, 7, 427.	6.1	12
24	Direct comparison of high-sensitivity cardiac troponin T and I in the early differentiation of type 1 vs. type 2 myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 62-74.	1.0	11
25	Comparison of Coronary Artery Bypass Grafting with Percutaneous Coronary Intervention for Unprotected Left Main Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2012, 53, 58.	2.2	10
26	Copeptin as a Prognostic Marker in Acute Chest Pain and Suspected Acute Coronary Syndrome. <i>Disease Markers</i> , 2018, 2018, 1-8.	1.3	10
27	Long-Term Percutaneous Coronary Intervention Outcomes of Patients with Chronic Kidney Disease in the Era of Second-Generation Drug-Eluting Stents. <i>CardioRenal Medicine</i> , 2017, 7, 85-95.	1.9	9
28	Comparison of First- and Second-Generation Drug-Eluting Stents in an All-Coroner Population of Patients with Diabetes Mellitus (from Katowice-Zabrze Registry). <i>Medical Science Monitor</i> , 2015, 21, 3261-3269.	1.1	9
29	First- Versus Second-Generation Drug-Eluting Stents in Acute Coronary Syndromes (Katowice-Zabrze) Tj ETQq1 1 0,784314 rgBT /Ove	0,8	9
30	Role of copeptin in dual cardiac marker strategy for patients with chest pain presented to ED. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1732-1736.	1.6	7
31	Circadian, weekly, seasonal, and temperature-dependent patterns of syncope aetiology in patients at increased risk of cardiac syncope. <i>Europace</i> , 2019, 21, 511-521.	1.7	7
32	Predicting Acute Myocardial Infarction with a Single Blood Draw. <i>Clinical Chemistry</i> , 2019, 65, 437-450.	3.2	7
33	Annual Trends in Total Ischemic Time and One-Year Fatalities: The Paradox of STEMI Network Performance Assessment. <i>Journal of Clinical Medicine</i> , 2019, 8, 78.	2.4	7
34	Development of an electrocardiogram-based risk calculator for a cardiac cause of syncope. <i>Heart</i> , 2021, 107, 1796-1804.	2.9	7
35	Performance of highly sensitive cardiac troponin T assay to detect ischaemia at PET-CT in low-risk patients with acute coronary syndrome: a prospective observational study. <i>BMJ Open</i> , 2017, 7, e014655.	1.9	6
36	Gender differences and bleeding complications after PCI on first and second generation DES. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 53-60.	1.2	6

#	ARTICLE	IF	CITATIONS
37	Left Ventricular Systolic Function Assessed by Speckle Tracking Echocardiography in Athletes with and without Left Ventricle Hypertrophy. <i>Journal of Clinical Medicine</i> , 2019, 8, 687.	2.4	6
38	Early standardized clinical judgement for syncope diagnosis in the emergency department. <i>Journal of Internal Medicine</i> , 2021, 290, 728-739.	6.0	6
39	Results of PCI with Drug-Eluting Stents in an All-Comer Population Depending on Vessel Diameter. <i>Journal of Clinical Medicine</i> , 2020, 9, 524.	2.4	5
40	Early kinetics of cardiac troponin in suspected acute myocardial infarction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 502-509.	0.6	5
41	0/2-Algorithm for Rapid Triage of Suspected Myocardial Infarction Using a Novel High-Sensitivity Cardiac Troponin I Assay. <i>Clinical Chemistry</i> , 2022, 68, 303-312.	3.2	5
42	Impact of anaemia on long-term outcomes in patients treated with first- and second-generation drug-eluting stents; Katowice-Zabrze Registry. <i>Kardiologia Polska</i> , 2016, 74, 561-569.	0.6	5
43	Combined Use of High-Sensitive Cardiac Troponin, Copeptin, and the Modified HEART Score for Rapid Evaluation of Chest Pain Patients. <i>Disease Markers</i> , 2018, 2018, 1-7.	1.3	3
44	External Validation and Extension of a Clinical Score for the Discrimination of Type 2 Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2021, 10, 1264.	2.4	3
45	The influence of obstructive sleep breathing disturbances on echocardiographic and pulmonary haemodynamic parameters in patients with dilated cardiomyopathy. <i>Kardiologia Polska</i> , 2016, 74, 135-141.	0.6	3
46	Performance of the American Heart Association/American College of Cardiology/Heart Rhythm Society versus European Society of Cardiology Guideline Criteria for Hospital Admission of Patients with Syncope. <i>Heart Rhythm</i> , 2022, , .	0.7	3
47	Randomized placebo controlled blinded study to assess valsartan efficacy in preventing left ventricle remodeling in patients with dual chamber pacemaker – Rationale and design of the trial. <i>Contemporary Clinical Trials</i> , 2015, 42, 239-243.	1.8	2
48	COPEptin for diagnosis and prediction in Acute Coronary Syndrome (COPACS) Study: design and objectives. <i>Postępy W Kardiologii Interwencyjnej</i> , 2016, 4, 360-363.	0.2	2
49	Left atrial myxoma in a patient with a biventricular pacemaker. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2016, 4, 383-385.	0.1	2
50	Analysis of Myocardial Infarction Time Course in Women Compared With Men in Upper Silesia Population in 30 Day Follow-Up. <i>International Heart Journal</i> , 2009, 50, 711-721.	1.0	2
51	Clinical presentation of patients with prior coronary artery bypass grafting and suspected acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 746-755.	1.0	2
52	Real-Life Outcomes of Coronary Bifurcation Stenting in Acute Myocardial Infarction (Zabrze-Opole) Tj ETQq0 0 Q rgBT /Overlock 10 T	1.6	2
53	Quality of life in patients with severe left ventricle dysfunction due to coronary artery disease. <i>Open Medicine (Poland)</i> , 2011, 6, 807-812.	1.3	1
54	Second-generation drug-eluting stents in the elderly patients with acute coronary syndrome: the in-hospital and 12-month follow-up of the all-comer registry. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 885-893.	2.9	1

#	ARTICLE	IF	CITATIONS
55	Common origin of all three coronary arteries from the right sinus of Valsalva – first case study accompanied by mitral valve prolapse and vein anomaly, second case study followed by successful percutaneous coronary intervention of right coronary artery stenosis. <i>Kardiochirurgia i Torakochirurgia Polska</i> , 2017, 1, 66-70.	0.1	1
56	Ideal coronary stent: development, characteristics, and vessel size impact. <i>Annales Academiae Medicae Silesiensis</i> , 2020, 74, 191-197.	0.1	1
57	Utilisation of bivalirudin and vascular closure devices for same-day discharge after percutaneous coronary and peripheral interventions. <i>Kardiologia Polska</i> , 2016, 74, 553-560.	0.6	1
58	Ocena stanu antyoksydacyjnego w wybranych chorobach układowych tkanki łącznej. <i>Annales Academiae Medicae Silesiensis</i> , 2018, 72, 116-120.	0.1	1
59	Cardiogenic shock in myocardial infarction-results of in-hospital follow-up. <i>Open Medicine (Poland)</i> , 2011, 6, 213-219.	1.3	0
60	Therapeutic percutaneous transluminal angioplasty with a stenting procedure of a stenosed great cardiac vein in a patient with dilated cardiomyopathy submitted to biventricular pacemaker implantation. <i>Cor Et Vasa</i> , 2013, 55, e541-e544.	0.1	0
61	Upgrade from ICD to CRT-D: clinical and haemodynamic impact of biventricular pacing in a patient with acquired long QT syndrome. <i>Open Medicine (Poland)</i> , 2015, 10, 113-118.	1.3	0
62	Optimal invasive strategy for multivessel coronary artery disease in elderly diabetic patients. <i>Current Medical Research and Opinion</i> , 2016, 32, 1871-1872.	1.9	0
63	Coronary bifurcations – anatomy, physiology and treatment with selected aspects of left main stem bifurcation. <i>Annales Academiae Medicae Silesiensis</i> , 2021, 75, 24-32.	0.1	0
64	Main problems associated with obtaining informed consent of cardiologic patients for participation in scientific studies: Focus on acute care. <i>Clinical Research and Trials</i> , 2016, 2, .	0.1	0