
Teresa Villarreal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9312490/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adiponectin: Anti-inflammatory and cardioprotective effects. Biochimie, 2012, 94, 2143-2149.	2.6	163
2	Endothelial Dysfunction, Inflammation and Coronary Artery Disease: Potential Biomarkers and Promising Therapeutical Approaches. International Journal of Molecular Sciences, 2021, 22, 3850.	4.1	153
3	A functional ABCA1 gene variant is associated with low HDL-cholesterol levels and shows evidence of positive selection in Native Americans. Human Molecular Genetics, 2010, 19, 2877-2885.	2.9	133
4	Use of Human Umbilical Vein Endothelial Cells (HUVEC) as a Model to Study Cardiovascular Disease: A Review. Applied Sciences (Switzerland), 2020, 10, 938.	2.5	114
5	The ATP-Binding Cassette Transporter A1 R230C Variant Affects HDL Cholesterol Levels and BMI in the Mexican Population: Association With Obesity and Obesity-Related Comorbidities. Diabetes, 2007, 56, 1881-1887.	0.6	95
6	Contribution of Common Genetic Variants to Obesity and Obesity-Related Traits in Mexican Children and Adults. PLoS ONE, 2013, 8, e70640.	2.5	90
7	Association of the ATP-Binding Cassette Transporter A1 R230C Variant With Early-Onset Type 2 Diabetes in a Mexican Population. Diabetes, 2008, 57, 509-513.	0.6	89
8	The Role of the ATP-Binding Cassette A1 (ABCA1) in Human Disease. International Journal of Molecular Sciences, 2021, 22, 1593.	4.1	73
9	Hepatic miRâ€33a/miRâ€144 and their target gene <i>ABCA1</i> are associated with steatohepatitis in morbidly obese subjects. Liver International, 2016, 36, 1383-1391.	3.9	69
10	The ABCA1 Gene R230C Variant Is Associated with Decreased Risk of Premature Coronary Artery Disease: The Genetics of Atherosclerotic Disease (GEA) Study. PLoS ONE, 2012, 7, e49285.	2.5	69
11	Role of adiponectin and free fatty acids on the association between abdominal visceral fat and insulin resistance. Cardiovascular Diabetology, 2015, 14, 20.	6.8	62
12	Methylenetetrahydrofolate Reductase C677T and Glutathione S-Transferase P1 A313G Are Associated with a Reduced Risk of Preeclampsia in Maya-Mestizo Women. Hypertension Research, 2008, 31, 1015-1019.	2.7	58
13	Founder effect for the Ala431Glu mutation of the presenilin 1 gene causing early-onset Alzheimer's disease in Mexican families. Neurogenetics, 2006, 7, 195-200.	1.4	47
14	Demographic history and biologically relevant genetic variation of Native Mexicans inferred from whole-genome sequencing. Nature Communications, 2017, 8, 1005.	12.8	44
15	An Amino Acid Signature Associated with Obesity Predicts 2-Year Risk of Hypertriglyceridemia in School-Age Children. Scientific Reports, 2017, 7, 5607.	3.3	43
16	Interleukin 35 Polymorphisms Are Associated with Decreased Risk of Premature Coronary Artery Disease, Metabolic Parameters, and IL-35 Levels: The Genetics of Atherosclerotic Disease (GEA) Study. Mediators of Inflammation, 2017, 2017, 1-10.	3.0	40
17	Serum magnesium is inversely associated with coronary artery calcification in the Genetics of Atherosclerotic Disease (GEA) study. Nutrition Journal, 2015, 15, 22.	3.4	37
18	Low Salivary Amylase Gene (AMY1) Copy Number Is Associated with Obesity and Gut Prevotella Abundance in Mexican Children and Adults. Nutrients, 2018, 10, 1607.	4.1	36

TERESA VILLARREAL

#	Article	IF	CITATIONS
19	Evolutionary Responses to a Constructed Niche: Ancient Mesoamericans as a Model of Gene-Culture Coevolution. PLoS ONE, 2012, 7, e38862.	2.5	34
20	Association of the I148M/PNPLA3 variant with elevated alanine transaminase levels in normal-weight and overweight/obese Mexican children. Gene, 2013, 520, 185-188.	2.2	34
21	Hypoalphalipoproteinemia in populations of Native American ancestry: an opportunity to assess the interaction of genes and the environment. Current Opinion in Lipidology, 2009, 20, 92-97.	2.7	31
22	Interleukin-27 polymorphisms are associated with premature coronary artery disease and metabolic parameters in the Mexican population: the genetics of atherosclerotic disease (GEA) Mexican study. Oncotarget, 2017, 8, 64459-64470.	1.8	31
23	Influence of Genetic and Non-Genetic Risk Factors for Serum Uric Acid Levels and Hyperuricemia in Mexicans. Nutrients, 2019, 11, 1336.	4.1	28
24	Single Nucleotide Polymorphisms within LIPA (Lysosomal Acid Lipase A) Gene Are Associated with Susceptibility to Premature Coronary Artery Disease. A Replication in the Genetic of Atherosclerotic Disease (GEA) Mexican Study. PLoS ONE, 2013, 8, e74703.	2.5	26
25	PCSK1 rs6232 Is Associated with Childhood and Adult Class III Obesity in the Mexican Population. PLoS ONE, 2012, 7, e39037.	2.5	25
26	Single Nucleotide Polymorphisms of the Angiotensin-Converting Enzyme (ACE) Gene Are Associated with Essential Hypertension and Increased ACE Enzyme Levels in Mexican Individuals. PLoS ONE, 2013, 8, e65700.	2.5	25
27	PNPLA3 I148M polymorphism is associated with elevated alanine transaminase levels in Mexican Indigenous and Mestizo populations. Molecular Biology Reports, 2014, 41, 4705-4711.	2.3	25
28	WNT3A gene polymorphisms are associated with bone mineral density variation in postmenopausal mestizo women of an urban Mexican population: findings of a pathway-based high-density single nucleotide screening. Age, 2014, 36, 9635.	3.0	24
29	The ATP-Binding Cassette Transporter Subfamily A Member 1 (ABC-A1) and Type 2 Diabetes: An Association Beyond HDL Cholesterol. Current Diabetes Reviews, 2007, 3, 264-267.	1.3	21
30	Interleukin-17A Gene Haplotypes Are Associated with Risk of Premature Coronary Artery Disease in Mexican Patients from the Genetics of Atherosclerotic Disease (GEA) Study. PLoS ONE, 2015, 10, e0114943.	2.5	21
31	The rs7044343 Polymorphism of the Interleukin 33 Gene Is Associated with Decreased Risk of Developing Premature Coronary Artery Disease and Central Obesity, and Could Be Involved in Regulating the Production of IL-33. PLoS ONE, 2017, 12, e0168828.	2.5	21
32	Association of R230C ABCA1 gene variant with low HDL-C levels and abnormal HDL subclass distribution in Mexican school-aged children. Clinica Chimica Acta, 2010, 411, 1214-1217.	1.1	20
33	Hepatic lipase (LIPC) C-514T gene polymorphism is associated with cardiometabolic parameters and cardiovascular risk factors but not with fatty liver in Mexican population. Experimental and Molecular Pathology, 2015, 98, 93-98.	2.1	19
34	The HIF1A rs2057482 polymorphism is associated with risk of developing premature coronary artery disease and with some metabolic and cardiovascular risk factors. The Genetics of Atherosclerotic Disease (GEA) Mexican Study. Experimental and Molecular Pathology, 2014, 96, 405-410.	2.1	18
35	PLA2G2A polymorphisms are associated with metabolic syndrome and type 2 diabetes mellitus. Results from the genetics of atherosclerotic disease Mexican study. Immunobiology, 2017, 222, 967-972.	1.9	17
36	Carbohydrate Intake Modulates the Effect of the ABCA1 -R230C Variant on HDL Cholesterol Concentrations in Premenopausal Women. Journal of Nutrition, 2012, 142, 278-283.	2.9	15

TERESA VILLARREAL

#	Article	IF	CITATIONS
37	Genetic contributors to serum uric acid levels in Mexicans and their effect on premature coronary artery disease. International Journal of Cardiology, 2019, 279, 168-173.	1.7	15
38	Analysis of association of MEF2C, SOST and JAG1 genes with bone mineral density in Mexican-Mestizo postmenopausal women. BMC Musculoskeletal Disorders, 2014, 15, 400.	1.9	14
39	Dietary fat and carbohydrate modulate the effect of the ATP-binding cassette A1 (ABCA1) R230C variant on metabolic risk parameters in premenopausal women from the Genetics of Atherosclerotic Disease (GEA) Study. Nutrition and Metabolism, 2015, 12, 45.	3.0	14
40	Monocyte chemoattractant protein-1 gene (MCP-1) polymorphisms are associated with risk of premature coronary artery disease in Mexican patients from the Genetics of Atherosclerotic Disease (GEA) study. Immunology Letters, 2015, 167, 125-130.	2.5	12
41	Interaction between FTO rs9939609 and the Native American-origin ABCA1 rs9282541 affects BMI in the admixed Mexican population. BMC Medical Genetics, 2017, 18, 46.	2.1	12
42	Genomic study of dilated cardiomyopathy in a group of Mexican patients using siteâ€directed next generation sequencing. Molecular Genetics & Genomic Medicine, 2020, 8, e1504.	1.2	12
43	Myocardial Perfusion and Ventricular Function Assessed by SPECT and Gated-SPECT in End-Stage Renal Disease Patients before and after Renal Transplant. Archives of Medical Research, 2007, 38, 227-233.	3.3	10
44	<i>IL-24</i> Gene Polymorphisms Are Associated with Cardiometabolic Parameters and Cardiovascular Risk Factors But Not with Premature Coronary Artery Disease: The Genetics of Atherosclerotic Disease Mexican Study. Journal of Interferon and Cytokine Research, 2014, 34, 659-666.	1.2	10
45	Founder effect and ancestral origin of the spinocerebellar ataxia type 7 (SCA7) mutation in Mexican families. Neurogenetics, 2014, 15, 13-17.	1.4	10
46	Genome-Wide Association Study Identifies a Functional <i>SIDT2</i> Variant Associated With HDL-C (High-Density Lipoprotein Cholesterol) Levels and Premature Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 2494-2508.	2.4	10
47	VNN1 Gene Expression Levels and the G-137T Polymorphism Are Associated with HDL-C Levels in Mexican Prepubertal Children. PLoS ONE, 2012, 7, e49818.	2.5	9
48	Premature and severe cardiovascular disease in a Mexican male with markedly low high-density-lipoprotein-cholesterol levels and a mutation in the lecithin:cholesterol acyltransferase gene: A family study. International Journal of Molecular Medicine, 2014, 33, 1570-1576.	4.0	8
49	Identification of the I507 deletion by site-directed mutagenesis. American Journal of Medical Genetics Part A, 1994, 51, 137-139.	2.4	7
50	Compound heterozygous KCNQ1 mutations (A300T/P535T) in a child with sudden unexplained death: Insights into possible molecular mechanisms based on protein modeling. Gene, 2017, 627, 40-48.	2.2	7
51	Compound Heterozygous KCNQ1 Mutations Causing Recessive Romano–Ward Syndrome: Functional Characterization by Mutant Co-expression. Frontiers in Cardiovascular Medicine, 2021, 8, 625449.	2.4	7
52	FANCC Dutch founder mutation in a Mennonite family from Tamaulipas, México. Molecular Genetics & Genomic Medicine, 2019, 7, e710.	1.2	6
53	Catecholaminergic polymorphic ventricular tachycardia due to de novo RyR2 mutation: recreational cycling as a trigger of lethal arrhythmias. Archives of Medical Science, 2020, 16, 466-470.	0.9	6
54	HNF-1? G574S is a functional variant with decreased transactivation activity. Diabetic Medicine, 2006, 23, 1295-1300.	2.3	5

TERESA VILLARREAL

#	Article	IF	CITATIONS
55	Host Genetics, Diet, and Microbiome: The Role of AMY1. Trends in Microbiology, 2019, 27, 473-475.	7.7	5
56	Clinical Spectrum of SCN5A Channelopathy in Children with Primary Electrical Disease and Structurally Normal Hearts. Genes, 2022, 13, 16.	2.4	5
57	The (<i>G</i> > <i>A</i>) rs11573191 Polymorphism of <i>PLA2G5</i> Gene Is Associated with Premature Coronary Artery Disease in the Mexican Mestizo Population: The Genetics of Atherosclerotic Disease Mexican Study. BioMed Research International, 2014, 2014, 1-6.	1.9	4
58	Fanconi Anemia Patients from an Indigenous Community in Mexico Carry a New Founder Pathogenic Variant in FANCG. International Journal of Molecular Sciences, 2022, 23, 2334.	4.1	4
59	XV-2c/KM-19 haplotype analysis of cystic fibrosis mutations in Mexican patients. American Journal of Medical Genetics Part A, 2001, 102, 277-281.	2.4	3
60	A combined linkage and association strategy identifies a variant near the GSTP1 gene associated with BMI in the Mexican population. Journal of Human Genetics, 2017, 62, 413-418.	2.3	3
61	Raet1e Polymorphisms Are Associated with Increased Risk of Developing Premature Coronary Artery Disease and with Some Cardiometabolic Parameters: The GEA Mexican Study. Mediators of Inflammation, 2018, 2018, 1-10.	3.0	3
62	Mild cystic fibrosis disease in three Mexican deltaâ€F508/G551S compound heterozygous siblings. Clinical Genetics, 1995, 47, 96-98.	2.0	2
63	Receptor-interacting protein 2 (RIP2) gene polymorphisms are associated with increased risk of subclinical atherosclerosis and clinical and metabolic parameters. The Genetics of Atherosclerotic Disease (GEA) Mexican study. Experimental and Molecular Pathology, 2017, 102, 1-6.	2.1	2
64	Fine mapping and identification of serum urate loci in American Indians: The Strong Heart Family Study. Scientific Reports, 2019, 9, 17899.	3.3	1
65	Prevalence and ancestral origin of the c.1987delC GAA gene mutation causing Pompe disease in Central Mexico. Meta Gene, 2018, 15, 60-64.	0.6	Ο

66 Effects of n-3 Fatty Acids Supplementation on Insulin Resistance. , 2011, , 46-57.

0