

# Charlene Thornton Rm

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9315537/publications.pdf>

Version: 2024-02-01

64  
papers

2,323  
citations

218677

26  
h-index

223800

46  
g-index

65  
all docs

65  
docs citations

65  
times ranked

3036  
citing authors

#	ARTICLE	IF	CITATIONS
1	Uteroplacental ischemia results in proteinuric hypertension and elevated sFLT-1. <i>Kidney International</i> , 2007, 71, 977-984.	5.2	280
2	Single agent versus combination chemotherapy for metastatic breast cancer. <i>The Cochrane Library</i> , 2021, 2021, CD003372.	2.8	149
3	Maternal and perinatal outcomes by planned place of birth among women with low-risk pregnancies in high-income countries: A systematic review and meta-analysis. <i>Midwifery</i> , 2018, 62, 240-255.	2.3	139
4	All Hypertensive Disorders of Pregnancy Increase the Risk of Future Cardiovascular Disease. <i>Hypertension</i> , 2017, 70, 798-803.	2.7	137
5	The incidence of preeclampsia and eclampsia and associated maternal mortality in Australia from population-linked datasets: 2000-2008. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 476.e1-476.e5.	1.3	107
6	Rates of obstetric intervention among low-risk women giving birth in private and public hospitals in NSW: a population-based descriptive study. <i>BMJ Open</i> , 2012, 2, e001723.	1.9	93
7	Placental Deficiency of Interleukin-10 (IL-10) in Preeclampsia and its Relationship to an IL10 Promoter Polymorphism. <i>Placenta</i> , 2006, 27, 445-451.	1.5	90
8	Physical Activity in Pregnancy: Women's Perceptions, Practices, and Influencing Factors. <i>Journal of Midwifery and Women's Health</i> , 2010, 55, 455-461.	1.3	77
9	Postpartum hypertension and nonsteroidal analgesia. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 577-578.	1.3	73
10	The Effect of Acupuncture on Post-Cancer Fatigue and Well-Being for Women Recovering from Breast Cancer: A Pilot Randomised Controlled Trial. <i>Acupuncture in Medicine</i> , 2013, 31, 9-15.	1.0	66
11	The effect of medical and operative birth interventions on child health outcomes in the first 28Âdays and up to 5Âyears of age: A linked data populationâ€based cohort study. <i>Birth</i> , 2018, 45, 347-357.	2.2	63
12	Rates of obstetric intervention during birth and selected maternal and perinatal outcomes for low risk women born in Australia compared to those born overseas. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 100.	2.4	60
13	Acute Pulmonary Oedema as a Complication of Hypertension During Pregnancy. <i>Hypertension in Pregnancy</i> , 2011, 30, 169-179.	1.1	54
14	Birthplace in New South Wales, Australia: an analysis of perinatal outcomes using routinely collected data. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 206.	2.4	54
15	Role of proteinuria in defining preâ€eclampsia: Clinical outcomes for women and babies. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 466-470.	1.9	48
16	Rates of obstetric intervention and associated perinatal mortality and morbidity among low-risk women giving birth in private and public hospitals in NSW (2000â€2008): a linked data population-based cohort study. <i>BMJ Open</i> , 2014, 4, e004551.	1.9	47
17	Antihypertensive drugs clonidine, diazoxide, hydralazine and furosemide regulate the production of cytokines by placentas and peripheral blood mononuclear cells in normal pregnancy. <i>Journal of Hypertension</i> , 2006, 24, 915-922.	0.5	45
18	A randomised comparison of hydralazine and miniâ€bolus diazoxide for hypertensive emergencies in pregnancy: The PIVOT trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007, 47, 279-285.	1.0	44

#	ARTICLE	IF	CITATIONS
19	Soluble Flt-1 as a diagnostic marker of pre-eclampsia. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2008, 48, 64-70.	1.0	40
20	Warm perineal compresses during the second stage of labor for reducing perineal trauma: A meta-analysis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 240, 93-98.	1.1	38
21	Garlic increases IL-10 and inhibits TNF- $\alpha$ and IL-6 production in endotoxin-stimulated human placental explants. Placenta, 2005, 26, 828-834.	1.5	35
22	Risk of recurrence, subsequent mode of birth and morbidity for women who experienced severe perineal trauma in a first birth in New South Wales between 2000 –2008: a population based data linkage study. BMC Pregnancy and Childbirth, 2013, 13, 89.	2.4	34
23	Severe perineal trauma is rising, but let us not overreact. Midwifery, 2015, 31, 1-8.	2.3	34
24	Menopausal Hormone Therapy Is Associated with Having High Blood Pressure in Postmenopausal Women: Observational Cohort Study. PLoS ONE, 2012, 7, e40260.	2.5	33
25	Maternal Deaths in NSW (2000–2006) from Nonmedical Causes (Suicide and Trauma) in the First Year following Birth. BioMed Research International, 2013, 2013, 1-6.	1.9	32
26	Hypertension in pregnancy and long-term cardiovascular mortality: a retrospective cohort study. American Journal of Obstetrics and Gynecology, 2016, 214, 722.e1-722.e6.	1.3	29
27	Intrapartum interventions and outcomes for women and children following induction of labour at term in uncomplicated pregnancies: a 16-year population-based linked data study. BMJ Open, 2021, 11, e047040.	1.9	27
28	Glucocorticoids inhibit placental cytokines from cultured normal and preeclamptic placental explants. Placenta, 2005, 26, 654-660.	1.5	26
29	High blood pressure during pregnancy is associated with future cardiovascular disease: an observational cohort study. BMJ Open, 2013, 3, e002964.	1.9	26
30	Maternal and perinatal outcomes by planned place of birth in Australia 2000 –2012: a linked population data study. BMJ Open, 2019, 9, e029192.	1.9	26
31	Trends and risk factors for severe perineal trauma during childbirth in New South Wales between 2000 and 2008: a population-based data study. BMJ Open, 2013, 3, e002824.	1.9	25
32	Influence of Gestational Age at Initiation of Antihypertensive Therapy. Hypertension, 2018, 71, 1170-1177.	2.7	25
33	Generic obstetric database systems are unreliable for reporting the hypertensive disorders of pregnancy. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2004, 44, 505-509.	1.0	23
34	Obstetric and psychosocial risk factors for Australian-born and non-Australian born women and associated pregnancy and birth outcomes: a population based cohort study. BMC Pregnancy and Childbirth, 2015, 15, 292.	2.4	23
35	Gastro-oesophageal reflux: a mixed methods study of infants admitted to hospital in the first 12 months following birth in NSW (2000–2011). BMC Pediatrics, 2018, 18, 30.	1.7	21
36	The relationship between intimate partner violence reported at the first antenatal booking visit and obstetric and perinatal outcomes in an ethnically diverse group of Australian pregnant women: a population-based study over 10 years. BMJ Open, 2018, 8, e019566.	1.9	20

#	ARTICLE	IF	CITATIONS
37	Anti-Hypertensive Drugs Alter Cytokine Production from Preeclamptic Placentas and Peripheral Blood Mononuclear Cells. <i>Hypertension in Pregnancy</i> , 2007, 26, 343-356.	1.1	16
38	Benchmarking the Hypertensive Disorders of Pregnancy. <i>Pregnancy Hypertension</i> , 2016, 6, 279-284.	1.4	16
39	Antitumour antibiotic containing regimens for metastatic breast cancer. <i>The Cochrane Library</i> , 2004, , CD003367.	2.8	15
40	Time Poor: Rushing Decreases the Accuracy and Reliability of Blood Pressure Measurement Technique in Pregnancy. <i>Hypertension in Pregnancy</i> , 2006, 25, 81-91.	1.1	13
41	A longitudinal analysis of angiotensin II type 1 receptor antibody and angiogenic markers in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 170.e1-170.e8.	1.3	12
42	EFFECTS OF ANTI-HYPERTENSIVE DRUGS ON PRODUCTION OF SOLUBLE FMS-LIKE TYROSINE KINASE 1 AND SOLUBLE ENDOGLIN FROM HUMAN NORMAL AND PREECLAMPTIC PLACENTAS <i>IN VITRO</i>. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009, 36, 839-842.	1.9	11
43	Characteristics and service needs of women and babies admitted to residential parenting units in New South Wales: A mixed-methods study. <i>Journal of Clinical Nursing</i> , 2018, 27, 2963-2973.	3.0	9
44	An International Benchmarking Collaboration: Measuring Outcomes for the Hypertensive Disorders of Pregnancy. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2007, 29, 794-800.	0.7	8
45	Exogenous Soluble VEGF Receptor-1 (sFlt-1) Regulates Th1/Th2 Cytokine Production from Normal Placental Explants via Intracellular Calcium. <i>Hypertension in Pregnancy</i> , 2009, 28, 448-456.	1.1	8
46	The safety and effectiveness of mind body interventions for women with pregnancy induced hypertension and or preeclampsia: A systematic review and meta-analysis. <i>Complementary Therapies in Medicine</i> , 2020, 52, 102469.	2.7	8
47	Barriers and enablers for midwives using endorsement for scheduled medicines: A literature review. <i>Women and Birth</i> , 2020, 33, 3-14.	2.0	7
48	Creating the first national linked dataset on perinatal and maternal outcomes in Australia: Methods and challenges. <i>Journal of Biomedical Informatics</i> , 2019, 93, 103152.	4.3	6
49	Characteristics and changes in characteristics of women and babies admitted to residential parenting services in New South Wales, Australia in the first year following birth: a population-based data linkage study 2000-2012. <i>BMJ Open</i> , 2019, 9, e030133.	1.9	6
50	Mapping the trajectories for women and their babies from births planned at home, in a birth centre or in a hospital in New South Wales, Australia, between 2000 and 2012. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 513.	2.4	6
51	Associations Between Mode of Birth and Neuropsychological Development in Children Aged 4 Years: Results from a Birth Cohort Study. <i>Child Psychiatry and Human Development</i> , 2021, 52, 1094-1105.	1.9	6
52	Probiotics for preventing and treating infant regurgitation: A systematic review and meta-analysis. <i>Maternal and Child Nutrition</i> , 2022, 18, e13290.	3.0	6
53	Does the anti-hypertensive drug clonidine affect the short-term variation in CTG recordings?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010, 50, 456-459.	1.0	5
54	Benchmarking and patient safety in hypertensive disorders of pregnancy. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 509-521.	2.8	5

#	ARTICLE	IF	CITATIONS
55	Modelling the cost of place of birth: a pathway analysis. BMC Health Services Research, 2021, 21, 816.	2.2	4
56	The effectiveness and safety of complementary health approaches to managing postpartum pain: A systematic review and meta-analysis. Integrative Medicine Research, 2022, 11, 100758.	1.8	4
57	Low selenium is associated with the occurrence of preeclampsia in women from the United Kingdom. American Journal of Obstetrics and Gynecology, 2004, 191, 676.	1.3	2
58	Vascular Endothelial Growth Factor Receptor 1 (Flt1) and Apoptosis in the Preeclamptic Placenta and Effects of in vivo Anti-hypertensive Exposure. Hypertension in Pregnancy, 2008, 27, 361-373.	1.1	2
59	Adolescent Perinatal Outcomes in South West Sydney, Australia. Mayo Clinic Proceedings Innovations, Quality & Outcomes, 2018, 2, 10-15.	2.4	2
60	Protocol audit of dinoprostone gel induction of labour. Women and Birth, 2004, 17, 22-25.	0.1	1
61	Urinary placental growth factor differentiates the hypertensive disorders of pregnancy. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2011, 51, 523-526.	1.0	1
62	What's wrong with using the F word? A systematic integrative review of how the fetus is talked about in situations of fetal demise or high risk of fetal loss. Midwifery, 2019, 79, 102537.	2.3	1
63	Mental Health and Diabetes During Pregnancy: Is It Chicken or Egg?. , 2018, , 39-46.		0
64	Characteristics and co-admissions of mothers and babies admitted to residential parenting services in the year following birth in NSW: a linked population data study (2000â€“2012). BMC Pregnancy and Childbirth, 2022, 22, .	2.4	0